

DAFTAR PUSTAKA

- Abdul-Jalil, T. Z., & Nasser, Z. A. (2020). Piper cubeba: phytochemical and pharmacological review of a routinely used spices. *Int J Pharmaceut Res*, 12, 761–768.
- Adarsh Krishna, T. P., Edachery, B., & Athalathil, S. (2022). Bakuchiol – a natural meroterpenoid: structure, isolation, synthesis and functionalization approaches. *RSC Advances*, 12(14), 8815–8832. <https://doi.org/https://doi.org/10.1039/d1ra08771a>
- Ahmad, R., Khairul Nizam Mazlan, M., Firdaus Abdul Aziz, A., Mohd Gazzali, A., Amir Rawa, M. S., & Wahab, H. A. (2023). Phaleria macrocarpa (Scheff.) Boerl.: An updated review of pharmacological effects, toxicity studies, and separation techniques. *Saudi Pharmaceutical Journal*, 31(6), 874–888. <https://doi.org/https://doi.org/10.1016/j.jsps.2023.04.006>
- Akbar, S. (2020). Handbook of 200 Medicinal Plants: A Comprehensive Review of Their Traditional Medical Uses and Scientific Justifications. In *Handbook of 200 Medicinal Plants: A Comprehensive Review of Their Traditional Medical Uses and Scientific Justifications*. <https://doi.org/10.1007/978-3-030-16807-0>
- Amir, M., Khuranna, D., Ahmad, W., Mir, S. R., Raish, M., Mansoor, S., Ahmad, A., & Mujeeb, M. (2024). Development and Validation of an Hptlc Method for Bakuchiol Quantification in Psoralea Corylifolia Seeds Using Central Composite Design. *Farmacia*, 72(1), 164–170. <https://doi.org/10.31925/farmacia.2024.1.17>
- Ashokkumar, K., Murugan, M., Dhanya, M. K., Pandian, A., & Warkentin, T. D. (2021). Phytochemistry and therapeutic potential of black pepper [Piper nigrum (L.)] essential oil and piperine: A review. *Clinical Phytoscience*, 7(1), 52.
- Barreiro-Iglesias, R., Alvarez-Lorenzo, C., & Concheiro, A. (2001). Incorporation of small quantities of surfactants as a way to improve the rheological and diffusional behavior of carbopol gels. *Journal of Controlled Release*, 77(1–2), 59–75. [https://doi.org/10.1016/S0168-3659\(01\)00458-8](https://doi.org/10.1016/S0168-3659(01)00458-8)
- Bluemke, A., Ring, A. P., Immeyer, J., Hoff, A., Eisenberg, T., Gerwat, W., Meyer, F., Breitreutz, S., Klinger, L. M., Brandner, J. M., Sandig, G., Seifert, M., Segger, D., Rippke, F., & Schweiger, D. (2022). Multidirectional activity of bakuchiol against cellular mechanisms of facial ageing - Experimental evidence for a holistic treatment approach. *International Journal of Cosmetic Science*, 44(3), 377–393. <https://doi.org/10.1111/ics.12784>
- Carsono, N., Tumilaar, S. G., Kurnia, D., Latipudin, D., & Satari, M. H. (2022). A Review of Bioactive Compounds and Antioxidant Activity Properties of Piper Species. *Molecules (Basel, Switzerland)*, 27(19). <https://doi.org/10.3390/molecules27196774>
- Chaudhuri, R. K. (2015). Bakuchiol: A retinol-like functional compound, modulating multiple retinol and non-retinol targets. *Cosmeceuticals and Active Cosmetics, Third Edition, December*, 1–18. <https://doi.org/10.1201/b18895-2>
- Choi, S. Y., Lee, S., Choi, W.-H., Lee, Y., Jo, Y. O., & Ha, T.-Y. (2010). Isolation

- and anti-inflammatory activity of Bakuchiol from *Ulmus davidiana* var. *japonica*. *Journal of Medicinal Food*, 13(4), 1019–1023.
- Dewatisari, W. F. (2019). Perbandingan variasi pelarut dari ekstrak daun Lidah Mertua (*Sansevieria trifasciata*) terhadap rendemen dan aktivitas antibakteri. *Prosiding SNPBS (Seminar Nasional Pendidikan Biologi Dan Saintek)*, 292–300.
- Dienilah, A. (2022). Formulasi Sediaan Nanoemulsi Ekstrak Buah Stroberi (*Fragaria* sp) Sebagai Bahan Aktif Pembuatan Serum Antioksidan. *Skripsi*, 1–91.
- Dileep, S. A., Dayanand, N. N., & Redasani, V. K. (2024). Skin Aging and Herbal Anti-Aging Serums: A Comprehensive Review. *Asian Journal of Pharmaceutical Research and Development*, 12(3), 208–213.
- Dominica, D., & Handayani, D. (2019). Formulasi dan Evaluasi Sediaan Lotion dari ekstrak daun lengkung (*Dimocarpus longan*) sebagai Antioksidan. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 6(1), 1.
- Fitriyana, L., Irmayanti, I., Meutia Sari, P., & Muhardina, V. (2018). Ekstraksi Oleoresin Lada Hitam Secara Maserasi Menggunakan Metode Permukaan Respon. *Jurnal Serambi Engineering*, 3(1), 215–221. <https://doi.org/10.32672/jse.v3i1.444>
- Gite, A. V. (2023). Formulation and Development of Face Serum. *International Journal of Creative Research Thoughts (IJCRT)*, 11(6), 2320–2882. www.ijcrt.org
- Gokulkumar, S., Kannan, T., Karthi, N., Sathish, S., Prabhu, L., Aravindh, M., & Alex, J. (2023). Development and Characterization of Glycine Max Seed Powder Blended with Unidirectional Agave Fourcroydes Reinforced Epoxy Nanocomposite. *International Symposium on Lightweight and Sustainable Polymeric Materials*, 159–172.
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH radical scavenging assay. *Processes*, 11(8), 2248.
- Habibi, S. A., Nurdin, A., & Bukhari, A. (2022). Identification of Phytochemicals, Antioxidant Activity Using DPPH Method (1.1= Diphenyl-2-Picrylhydrazyl), Toxicity Using Brine Shrimp Lethality Test of *Diplazium esculentum* Tea. *Journal of International Conference Proceedings (JICP) Vol*, 5(4), 34–42.
- Hakim, N. A., Arianto, A., & Bangun, H. (2018). Formulasi dan Evaluasi Nanoemulsi dari Extra Virgin Olive Oil (Minyak Zaitun Ekstra Murni) sebagai Anti-Aging. *Talenta Conference Series: Tropical Medicine (TM)*, 1(2), 391–397. <https://doi.org/10.32734/tm.v1i2.222>
- Hou, D., Yousaf, L., Xue, Y., Hu, J., Wu, J., Hu, X., Feng, N., & Shen, Q. (2019). Mung bean (*Vigna radiata* L.): Bioactive polyphenols, polysaccharides, peptides, and health benefits. *Nutrients*, 11(6), 1–28. <https://doi.org/10.3390/nu11061238>
- Husada, I., Ilmiah, J., Juli, V. N., Bainunniza, A., Harjanti, R., Nilawati, A., & Antioksidan, K. (2024). FORMULASI SERUM ANTIOKSIDAN EKSTRAK ETANOL DAUN MATOA (*POMETIA PINNATA* J . R FORST AND G . FORST) DENGAN VARIASI GELLING AGENT CARBOPOL 940
ANTIOXIDANT SERUM FORMULATION OF MATOA LEAF ETHANOL

- EXTRACT (POMETIA PINNATA J . R FORST AND G . FORST) WITH VA. 12(2), 258–270. <https://doi.org/10.52236/ih.v12i2.608>*
- Ibrahim, A. (2010). Potensi Antibakteri Ekstrak Diethyl Ether Daun Mahkota Dewa (Phaleria Macrocarpa (Scheff.) Boerl) Terhadap Bakteri Pseudomonas Aeruginosa Dan Staphylococcus Aureus. *Journal Of Tropical Pharmacy And Chemistry, 1*(1), 17–23.
- Jaferník, K., Halina, E., Ercisli, S., & Szopa, A. (2021). Characteristics of bakuchiol-the compound with high biological activity and the main source of its acquisition-Cullen corylifolium (L.) Medik. *Natural Product Research, 35*(24), 5828–5842.
- Jusnita, N., & Nasution, K. (2019). Formulasi nanoemulsi ekstrak daun kelor (moringa oleifera lamk). *Industria: Jurnal Teknologi Dan Manajemen Agroindustri, 8*(3), 165–170.
- Kalim, A., Zaheer, M., Siddiqui, M. U. A., Ahmed, S., & Hassan, M. M. (2021). Nutritional value, Ethnomedicine, Phytochemistry and pharmacology of Vigna radiata (L.) R. Wilczek. *Journal of Pharmacognosy and Phytochemistry, 10*(2), 54–58.
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology, 48*, 412–422.
- Khaira, Z., Monica, E., & Yoedistira, C. D. (2022). FORMULASI DAN UJI MUTU FISIK SEDIAAN SERUM MIKROEMULSI EKSTRAK BIJI MELINJO Gnteum gnemon L. *Sainsbertek Jurnal Ilmiah Sains & Teknologi, 3*(1), 299–309. <https://doi.org/10.33479/sb.v3i1.197>
- Kim, J. Y., & Dao, H. (2023). *Physiology, Integument. StatPearls*. StatPearls Publishing.
- Krenisky, J. M., Luo, J., Reed, M. J., & Carney, J. R. (1999). Isolation and antihyperglycemic activity of bakuchiol from Otholobium pubescens (Fabaceae), a Peruvian medicinal plant used for the treatment of diabetes. *Biological and Pharmaceutical Bulletin, 22*(10), 1137–1140.
- Labbé, C., Faini, F., Coll, J., & Connolly, J. D. (1996). Bakuchiol derivatives from the leaves of Psoralea glandulosa. *Phytochemistry, 42*(5), 1299–1303.
- Leisyah, B. M. (2019). The effect of antioxidant of grapeseed oil as skin anti-aging in nanoemulsion and emulsion preparations. *Rasayan Journal of Chemistry, 12*(3).
- Lopez-Ojeda, W., Pandey, A., Alhajj, M., & Oakley, A. M. (2025). *Anatomy, Skin (Integument)*.
- Lotfollahi, Z. (2024). The anatomy, physiology and function of all skin layers and the impact of ageing on the skin. *Wound Practice and Research, 32*(1), 6–10. <https://doi.org/10.33235/wpr.32.1.6-10>
- Lystvan, K., Belokurova, V., Sheludko, Y., Ingham, J. L., Prykhodko, V., Kishchenko, O., Paton, E., & Kuchuk, M. (2010). Production of bakuchiol by in vitro systems of Psoralea drupacea Bge. *Plant Cell, Tissue and Organ Culture (PCTOC), 101*, 99–103.
- Mane, S., Vinchurkar, K., Khan, M., Sainy, J., Nirmal, S., & Singh, R. (2019). SKIN ANTI-AGING STRATEGIES: A REVIEW. *International Journal of Engineering Applied Sciences and Technology, 04*, 255–263.

<https://doi.org/10.33564/IJEAST.2019.v04i07.044>

- Mardhiani, Y. D., Yulianti, H., Azhary, D., & Rusdiana, T. (2018). Formulasi dan Stabilitas Sediaan Serum dari Ekstrak Kopi Hijau (*Coffe Canephora*). *Indones Nat Res Pharm J*, 2(2), 19–33.
- Mascarenhas-Melo, F., Ribeiro, M. M., Kahkesh, K. H., Parida, S., Pawar, K. D., Velsankar, K., Jha, N. K., Damiri, F., Costa, G., & Veiga, F. (2024). Comprehensive review of the skin use of bakuchiol: physicochemical properties, sources, bioactivities, nanotechnology delivery systems, regulatory and toxicological concerns. *Phytochemistry Reviews*, 1–37.
- Mehra, A., Kaur, G., Sethi, S., Kumar, P., Bhandari, T., Kaur, K., Singh, G., & Bedi, N. (2024). Unveiling the potential of Bakuchiol-A comprehensive review on pharmacological activities and therapeutic formulations. *Journal of Biologically Active Products from Nature*, 14(2), 134–160.
- Milosheska, D., & Roškar, R. (2022). Use of Retinoids in Topical Antiaging Treatments: A Focused Review of Clinical Evidence for Conventional and Nanoformulations. *Advances in Therapy*, 39. <https://doi.org/10.1007/s12325-022-02319-7>
- Mishra, R., Tripathi, M. K., Sikarwar, R. S., Singh, Y., & Tripathi, N. (2024). Soybean (*Glycine max* L. Merrill): A multipurpose legume shaping our world. *Plant Cell Biotechnol. Mol. Biol*, 25, 17–37.
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. *International Journal of Molecular Sciences*, 22(7), 3380.
- Narda, M., Brown, A., Muscatelli-Groux, B., Grimaud, J. A., & Granger, C. (2020). Epidermal and dermal hallmarks of photoaging are prevented by treatment with night serum containing melatonin, bakuchiol, and ascorbyl tetraisopalmitate: in vitro and ex vivo studies. *Dermatology and Therapy*, 10, 191–202.
- Ohno, O., Watabe, T., Nakamura, K., Kawagoshi, M., Uotsu, N., Chiba, T., Yamada, M., Yamaguchi, K., Yamada, K., & Miyamoto, K. (2010). Inhibitory effects of bakuchiol, bavachin, and isobavachalcone isolated from *Piper longum* on melanin production in B16 mouse melanoma cells. *Bioscience, Biotechnology, and Biochemistry*, 74(7), 1504–1506.
- OR, A., JA, A., & OA, O. (2016). Review on *Phaleria macrocarpa* Pharmacological and Phytochemical Properties. *Drug Designing: Open Access*, 05(03). <https://doi.org/10.4172/2169-0138.1000134>
- Orak, H., Karamać, M., Orak, A., Amarowicz, R., & Janiak, M. (2018). *Phenolics Content and Antioxidant Capacity of Mung Bean (Vigna radiata L.) Seed*.
- Prananta, Y. E., Rakhman, K. A., & Saleh, J. (2020). Antioxidant activities of red jabon (*Anthocephalus macrophyllus*) ethanol extract. *IOP Conference Series: Earth and Environmental Science*, 415(1), 12026.
- Purnamasari Damanik, A., Hartulistiyoso, E., & Hasbullah, R. (2022). Penerapan Metode Ekstraksi Microwave Untuk Meningkatkan Rendemen dan Mutu Oleoresin Lada Putih (*Piper nigrum* L). *Jurnal Keteknik Pertanian*, 10(1), 21–28. <https://doi.org/10.19028/jtep.010.1.21-28>
- Qiang, L. S., Rukayadi, Y., Padzil, K. N. M., & Razis, A. F. A. (2022). Antioxidant

- activity of *Piper cubeba* L. berries crude extracts and its fractions. *Food Research*, 6(4), 279–286. [https://doi.org/10.26656/fr.2017.6\(4\).611](https://doi.org/10.26656/fr.2017.6(4).611)
- Ramadhan, H., Rezky, D. P., & Susiani, E. F. (2021). Penetapan Kandungan Total Fenolik-Flavonoid pada Fraksi Etil Asetat Kulit Batang Kasturi (*Mangifera casturi* Kosterman). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 8(1), 58. <https://doi.org/10.20473/jfiki.v8i12021.58-67>
- Ramadhani, F. A., Kusumawati, I., Primaharinastiti, R., Rullyansyah, S., Sandhori, F. J., & Prasetyawan, H. R. (2023). Comparative Study of Densitometry and Videodensitometry for Quantitating the Active Pharmaceutical Ingredients Using Thin Layer Chromatography – Systematic Review. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 10(2), 141–150. <https://doi.org/10.20473/jfiki.v10i22023.141-150>
- Rao, G. V., Kavitha, K., Gopalakrishnan, M., & Mukhopadhyay, T. (2012). Isolation and characterization of a potent antimicrobial compound from *Aerva sanguinolenta* Blume: an alternative source of bakuchiol. *J Pharm Res*, 5(1), 174–176.
- Rosamah, E. (2019). Kromatografi Lapis Tipis Metode Sederhana dalam Analisis Kimia Tumbuhan Berkayu. *Mulawarman University Presskalimantan Timur Samarinda*.
- Sadewi, B. P. (2021). Aktivitas Senyawa Antioksidan Daun Mahkota Dewa (*Phaleria macrocarpa* (Scheff.)Boerl.). *Pengaruh Penambahan Additif Polistiren Pada Karakteristik Semen Giggi Zinc Oxide Eugenol Secara In Vivo*, 5(3), 1–4.
- Satria, M. D. (2013). Uji Aktivitas Antioksidan Ekstrak N-Heksan Buah Lakum (*Cayratia Trifolia*) Dengan Metode DPPH (2, 2-Difenil-1-Pikrilhidrazil). *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 1(1).
- Savitri, A., & Megantara, S. (2019). Metode KLT-Densitometri Sebagai Penetapan Kadar Bahan Aktif Sediaan Farmasi. *Farmaka*, 17, 455–463.
- Sawiji, R. T. (2024). Pengaruh Variasi Konsentrasi Gelling Agent (Xanthan Gum dan Carbopol) pada Sediaan Serum dengan bahan Aktif Retinoic Acid. *Acta Holistica Pharmacia*, 6(1), 1–10. <https://doi.org/10.62857/ahp.v6i1.157>
- Setiawan, P. A., Rahmawanty, D., & Sari, D. I. (2023). Formulasi dan Evaluasi Sifat Fisik Sediaan Serum Wajah Ekstrak Daun Singkong (*Manihot esculenta*) dengan Variasi Konsentrasi Xanthan Gum. *Jurnal Pharmascience*, 10(2), 394–404.
- Setyani, I. K., Wahyono, W., & Sulaiman, T. N. S. (2021). Standardisasi Simplisia dan Ekstrak Buah Kemukus (*Piper cubeba* Lf.) Sebagai Bahan Baku Sediaan Kapsul Jamu Sesak Nafas. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 6(3), 238. <https://doi.org/10.20961/jpscr.v6i3.50372>
- Shejul, T. S., & Kudale, K. (2023). Facial Serum: Its Formulation, Usage, Special Ingredients, Various Types and Benefits. *International Journal of Pharmaceutical Research and Applications*, 8(2), 680. <https://doi.org/10.35629/7781-0802680692>
- Shin, J.-W., Kwon, S.-H., Choi, J.-Y., Na, J.-I., Huh, C.-H., Choi, H.-R., & Park, K.-C. (2019). Molecular Mechanisms of Dermal Aging and Antiaging Approaches. *International Journal of Molecular Sciences*, 20(9).

<https://doi.org/10.3390/ijms20092126>

- Sumule, A., Kuncahyo, I., & Leviana, F. (2020). Optimasi Carbopol 940 dan Gliserin dalam Formula Gel Lendir Bekicot (*Achatina fulica* Ferr) sebagai Antibakteri *Staphylococcus aureus* dengan Metode Simplex Lattice Design. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(1), 108. <https://doi.org/10.30595/pharmacy.v17i1.5640>
- Surini, S., Mubarak, H., & Ramadan, D. (2018). Cosmetic serum containing grape (*Vitis vinifera* L.) seed extract phytosome: Formulation and in vitro penetration study. *Journal of Young Pharmacists*, 10(2s), S51.
- Sutriningsih, S. (2018). Uji Aktivitas Antioksidan Dengan Metode Dpph Ekstrak Daun Katuk (*Sauropus Androgynus* (L.) Merr) Serta Uji Stabilitas Pengaruh Konsentrasi Emulgator Asam Stearat Dan Trietanolamin Terhadap Formulasi Krim. *Indonesia Natural Research Pharmaceutical Journal*, 3(1), 119–130.
- Tanwar, B., & Goyal, A. (2021). *Oilseeds: health attributes and food applications*. Springer.
- Tari, M., & Indriani, O. (2023). Formulasi dan uji stabilitas fisik sediaan krim ekstrak sembung rambut (*Mikania micrantha* Kunth). *Babul Ilmi Jurnal Ilmiah Multi Science Kesehatan*, 15(1).
- Tortora, G. J., & Derrickson, B. H. (2018). *Principles of anatomy and physiology*. John wiley & sons.
- Tullah, T. V., Yanti, E. F., Tinggi, S., Kesehatan, I., Bangsa, H., & Jember, U. (2023). Penetapan Kadar Fenolik Total dan Uji Aktivitas Antioksidan Ekstrak Kacang kedelai Kuning (*Glycine max* L.) Dengan Metode DPPH. 6(2), 31–39.
- Uikey, S. K., Yadav, A. S., Sharma, A. K., Rai, A. K., Raghuwanshi, D. K., & Badkhane, Y. (2010). The botany, chemistry, pharmacological and therapeutic application of *psoralea corylifolia* L.—A review. *Int J Phytomed*, 2(2), 100–107.
- Urbain, A., & Simoes-Pires, C. (2020). Encyclopedia of Analytical Chemistry. *Encyclopedia of Analytical Chemistry: Applications, Theory and Instrumentation*, 1.
- Wasnik, V., Bhude, P., Ajane, P., Dharmale, P., & Gadekar, P. (2024). Formulation and Evaluation of Herbal Face Serum for Treatment of Hyperpigmentation. *Research Journal of Topical and Cosmetic Sciences*, 15(1), 13–19.
- Wulandari, W., Octavia, M. D., Sari, Y. N., & Rivai, H. (2021). black pepper (*Piper nigrum* l.) Botanical aspects, chemical content, pharmacological activities. *Int. J. Pharm. Sci. Med.*, 83.
- Wysocka, M. (2022). Bakuchiol-a plant-based retinol. The review article. *Aesthetic Cosmetology and Medicine*.
- Yin, S., Luo, J., Qian, A., Du, J., Yang, Q., Zhou, S., Yu, W., Du, G., Clark, R. B., Walters, E. T., Carlton, S. M., & Hu, H. (2013). Retinoids activate the irritant receptor TRPV1 and produce sensory hypersensitivity. *The Journal of Clinical Investigation*, 123(9), 3941–3951. <https://doi.org/10.1172/JCI66413>
- Yousef, H., Alhajj, M., Fakoya, A. O., & Sharma, S. (2025). *Anatomy, Skin (Integument), Epidermis*.