

DAFTAR PUSTAKA

- Alapati, D. K., V. Ancona, M. Sétamou, C. Donato, S. D. Nelson, and J. Reyes-Cabrera. 2025. Sunflower and sunn hemp potential as summer cover crop in Southern Texas. *Agronomy*. 15: 986.
- Aliyatiddin, H. 2025. Pengaruh Umur dan Tinggi Pemotongan Terhadap Morfologi, Produksi Biomassa, Kandungan Protein Kasar Dan Alkaloid Pada Pertumbuhan Kembali Tanaman Orok-Orok (*Crotalaria juncea L.*). Tesis. Fakultas Peternakan. Universitas Gadjah Mada.
- Al-Snafi, A. E. 2016. The contents and pharmacology of *Crotalaria juncea* a review. *IOSR Journal of Pharmacy*. 6(2): 77-86.
- AOAC. 2005. Association of Official Analytical Chemist. Official methods of analysis. 18th edition. Washington DC. USA.
- Astutik, D., D. Suryaningndari, dan U. Raranda. 2019. Hubungan pupuk kalium dan kebutuhan air terhadap sifat fisiologis, sistem perakaran dan biomassa tanaman jagung (*Zea mays*). *Jurnal Citra Widya Edukasi*. 11(1): 67-76.
- Badan Pusat Statistik Kabupaten Sleman. 2024. Indikator iklim Sleman.
- Barbosa, I. R., R. S., Santana, M. Mauad, and R. A. Garcia. 2020. Dry matter production and nitrogen, phosphorus and potassium uptake in *Crotalaria juncea* and *Crotalaria spectabilis*. *Pesquisa Agropecuária Tropical*. 50, e61011.
- Bekewe, P. E., M. S. Castillo, and R. Rivera. 2018. Defoliation management affects productivity, leaf/stem ratio, and tiller counts of 'performer' switchgrass. *Crop Economics, Production, and Management*. 110(4): 1467-1472.
- Berliana, Y., J. M. Sihombing, Khairani, and E. Wahyudi. 2021. Effect of cutting age and dosage of liquid organic fertilizer on king grass (*Pennisetum purpureoides* Schumach) production as a source of animal feed. *Jurnal Agroteknologi dan Perkebunan*. 4(1): 61-72.
- Bundit, A., Ostile, M., and Chanakan, P. U. T. 2021. Sunn hemp (*Crotalaria juncea*) weed suppression and allelopathy at different timings. *Biocontrol Science and Technology*. 31(7): 694-704.
- Chappa, L. R., J. Mugwe, S. Maitra, and H. I. Gitari. 2022. Current status and prospects of improving sunflower production in Tanzania through intercropping with sunn hemp. *International Journal of Biosecurity Science*. 9(1): 1-8.
- Cho, A. H., C. A. Chase, D. D. Treadwell, R. L. Koenig, J. B. Morris, and J. P. Morales-Payan. 2015. Apical dominance and planting density

effects on weed suppression by sunn hemp (*Crotalaria juncea* L.). HortScience. 50(2): 263-267.

Dewanti, M. S., B. Suhartanto, N. Umami, A. Kurniawati, and Y. S. Prasojo. 2024. Biomass production, nutrient and prussic acid content of sunn hemp (*Crotalaria juncea* L.) at different cutting time. Asian Journal of Plant Sciences. 23(2): 176-183.

Dewanti, M. S., B. Suhartanto, and Y. S. Prasojo. 2024. Morphology characteristic and biomass production of sunn hemp (*Crotalaria juncea* L.) at different cutting time. Asian Journal of Plant Sciences. 23: 15-21.

Eberle, C. and L. Shortnacy. 2021. Sunn hemp planting date effect on growth, biomass accumulation, and nutritive value in Southeastern Wyoming. Crop Science. 61: 4447-4457. ECHO. 2022. Sunn Hemp. ECHO Plant Information Sheet. USA.

Ernawati, A., L. Abdullah, I. G. Permana, and P. D. M. H. Karti. 2023. Morphological responses, biomass production, and nutrient of *Pennisetum purpureum* cv. Pakchong under different planting patterns and harvesting ages. Biodiversitas. 24(6): 3439-3447.

Fitri, A., R. Rahim, Nurhayati, A. S. L. Pagiling, I. N. A. Munfarikhatin, D. N. S. K. Hutagaol, dan N. E. Anugrah. 2023. Dasar-Dasar Statistika Untuk Penelitian. Yayasan Kita Menulis.

Funan, M. A., H. P. Nastiti, dan S. T. Temu. 2022. Protein kasar, serat kasar dan kalsium (ca) hijauan padang penggembalaan alam di Desa Praipaha Kecamatan Ngaha Ori Angu Kabupaten Sumba Timur. Jurnla Peternakan Lahan Kering. 4(2): 2122-2128.

Gani, A. R. F. dan W. Arwita. 2020. Kecenderungan literasi informasi mahasiswa pada mata kuliah morfologi tumbuhan. Jurnal Pelita Pendidikan. 8(2): 145-150.

Hajar, H., L. Abdullah, dan D. Diapari. 2019. Produksi dan kandungan nutrien beberapa varietas sorgum hybrid dengan jarak tanam berbeda sebagai sumber pakan. Jurnal Ilmu Nutrisi dan Teknologi Pakan. 17(1): 1-5.

Harjanti, R. A., Tohari, dan S. N. H. Utami. 2014. Pengaruh takaran pupuk nitrogen dan silika terhadap pertumbuhan awal (*Saccharum officinarum* L.) pada inceptisol. Jurnal Vegetalika. 3(2): 35-44.

Hastuti, P. B., S. M. Rohmiyati, dan A. Kahfi. 2018. Volume air siraman yang efektif pada beberapa jenis tanah untuk pertumbuhan *Mucuna bracteate*. Agrivet: Jurnal Prodi Agroteknologi UPN "Veteran" Yogyakarta. 24(2): 1-8.

- de Jesús Ávila-Escobedo, M., N. Peralta-Antonio, G. Montiel-Vicencio, L. I. Trejo-Télez, A. Rebolledo- Martinez, and P. Sánchez-García. 2022. Screening of potential legume to be used as green manure in tropical areas of Mexico. *Journal of Soil Science and Plant Nutrition*. 22(3): 3172-3188.
- de Jesus Souza, B., do Carmo, D. L., Santos, R. H. S., de Oliveira, T. S., and Fernandes, R. B. A. 2019. Residual contribution of green manure to humic fractions and soil fertility. *Journal of Soil Science and Plant Nutrition*. 19: 878-886.
- de Oliveira Miranda, N., de Sousa Vanomark, G. M. M., Costa e Melo, I. G., and Bezerra de Góes, G. 2020. Biomass of *Crotalaria juncea* as a function of plant densities in the semiarid region of North Eastern Brazil. *Agronomia Colombiana*. 38(1): 148-155.
- Jabran, K., Mahajan, G., Sardana, V., and Chauhan, B. S. 2015. Allelopathy for weed control in agricultural systems. *Crop Protection*. 72: 57-65.
- Jiao, Y., K. J. Niklas, L. Wang, K. Yu, Y. Li, and P. Shi. 2022. Influence of leaf age on the scaling relationship of lamina mass vs. area. *Frontiers in Plant Science*. 13: 860206.
- Kaneko, M., N. Kato, I. Hattori, M. Matsuoka, and J. M. Vendramini. 2023. Seeding and harvesting times and climate conditions are important for improving nitrogen and fiber contents of green manure sunn hemp. *Sustainability*. 15(9): 7103.
- Khemtong, J., N. Phakamas, and P. Somchit. 2023. Effects of urea and sunn hemp on nitrogen use efficiency and physiological traits related to japonica rice yield. *International Journal of Agricultural Technology*. 19(3): 997-1010.
- Kinugasa, T. and B. Gantsetseg. 2023. Factors causing different CO₂ responses in shoot regrowth after defoliation between two grassland species in Mongolia. *Journal of Arid Environments*. 210(104916). <https://doi.org/10.1016/j.jaridenv.2022.104916>.
- Lastdrager, J., J. Hanson, and S. Smeekens. 2014. Sugar signals and the control of plant growth and development. *Journal of Experimental Botany*. 65: 799-807.
- Lee, J. M., N. R. Hemmingson, E. M. K. Minnee, and C. E. F. Clark. 2015. Management strategies for chicory (*Cichorium intybus*) and plantain (*Plantago lanceolata*): impact on dry matter yield, nutritive characteristics and plant density. *Crop and Pasture Science*. 66(2): 168-183.
- Lepcha, I., H. D. Naumann, F. B. Fritschi, and R. L. Kallenbach. 2019. Herbage accumulation, nutritive value, and regrowth potential of

- sunn hemp at different harvest regimens and maturity. *Crop Science*. 59(1): 413-421.
- Leyser, O. and S. Day. 2003. *Mechanism in Plant Development*. Blackwell Science.
- Limbongan, Y. 2016. *Statistika dan Rancangan Percobaan*. UKI Toraja Press. Tana Toraja.
- Liu, M., J. Gong, B. Yang, Y. Ding, Z. Zhang, B. Wang, C. Zhu, and X. Hou. 2019. Differences in the photosynthetic and physiological responses of *Leymus chinensis* to different levels of grazing intensity. *BMC Plant Biology*. 19(1): 558.
- Liu, Y., X. Yang, D. Tian, R. Cong, X. Zhang, Q. Pan, and Z. Shi. 2018. Resource reallocation of two grass species during regrowth after defoliation. *Frontiers in Plant Science*. 9: 1767.
- Merino, V. M., R. Aguilar, L F. Piña, M. Garriga, E. Ostria-Gallardo, M. D. López, F. Noriega, J. Campos, S. Navarrete, and M. J. Rivero. 2024. Regrowth dynamics and morpho-physiological characteristics of *Plantago lanceolata* under different defoliation frequencies and intensities. *PLoS ONE*. 19(9): e0310009. <https://doi.org/10.1371/journal.pone.0310009>.
- Morris, J. B., C. Chase, D. Treadwell, R. Koenig, A. Cho, J. P. Morales Payan, and G. F. Antonious. 2015. Effect of sunn hemp (*Crotalaria juncea L.*) cutting date and planting density on weed suppression in Georgia, USA. *Journal of Environmental Science and Health, Part B*. 50(8): 614-621.
- Muhindo, Z. K., F. Tendonkeng, E. Miegoue, J. Lemoufouet, and E. T. Pamo. 2018. Effect of harvesting time on the chemical composition of *Pennisetum clandestinum*. *Journal of Animal Husbandry and Dairy Science*. 2(2): 10-17.
- Nie, X., Z. Li, J. Huang, B. Huang, Y. Zhang, W. Ma, Y. Hu, and G. Zeng. 2014. Soil organic carbon loss and selective transportation under field simulated rainfall events. *PLoS One*. 9(8): e105927. doi: 10.1371/journal.pone.0105927.
- Pereira, L. E. T., A. J. Paiva, E. V. Geremia, and S. C. da Silva. 2013. Regrowth patterns of elephant grass (*Pennisetum purpureum* Schum) subjected to strategies of intermittent stocking management. *Grass and Forage Science*. 70: 195-204
- Purbajanti, E. D. 2013. *RUMPUT DAN LEGUM Sebagai Hijauan Makanan Ternak*. Graha Ilmu. Yogyakarta.
- Raheem, A., T. Wang, J. Huang, F. Danso, O. O. Bankole, A. Deng, J. Gao, J. Zhang, and W. Zhang. 2022. Leguminous green manure mitigates

methane emissions in paddy field by regulating acetoclastic and hydrogenotrophic methanogens. *European Journal of Soil Biology*. 108: 103380.

Santhees, D. and S. Santhiralingram. 2022. Evaluation of growth and yield performances of napier grass cultivar pakchong-1 under different spacial patterns in the Kilinochchi District, Sri Lanka. *Journal of Agro Technology and Rural Sciences*. 1: 1-5.

Shekinah, D. E. and J. K. Stute. 2018. Sunn hemp: a legume cover crop with potential for the Midwest. *Sustainable Agriculture Research*. 7(4): 63-69.

Sitorus, U. K. P., B. Siagian, dan N. Rahmawati. 2014. Respsnons pertumbuhan bibit kakao (*Theobroma cacao L.*) terhadap pemberian abu boiler dan pupuk urea pada media pembibitan. *Jurnal Agroteknologi Universitas Sumatera Utara*. 2(3): 1021-1029.

Sobir, Miftahudin, dan S. Helmi. 2018. Respon morfologi dan fisiologi *genotype* terung (*Solanum melongena L.*) terhadap cekaman salinitas. *Jurnal Hortikultura Indonesia*. 9(2): 131-138.

Sooksawat, N., A. Chittawanij, P. Olanratmanee, H. Insoongnern, P. Wongsanen, K. Kumproa, S. Chinaworn, W. Ruanpan, N. Ruanpan, D. Inthorn, and A. Vangnai. 2024. Potential use of sunn hemp as green manure and of biostimulant for enhancement of animal feed corn crop and fertilized soil properties. *International Journal of Agriculture and Biosciences*. 13(3): 419-428.

Starsy, D. A., S. Sudjatmiko, dan E. Apriyanto. 2020. Pengaruh ukuran media tanaman organik serat buah kelapa sawit pada pertumbuhan semai bambang lanang (*Michelia champaca*). *Jurnal Penelitian Pengelolaan Sumber Daya Alam dan lingkungan*. 9(1): 31-40.

Tantalo, S., Liman, dan Fathul, F. 2019. Efek umur pemangkasan indigofera (*Indigofera zollingeriana*) pada musim kemarau terhadap kandungan netral detergen fiber dan acid detergen fiber. *Jurnal Ilmiah Peternakan Terpadu*. 7(2): 241-246.

Umami, N., B. Suhartanto, A. Agus, B. Suwignyo, N. Suseno, F. S. Zakkiyah, and T. Cookson. 2019. Morphological characteristics and biomass production of chicory (*Cichorium intybus*) in Yogyakarta. *Proceedings Internasional Seminar on Tropical Animal Production*: 52-56.

Venter, Z. S., H. J. Hawkins, and M. D. Cramer. 2020. Does defoliation frequency and severity influence plant productivity? The role of grazing management and soil nutrients. *African Journal of Range & Forage Science*. Pp 1-6.

- Wang, C. L. and Dai, Y. L. 2018. First report of sunn hemp *Fusarium* wilt caused by *Fusarium udum* f. sp. *crotalariae* in Taiwan. *Plant Disease*. 102 (5): 1031-1031.
- Wang, S., K. Adhikari, Q. Wang, X. Jin, and H. Li. 2018. Role of environmental variables in the spatial distribution of soil carbon (C), nitrogen (N), and c:n ratio from the northeastern coastal agroecosystems in China. *Ecological Indicators*. 8: 263-272.
- Widiastuti, S., Rahayu, T. P., dan Septian, M. H. 2021. Pengaruh umur potong yang berbeda terhadap produksi dan kandungan bahan kering serta protein kasar sorghum green fodder hydroponic. *Jurnal Ilmu dan Teknologi Peternakan*. 9(2): 64-68.
- Winarso, S., W. Subchan, A. Haryanti, T. C. Setiawati, and S. Romadhona. 2021. Increasing the abundance of microorganisms in a regosol soil using biopelet fertilizer composed from biochar, chicken manure, and shrimp waste to increase soil fertility. *Journal of Degraded and Mining Lands Management*. 8(4): 2881-2890.
- Xu, Z., T. Zhang, S. Wang, and Z. Wang. 2020. Soil pH and C/N ratio determines spatial variations in soil microbial communities and enzymatic activities of the agricultural ecosystems in Northeast China: Jilin Province case. *Applied Soil Ecology*. 15: 103629.
- Xue, Z., L. Liu, and C. Zhang. 2020. Regulation of shoot apical meristem and axillary meristem development in plants. *International Journal of Molecular Sciences*. 21(8): 2917.
- Yulanda, N., N. Hidajati, A. B. Achmad, and D. Chrismanto. 2021. The effect of molasses addition on physical and chemical quality of corn plant silage given fermented mother liquor. *Journal of Applied Veterinary Science and Tecnology*. 2: 10-14.
- Zegada-Lizarazu, W., A. Parenti, P. Peroni, and A. Monti. 2024. Sunn hemp, a tropical legumes species, as an alternative bioenergy livestock in temperate climates. *Biomass and Bioenergy*. 183(107114)
- Zhou, G., Cao, W., Bai, J., Xu, C., Zeng, N., Gao, S., Rees, R. M., and Dou, F. 2020. Co-incorporation of rice straw and leguminous green manure can increase soil available nitrogen (N) and reduce carbon and N losses: and incubation study. *Pedosphere*. 30: 661-670.