

DAFTAR PUSTAKA

- Abilmazhinov, Y., Bekeshova, G., Nesterenko, A., Dibrova, Z., Ermolaev, V., Ponomarev, E., & Vlasova, V. (2023). A Review on The Improvement of Extruded Food Processing Equipment: Extrusion Cooking in Food Processing. *Food Science and Technology*, 43, 1–7. <https://doi.org/10.5327/fst.80621>
- Ačkar, Đ., Jozinović, A., Babić, J., Miličević, B., Balentić, J. P., & Šubarić, D. (2018). Resolving the problem of poor expansion in corn extrudates enriched with food industry by-products. *Innovative Food Science and Emerging Technologies*, 47(May), 517–524. <https://doi.org/10.1016/j.ifset.2018.05.004>
- Adekola, K. A. (2016). Engineering Review Food Extrusion Technology and Its Applications. *Journal of Food Science and Engineering*, 6(3), 149–168. <https://doi.org/10.17265/2159-5828/2016.03.005>
- Afrijal, A., Syuhada, F. A., Jarlis, R., & Hendrita, V. (2024). Teknik Budidaya Tanaman Kangkung Darat (*Ipomea reptans* Poir) Secara Organik di CV. Faruq Farm. *Jurnal Agriness*, 2(1), 7–12. <https://doi.org/10.24036/agrines.v2i1.34>
- Agathian, G., Semwal, A. D., & Sharma, G. K. (2015). Optimization of Barrel Temperature and Kidney Bean Flour Percentage Based on Various Physical Properties of Extruded Snacks. *Journal of Food Science and Technology*, 52(7), 4113–4123. <https://doi.org/10.1007/s13197-014-1483-7>
- Agustinisari, I., Luna, P., & Joni Munarso, S. (2023). Physicochemical and Functional Properties of Starch Extracted from Indonesian Specialty Corn: Efforts to Increase the Value of Biodiversity. *IOP Conference Series: Earth and Environmental Science*, 1172(1), 1–10. <https://doi.org/10.1088/1755-1315/1172/1/012055>
- Aisah, A. R. (2021). Morphological characteristics and resistance to the pest of local corn variety of “Jago Leke” genetic resources in West Nusa Tenggara Morphological characteristics and resistance to the pest of local corn variety of “Jago Leke” genetic resources in We. *IOP Conference Series: Earth and Environmental Science*, 911, 1–10. <https://doi.org/10.1088/1755-1315/911/1/012008>
- Al-Hashemi, H. M. B., & Al-Amoudi, O. S. B. (2018). A Review on The Angle of Repose of Granular Materials. *Powder Technology*, 330, 397–417. <https://doi.org/10.1016/j.powtec.2018.02.003>
- Alam, M. S., Pathania, S., & Sharma, A. (2016). Optimization of The Extrusion Process for Development of High Fibre Soybean-Rice Ready-to-Eat Snacks Using Carrot Pomace and Cauliflower Trimmings. *LWT- Food Science and Technology*, 74, 135–144. <https://doi.org/10.1016/j.lwt.2016.07.031>
- Altan, A., McCarthy, K. L., & Maskan, M. (2008). Evaluation of Snack Foods From Barley-Tomato Pomace Blends by Extrusion Processing. *Journal of Food Engineering*, 84(2), 231–242. <https://doi.org/10.1016/j.jfoodeng.2007.05.014>
- American Society of Agricultural and Biological Engineers. (2006). *Method of Determining and Expressing Fineness of Feed Materials by Sieving*.
- Anton, A. A., Gary Fulcher, R., & Arntfield, S. D. (2009). Physical and Nutritional Impact of Fortification of Corn Starch-Based Extruded Snacks With Common Bean (*Phaseolus vulgaris* L.) Flour: Effects of Bean Addition and Extrusion Cooking. *Food Chemistry*, 113(4), 989–996.

- <https://doi.org/10.1016/j.foodchem.2008.08.050>
- Aventi. (2015). Penelitian Pengukuran Kadar Air Buah. *Seminar Nasional Cendekiawan*, 1(1), 12–27. <https://doi.org/https://doi.org/10.25105/semnas.v0i0.108>
- Badan Pusat Statistik. (2024). *Luas Panen dan Produksi Jagung di Indonesia 2024 (Angka Tetap)*. Bps.Go.Id. <https://www.bps.go.id/id/pressrelease/2025/02/03/2412/pada-2024--luas-panen-jagung-pipilan-mencapai-2-55-juta-hektare--produksi-jagung-pipilan-kering-dengan-kadar-air-14-persen-pada-2024-sebanyak-15-14-juta-ton.html>
- Badan Standardisasi Nasional. (2015). Makanan Ringan Ekstrudat. In *BSN*. BSN.
- Berk, Z. (2009). *Food Process Engineering and Technology*. Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-373660-4.X0001-4>
- Bisharat, G. I., Oikonomopoulou, V. P., Panagiotou, N. M., Krokida, M. K., & Maroulis, Z. B. (2013). Effect of Extrusion Conditions on The Structural Properties of Corn Extrudates Enriched With Dehydrated Vegetables. *Food Research International*, 53(1), 1–14. <https://doi.org/10.1016/j.foodres.2013.03.043>
- Buzera, A., Gikundi, E., Orina, I., & Sila, D. (2022). Effect of Pretreatments and Drying Methods on Physical and Microstructural Properties of Potato Flour. *Foods*, 11(4), 1–14. <https://doi.org/10.3390/foods11040507>
- Cavaillès, J., Vaca-Medina, G., Wu-Tiu-Yen, J., Labonne, L., Evon, P., Peydecastaing, J., & Pontalier, P. Y. (2024). Impact of Thermomechanical Pretreatment by Twin-Screw Extrusion on The Properties of Bio-Based Materials From Sugarcane Bagasse Obtained by Thermocompression. *Bioresource Technology*, 414(October). <https://doi.org/10.1016/j.biortech.2024.131642>
- Chalermchaiwat, P., Jangchud, K., Jangchud, A., Charunuch, C., & Prinyawiwatkul, W. (2015). Antioxidant Activity, Free Gamma-Aminobutyric Acid Content, Selected Physical Properties, and Consumer Acceptance of Germinated Brown Rice Extrudates As Affected By Extrusion Process. *Lwt*, 64(1), 490–496. <https://doi.org/10.1016/j.lwt.2015.04.066>
- Chandresh, S., & Priya, S. (2020). Extrusion Cooking Technology in Food Processing: An Overview. *International Research Journal of Engineering and Technology*, 7(5), 4449–4458.
- Chiu, H. W., Peng, J. C., Tsai, S. J., Tsay, J. R., & Lui, W. B. (2013). Process Optimization by Response Surface Methodology and Characteristics Investigation of Corn Extrudate Fortified with Yam (*Dioscorea alata* L.). *Food and Bioprocess Technology*, 6(6), 1494–1504. <https://doi.org/10.1007/s11947-012-0894-6>
- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020). Extrusion Technology and Its Application in Food Processing: A Review. *The Pharma Innovation*, 9(2), 162–168. <https://doi.org/10.22271/tpi.2020.v9.i2d.4367>
- Combrzyński, M., Biernacka, B., Wójtowicz, A., Kupryaniuk, K., Oniszczuk, T., Mitrus, M., Różyło, R., Gancarz, M., Stasiak, M., & Kasprzak-Drozd, K. (2023). Analysis of The Extrusion-Cooking Process and Selected Physical

- Properties of Snack Pellets With The Addition of Fresh Kale. *International Agrophysics*, 37(3), 353–364. <https://doi.org/10.31545/intagr/168434>
- Daud, A., Suriati, & Nuzulyanti. (2019). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan. *Lutjanus*, 24(2), 11–16.
- Deepthi, P. V., Kumar, S., & Edukondalu, L; Lakshmi, J. (2016). Physico-Chemical Analysis of Sorghum based Extruded Products. *International Journal of Engineering Research And*, V5(10), 201–205. <https://doi.org/10.17577/ijertv5is100182>
- Dewi, N. A., & Mardiana. (2023). Pemanfaatan Kangkung Darat (*Ipomoea reptans* Poir) Menjadi Abon Kangkung Sebagai Pangan Fungsional di Desa Cipareuan Kabupaten Garut. *Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM)*, 6(5), 1710–1716.
- Dumchaiyapoom, K., Hannanta-Anan, P., & Phongpipatpong, M. (2019). Effect of Extrusion Conditions on The Physical Properties of Coconut Rice-Based Extrudates. *IOP Conference Series: Earth and Environmental Science*, 301(1), 1–6. <https://doi.org/10.1088/1755-1315/301/1/012056>
- Dwinata, V. F. S., Karyadi, J. N. W., Susanti, D. Y., Samodra, A. S., Mahanani, R. S., Rahmawati, D. K., & Sinuhaji, P. F. P. (2024). Physical characteristics of extrudate with treatment composition ratio of mixed corn grit-soybean flour and extruder barrel temperature. *IOP Conference Series: Earth and Environmental Science*, 1290(1), 1–8. <https://doi.org/10.1088/1755-1315/1290/1/012009>
- El Hosry, L., Elias, V., Chamoun, V., Halawi, M., Cayot, P., Nehme, A., & Bou-Maroun, E. (2025). Maillard Reaction: Mechanism, Influencing Parameters, Advantages, Disadvantages, and Food Industrial Applications: A Review. *Foods*, 14(11), 1–43. <https://doi.org/10.3390/foods14111881>
- Elekes, F., & Parteli, E. J. R. (2021). An Expression for The Angle of Repose of Dry Cohesive Granular Materials on Earth and in Planetary Environments. *Proceedings of the National Academy of Sciences of the United States of America*, 118(38), 1–8. <https://doi.org/10.1073/pnas.2107965118>
- Faraj, A., Vasanthan, T., & Hoover, R. (2004). The Effect of Extrusion Cooking on Resistant Starch Formation in Waxy and Regular Barley Flours. *Food Research International*, 37(5), 517–525. <https://doi.org/10.1016/j.foodres.2003.09.015>
- Fernández-Gutiérrez, J. A., San Martín-Martínez, E., Martínez-Bustos, F., & Cruz-Orea, A. (2004). Physicochemical Properties of Casein-Starch Interaction Obtained by Extrusion Process. *Starch - Stärke*, 56(5), 190–198. <https://doi.org/10.1002/star.200300211>
- Filli, K. B. (2016). Physicochemical Properties of Sorghum Malt and Bambara Groundnut Based Extrudates. *Journal of Food Science and Technology Nepal*, 9(December 2016), 55–65. <https://doi.org/10.3126/jfstn.v9i0.12075>
- Ganesan, V., Rosentrater, K. A., & Muthukumarappan, K. (2008). Flowability and Handling Characteristics of Bulk Solids and Powders - A Review With Implications for DDGS. *Biosystems Engineering*, 101(4), 425–435. <https://doi.org/10.1016/j.biosystemseng.2008.09.008>
- Gwartz, J. A., & Garcia-casal, M. N. (2014). Processing Maize Flour and Corn Meal

- Food Products. *Annals of the New York Academy of Sciences*, 1312(1), 66–75. <https://doi.org/10.1111/nyas.12299>
- Hagenimana, A., Ding, X., & Fang, T. (2006). Evaluation of Rice Flour Modified by Extrusion Cooking. *Journal of Cereal Science*, 43(1), 38–46. <https://doi.org/10.1016/j.jcs.2005.09.003>
- Hansmann, R., Baur, I., & Binder, C. R. (2020). Increasing Organic Food Consumption: An Integrating Model of Drivers and Barriers. *Journal of Cleaner Production*, 275, 123058. <https://doi.org/10.1016/j.jclepro.2020.123058>
- Hao, Y., Su, X., Li, W., Li, L., Zhang, Y., Mumtaz, M. A., Shu, H., Cheng, S., Zhu, G., & Wang, Z. (2023). The creation of autotetraploid provides insights into critical features of DNA methylome changes after genome doubling in water spinach (*Ipomoea aquatica* Forsk). *Frontiers in Plant Science*, 14(April), 1–15. <https://doi.org/10.3389/fpls.2023.1155531>
- Hartesi, B., Andriani, L., Anggresani, L., Whinata, M. B., & Haflin, H. (2020). Modifikasi Pati Kentang Secara Pregelatinasi dengan Perbandingan Pati dan Air (1:1,25). *Riset Informasi Kesehatan*, 9(2), 177. <https://doi.org/10.30644/rik.v9i2.431>
- Ilo, S., & Berghofer, E. (1999). Kinetics of Colour Changes During Extrusion Cooking of Maize Grits. *Journal of Food Engineering*, 39(1), 73–80. [https://doi.org/10.1016/S0260-8774\(98\)00148-4](https://doi.org/10.1016/S0260-8774(98)00148-4)
- Iriyani, D., & Nugrahani, P. (2014). Kandungan Klorofil, Karotenoid, dan Vitamin C Beberapa Jenis Sayuran Daun Pada Pertanian Periurban di Kota Surabaya. *Jurnal Matematika Sains Dan Teknologi*, 15(2), 84–90. <https://jurnal.ut.ac.id/index.php/jmst/article/view/389>
- Jin, Z., Wang, M., Wu, F., Cai, H. Y., Jin, W. P., Sun, W., Chen, X., Li, F., Wang, Z., & Shen, W. Y. (2020). Effect of extrusion on the total antioxidant capacity and free phenolic compounds of wheat bran by response surface methodology. *Italian Journal of Food Science*, 32(2), 386–398. <https://doi.org/10.14674/IJFS-1626>
- Joshi, P., Kumari, A., & Kumar, A. (2021). Development of Water Spinach Powder and Its Characterization. *Journal of Food Science and Technology*, 58(9), 3533–3539. <https://doi.org/10.1007/s13197-021-05058-9>
- Juarez-Enriquez, E., Olivas, G. I., Zamudio-Flores, P. B., Ortega-Rivas, E., Perez-Vega, S., & Sepulveda, D. R. (2017). Effect of Water Content on The Flowability of Hygroscopic Powders. In *Journal of Food Engineering* (Vol. 205, pp. 12–17). <https://doi.org/10.1016/j.jfoodeng.2017.02.024>
- Kaleta, A., & Grnicki, K. (2013). Criteria of Determination of Safe Grain Storage Time – A Review. In *Advances in Agrophysical Research* (Vol. 11, Issue tourism, p. 13). InTech. <https://doi.org/10.5772/52235>
- Kalman, H. (2021). Effect of Moisture Content on Flowability: Angle of Repose, Tilting Angle, and Hausner Ratio. *Powder Technology*, 393, 582–596. <https://doi.org/10.1016/j.powtec.2021.08.010>
- Kantrong, H., Charunuch, C., Limsangouan, N., & Pengpinit, W. (2018). Influence of Process Parameters on Physical Properties and Specific Mechanical Energy of Healthy Mushroom-Rice Snacks and Optimization of Extrusion Process

- Parameters Using Response Surface Methodology. *Journal of Food Science and Technology*, 55(9), 3462–3472. <https://doi.org/10.1007/s13197-018-3271-2>
- Karyadi, J. N. W., Saputro, A. D., Susanti, D. Y., Putri, D. T. P., Setianingrum, L., Herlambang, R. B., Baharudin, F., & Samodra, A. S. (2025). Physical Properties of Extrudates Based on Corn Grit, Mocaf Flour and Gapek Flour Using a Twin Screw Extruder with Treatment of Moisture Content and Barrel Temperature. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 14(3), 732. <https://doi.org/10.23960/jtep-l.v14i3.732-743>
- Kementerian Kesehatan Republik Indonesia. (2024). *Data Komposisi Pangan Indonesia*. Kementerian Kesehatan Republik Indonesia. <https://www.panganku.org/id-ID/view>
- Kementerian Pertanian. (2024). Angka Tetap Hortikultura Tahun 2023. In *Direktorat Jenderal Hortikultura Kementerian Pertanian*. Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- Khomsan, A., Anwar, F., Riyadi, H., & Navratilova, H. F. (2022). Children's food habits, consumption, and food safety of popular snacks in school environment in Indonesia. *International Journal Of Community Medicine And Public Health*, 10(1), 119–125. <https://doi.org/10.18203/2394-6040.ijcmph20223535>
- Lalujan, L. E., Djarkasi, G. S. S., Tuju, T. J. N., Rawung, D., & Sumual, M. F. (2017). Komposisi Kimia dan Gizi Jagung Lokal Varietas 'Manado Kuning' Sebagai Bahan Pangan Pengganti Beras. *Jurnal Teknologi Pertanian*, 8(1), 47–54.
- Li, C. (2022). Recent Progress in Understanding Starch Gelatinization - An Important Property Determining Food Quality. *Carbohydrate Polymers*, 293(May), 119735. <https://doi.org/10.1016/j.carbpol.2022.119735>
- Luo, S., & Koksel, F. (2023). Trends in Food Science & Technology Application of physical blowing agents in extrusion cooking of protein enriched snacks : Effects on product expansion , microstructure , and texture. *Trends in Food Science & Technology*, 133(January), 49–64. <https://doi.org/10.1016/j.tifs.2023.01.012>
- Manjula, B., Visvanathan, R., Varadharaju, N., Kasturi, R., & Malathi, D. (2014). Effect of Extrusion Process Parameters on Physical, Functional and Textural Properties of Broken Rice-Foxtail Millet-Maize based Extrudates. *Madras Agricultural Journal*, 101(4–6), 183–188. <https://doi.org/10.29321/maj.10.001178>
- Mba, J. C., Paes, L. T., Viana, L. M., Ferreira, A. J. C., Queiroz, V. A. V., Martino, H. S. D., Azevedo, L., de Carvalho, C. W. P., Felisberto, M. H. F., & de Barros, F. A. R. (2023). Evaluation of the Physical, Chemical, Technological, and Sensorial Properties of Extrudates and Cookies from Composite Sorghum and Cowpea Flours. *Foods*, 12(17), 1–19. <https://doi.org/10.3390/foods12173261>
- McGuire, C., Siliveru, K., Ambrose, K., & Alavi, S. (2022). Food Powder Flow in Extrusion : Role of Particle Size and Composition. *Processes*, 10(178), 1–13.
- Mohammed, I., Forsido, S. F., & Kuyu, C. G. (2024). Optimization of Barrel Temperature and Feed Moisture Content for Better Physicochemical and Sensory Properties of Extruded Snacks from Blends of Finger Millet, Sweet

- Potato, and Soybean Composite Flour Using Response Surface Methodology. *Discover Applied Sciences*, 6(4). <https://doi.org/10.1007/s42452-024-05822-4>
- Montanari, D., Agostini, A., Bonini, M., Corti, G., & Del Ventisette, C. (2017). The Use of Empirical Methods for Testing Granular Materials in Analogue Modelling. *Materials*, 10(6), 1–18. <https://doi.org/10.3390/ma10060635>
- Narbutaite, V., Makaravicius, T., Juodeikiene, G., & Basinskiene, L. (2008). The Effect of Extrusion Conditions and Cereal Types on The Functional Properties of Extrudates As Fermentation Media. *Foodalt*, 1982, 60–63.
- Nuraenah, N., Deviarni, I. M., & Fitriyani, E. (2022). Karakteristik Snack Esktrusi Dengan Penambahan Grit Ikan Gabus (*Channa striata*). *Jurnal Galung Tropika*, 11(1), 31–44. <https://doi.org/10.31850/jgt.v11i1.854>
- Office of The Gene Technology Regulator. (2008). *The Biology of Zea mays L. ssp mays (maize or corn)*. Australian Government Department of Health and Ageing.
- Pardhi, S. D., Singh, B., Nayik, G. A., & Dar, B. N. (2019). Evaluation of Functional Properties of Extruded Snacks Developed from Brown Rice Grits by Using Response Surface Methodology. *Journal of the Saudi Society of Agricultural Sciences*, 18(1), 7–16. <https://doi.org/10.1016/j.jssas.2016.11.006>
- Patil, R. T., Berrios, J. D. J., Tang, J., Pan, J., & Swanson, B. (2005). Physical Characteristics of Food Extrudates - A Review. *2005 Tampa, FL July 17-20, 2005, December 2015*. <https://doi.org/10.13031/2013.19680>
- Permadi, A., Suhendra, Ahda, M., Zufar, A. F., Padya, S. A., Anugrah, N., Hadi, S., & Suharto, T. E. (2022). Perbandingan Kandungan Klorofil dan Antioksidan Spirulina dengan Beberapa Jenis Sayuran. *Seminar Nasional Penelitian LPPM UMJ*, 26(Oktober), 1–7. <http://jurnal.umj.ac.id/index.php/semnaslit>
- Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian. (2024). *Statistik Konsumsi Pangan 2024* (S. Saefudin, S; Wahyuningsih (ed.)). Kementerian Pertanian.
- Rahmah, N., Wijaya, M., & Patang. (2015). Rekayasa Media Tanam Terhadap Pertumbuhan, Kelangsungan Hidup, dan Produksi Sayuran. *Jurnal Pendidikan Teknologi Pertanian*, 1, 69–75.
- Rakhmawati, N., Amanto, S., & Praseptiangga, D. (2014). Formulasi dan Evaluasi Sifat Sensoris dan Fisikokimia Produk Flakes Komposit Berbahan Dasar Tepung Tapioka, Tepung Kacang Merah (*Phaseolus vulgaris L.*) dan Tepung Konjac (*Amorphophallus oncophillus*). *Jurnal Teknosains Pangan*, 3(1), 67–68. www.ilmupangan.fp.uns.ac.id
- Rasyid, N. Q., Hasnawati, & Hesty. (2016). Analisis Kadar Zat Besi Pada Kangkung Darat (*Ipomoea reptans Poir*) Menggunakan Destruksi Asam. *Jurnal Medika: Media Ilmiah Analis Kesehatan*, 1(3), 37–41.
- Rodríguez, M. N. S., & Cassab, G. I. (2021). Primary root and mesocotyl elongation in maize seedlings: Two organs with antagonistic growth below the soil surface. *Plants*, 10(7). <https://doi.org/10.3390/plants10071274>
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of Extrusion Parameters on Physical and Functional Quality of Soy Protein Enriched Maize Based

- Extruded Snack. *Applied Food Research*, 2(1), 100072. <https://doi.org/10.1016/j.afres.2022.100072>
- Samodra, A. S., Karyadi, J. N. W., Susanti, D. Y., Mahanani, R. S., Dwinata, V. F. S., Rahmawati, D. K., Sinuhaji, P. F. P., & Kurniawati, M. (2024). Physical characteristics of extrudate from mixed corn grit – red bean flour with treatment of moisture content and extruder barrel temperature. *BIO Web of Conferences*, 96, 02002. <https://doi.org/10.1051/bioconf/20249602002>
- Saravacos, G. D., & Kostaropoulos, A. E. (2002). *Handbook of Food Processing Equipment*. KIII wer I Plenum Publishers.
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015). Effect of Feed Composition, Moisture Content and Extrusion Temperature on Extrudate Characteristics of Yam-Corn-Rice Based Snack Food. *Journal of Food Science and Technology*, 52(3), 1830–1838. <https://doi.org/10.1007/s13197-013-1181-x>
- Shah, F. U. H., Sharif, M. K., Ahmad, Z., Amjad, A., Javed, M. S., Suleman, R., Sattar, D. E. S., Amir, M., & Anwar, M. J. (2022). Nutritional Characterization of The Extrusion-Processed Micronutrient-Fortified Corn Snacks Enriched With Protein and Dietary Fiber. *Frontiers in Nutrition*, 9, 1–12. <https://doi.org/10.3389/fnut.2022.1062616>
- Sharikov, A. Y., & Amelyakina, M. V. (2021). Modification of Carbohydrates of Food Raw Materials in The Process of Thermoplastic Extrusion (Review). *Agricultural Science Euro-North-East*, 22(6), 795–803. <https://doi.org/10.30766/2072-9081.2021.22.6.795-803>
- Sharma, M., Yadav, D. N., Mridula, D., & Gupta, R. K. (2016). Protein Enriched Multigrain Expanded Snack: Optimization of Extrusion Variables. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 86(4), 911–920. <https://doi.org/10.1007/s40011-015-0546-5>
- Shelar, G. A., & Gaikwad, S. T. (2019). Extrusion in food processing: An overview. *The Pharma Innovation Journal*, 8(2), 562–568.
- Shevkani, K., Singh, N., Rattan, B., Singh, J. P., Kaur, A., & Singh, B. (2019). Effect of chickpea and spinach on extrusion behavior of corn grit. *Journal of Food Science and Technology*, 56(4), 2257–2266. <https://doi.org/10.1007/s13197-019-03712-x>
- Sinaga, A. S. (2019). Segmentasi Ruang L^*a^*b . *Jurnal Mantik Penusa*, 3(1), 43–46.
- Singh, B., Sharma, C., & Sharma, S. (2017). Fundamental of Extrusion. In *Novel Food Processing Technologies*. New India Publishing Agency. <http://www.scribd.com/doc/17338872/Fundamental-of-Extrusion>
- Singh, R. P., & Heldman, D. R. (2009). *Introduction to Food Engineering Fourth Edition*. Academic Press.
- Siyuan, S., Tong, L., & Liu, R. H. (2018). Corn phytochemicals and their health benefits. *Food Science and Human Wellness*, 7(3), 185–195. <https://doi.org/10.1016/j.fshw.2018.09.003>
- Soykeabkaew, N., Thanomsilp, C., & Suwanton, O. (2015). A review: Starch-based composite foams. *Composites Part A: Applied Science and Manufacturing*, 78, 246–263. <https://doi.org/10.1016/j.compositesa.2015.08.014>

- Stojceska, V., Ainsworth, P., Plunkett, A., & Ibanoglu, S. (2009). The effect of extrusion cooking using different water feed rates on the quality of ready-to-eat snacks made from food by-products. *Food Chemistry*, *114*(1), 226–232. <https://doi.org/10.1016/j.foodchem.2008.09.043>
- Suryaningsih, S., Said, I., & Rahman, N. (2018). Analisis Kadar Kalsium (Ca) dan Besi (Fe) dalam Kangkung Air (*Ipomeae aquatica* forsk) dan Kangkung Darat (*Ipomeae reptan* forsk) Asal Palu. *Jurnal Akademika Kimia*, *7*(3), 130–135. <https://doi.org/10.22487/j24775185.2018.v7.i3.11908>
- Sutarsi, & Irianto, R. (2025). Performance Test of Sieving Machine and Physical Characteristics of Corn Grits Production. *Jurnal Teknik Pertanian Lampung*, *14*(3), 803–811. <https://doi.org/http://dx.doi.org/10.23960/jtep-1.v14i3.803-811>
- Tamanna, N., & Mahmood, N. (2015). Food processing and maillard reaction products: Effect on human health and nutrition. *International Journal of Food Science*, *2015*. <https://doi.org/10.1155/2015/526762>
- Tiwari, A., & Jha, S. K. (2017). Extrusion cooking technology: Principal mechanism and effect on direct expanded snacks – An overview. *International Journal of Food Studies*, *6*(1), 113–128. <https://doi.org/10.7455/ijfs/6.1.2017.a10>
- Tovar-Jiménez, X., Caro-Corrales, J., Gómez-Aldapa, C. A., Zazueta-Morales, J., Limón-Valenzuela, V., Castro-Rosas, J., Hernández-Ávila, J., & Aguilar-Palazuelos, E. (2015). Third generation snacks manufactured from orange by-products: physicochemical and nutritional characterization. *Journal of Food Science and Technology*, *52*(10), 6607–6614. <https://doi.org/10.1007/s13197-015-1726-2>
- Tsagareishvili, D., Sesikashvili, O., Dadunashvili, G., Sakhanberidze, N., & Tsagareishvili, S. (2019). The influence of the moisture content of raw materials on the structuring of the extrudates. *Potravinarstvo Slovak Journal of Food Sciences*, *13*(1), 898–905. <https://doi.org/10.5219/1189>
- Unsaeng, K., Hannanta-Anan, P., & Phongpipatpong, M. (2019). Effects of extrusion variables on extrudate characteristics from corn-based enriched with soybean residue. *IOP Conference Series: Earth and Environmental Science*, *301*(1), 1–6. <https://doi.org/10.1088/1755-1315/301/1/012057>
- Wang, J., Cheng, C., & Huang, K.-C. (2009). Fuzzy hierarchical TOPSIS for supplier selection. *Applied Soft Computing*, *9*(1), 377–386. <https://doi.org/10.1016/j.asoc.2008.04.014>
- Wondimu, A., & Emire, S. A. (2016). Process Parameters Optimization for the Manufacture of Extruded Teff-based Gluten Free Snacks. *Advance Journal of Food Science and Technology*, *11*(4), 299–307. <https://doi.org/10.19026/ajfst.11.2414>
- Yadav, K. C., Karhale, H. B., & Singh, M. (2023). Food Extrusion: A Highly Popular Technology to Process. *Indian Journal of Food Engineering*, *2*(3), 1–8. <https://doi.org/10.54105/ijfe.C1005.062323>
- Zambrano, Y., Contardo, I., Moreno, M. C., & Bouchon, P. (2022). Effect of Extrusion Temperature and Feed Moisture Content on the Microstructural Properties of Rice-Flour Pellets and Their Impact on the Expanded Product.

Foods, 11(2), 198. <https://doi.org/10.3390/foods11020198>

Zhu, L. J., Shukri, R., De Mesa-Stonestreet, N. J., Alavi, S., Dogan, H., & Shi, Y. C. (2010). Mechanical and microstructural properties of soy protein - High amylose corn starch extrudates in relation to physiochemical changes of starch during extrusion. *Journal of Food Engineering*, 100(2), 232–238. <https://doi.org/10.1016/j.jfoodeng.2010.04.004>

Ziegler, G. R., & Aguilar, C. A. (2002). Residence time distribution in a co-rotating, twin-screw continuous mixer by the step change method. *Journal of Food Engineering*, 59(2–3), 161–167. [https://doi.org/https://doi.org/10.1016/S0260-8774\(02\)00453-3](https://doi.org/https://doi.org/10.1016/S0260-8774(02)00453-3)