

## DAFTAR PUSTAKA

- Alboofetileh, M., Rezaei, M., Tabarsa, M., You, S., Mariatti, F., & Cravotto, G. (2019). Subcritical water extraction as an efficient technique to isolate biologically-active fucoidans from *Nizamuddinina zanardinii*. *International Journal of Biological Macromolecules*, 128, 244–253. <https://doi.org/10.1016/j.ijbiomac.2019.01.119>
- Al-Dhubiab, B. (2012). Pharmaceutical applications and phytochemical profile of *Cinnamomum burmannii*. *Pharmacognosy Reviews*, 6(12), 125. <https://doi.org/10.4103/0973-7847.99946>
- Alfarez, D. A., & Ramadhan, M. R. (2023). *Anova dan Tukey HSD Perbandingan Produksi Padi Antara Tiga Kabupaten di Provinsi Jambi*. 2(1).
- Alfityanti, Y. D., Ratnawati, D. E., & Anam, S. (2019). Klasifikasi Fungsi Senyawa Aktif berdasarkan Notasi Simplified Molecular Input Line Entry System (SMILES) menggunakan Metode Random Forest. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 3(4), 3244–3251.
- Amalia, D., Ngadiwiyana, & Fachriyah, E. (2013). Sintesis Etil Sinamat Dari Sinamaldehyd Pada Minyak Kayu Manis (*Cinnamomum Cassia*) Dan Uji Aktivitas Sebagai Antidiabetes. *Jurnal Sains dan Matematika*, 21(4), 108–113.
- Anoraga, S. B., Shamsudin, R., Hamzah, M. H., Sharif, S., & Saputro, A. D. (2024). Cocoa by-products: A comprehensive review on potential uses, waste management, and emerging green technologies for cocoa pod husk utilization. *Heliyon*, 10(16), e35537. <https://doi.org/10.1016/j.heliyon.2024.e35537>
- Antasionasti, I., & Jayanto, I. (2021). Aktivitas Antioksidan Ekstrak Etanol Kayu Manis (*Cinnamomum burmani*) Secara In Vitro / Antioxidant Activities Of Cinnamon (*Cinnamomum burmani*) In Vitro. *Jurnal Farmasi Udayana*, 10(1), 38. <https://doi.org/10.24843/JFU.2021.v10.i01.p05>
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic Content, Flavonoid Content and Antioxidant Potential of Wild Vegetables from Western Nepal. *Plants*, 8(4), 96. <https://doi.org/10.3390/plants8040096>
- Bahanawan, A., & Sugiyanto, K. (2020). PENGARUH PENERINGAN TERHADAP PERUBAHAN WARNA, PENYUSUTAN TEBAL, DAN PENGURANGAN BERAT EMPAT JENIS BAMBU. *Jurnal Penelitian Hasil Hutan*, 38(2), 69–80. <https://doi.org/10.20886/jphh.2020.38.2.69-80>
- Baliyan, S., Mukherjee, R., Priyadarshini, A., Vibhuti, A., Gupta, A., Pandey, R. P., & Chang, C.-M. (2022). Determination of Antioxidants by DPPH Radical Scavenging Activity and Quantitative Phytochemical Analysis of *Ficus religiosa*. *Molecules*, 27(4), 1326. <https://doi.org/10.3390/molecules27041326>
- Bintari, Y. R., Haryadi, W., & Rahardjo, T. J. (2018). EKSTRAKSI LIPIDA DENGAN METODE Microwave Assisted Extraction DARI MIKROALGA YANG POTENSIAL SEBAGAI BIODIESEL. *Jurnal Ketahanan Pangan*, 2(2), 180–189.
- Bitwell, C., Indra, S. S., Luke, C., & Kakoma, M. K. (2023). A review of modern and conventional extraction techniques and their applications for extracting

- phytochemicals from plants. *Scientific African*, 19, e01585. <https://doi.org/10.1016/j.sciaf.2023.e01585>
- Bodea, I. M., Cătunescu, G. M., David, A. P., Vidican, R., Pop, C. R., Stănilă, A., Rotar, A. M., & Palop Gómez, A. (2024). Optimization of microwave assisted extraction of bioactive compounds in oregano and lovage ethanolic extracts. *LWT*, 212, 116973. <https://doi.org/10.1016/j.lwt.2024.116973>
- Brodowska, K. M., Brodowska, A. J., Śmigielski, K., & Łodyga-Chruścińska, E. (2016). Antioxidant Profile Of Essential Oils And Extracts Of Cinnamon Bark (*Cinnamomum Cassia*). *European Journal of Biological Research*. <https://doi.org/10.5281/ZENODO.197200>
- Cahyaningrum, K., Husni, A., & Budhiyanti, S. A. (2016). Antioxidant Activity of Brown Seaweed (*Sargassum polycystum*) Extracts. *AGRITECH*, 36(2).
- Cesa, S., Carradori, S., Bellagamba, G., Locatelli, M., Casadei, M. A., Masci, A., & Paolicelli, P. (2017). Evaluation of processing effects on anthocyanin content and colour modifications of blueberry (*Vaccinium spp.*) extracts: Comparison between HPLC-DAD and CIELAB analyses. *Food Chemistry*, 232, 114–123. <https://doi.org/10.1016/j.foodchem.2017.03.153>
- Chemat, F., Vian, M. A., & Cravotto, G. (2012). Green Extraction of Natural Products: Concept and Principles. *International Journal of Molecular Sciences*, 13(7), 8615–8627. <https://doi.org/10.3390/ijms13078615>
- Choi, O., Cho, S. K., Kim, J., Park, C. G., & Kim, J. (2016). In vitro antibacterial activity and major bioactive components of *Cinnamomum verum* essential oils against cariogenic bacteria, *Streptococcus mutans* and *Streptococcus sobrinus*. *Asian Pacific Journal of Tropical Biomedicine*, 6(4), 308–314. <https://doi.org/10.1016/j.apjtb.2016.01.007>
- Cui, J., Zhao, C., Feng, L., Han, Y., Du, H., Xiao, H., & Zheng, J. (2021). Pectins from fruits: Relationships between extraction methods, structural characteristics, and functional properties. *Trends in Food Science & Technology*, 110, 39–54. <https://doi.org/10.1016/j.tifs.2021.01.077>
- Dahmoune, F., Nayak, B., Moussi, K., Remini, H., & Madani, K. (2015). Optimization of microwave-assisted extraction of polyphenols from *Myrtus communis* L. leaves. *Food Chemistry*, 166, 585–595. <https://doi.org/10.1016/j.foodchem.2014.06.066>
- Dewangan, S. K., Shrivastava, S., Kadri, M. A., & Saruta, S. (2023). TEMPERATURE EFFECT ON ELECTRICAL CONDUCTIVITY(EC) & TOTAL DISSOLVED SOLIDS (TDS) OF WATER: A REVIEW. *International Journal of Research And Analytical Reviews (IJRAR)*, 10(2), 2349–5138.
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y.-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302. <https://doi.org/10.1016/j.jfda.2013.11.001>
- Emilda, E. (2018). EFEK SENYAWA BIOAKTIF KAYU MANIS (*Cinnamomum burmannii* NEES EX.BL.) TERHADAP DIABETES MELITUS: KAJIAN PUSTAKA. *Jurnal Fitofarmaka Indonesia*, 5(1), 246–252. <https://doi.org/10.33096/jffi.v5i1.316>

- Fanasca, S., Martino, A., Heuvelink, E., & Stanghellini, C. (2007a). Effect of electrical conductivity, fruit pruning, and truss position on quality in greenhouse tomato fruit. *The Journal of Horticultural Science and Biotechnology*, 82(3), 488–494. <https://doi.org/10.1080/14620316.2007.11512263>
- Fanasca, S., Martino, A., Heuvelink, E., & Stanghellini, C. (2007b). Effect of electrical conductivity, fruit pruning, and truss position on quality in greenhouse tomato fruit. *The Journal of Horticultural Science and Biotechnology*, 82(3), 488–494. <https://doi.org/10.1080/14620316.2007.11512263>
- Firdayani, F., & Winarni Agustini, T. (2015). Ekstraksi Senyawa Bioaktif sebagai Antioksidan Alami Spirulina Platensis Segar dengan Pelarut yang Berbeda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(1), 28–37. <https://doi.org/10.17844/jphpi.2015.18.1.28>
- Fitria, M., Mulyawan, R., Muarif, A., & Bahri, S. (2023). EFFECT OF SOLVENT AND EXTRACTION TIME VARIATION ON THE COFFEE OIL EXTRACTION RESULTS. *Chimica Didactia Acta*, 11(1).
- Gerenu, C. R. N., Saravana, P. S., & Chun, B.-S. (2018). Recovery of carrageenan from Solomon Islands red seaweed using ionic liquid-assisted subcritical water extraction. *Separation and Purification Technology*, 196, 309–317. <https://doi.org/10.1016/j.seppur.2017.06.055>
- Gilani, S., & Najafpour, G. (2022). Evaluation of the extraction process parameters on bioactive compounds of cinnamon bark: A comparative study. *Process Biochemistry*, 114, 93–101. <https://doi.org/10.1016/j.procbio.2022.01.022>
- Gopalsatheeskumar, K. (2018). SIGNIFICANT ROLE OF SOXHLET EXTRACTION PROCESS IN PHYTOCHEMICAL RESEARCH. *Medical Sciences*, 7(1).
- Gultom, D. K., Saraswati, I., & Sasikirana, W. (2021). PENETAPAN KANDUNGAN FENOLIK TOTAL DAN UJI AKTIVITAS ANTIOKSIDAN FRAKSI ETIL ASETAT EKSTRAK ETANOLIK KUBIS UNGU (*Brassica oleraceae* var. Capitata. L.). *Journal of Research in Pharmacy*, 1(2).
- Handayani, V., Fauzan, M. A. N., Nadya, A. R., Widiastuti, H., Malik, A., & Ahmad, A. R. (2025). *Optimasi Metode Ekstraksi Microwave Assisted Extraction Biji Markisa (*Passiflora edulis* Sims) terhadap Aktivitas Antioksidan*. 17.
- Harouna-Oumarou, H. A., Fauduet, H., Porte, C., & Ho, Y.-S. (2007). COMPARISON OF KINETIC MODELS FOR THE AQUEOUS SOLID-LIQUID EXTRACTION OF *TILIA* SAPWOOD IN A CONTINUOUS STIRRED TANK REACTOR. *Chemical Engineering Communications*, 194(4), 537–552. <https://doi.org/10.1080/00986440600992511>
- Hartuti, S., Bintoro, N., Karyadi, J. N. W., & Pranoto, Y. (2019). Characteristics of Dried Cocoa Beans (*Theobroma cacao* L.) Color Using Response Surface Methodology. *Planta Tropika: Journal of Agro Science*, 7(1). <https://doi.org/10.18196/pt.2019.097.82-92>
- Hasibuan, R., Hidayati, J., Iqbal, M., Pratama, M. F. D., Fazillah, R., & Pramananda, V. (2023). *Extraction of essential oil from cinnamon (*Cinnamomum burmannii*) bark using microwave assisted extraction method*.
- Hearunyakij, M., & Phutdhawong, W. (2022). *The Process Optimization Of Microwave Assisted Extraction On Cinnamomum Verum J. Presl. Extraction*

*Yield And Comparative Of Chemical Compositions To Supercritical Fluid Extraction And Hydrodistillation. 9(1), 1343–1358.*

- Idris, M., & Rahman, A. P. (2024). UJI MUTU FISIK FORMULASI EKSTRAK KULIT KAYU MANIS. *Jurnal Ilmiah Kajian Multidisipliner*, 8(8).
- Igwegbe, C. A., & Onukwuli, O. D. (2019a). Removal of Total Dissolved Solids (TDS) from Aquaculture Wastewater by Coagulation- flocculation Process using *Sesamum indicum* extract: Effect of Operating Parameters and Coagulation-Flocculation kinetics. *Pharmaceutical and Chemical Journal*, 6(4), 32–45.
- Igwegbe, C. A., & Onukwuli, O. D. (2019b). Removal of Total Dissolved Solids (TDS) from Aquaculture Wastewater by Coagulation- flocculation Process using *Sesamum indicum* extract: Effect of Operating Parameters and Coagulation-Flocculation kinetics. *Pharmaceutical and Chemical Journal*, 6(4), 32–45.
- Ilmi, I. N., Filianty, F., & Yarlina, V. P. (2022). *Sediaan Kayu Manis (Cinnamomum Sp.) sebagai Minuman Fungsional Antidiabetes: Kajian Literatur. 1.*
- Iqbal, A., Schulz, P., & Rizvi, S. S. H. (2021). Valorization of bioactive compounds in fruit pomace from agro-fruit industries: Present Insights and future challenges. *Food Bioscience*, 44, 101384. <https://doi.org/10.1016/j.fbio.2021.101384>
- Ita Purnami, G. A., Diah Puspawati, G. A. K., & Kartika Pratiwi, I. D. P. (2022). Pengaruh Jenis Pelarut dan Waktu Ekstraksi Pada Metode Microwave Assisted Extraction Terhadap Karakteristik Pewarna Ekstrak Kulit Buah Naga Kuning (*Selenicereus megalanthus*). *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 11(2), 309. <https://doi.org/10.24843/itepa.2022.v11.i02.p13>
- Izza, H. F., Susanti, D. Y., Mariyam, S., & Saputro, A. D. (2023). Performance of microwave-assisted extraction of proanthocyanidins from red sorghum grain in various power and citric acid concentration. *Journal of the Saudi Society of Agricultural Sciences*, 22(7), 480–492. <https://doi.org/10.1016/j.jssas.2023.05.002>
- Jayanudin, J., Pujinia, R., & Shofiah, O. (2012). EKSTRAKSI KULIT KAYU MANIS MENJADI OLEORESIN MENGGUNAKAN PELARUT ETANOL. *Teknika: Jurnal Sains dan Teknologi*, 8(2), 185. <https://doi.org/10.36055/tjst.v9i2.6699>
- Kaderides, K., Papaoikonomou, L., Serafim, M., & Goula, A. M. (2019). Microwave-assisted extraction of phenolics from pomegranate peels: Optimization, kinetics, and comparison with ultrasounds extraction. *Chemical Engineering and Processing - Process Intensification*, 137, 1–11. <https://doi.org/10.1016/j.cep.2019.01.006>
- Kartik, A., Akhil, D., Lakshmi, D., Panchamoorthy Gopinath, K., Arun, J., Sivaramakrishnan, R., & Pugazhendhi, A. (2021). A critical review on production of biopolymers from algae biomass and their applications. *Bioresource Technology*, 329, 124868. <https://doi.org/10.1016/j.biortech.2021.124868>
- Khalfi, A., Garrigós, M. C., Ramos, M., & Jiménez, A. (2024). Optimization of the Microwave-Assisted Extraction Conditions for Phenolic Compounds from Date Seeds. *Foods*, 13(23), 3771. <https://doi.org/10.3390/foods13233771>
- Kharisma, A. D., Nisa, U. C., & Yasman. (2023). Evaluation of Antioxidant Activity and Toxicity of *Cinnamomum Burmannii* B. from Different Provinces of

- Indonesia. *Journal of Hunan University Natural Sciences*, 50(4). <https://doi.org/10.55463/issn.1674-2974.50.4.16>
- Khotchai, W., Therdthai, N., & Ritthiruangdej, P. (2025). Effect of microwave-assisted extraction on quality and taste profiles of crude extracts from split gill mushroom. *Journal of Agriculture and Food Research*, 19, 101588. <https://doi.org/10.1016/j.jafr.2024.101588>
- Kumar, D. H. L., Anush, S. M., Rao, L. J., & Sowbhagya, H. B. (2017). Microwave Impact on the Flavour Compounds of Cinnamon Bark (*Cinnamomum Cassia*) Volatile Oil and Polyphenol Extraction. *Current Microwave Chemistry*, 4(2), 115–121. <https://doi.org/10.2174/2213335602666151012193155>
- Kumar, H., Choudhary, N., Kumar, N., & Seth, R. (2014). Phenolic compounds and their health benefits: A review. *JOURNAL OF FOOD RESEARCH AND TECHNOLOGY*, 2(2).
- Kurniasari, L., Darmanto, & Kusumo, P. (2019). Kinetics of cinnamon oleoresin extraction using Microwave-Assisted Extractor. *Journal of Physics: Conference Series*, 1295(1), 012014. <https://doi.org/10.1088/1742-6596/1295/1/012014>
- Kurniasari, L., & Kusumo, P. (2019). Kinetics of cinnamon oleoresin extraction using Microwave-Assisted Extractor. *Journal of Physics*.
- Lee, H.-G., Jo, Y., Ameer, K., & Kwon, J.-H. (2018). Optimization of green extraction methods for cinnamic acid and cinnamaldehyde from Cinnamon (*Cinnamomum cassia*) by response surface methodology. *Food Science and Biotechnology*, 27(6), 1607–1617. <https://doi.org/10.1007/s10068-018-0441-y>
- Li, Y., Fabiano-Tixier, A. S., Vian, M. A., & Chemat, F. (2013). Solvent-free microwave extraction of bioactive compounds provides a tool for green analytical chemistry. *TrAC Trends in Analytical Chemistry*, 47, 1–11. <https://doi.org/10.1016/j.trac.2013.02.007>
- Liu, Y., Wei, S., & Liao, M. (2013). Optimization of ultrasonic extraction of phenolic compounds from *Euryale ferox* seed shells using response surface methodology. *Industrial Crops and Products*, 49, 837–843. <https://doi.org/10.1016/j.indcrop.2013.07.023>
- Liu, Z. (2021). Efficient extraction of essential oil from *Cinnamomum burmannii* leaves using enzymolysis pretreatment and followed by microwave-assisted method. *Food Science and Technology*.
- Mahardani, O. T., & Yuanita, L. (2021). EFEK METODE PENGOLAHAN DAN PENYIMPANAN TERHADAP KADAR SENYAWA FENOLIK DAN AKTIVITAS ANTIOKSIDAN. *Unesa Journal of Chemistry*, 10(1), 64–78. <https://doi.org/10.26740/ujc.v10n1.p64-78>
- Maslahah, N., & Nurhayati, H. (2023). KANDUNGAN SENYAWA BIOAKTIF DAN KEGUNAAN. *BSIP Perkebunan*, 1(3).
- Modi, P. I., Parikh, J. K., & Desai, M. A. (2021). Intensified approach towards isolation of cinnamon oil using microwave radiation: Parametric, optimization and comparative studies. *Industrial Crops and Products*, 173, 114088. <https://doi.org/10.1016/j.indcrop.2021.114088>
- Muhammad, D. R. A., & Dewettinck, K. (2017a). Cinnamon and its derivatives as potential ingredient in functional food—A review. *International Journal of Food Properties*, 20(52), 1–27. <https://doi.org/10.1080/10942912.2017.1369102>

- Muhammad, D. R. A., & Dewettinck, K. (2017b). Cinnamon and its derivatives as potential ingredient in functional food—A review. *International Journal of Food Properties*, 20(52), 1–27. <https://doi.org/10.1080/10942912.2017.1369102>
- Mukhopadhyay, S., Dutta, R., & Das, P. (2025). Process optimization of microwave-assisted extraction (MAE) of polycyclic aromatic hydrocarbons (PAHs) from leaves of *Murraya paniculata* (L.) Jack: Process intensification approach. *Chemical Engineering and Processing - Process Intensification*, 212, 110284. <https://doi.org/10.1016/j.cep.2025.110284>
- Nadyasari Putri Hidayat, P. A., Diah Puspawati, G. A. K., & Ari Yusasrini, N. L. (2022). Pengaruh Waktu dan Daya Microwave pada Metode Microwave Assisted Extraction (MAE) Terhadap Aktivitas Antioksidan dan Pigmen Ekstrak Daun Ubi kayu (*Manihot Utilissima* Pohl.). *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 11(1), 134. <https://doi.org/10.24843/itepa.2022.v11.i01.p14>
- Nitthiyah, J., Nour, A. H., Kantasamy, R., & Akindoyo, J. O. (2017). Microwave Assisted Hydrodistillation – An Overview of Mechanism and Heating Properties. *Australian Journal of Basic and Applied Sciences*, 11(3), 22–29.
- Nurhaeni, F., Purwanto, P., Irianto, I. D. K., Fiqoh, L. N., & Ardiyanti, F. (2024). Analisis Penangkapan Radikal Bebas Jamu Rosella dan Fenolik Totalnya. *Majalah Farmaseutik*, 20(2), Article 2. <https://doi.org/10.22146/farmaseutik.v20i2.92578>
- Nurmuliana, E., Jamaluddin, J., & Mustarin, A. (2022). Model Matematika Lapisan Tipis Pengeringan Buah Mahkota Dewa (*Phaleria macrocarpa*). *Jurnal Pendidikan Teknologi Pertanian*, 8(1), 57. <https://doi.org/10.26858/jptp.v8i1.21675>
- Patel, K., Panchal, N., & Pradnya, I. (2019). Review of Extraction Techniques Extraction Methods: Microwave, Ultrasonic, Pressurized Fluid, Soxhlet Extraction, Etc. *International Journal of Advanced Research in Chemical Science*, 6(3), 6–21. <https://doi.org/10.20431/2349-0403.0603002>
- Plumeriastuti, H., Budiastuti, B., Effendi, M., & Budiarto, B. (2019). Identification of bioactive compound of the essential oils of *Cinnamomum burmannii* from several areas in Indonesia by gas chromatography-mass spectrometry method for antidiabetic potential. *National Journal of Physiology, Pharmacy and Pharmacology*, 0, 1. <https://doi.org/10.5455/njppp.2019.9.1236702022019>
- Pratiwi, D., & Wahdaningsih, S. (2013). THE TEST OF ANTIOXIDANT ACTIVITY FROM BAWANG MEKAH LEAVES (*ELEUTHERINE AMERICANA* MERR.) USING DPPH (2,2- DIPHENYL-1-PICRYLHYDRAZYL) METHOD. *Traditional Medicine Journal*, 18(1), 9–16.
- Pulungan, A., & Pane, Y. S. (2020). The benefit of cinnamon (*Cinnamomum burmannii*) in lowering total cholesterol levels after consumption of high-fat containing foods in white mice (*Mus musculus*) models. *F1000Research*, 9, 168. <https://doi.org/10.12688/f1000research.22311.2>
- Putranto, A. W., Dewi, S. R., Izza, N., Yuneri, D. R., Dachi, M. Y. S., & Sumarlan, S. H. (2018). Ekstraksi Senyawa Fenolik Daun Kenikir (*Cosmos caudatus*) menggunakan Microwave Assisted Extraction (MAE). *Rona Teknik Pertanian*, 11(1), 59–70. <https://doi.org/10.17969/rtp.v11i1.9580>

- Qodim, A. (2022). KINETIKA EKSTRAKSI PACAR KUKU LAWSONIA INERMIS MENGGUNAKAN ULTRASOUND-ASSISTED EXTRACTION DENGAN PELARUT AIR. *JURNAL TEKNOLOGI KIMIA MINERAL*, 1(2), 47–51. <https://doi.org/10.61844/jtkm.v1i2.125>
- Qorriaina, R., Hawa, L. C., & Yulianingsih, R. (2015). Aplikasi Pra-Perlakuan Microwave Assisted Extraction (MAE) Pada Ekstrak Daun Kemangi (*Ocimum sanctum*) Menggunakan Rotary Evaporator (Studi Pada Variasi Suhu dan Waktu Ekstraksi). *Jurnal Bioproses Komoditas Tropis*, 3(1).
- Quraisy, A. (2022). Normalitas Data Menggunakan Uji Kolmogorov-Smirnov dan Saphiro-Wilk: Studi kasus penghasilan orang tua mahasiswa Prodi Pendidikan Matematika Unismuh Makassar. *J-HEST Journal of Health Education Economics Science and Technology*, 3(1), 7–11. <https://doi.org/10.36339/jhest.v3i1.42>
- Rajha, H. N., Darra, N. E., Hobaika, Z., Boussetta, N., Vorobiev, E., Maroun, R. G., & Louka, N. (2014). Extraction of Total Phenolic Compounds, Flavonoids, Anthocyanins and Tannins from Grape Byproducts by Response Surface Methodology. Influence of Solid-Liquid Ratio, Particle Size, Time, Temperature and Solvent Mixtures on the Optimization Process. *Food and Nutrition Sciences*, 05(04), 397–409. <https://doi.org/10.4236/fns.2014.54048>
- Rakasivi, K. G. J., & Chin, K. B. (2022). Antioxidant activity of *Cinnamomum cassia* extract and quality of raw chicken patties added with *C. cassia* powder and *Pleurotus sajor-caju* powder as functional ingredients during storage. *Animal Bioscience*, 35(8), 1279–1288. <https://doi.org/10.5713/ab.21.0444>
- Riwu, F. K., & Agustini, R. (2022). Effect of Mannitol Concentration on The Stability of Encapsulated Yeast Black Rice Extract. *Indonesian Journal of Chemical Science*, 11(2), 136–144. <https://doi.org/10.15294/ijcs.v11i2.55200>
- Samsul Hadi, Khadijah, N., & Febriani, N. R. (2025). Aktivitas ekstrak *Piper retrofractum* Vahl menggunakan MAE sebagai penangkap radikal DPPH. *JFARM - Jurnal Farmasi*, 3(1), 21–26. <https://doi.org/10.58794/jfarm.v3i1.1275>
- Sanchez-Reinoso, Z., Mora-Adames, W. I., Fuenmayor, C. A., Darghan-Contreras, A. E., Gardana, C., & Gutiérrez, L.-F. (2020). Microwave-assisted extraction of phenolic compounds from Sacha Inchi shell: Optimization, physicochemical properties and evaluation of their antioxidant activity. *Chemical Engineering and Processing - Process Intensification*, 153, 107922. <https://doi.org/10.1016/j.cep.2020.107922>
- Sharma, M., & Dash, K. K. (2022). Microwave and ultrasound assisted extraction of phytochemicals from black jamun pulp: Kinetic and thermodynamics characteristics. *Innovative Food Science & Emerging Technologies*, 75, 102913. <https://doi.org/10.1016/j.ifset.2021.102913>
- Sihombing, R. P., Tamba, A. P., Renata, C. A., & Ngatin, A. (2022). Ekstraksi Daun Tembakau dengan Metode MAE (Microwave Assisted Extraction) dengan Variasi Jenis Pelarut dan Waktu Ekstraksi pada Daya Microwave 150 Watt. *Prosiding Industrial Research Workshop and National Seminar*, 13(01), 807–812. <https://doi.org/10.35313/irwns.v13i01.4171>
- Sonar, M. P., & Rathod, V. K. (2020). Microwave assisted extraction (MAE) used as a tool for rapid extraction of Marmelosin from *Aegle marmelos* and evaluations

- of total phenolic and flavonoids content, antioxidant and anti-inflammatory activity. *Chemical Data Collections*, 30, 100545. <https://doi.org/10.1016/j.cdc.2020.100545>
- Sorrenti, V., Burò, I., Consoli, V., & Vanella, L. (2023). Recent Advances in Health Benefits of Bioactive Compounds from Food Wastes and By-Products: Biochemical Aspects. *International Journal of Molecular Sciences*, 24(3), 2019. <https://doi.org/10.3390/ijms24032019>
- Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., & Hidayat, M. (2020). Optimization of Agitation and Kinetic Studies on Proanthocyanidin Compound Extraction from Red Sorghum Grains in Agitated Vessel. *IOP Conference Series: Materials Science and Engineering*, 778(1), 012085. <https://doi.org/10.1088/1757-899X/778/1/012085>
- Tafzi, F. (2020). BIOACTIVITY OF CINNAMON (*Cinnamomum* sp). *Indonesian Food Science & Technology Journal*, 3(1), 18–22. <https://doi.org/10.22437/iftstj.v3i1.10191>
- Torun, M., Dincer, C., Topuz, A., Sahin–Nadeem, H., & Ozdemir, F. (2015). Aqueous extraction kinetics of soluble solids, phenolics and flavonoids from sage (*Salvia fruticosa* Miller) leaves. *Journal of Food Science and Technology*, 52(5), 2797–2805. <https://doi.org/10.1007/s13197-014-1308-8>
- Troter, D., Zlatkovic, M., Djokic-Stojanovic, D., Konstantinovic, S., & Todorovic, Z. (2016). Citric acid-based deep eutectic solvents: Physical properties and their use as cosolvents in sulphuric acid-catalysed ethanolysis of oleic acid. *Advanced Technologies*, 5(1), 53–65. <https://doi.org/10.5937/savteh1601053T>
- Tutik, T., Putri, G. A. R., & Lisnawati, L. (2022). PERBANDINGAN METODE MASERASI, PERKOLASI DAN ULTRASONIK TERHADAP AKTIVITAS ANTIOKSIDAN KULIT BAWANG MERAH (*Allium cepa* L.). *Jurnal Ilmu Kedokteran dan Kesehatan*, 9(3). <https://doi.org/10.33024/jikk.v9i3.5634>
- Walia, A., Gupta, A. K., & Sharma, V. (2019). Role of Bioactive Compounds in Human Health. *ACTA SCIENTIFIC MEDICAL SCIENCES*, 3(9).
- Wei, E., Yang, R., Zhao, H., Wang, P., Zhao, S., Zhai, W., Zhang, Y., & Zhou, H. (2019). Microwave-assisted extraction releases the antioxidant polysaccharides from seabuckthorn (*Hippophae rhamnoides* L.) berries. *International Journal of Biological Macromolecules*, 123, 280–290. <https://doi.org/10.1016/j.ijbiomac.2018.11.074>
- Winantoro, F. A., Ratnawati, D. E., & Anam, S. (2021). Klasifikasi Fungsi Senyawa Aktif berdasarkan Notasi Simplified Molecular Input Line Entry System (SMILES) menggunakan Metode Random Forest. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 5(4), 1250–1256.
- Wołowicz, A., & Hubicki, Z. (2020). Enhanced removal of copper(II) from acidic streams using functional resins: Batch and column studies. *Journal of Materials Science*, 55(28), 13687–13715. <https://doi.org/10.1007/s10853-020-04982-z>
- Wulandari, P., & Yuniarti, E. (2023). Bioactivity Potential and Chemical Compounds of *Cinnamomum*: Literature Review. *Jurnal Penelitian Pendidikan IPA*, 9(5), 1–7. <https://doi.org/10.29303/jppipa.v9i5.3284>
- Yadav, N., Patel, P., Kashyap, P., Tamboli, R., Chandel, S. S., & Kirtane, S. R. (2022). Conventional extraction methods versus novel extraction methods of bioactive

- compounds from some medicinal plants. *International Journal of Green Pharmacy*, 16(3).
- Yeh, H.-F., Luo, C.-Y., Lin, C.-Y., Cheng, S.-S., Hsu, Y.-R., & Chang, S.-T. (2013). Methods for Thermal Stability Enhancement of Leaf Essential Oils and Their Main Constituents from Indigenous Cinnamon (*Cinnamomum osmophloeum*). *Journal of Agricultural and Food Chemistry*, 61(26), 6293–6298. <https://doi.org/10.1021/jf401536y>
- Yulianti, D., Susilo, B., & Yulianingsih, R. (2014). PENGARUH LAMA EKSTRAKSI DAN KONSENTRASI PELARUT ETANOL TERHADAP SIFAT FISIKA-KIMIA EKSTRAK DAUN STEVIA (*Stevia Rebaudiana* Bertoni M.) DENGAN METODE MICROWAVE ASSISTED EXTRACTION (MAE). *Jurnal Bioproses Komoditas Tropis*, 2(1).
- Yulistiani, F., Azzahra, R. K., & Nurhafshah, Y. A. (2020). Pengaruh Daya dan Waktu Terhadap Yield Hasil Ekstraksi Minyak Daun Spearmint Menggunakan Metode Microwave Assisted Extraction. *Jurnal Teknik Kimia dan Lingkungan*, 4(1), 1–6. <https://doi.org/10.33795/jtkl.v4i1.127>
- Zakaria, F., Talip, B. A., Kahar, E. E. M., Muhammad, N., Abdullah, N., & Basri, H. (2020). Solvent used in extraction process of agarwood: A systematic review. *Food Research*, 4(3), 731–737. [https://doi.org/10.26656/fr.2017.4\(3\).333](https://doi.org/10.26656/fr.2017.4(3).333)
- Zghaibi, N., Omar, R., Mustapa Kamal, S. M., Awang Biak, D. R., & Harun, R. (2019). Microwave-Assisted Brine Extraction for Enhancement of the Quantity and Quality of Lipid Production from Microalgae *Nannochloropsis* sp. *Molecules*, 24(19), 3581. <https://doi.org/10.3390/molecules24193581>
- Zhang, M., Zhao, J., Dai, X., & Li, X. (2023). Extraction and Analysis of Chemical Compositions of Natural Products and Plants. *Separations*, 10(12), 598. <https://doi.org/10.3390/separations10120598>
- Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018a). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine*, 13(1), 20. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018b). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine*, 13(1), 20. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhou, X., Iqbal, A., Li, J., Liu, C., Murtaza, A., Xu, X., Pan, S., & Hu, W. (2021). Changes in Browning Degree and Reducibility of Polyphenols during Autoxidation and Enzymatic Oxidation. *Antioxidants*, 10(11), 1809. <https://doi.org/10.3390/antiox10111809>