

DAFTAR PUSTAKA

- Alif, S. M., Fattah, E. I., Kholil, M., & Anggara, O. (2021). Source of the 2019 mw 6.9 Banten Intraslab earthquake modelled with GPS data inversion. *Geodesy and Geodynamics*, 12(4), 308–314. <https://doi.org/10.1016/j.geog.2021.06.001>.
- Amriyah, Q., Arief, R., Dyatmika, H. S., & Maulana, R. (2019). Analisis perbandingan data level-1 Sentinel 1A/B (data SLC dan GRD) menggunakan *software* SNAP dan GAMMA. In *Prosiding Seminar Nasional Penginderaan Jauh 2019: Peningkatan pemanfaatan iptek penginderaan jauh untuk mendukung pencapaian tujuan pembangunan berkelanjutan (SDGs)*. 533-543. Pusfatja LAPAN.
- Badan Informasi Geospasial. (2014). Peraturan kepala BIG nomor 15 tahun 2014 tentang pedoman teknis ketelitian peta dasar. Badan Informasi Geospasial. Bogor. <https://peraturan.bpk.go.id/Details/269446/perka-big-no-15-tahun-2014>.
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)?—Arguments against avoiding RMSE in the literature. *Geoscientific model development*, 7(3), 1247-1250.
- Chen, Y., Zhang, G., Ding, X., & Li, Z. (2000). Monitoring earth surface deformations with insar technology: principles and some critical issues. *Journal of Geospatial Engineering*, 2(July), 3–21.
- Cigna, F., Osmanoglu, B., Cabral-Cano, E., Dixon, T. H., Ávila-Olivera, J. A., Garduño Monroy, V. H., ... & Wdowinski, S. (2012). Monitoring land subsidence and its induced geological hazard with synthetic aperture radar interferometry: a case study in Morelia, Mexico. *Remote Sensing of Environment*, 117, 146-161.
- De Zan, F., Zonno, M., & Lopez-Dekker, P. (2015). Phase inconsistencies and multiple scattering in sar interferometry. *IEEE Transactions on Geoscience and Remote Sensing*, 53(12), 6608–6616. <https://doi.org/10.1109/TGRS.2015.2444431>.
- Dong, Y., Meng, G., & Hong, S. (2020). Coseismic and postseismic deformation of the 2016 mw 6.6 Aketao earthquake from insar observations and modelling. *Pure and Applied Geophysics*, 177(1), 265–283. <https://doi.org/10.1007/s00024-019-02092-9>.
- Elliott, J. R., Walters, R. J., & Wright, T. J. (2016). The role of space-based observation in understanding and responding to active tectonics and earthquakes. In *Nature Communications* (Vol. 7). Nature Publishing Group. <https://doi.org/10.1038/ncomms13844>.
- European Nature Publishing Group. GNSS Agency. (2021). Galileo: The european GNSS. <https://www.gsa.europa.eu/>.
- Even, M., & Schulz, K. (2018). InSAR deformation analysis with distributed scatterers: A review complemented by new advances. In *Remote Sensing* (Vol. 10, Issue 5). MDPI AG. <https://doi.org/10.3390/rs10050744>.
- Ferretti, A., Monti-Guarnieri A., Prati, C., Rocca, F., Massonnet, D. (2007). InSAR principles: guidelines for SAR interferometry processing and interpretation. *ESA Publications*, TM-19. ISBN 92-9092-233-8.
- Fletcher, Karen. (2012). *Sentinel-1: ESA's radar observatory mission for GMES operational services*. ESA Communications.
- Fuhrmann, T., & Garthwaite, M. C. (2019). Resolving three-dimensional surface motion with InSAR: Constraints from multi-geometry data fusion. *Remote Sensing*, 11(3), 241.
- Ghilani, C. D. (2017). *Adjustment computations: spatial data analysis*. John Wiley & Sons.

- Gunawan, E., Hanifa, N. R., Natawidjaja, D. H., Nishimura, T., Widiyantoro, S., Sugiarto, B., Shomim, A. F., & Ohzono, M. (2024). Early postseismic slip of the 21 November 2022 Mw 5.6 Cianjur, Indonesia, earthquake based on GPS measurements. *New Zealand Journal of Geology and Geophysics*. <https://doi.org/10.1080/00288306.2024.2402254>.
- Gunawan, E., & Widiyantoro, S. (2019). Active tectonic deformation in Java, Indonesia inferred from a GPS-derived strain rate. *Journal of Geodynamics*, 123, 49–54. <https://doi.org/10.1016/j.jog.2019.01.004>.
- Hamilton, W. B. (1979). *Tectonics of the Indonesian region* (No. 1078). US Government Printing Office.
- Hamza, V., Stopar, B., Sterle, O., & others. (2025). Recent advances and applications of low-cost GNSS receivers: A review. <https://doi.org/10.1007/s10291-025-01815-x>.
- Hayati, N., Niemeier, W., Maulida, P., Bioresita, F., & Nuryani, H. W. (2023a). A computation to generate 2 and 3d vector displacements using insar ascending and descending source data (case studies: landslides and earthquake in Indonesia). *Indonesian Journal on Geoscience*, 10(3), 323–334. <https://doi.org/10.17014/ijog.10.3.323-334>.
- Hayati, N., Niemeier, W., Maulida, P., Bioresita, F., & Nuryani, H. W. (2023b). A computation to generate 2d and 3d vector displacements using insar ascending and descending source data (case studies: landslides and earthquake in Indonesia). *Indonesian Journal on Geoscience*, 10(3), 323–334. <https://doi.org/10.17014/ijog.10.3.323-334>.
- Herring, T. A., King, R. W., Floyd, M. A., & McClusky, S. C. (2018a). *GAMIT Reference Manual Release 10.7*. 1–168.
- Herring, T. A., King, R. W., Floyd, M. A., & McClusky, S. C. (2018b). *Introduction to GAMIT/GLOBK, Release 10.7*. 1–168.
- Herring, T. A., King, R. W., & McClusky, S. C. (2015). *Introduction to GAMIT/GLOBK*. Massachusetts Institute of Technology.
- Himematsu, Y., & Furuya, M. (2020). Coseismic and postseismic crustal deformation associated with the 2016 Kumamoto earthquake sequence revealed by PALSAR-2 pixel tracking and InSAR. *Earth and Space Science*. <https://doi.org/10.1029/2020EA001200>.
- Kaplan, E. D., & Hegarty, C. (2017). *Understanding GPS/GNSS: principles and applications*. Artech house.
- Katlli, J. A. (1975). *Volcanism And Plate Tectonics In The Indonesian Island Arcs*.
- Keller, E.A. & Pinter, N. (2002). *Active Tectonics: Earthquakes, Uplift and Landscape*. Prentice Hall, New Jersey.
- King, R. W., & Bock, Y. (2002). *Documentation for the GAMIT GPS Analysis Software*. Massachusetts Institute of Technology.
- Kirk, J. C. (1975). A discussion of digital processing in synthetic aperture radar. *IEEE Transactions on aerospace and electronic systems*, (3), 326-337.
- Kuncoro, H., Kartini, G. A. J., Meilano, I., & Susilo. (2018). Identifikasi mekanisme sesar di bagian timur Pulau Jawa menggunakan data GNSS kontinyu 2010-2016. *Seminar nasional geomatika 2018: Penggunaan dan pengembangan produk informasi geospasial mendukung daya saing nasional*, 805–812.
- Kusman, A. (2008). Studi deformasi gunung api batur dengan menggunakan teknologi SAR interferometri (InSAR). Institut Teknologi Bandung.
- Lazecký, M., Spaans, K., González, P. J., Maghsoudi, Y., Morishita, Y., Albino, F., Elliott, J., Greenall, N., Hatton, E., Hooper, A., Juncu, D., McDougall, A., Walters,

- R. J., Watson, C. S., Weiss, J. R., & Wright, T. J. (2020). LiCSAR: An automatic InSAR tool for measuring and monitoring tectonic and volcanic activity. *Remote Sensing*, 12(15). <https://doi.org/10.3390/RS12152430>.
- Lestari, D. (2006). GPS study for resolving the stability of Borobudur Temple site. University of New South Wales.
- Marone, C. J., Scholtz, C. H., & Bilham, R. (1991). On the mechanics of earthquake afterslip. *Journal of Geophysical Research: Solid Earth*, 96(B5), 8441-8452.
- Moreira, A., Prats-Iraola, P., Younis, M., Krieger, G., Hajnsek, I., & Papathanassiou, K. P. (2013). A tutorial on synthetic aperture radar. *IEEE Geoscience and Remote Sensing Magazine*, 1(1), 6–43. <https://doi.org/10.1109/MGRS.2013.2248301>.
- Morishita, Y., Lazecky, M., Wright, T. J., Weiss, J. R., Elliott, J. R., & Hooper, A. (2020). LiCSBAS: An open-source insar time series analysis package integrated with the LiCSAR automated sentinel-1 InSAR processor. *Remote Sensing*, 12(3). <https://doi.org/10.3390/rs12030424>.
- Muhammad Alif, S., Sofyan Sauri, M., & Surya Perdana, R. (2021). *Perubahan kecepatan subduksi Lempeng Indo-Australia terhadap Lempeng Sundaland akibat gempa bumi samudera hindia tahun 2016* (Vol. 4, Issue 3).
- Pamungkas, A. N. (2023). Estimation of vertical deformation in the coseismic phase due to the Cianjur earthquake of magnitudo 5.6 in 2022 using ALOS-2/PALSAR-2 imagery. Skripsi, Universitas Gadjah Mada.
- Peltzer, G., Rosen, P., Rogez, F., & Hudnut, K. (1998). Poroelastic rebound along the Landers 1992 earthquake surface rupture. *Journal of Geophysical Research: Solid Earth*, 103(B12), 30131-30145.
- Peltzer, G., Rosen, P., Rogez, F., & Hudnut, K. (1996). Postseismic rebound in fault step overs caused by pore fluid flow. *Science*, 273(5279), 1202-1204.
- Qu, W., Liu, B., Zhang, Q., Gao, Y., Chen, H., Wang, Q., & ... (2021). Sentinel-1 InSAR observations of co-and post-seismic deformation mechanisms of the 2016 Mw 5.9 Menyuan Earthquake, Northwestern China. *Advances in Space ...* <https://www.sciencedirect.com/science/article/pii/S0273117721002258>.
- Rachman, A., Widodo, A., & Rochman, J. P. G. N. (2017). Penentuan magnitudo gempa bumi dengan menganalisis amplitudo anomali manetik prekursor gempa bumi dan jarak hypocenter. *Jurnal Teknik ITS*, 6(2), C317-C321.
- Rott, H. (2009). Advances in interferometric synthetic aperture radar (InSAR) in earth system science. *Progress in Physical Geography*, 33(6), 769-791. <https://doi.org/10.1177/0309133309350263> Geography, 33(6), 769–791.
- Savage, J. C., & Prescott, W. H. (1978). Asthenosphere readjustment and the earthquake cycle. *Journal of Geophysical Research: Solid Earth*, 83(B7), 3369-3376.
- Segall, P. (2004). Postseismic deformation: Different mechanisms in different times and places. In *AGU Fall Meeting Abstracts* (Vol. 2004, pp. G12A-01).
- Seiler, M.C., Seiler, F.A. (1989). Numerical recipes in c: The art of scientific computing, risk analysis. <https://doi.org/10.1111/j.1539-6924.1989.tb01007.x>.
- Sobrero, F. S., Bevis, M., Gómez, D. D., & Wang, F. (2020). Logarithmic and exponential transients in GNSS trajectory models as indicators of dominant processes in postseismic deformation. *Journal of Geodesy*, 94(9). <https://doi.org/10.1007/s00190-020-01413-4>.
- Supendi, P., Jatnika, J., Sianipar, D., Haidar Ali, Y., Heryandoko, N., Prayitno Adi, S., Karnawati, D., Dwi Anugerah, S., Fatchurochman, I., Sudrajat Kelompok Kerja Sesar Aktif dan Katalog Gempabumi Badan Meteorologi, A., & Geofisika, dan. (n.d.). Analisis gempabumi Cianjur (Jawa Barat) mw 5.6 tanggal 21 november 2022.

- <https://inatews.bmkg.go.id/>.
- Tettyfio, I. N. N. (2007). *Analysis of data from the GPS reference station at AAU using GAMIT*. Aalborg University.
- Tobita, M. (2016). Combined logarithmic and exponential function model for fitting postseismic GNSS time series after 2011 Tohoku-Oki earthquake 6. *Geodesy. Earth, Planets and Space*, 68(1). <https://doi.org/10.1186/s40623-016-0422-4>.
- Torres, R., Snoeij, P., Geudtner, D., Bibby, D., Davidson, M., Attema, E., Potin, P., Rommen, B. Ö., Floury, N., Brown, M., Traver, I. N., Deghaye, P., Duesmann, B., Rosich, B., Miranda, N., Bruno, C., L'Abbate, M., Croci, R., Pietropaolo, A., ... Rostan, F. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment*, 120, 9–24. <https://doi.org/10.1016/j.rse.2011.05.028>.
- U.S. Department of Transportation. (2022). GPS III: The next generation of GPS. <https://www.gps.gov/>.
- Van Sickle, J. (2008). *GPS for land surveyors*. CRC press.
- Wang, S., Zhang, Y., Wang, Y., Jiao, J., Ji, Z., & Han, M. (2020). Post-seismic deformation mechanism of the July 2015 MW 6.5 Pishan earthquake revealed by Sentinel-1A InSAR observation. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-75278-0>.
- Watson, A. R., Elliott, J. R., Lazecký, M., Maghsoudi, Y., McGrath, J. D., & Walters, R. J. (2024). An InSAR-GNSS velocity field for Iran. *Geophysical Research Letters*, 51(10). <https://doi.org/10.1029/2024GL108440>.
- Widjajanti, N., Pratama, C., Parseno, Sunantyo, T. A., Heliani, L. S., Ma'ruf, B., Atunggal, D., Lestari, D., Ulinnuha, H., Pinasti, A., & Ummi, R. F. (2020). Present-day crustal deformation revealed active tectonics in Yogyakarta, Indonesia inferred from GPS observations. *Geodesy and Geodynamics*, 11(2), 135–142. <https://doi.org/10.1016/j.geog.2020.02.001>.
- Yang, C., Han, B., Zhao, C., Du, J., Zhang, D., & Zhu, S. (2019). Co- and post-seismic deformation mechanisms of the MW 7.3 Iran earthquake (2017) revealed by Sentinel-1 InSAR observations. *Remote Sensing*, 11(4). <https://doi.org/10.3390/rs11040418>.
- Yue, H., Wang, K., Xue, L., Shen, Z., & Sun, J. (2022). Postseismic process inversion using full time series of surface deformation: full time-series inversion (FTI) theory and its application to the 2017 Sarpol-e Zahab earthquake. *Journal of Geophysical Research: Solid Earth*, 127(9), e2021JB023317.
- Yusiyanti, I., Kalbuadi Prajardi, T. W., Saputri, Y. I., & Pratama, C. (2023). Vertical deformation model on postseismic phase using exponential and logarithmic function based on InSAR. *Geodesy and Geodynamics*, 14(4), 392–400. <https://doi.org/10.1016/j.geog.2023.01.003>.
- Zaidi, A. S., & Suddle, M. R. (2006). *Global Navigation Satellite Systems: A Survey*.