

## DAFTAR PUSTAKA

- [1] Suhartono and F. Melinda, “Anticipating the threat of a megathrust earthquake disaster,” *Info Singkat Pusaka BKD*, vol. XVI, no. 16/II, pp. 16–20, Aug. 2024.
- [2] Badan Nasional Penanggulangan Bencana, “Gempabumi,” in *Indeks Risiko Bencana Indonesia (IRBI) 2024*. Jakarta: BNPB, Jan. 2025, vol. 3, no. 3, pp. 226–241, iSSN 2985-6922.
- [3] D. E. Putri, “Kesiapsiagaan masyarakat surabaya terhadap potensi bencana ditinjau dari teori konstruksi sosial,” *Jurnal Dinamika Sosial Budaya*, vol. 25, no. 1, pp. 278–285, Jun. 2023. [Online]. Available: <https://journals.usm.ac.id/index.php/jdsb>
- [4] M. Crescimbene, F. L. Longa, R. Camassi, N. A. Pino, and L. Peruzza, “What’s the seismic risk perception in italy?” in *Proceedings of the XII Congress of the International Association for Engineering Geology and the Environment (IAEG)*, Sep. 2014, conference Paper. [Online]. Available: <https://www.researchgate.net/publication/281812584>
- [5] Paidi, “Pengelolaan manajemen risiko bencana alam di indonesia,” *Widya*, vol. 29, no. 321, pp. 37–41, Jul. 2012, published in July–August issue.
- [6] D. Ayuningtyas, S. Windiarti, M. S. Hadi, U. U. Fasrini, and S. Barinda, “Disaster preparedness and mitigation in indonesia: A narrative review,” *Iranian Journal of Public Health*, vol. 50, no. 8, pp. 1536–1546, Aug. 2021, open access under CC BY-NC 4.0 license. [Online]. Available: <http://ijph.tums.ac.ir>
- [7] Y. S. Lubis, A. Rizky, and N. U. Kesumawardani, “Relationship between self-efficacy and disaster preparedness landslide in the community,” *International Journal of Health and Social Behavior*, vol. 1, no. 4, p. 128–135, Nov. 2024. [Online]. Available: <http://dx.doi.org/10.62951/ijhsb.v1i4.164>
- [8] D. Xu, L. Zhuang, X. Deng, C. Qing, and Z. Yong, “Media exposure, disaster experience, and risk perception of rural households in earthquake-stricken areas: Evidence from rural china,” *International Journal of Environmental Research and Public Health*, vol. 17, no. 9, p. 3246, May 2020. [Online]. Available: <https://www.mdpi.com/1660-4601/17/9/3246>
- [9] A. Setiawan, O. N. Pratiwi, and R. Y. Fa’rifah, “Question answering system dalam bentuk chatbot pada platform line untuk mata pelajaran sejarah sma/ma dengan menggunakan algoritma levenshtein distance,” *e-Proceeding of Engineering*, vol. 8, no. 5, pp. 9794–9802, 2021.
- [10] Y. Liu, T. Han, S. Ma, J. Zhang, Y. Yang, J. Tian, H. He, A. Li, M. He, Z. Liu, Z. Wu, L. Zhao, D. Zhu, X. Li, N. Qiang, D. Shen, T. Liu, and B. Ge, “Summary of chatgpt-related research and perspective towards the future of large language models,” *Meta-Radiology*, vol. 1, no. 2, p. 100017, Sep. 2023. [Online]. Available: <http://dx.doi.org/10.1016/j.metrad.2023.100017>
- [11] “Indeks risiko bencana indonesia,” 2025, diakses pada 3 Juni 2025. [Online]. Available: <https://inarisk.bnpb.go.id/irbi>

- [12] R. E. P. Nursyabani and Kusdarini, “Mitigasi bencana dalam peningkatan kewaspadaan terhadap ancaman gempa bumi di universitas andalas,” *Jurnal Ilmu Administrasi Negara (AsIAN)*, vol. 8, no. 2, pp. 81–90, 2020.
- [13] R. Yulianti, R. Putra, and Safni, “Pengaruh pemahaman mitigasi bencana dan fasilitas mitigasi bencana terhadap kesiapsiagaan siswa dalam menghadapi gempa bumi di sma negeri 1 lubuk basung,” *Jurnal Bumipera: Jurnal Ilmu Administrasi Publik dan Politik*, vol. 3, no. 1, pp. 119–128, 2025.
- [14] O. Peña-Cáceres, A. Távora-Ramos, T. Correa-Calle, and M. More-More, “A chatbot system to support emergency and disaster response: Development, evaluation, and use case analysis,” *Journal of Advances in Information Technology*, vol. 15, no. 3, pp. 435–445, 2024.
- [15] J. Y. Chen, M. Tsai, C. Yang, H. Chan, and S. Kang, “Chatbot system for data management: A case study of disaster-related data,” in *Proceedings of the 36th International Symposium on Automation and Robotics in Construction (ISARC 2019)*, Baltic Centre for Contemporary Architecture, Hotel Laine, 2019.
- [16] J. Boné, J. C. Ferreira, R. Ribeiro, and G. Cadete, “Disbot: A portuguese disaster support dynamic knowledge chatbot,” *Applied Sciences*, vol. 10, no. 24, p. 9082, 2020.
- [17] J. Zhu, P. Dang, Y. Cao, J. Lai, Y. Guo, P. Wang, and W. Li, “A flood knowledge-constrained large language model interactable with gis: enhancing public risk perception of floods,” *International Journal of Geographical Information Science*, vol. 38, no. 4, pp. 603–625, Apr. 2024.
- [18] R. Martelo, K. Ahmadiyahyazdi, and R.-Q. Wang, “Towards democratized flood risk management: An advanced ai assistant enabled by gpt-4 for enhanced interpretability and public engagement,” *arXiv preprint arXiv:2403.03188*, Mar. 2024. [Online]. Available: <https://arxiv.org/abs/2403.03188>
- [19] X. Li, Y. Jiang, and A. Mostafavi, “Ai-assisted protective action: Study of chatgpt as an information source for a population facing climate hazards,” *arXiv preprint arXiv:2304.06124*, Apr. 2023. [Online]. Available: <https://arxiv.org/abs/2304.06124>
- [20] A. M. Schäfer and F. Wenzel, “Global megathrust earthquake hazard—maximum magnitude assessment using multi-variate machine learning,” *Frontiers in Earth Science*, vol. Volume 7 - 2019, 2019. [Online]. Available: <https://www.frontiersin.org/journals/earth-science/articles/10.3389/feart.2019.00136>
- [21] T. Ragilaji, “Mengungkap ancaman megathrust di indonesia,” <https://sejarah.dibi.bnpb.go.id/artikel/mengungkap-ancaman-megathrust-di-indonesia-1/84>, 2024, accessed: 15 June 2025.
- [22] A. Farea and F. Emmert-Streib, “Understanding question-answering systems: Evolution, applications, trends, and challenges,” *Engineering Applications of Artificial Intelligence*, vol. 156, p. 110997, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0952197625009972>

- [23] S. Minaee, T. Mikolov, N. Nikzad, M. Chenaghlu, R. Socher, X. Amatriain, and J. Gao, “Large language models: A survey,” 2025. [Online]. Available: <https://arxiv.org/abs/2402.06196>
- [24] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, “Attention is all you need,” 2023. [Online]. Available: <https://arxiv.org/abs/1706.03762>
- [25] S. L. R, “Open-source large language models: A comprehensive survey,” in *2025 International Conference on Machine Learning and Autonomous Systems (ICMLAS)*, 2025, pp. 1096–1101.
- [26] G. Weiss, Ed., *Multiagent systems: a modern approach to distributed artificial intelligence*. Cambridge, MA, USA: MIT Press, 1999.
- [27] S. Yao, J. Zhao, D. Yu, N. Du, I. Shafran, K. Narasimhan, and Y. Cao, “React: Synergizing reasoning and acting in language models,” 2023. [Online]. Available: <https://arxiv.org/abs/2210.03629>
- [28] H. Renney, M. Nethercott, O. Williams, J. Evetts, and J. Lang, “Reimagining the data landscape: A multi-agent paradigm for data interfacing,” in *2025 8th International Conference on Data Science and Machine Learning Applications (CDMA)*, 2025, pp. 114–119.
- [29] B. Tural, Z. Örpek, and Z. Destan, “Retrieval-augmented generation (rag) and llm integration,” in *2024 8th International Symposium on Innovative Approaches in Smart Technologies (ISAS)*, 2024, pp. 1–5.
- [30] Y. Gao, Y. Xiong, X. Gao, K. Jia, J. Pan, Y. Bi, Y. Dai, J. Sun, M. Wang, and H. Wang, “Retrieval-augmented generation for large language models: A survey,” 2024. [Online]. Available: <https://arxiv.org/abs/2312.10997>
- [31] Educative, “What is the jaccard similarity measure in nlp?” <https://how.dev/answers/what-is-the-jaccard-similarity-measure-in-nlp>, 2025.
- [32] P. Dangeti, *Statistics for Machine Learning*. Birmingham, UK: Packt Publishing Ltd., 2017.
- [33] Esri, “What is geocoding?” <http://desktop.arcgis.com/en/arcmap/latest/manage-data/geocoding/what-is-geocoding.htm>, 2021.
- [34] Jacobolus, “Haversine formula,” [https://en.wikipedia.org/wiki/Haversine\\_formula](https://en.wikipedia.org/wiki/Haversine_formula), 2025, accessed: 14 June 2025.
- [35] Annisa, “Haversine formula: Menghitung jarak akurat antar lokasi di permukaan bumi,” Jul 2023. [Online]. Available: <https://fikti.umsu.ac.id/haversine-formula-menghitung-jarak-akurat-antar-lokasi-di-permukaan-bumi/>
- [36] LangchainAI, “Langchain,” <https://github.com/langchain-ai/langchain>, 2025.
- [37] —, “Why langchain?” [https://python.langchain.com/docs/concepts/why\\_langchain/](https://python.langchain.com/docs/concepts/why_langchain/), 2025.

- [38] Y. Xia, Y. Huang, Q. Qiu, X. Zhang, L. Miao, and Y. Chen, “A question and answering service of typhoon disasters based on the t5 large language model,” *ISPRS International Journal of Geo-Information*, vol. 13, no. 5, 2024. [Online]. Available: <https://www.mdpi.com/2220-9964/13/5/165>
- [39] H. A. Pandya and B. S. Bhatt, “Question answering survey: Directions, challenges, datasets, evaluation matrices,” 2021. [Online]. Available: <https://arxiv.org/abs/2112.03572>
- [40] A. C. Rivera, A. Moore, and S. Robinson, “Coal mining question answering with llms,” 2024. [Online]. Available: <https://arxiv.org/abs/2410.02959>
- [41] P. Sahoo, A. K. Singh, S. Saha, V. Jain, S. Mondal, and A. Chadha, “A systematic survey of prompt engineering in large language models: Techniques and applications,” 2025. [Online]. Available: <https://arxiv.org/abs/2402.07927>
- [42] H. Subramonyam, D. Thakkar, A. Ku, J. Dieber, and A. Sinha, “Prototyping with prompts: Emerging approaches and challenges in generative ai design for collaborative software teams,” 2025. [Online]. Available: <https://arxiv.org/abs/2402.17721>
- [43] H. Yu, C. Yu, Z. Wang, D. Zou, and H. Qin, “Enhancing healthcare through large language models: A study on medical question answering,” 2024. [Online]. Available: <https://arxiv.org/abs/2408.04138>
- [44] S. Gururangan, A. Marasović, S. Swayamdipta, K. Lo, I. Beltagy, D. Downey, and N. A. Smith, “Don’t stop pretraining: Adapt language models to domains and tasks,” 2020. [Online]. Available: <https://arxiv.org/abs/2004.10964>
- [45] V. B. Parthasarathy, A. Zafar, A. Khan, and A. Shahid, “The ultimate guide to fine-tuning llms from basics to breakthroughs: An exhaustive review of technologies, research, best practices, applied research challenges and opportunities,” 2024. [Online]. Available: <https://arxiv.org/abs/2408.13296>
- [46] U. Alon, F. F. Xu, J. He, S. Sengupta, D. Roth, and G. Neubig, “Neuro-symbolic language modeling with automaton-augmented retrieval,” 2022. [Online]. Available: <https://arxiv.org/abs/2201.12431>
- [47] A. Singh, A. Ehtesham, S. Kumar, and T. T. Khoei, “Agentic retrieval-augmented generation: A survey on agentic rag,” 2025. [Online]. Available: <https://arxiv.org/abs/2501.09136>
- [48] C. D. Yullinda, “Questions answering system untuk layanan informasi stunting berbasis open source language model,” Yogyakarta, 2024, fakultas Matematika dan Ilmu Pengetahuan Alam, Departemen Ilmu Komputer dan Elektronika.
- [49] M. Guettala, S. Bourekache, O. Kazar, and S. Harous, “Building advanced rag q&a with multiple data sources using langchain: A multi-search agent rag application in ubiquitous learning,” in *2024 2nd International Conference on Computing and Data Analytics (ICCD A)*, Nov 2024, pp. 1–7.

- [50] H. Renney, M. Nethercott, O. Williams, J. Evetts, and J. Lang, “Reimagining the data landscape: A multi-agent paradigm for data interfacing,” in *2025 8th International Conference on Data Science and Machine Learning Applications (CDMA)*, Feb 2025, pp. 114–119.
- [51] G. Gamage, N. Mills, D. De Silva, M. Manic, H. Moraliyage, A. Jennings, and D. Alahakoon, “Multi-agent rag chatbot architecture for decision support in net-zero emission energy systems,” in *2024 IEEE International Conference on Industrial Technology (ICIT)*, 2024, pp. 1–6.
- [52] M. Ahmed, M. Dorrah, A. Ashraf, Y. Adel, A. Elatrozy, B. E. Mohamed, and W. Gomaa, “Codeqa: Advanced programming question-answering using llm agent and rag,” in *2024 6th Novel Intelligent and Leading Emerging Sciences Conference (NILES)*, 2024, pp. 494–499.
- [53] Y. B. Sree, A. Sathvik, D. S. Hema Akshit, O. Kumar, and B. S. Pranav Rao, “Retrieval-augmented generation based large language model chatbot for improving diagnosis for physical and mental health,” in *2024 6th International Conference on Electrical, Control and Instrumentation Engineering (ICECIE)*, 2024, pp. 1–8.
- [54] M. S. Pyae, S. Sithu Phyo, S. T. Maung Maung Kyaw, T. Swe Lin, and N. Chondamrongkul, “Developing a rag agent for personalized fitness and dietary guidance,” in *2025 Joint International Conference on Digital Arts, Media and Technology with ECTI Northern Section Conference on Electrical, Electronics, Computer and Telecommunications Engineering (ECTI DAMT NCON)*, 2025, pp. 600–605.
- [55] J. Chen, S. Xiao, P. Zhang, K. Luo, D. Lian, and Z. Liu, “Bge m3-embedding: Multi-lingual, multi-functionality, multi-granularity text embeddings through self-knowledge distillation,” 2024.
- [56] A. J. Widiatama, “Cara membaca skala gempa: Skala richter vs skala mercalli,” *Kumparan*, April 2020, diakses pada 2 Juni 2025. [Online]. Available: <https://kumparan.com/angga-jati-widiatama/cara-membaca-skala-gempa-skala-richter-vs-skala-mercalli-1tHL565Li7C/full>
- [57] S. Es, J. James, L. Espinosa-Anke, and S. Schockaert, “Ragas: Automated evaluation of retrieval augmented generation,” 2025. [Online]. Available: <https://arxiv.org/abs/2309.15217>
- [58] ExplodingGradients, “Ragas: Supercharge your llm application evaluations,” <https://github.com/explodinggradients/ragas>, 2024.