

DAFTAR PUSTAKA

- Adewuyi, Y., 2001, Sonochemistry: Environmental Science and Engineering Applications, *Ind. Eng. Chem. Res.*, 40, 4681–4715.
- Agarwal, M., Agarwal, M.K., Shrivastav, N., Pandey, S., Das, R., dan Gaur, P., 2018, Preparation of Chitosan Nanoparticles and their In-vitro Characterization, *Int. J. Life-Sciences Sci. Res.*, 4, 1713–1720.
- Agusta, I., 2021, Ekstraksi Kitosan Dari Limbah Kulit Udang Dengan Proses Deasetilasi, *Journal of Chemical Engineering*, 2(2).
- Agustina, S., Swantara, I., dan Suartha, I., 2015, Isolasi Kitin, Karakterisasi, dan Sintesis Kitosan Dari Kulit Udang, *J. Kim.*, 9, 271–278.
- Aider, M., 2010, Chitosan application for active bio-based films production and potential in the food industry: Review, *LWT*, 43(6), 837–842.
- Akhyar, H., Maulidya, S.A.I., Alaydrus, M.M., Ansyori, M.I., Hamidi, M.Z., Wijaya, I.G.P.S., Dwiyanaputra, R., dan Irfan, P., 2025, Studi pemodelan dan prediksi aktivitas antibakteri biopolimer kitosan menggunakan Response Surface Methodology (RSM), *Jurnal Teknologi Material (JTM)*, 7(2), 352–362.
- Al Shaqsi, N.H.K., Al Hoqani, H.A.S., Hossain, M.A., dan Al Sibani, M.A., 2020, Isolation, Characterization and Standardization of Demineralization Process for Chitin Polymer and Minerals from the Crabs Waste of Portunidae Segnis, *Adv. Biomark. Sci. Technol.*, 2, 45–58.
- Ananingsih, V. K., Pratiwi, A. R., Soedarini, B., dan Putra, Y. a. S., 2024, Formulation of nanoemulsion parijoto fruit extract (*Medinilla speciosa*) with variation of tweens stabilizers, *Frontiers in Nutrition*, 11.
- Azhar, M., Efendi, J., Syofyeni, E., Lesi, R., dan Sri, N., 2010, Pengaruh Konsentrasi NaOH dan KOH Terhadap Derajat Deasetilasi Kitin dari Limbah Kulit Udang, *Eksakta*, 1(10), 1–8.
- Barreno-Avila, E., Moya-Moya, E., dan Pérez-Salinas, C., 2022, Rice-husk fiber reinforced composite (RFRC) drilling parameters optimization using RSM based desirability function approach, *Materials Today: Proceedings*, 49, 167–174.
- Bhattacharya, S., 2021, Central Composite Design for Response Surface Methodology and Its Application in Pharmacy, *In IntechOpen eBooks*.
- Behera, K.S., Meena, H., Chakraborty, S., dan Meikap, B.C., 2018, Application of response surface methodology (RSM) for optimization of leaching parameters for ash reduction from low-grade coal, *International Journal of Mining Science and Technology*, 28, 621–629.
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., dan Escalera, L. A., 2008, Response surface methodology (RSM) as a tool for optimization in analytical chemistry, *Talanta*, 76(5), 965–977.

- Cavazzuti, M. (2012). *Optimization methods: From Theory to Design Scientific and Technological Aspects in Mechanics*. Springer Science & Business Media.
- Chen, H., Khemtong, C., Yang, X., Chang, X., dan Gao, J., 2011, Nanonization strategies for poorly water-soluble drugs, *Drug Discovery Today*, 16(7–8), 354–360.
- Chik, C.E.N.C.E., Kamaruzzan, A.S., Rahim, A.I.A., Lananan, F., Endut, A., Aslamyah, S., dan Kasan, N.A., 2022, Extraction and characterization of *Litopenaeus vannamei*'s shell as potential sources of chitosan biopolymers, *Journal of Renewable Materials*.
- Davies, P. J., 2010, Biosynthesis, Signal Transduction, Action, *Plant Hormones*. 3, 95-114.
- Dewi, P.P.K., 2021, Optimasi Pembuatan Nanoemulsi Kitosan Dari Limbah Kulit Udang Dengan Metode Permukaan Respon, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Dey, A.K., dan Dey, A., 2021, Selection of Optimal Processing Condition during Removal of Methylene Blue Dye Using Treated Betel Nut fibre Implementing Desirability Based RSM Approach, *In IntechOpen eBooks*.
- Divya, K., Rebello, S., dan Jisha, M.S., 2014, A Simple and Effective Method for Extraction of High Purity Chitosan from Shrimp Shell Waste, *Int. Conf. Adv. Appl. Sci. Environ. Eng.*, 141–145.
- Djamhuri, E., 2011, Pemanfaatan Air Kelapa untuk Meningkatkan Pertumbuhan Stek Pucuk Meranti Tembaga (*Shorea leprosula miq.*), *Jurnal Silviculture Tropika*, 2(1), 5-8.
- Doan, C.T., Tran, T.N., Wang, C.L., dan Wang, S.L., 2020, Microbial conversion of shrimp heads to proteases and chitin as an effective dye adsorbent, *Polymers*, 12(10), 2228.
- Dolatowski, Z. J., Stadnik, J., dan Stasiak, D., 2007, Application of Ultrasound in Food Technology, *Acta Sci. Pol. Technol. Aliment*, 6(3), 88–99.
- Dompeipen, E.J., Kaimudin, M., Dewa Balai Riset dan Standarisasi Industri Ambon, R.P., Cengkeh, J., dan Merah Ambon, B., 2016, Isolasi Kitin dan Kitosan Dari Limbah Kulit Udang, *Maj. BIAM*, 12, 32–39.
- Dutta, P. K., Tripathi, S. dan Mehrotra G.K., 2009, Physicochemical and Bioactivity of Cross-linked Chitosan-PVA Film for Food Packaging Applications, *Journal of Biological Macromolecules*, 45, 72-76.
- Dutta, P., Tripathi, S., Mehrotra, G., dan Dutta, J., 2009, Perspectives for chitosan based antimicrobial films in food applications, *Food Chemistry*, 114(4), 1173–1182.
- Elganidi, I., Elarbe, B., Ridzuan, N., dan Abdullah N., 2022, Optimisation of reaction parameters for a novel polymeric additives as fow improvers of crude

oil using response surface methodology, *Journal of Petroleum Exploration and Production Technology*, 12, 437-449.

Ewais, A., Saber, R.A., Ghany, A.A., Sharaf, A., dan Sitothy, M., 2023, High quality, low molecular weight shrimp and crab chitosans obtained by short-time holistic high-power microwave technology, *A Spriger Nature Journal*, 5, 365.

Fatima, B, 2020, Quantitative Analysis by IR: Determination of Chitin/Chitosan DD, In *IntechOpen eBooks*.

Gadgey, K.K., dan Dey, S., 2017, Development of Chitin and Chitosan from Narmada Riverside Crab Shells, *Int. J. Mech. Eng. Technol.*, 8, 298–307.

Gul, O., Saricaoglu, F. T., Besir, A., Atalar, I., dan Yazici, F., 2017, Effect of ultrasound treatment on the properties of nano-emulsion films obtained from hazelnut meal protein and clove essential oil, *Ultrasonics Sonochemistry*, 41, 466–474.

Gupta, P., Pandit, J., Kumar, A., dan Swaroop, P., 2010, Pharmaceutical Nanotechnology Novel Nanoemulsion-High Energy Emulsification Preparation, Evaluation and Application, *The Pharma Research*, 117–138.

Hedden, P., 2020, Biosintesis Giberelin, Fisiologi Tumbuhan dan Sel, *Journal of plant and cell physiology*, 61(11), 1 832–1849.

Helsawati, Ratnaputri, P.H., dan Fitriana, M., 2023 Formulation and Evaluation of Nanoemulsion Kelakai (*Stenochlaena palustris*) Herbs with Composition of Smix (Tween 80 and Glycerin) and Pine Oil, *Borneo Journal of Pharmacy*, 6(4), 406-416.

Hernandez-garcia J., Briones-moreno A., dan Blazquez M.A., 2021, Origin and evolution of gibberellin signaling and metabolism in plants, *Semin Cell Dev. Biol.*, 109, 46– 54.

Hosney A., Ullah S., dan Barcˇauskaite, K.A., 2022, Review of the Chemical Extraction of Chitosan from Shrimp Wastes and Prediction of Factors Affecting Chitosan Yield by Using an Artificial Neural Network, *Mar. Drugs*, 20, 675.

Ihamouchien, C., Djidjelli, H., dan Boukeroou A., 2022, Valorization of shrimp waste by chemical extraction of chitin and chitosan, *Biopolymer Applications Journal*, 1(1), 13-19.

Ishida, T., Watanabe, B., Mashiguchi, K., dan Yamaguchi, S., 2022, Synthesis and structure–activity relationship of 16,17-modified gibberellin derivatives, *Phytochemistry Letters*, 49, 162–166.

Jayanudin, D. R. B., Rochmadi, Wiratni, Nasihin, dan Widiawati, M., 2013, Pemanfaatan limbah cangkang udang sebagai kitosan melalui variasi pada tahap demineralisasi dan deproteinasi, *Prosiding Seminar Rekayasa Kimia dan Proses*, 1411-4216.

- Kale, S.N., dan Deore, S.L., 2017, Microemulsion and Nanoemulsion A Review, *Sistematic Review in Pharmacy*, 8(1), 39-47.
- Kandile, N.G., Howida T.Z., Mansoura I.M., Abir S.N., dan Yassmin G.A., 2018, Extraction and Characterization of Chitosan from Shrimp Shells, *Open Journal of Organic Polymer Materials*, 8, 33-42.
- Khalid, A., Arshad, M. U., Imran, A., Khalid, S. H., dan Shah, M. A., 2023, Development, stabilization, and characterization of nanoemulsion of vitamin D3-enriched canola oil, *Frontiers in Nutrition*, 10.
- Khoerunnisa, F., Yolanda, Y. D., Nurhayati, M., Zahra, F., Nasir, M., Opaprakasit, P., Choo, M., dan Ng, E., 2021, Ultrasonic synthesis of nanochitosan and its size effects on turbidity removal and dealkalization in wastewater treatment, *Inventions*, 6(4), 98.
- Koilparambil, D., Rebello, S., dan Shanavas, J., 2014, A Simple and Effective Method for Extraction of High Purity Chitosan from Shrimp Shell Waste, *Proc. of the Intl. Conf. on Advances in Applied Science and Environmental Engineering*. 141-145.
- Koneva, A., Safonova, E., Kondrakhina, P., Vovk, M., Lezov, A., Chernyshev, Y. S., dan Smirnova, N., 2017, Effect of water content on structural and phase behavior of water-in-oil (n-decane) microemulsion system stabilized by mixed nonionic surfactants SPAN 80/TWEEN 80, *Colloids and Surfaces a Physicochemical and Engineering Aspects*, 518, 273–282.
- Kotta, S., Khan, A. W., Ansari, S. H., Sharma, R. K., dan Ali, J., 2013, Formulation of nanoemulsion: a comparison between phase inversion composition method and high-pressure homogenization method, *Drug Delivery*, 22(4), 455–466.
- Kumar, R., dan Soni, G. C., 2017, Formulation development and evaluation of Telmisartan Nanoemulsion. Prajapati, *International Journal of Research and Development in Pharmacy and Life Science*, 4(6), 2711-2719.
- Kusmiati, A.R., dan Hayati, N., 2020, Pemanfaatan Kitosan dari Cangkang Udang sebagai Adsorben Logam Berat Pb pada Limbah Praktikum Kimia Farmasi, *Indones. J. Lab.*, 3, 6.
- Lee, Z.H., Hirakawa, T., Yamaguchi, N., dan Ito, T., 2019, The Roles of Plant Hormones and Their Interactions with regulatory genes in determining meristem activity, *International Journal of Molecular Sciences*, 20(16), 4065.
- Lochana, E. A., dan Kawmudhi, S., 2022, General Formulation of Nanoemulsions Using High-Energy and Low-Energy Principal Methods: A Brief Review, *Journal of Technology and Value Addition*, 4(1).
- Lu, Z., Breidt, Jr. F., Fleming, H. P., Altermann, E., dan Klaenhammer, T. R., 2003, Isolation and Characterization of a *Lactobacillus plantarum* Bacteriophage, ΦJL-1, From Cucumber Fermentation, *International Journal of Food Microbiology*, 84, 225-235.

- Mahatmanti, F. W., Sugiyo, W., dan Sunarto, W., 2007, Sintesis Kitosan dan Pemanfaatannya sebagai Anti Mikrobial Ikan Segar, *FMIPA Unnes*, 101-111.
- Mima, S., Miya, M., Iwamoto, R., dan Yoshikawa, S., 1983, Highly Deacetylated Chitosan and its Properties, *J. Appl. Polym. Sci.*, 28, 1909–1917.
- Mishra, R.K., Soni, G.C., dan Mishra, R.P., 2014, Review Article: On Nanoemulsion, *World Journal of Pharmacy and Pharmaceutical Science*, 3(9), 258-274.
- Mohanraj, V. J., dan Chen, Y., 2006, Nanoparticles – A Review, *Tropical Journal of Pharmaceutical Research*, 5, 561–573.
- Montgomery, D. C., 2012, *Design and Analysis of Experiments 8th ed.* John Wiley and Sons, Inc., Arizona State.
- Montgomery, D.C., 1991, *Design and Analysis of Experiments*, John Wiley and Sons, Inc., New Jersey.
- Mustari A.Z., Sugiyono, S., dan Wulandari, N., 2023, Optimasi konsentrasi enzim bromelin, suhu, dan lama tunggu adonan pada pembuatan cemilan kreker tanpa fermentasi, *J. Litbang Industri*, 13 (1), 25–33
- Myers, R. H., Montgomery, D. C., dan Anderson-Cook, C. M., 2011, *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*, John Wiley and Sons.
- Myers, R. H., Montgomery, D. C., dan Anderson-Cook, C. M., 2011, *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*, John Wiley and Sons.
- Nadzrajić S., Bratovic, A., Alibegic, D., Micijevic, A., dan Mehovic, M., 2024, The Effect of Mixed Surfactants on Viscosity, pH and Stability of Synthesized Liquid Soaps, *International Journal of Materials and Chemistry*, 14(3), 31-36.
- No, H. K., dan Meyers, S. P., 1995, Preparation and Characterization of Chitin and Chitosan—A review, *Journal of Aquatic Food Product Technology*, 4(2), 27–52.
- Nurmala, A.N., Budi Susatyo, E., dan Mahatmanti, F.W., 2018, Indonesian Journal of Chemical Science Sintesis Kitosan dari Cangkang Rajungan Terkomposit Lilin Lebah dan Aplikasinya sebagai Edible Coating pada Buah Stroberi, *J. Chem. Sci.*, 7.
- Odek, R., dan Opuodho, G., 2023, F-test and P-values: A synopsis, *Journal and Management Science*, 13(2), 59-61.
- Pais-Chanfrau, J. M., Núñez-Pérez, J., Del Carmen Espin-Valladares, R., Lara-Fiallos, M. V., dan Trujillo-Toledo, L. E., 2021, Uses of the response surface Methodology for the optimization of Agro-Industrial Processes, *In IntechOpen eBooks*.
- Papageorgiou, S.N., 2022, On correlation coefficients and their interpretation, *Journal of Orthodontics*, 49(3), 359-361.

- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth N., 2013, Design and Development of a Self-nanoemulsifying Drug Delivery System for Telmistran for Oral Drug Delivery, *International Journal of Pharmaceutical Investigation*, 1(2), 112-118.
- Pavoni, L., Perinelli, D. R., Bonacucina, G., Cespi, M., dan Palmieri, G. F., 2020, An overview of micro- and nanoemulsions as vehicles for essential oils: formulation, preparation and stability, *Nanomaterials*, 10(1), 135.
- Peshkovsky, A. S., Peshkovsky, S. L., dan Bystryak, S., 2013, Scalable High-Power Ultrasonic Technology for the Production of Translucent Nanoemulsions, *Chem. Eng. Process*, 69, 77–82.
- Piriyaprasarth, S., Sriamornsak, P., Chansiri, G., dan Promboot, W., 2012, Effect of Coconut Oil and Surfactants on Stability of Nanoemulsions, *Advanced Materials Research*, 506, 429–432.
- Preeti, N., Sambhakar, S., Malik, R., Bhatia, S., Harrasi, A. A., Rani, C., Saharan, R., Kumar, S., Geeta, N., dan Sehrawat, R., 2023, Nanoemulsion: an emerging novel technology for improving the bioavailability of drugs, *Scientifica*, 2023, 1–25.
- Qian, C., dan McClements, D. J., 2011, Formation of nanoemulsions stabilized by model food-grade emulsifiers using high-pressure homogenization: Factors affecting particle size, *Food Hydrocolloids*, 25(5): 1000–1008.
- Rahayu, P. dan Khabibi, K., 2016, Adsorpsi Ion Logam Nikel (II) oleh Kitosan Termodifikasi Tripolifosfat, *J. Kim. Sains dan Apl.*, 19, 21.
- Razali, R.N., dan Ismail, N.I., 2024, Effects of surfactants on extra virgin coconut oil-in-water microemulsion formation and properties for topical application, *Materials Today: Proceeding*, 56, 142-146.
- Reza, A., Chen, L., dan Mao, X., 2024, Response surface methodology for process optimization in livestock wastewater treatment: A review, *Heliyon*, 10, 30326.
- Rinaudo, M., 2006, Chitin and Chitosan: Properties and Applications, *Prog. Polym. Sci.*, 31, 603–632.
- Ritonga, N., Zhou, D., Zhang, Y., Runxian, L., Li, C., dan Gao, J., 2023, The Roles of Gibberellins in Regulating Leaf Development, *Plants*, 12(6), 1243.
- Rodrigues, L. C., Ribeiro, A. P., Silva, S. S., dan Reis, R. L., 2024, Chitosan/Virgin Coconut Oil-Based Emulsions Doped with Photosensitive Curcumin Loaded Capsules: A Functional Carrier to Topical Treatment, *Polymers*, 16(5), 641.
- Rowe, R., Sheskey, P., Quinn, dan Marian, E., 2009, *Handbook of Pharmaceutical Excipients*, In Pharmaceutical Press.
- Sarjono, P.R., Ismiyanto, Ngadiwiyan, Adiwibawa Prasetya, N.B., Rosydhulfa, Ariestiani, B., Kusuma, A.B., Darmastuti, N.E., dan Rohman, J.H.F., 2019, Antioxidant Activity from Limonene Encapsulated by Chitosan, *IOP Conf.Ser. Mater. Sci. Eng.*, 509.

- Sasongko, D.P., Koesriharti dan D. Armita., 2020, Pengaruh Pemberian Giberelin Pada Pertumbuhan dan Hasil Tanaman Cabai Besar (*Capsicum annum L.*), *Jurnal Produksi Tanaman*, 8(3): 298-303.
- Savant, Vivek, D., dan Torres, J., 2000, Chitosan Based Coagulating Agents for Treatment of Cheddar Chees Whey, *Biotechnology Progress*, 16, 1091–1097.
- Setha B., Rumata, F., dan Silaban, B.B., 2019, Karakteristik kitosan dari kulit udang vaname dengan menggunakan suhu dan waktu yang berbeda dalam proses deasetilasi, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3): 498-507.
- Shah, P., Bhalodia, D., dan Shelat, P., 2010, Nanoemulsion: A Pharmaceutical Review, *Sys. Rev. Pharm.*, 1(1), 24–32.
- Shakeel, F., Baboota, S., Ahuja, A., Ali, J., Faisal, M., dan Shafiq, S., 2008, Stability Evaluation of Celecoxib Nanoemulsion Containing Tween 80, *Thai J. Pharm. Sci.*, 32, 4–9.
- Shaqsi, N. H. K. A., Hoqani, H. a. S. A., Hossain, M. A., dan Sibani, M. A., 2020, Optimization of the demineralization process for the extraction of chitin from Omani Portunidae segnis, *Biochemistry and Biophysics Reports*, 23, 100779.
- Silalahi, A. M., Fadholah, A., dan Artanti, L. O., 2020, Isolasi dan Identifikasi Kitin dan Kitosan dari Cangkang Susuh Kura (*Sulcospira testudinaria*), *Pharmaceutical Journal of Islamic Pharmacy*, 4(1): 1-9.
- Sinha, S., Chand, S., dan Tripathi P., 2016, Recent progress in chitosanase production of monomer-free chitooligosaccharides: bioprocess strategies and future applications, *Applied Biochemistry and Biotechnology*, 180(5):1–17.
- Solans, C., dan Solé, I., 2012, Nano-emulsions: Formation by low-energy methods, *Current Opinion in Colloid and Interface Science*, 17(5), 246–254.
- Soni, V., Khan, I., Prajapati, S., Jain, P., Thakur, B.P., Khare, B., Jadon, A.V. dan Jain, A., 2022, An Integrated Review on Advantages, Classification and Techniques of Preparation of Microemulsion: A Futuristic Drug Delivery, *World Journal of Pharmaceutical and Life Science*, 8(12). 93-103.
- Stephanie, 2015, Pengaruh Variasi Fase Minyak Virgin Coconut Oil dan Medium-Chain Triglycerides Oil Terhadap Stabilitas Fisik Nanoemulsi Minyak Biji Delima dengan Kombinasi Surfaktan Tween 80 dan Kosurfaktan PEG 400, *Skripsi*, Fakultas Farmasi, Universitas Sanata Dharma, Yogya.
- Suslick, K. S., dan Price, G. J., 1999, Applications of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 29, 295–326.
- Tahir, I., Millevania, J., Wijaya, K., Mudasir, N., Wahab, R. A., dan Kurniawati, W., 2023, Optimization of thiamine chitosan nanoemulsion production using sonication treatment, *Results in Engineering*, 17, 100919.
- Taiz, L., dan Zeiger E., 2010, *Plant Physiology*, 5th ed. Massachusetts, Sinauer Ass. Inc. Publisher.

- Talegaonkar, S., Azeem, A., Ahmad, F.J., Khar, R.K., Pathan, S.A. dan Khan, Z.I., 2008, Microemulsions: A Novel Approach to Enhanced Drug Delivery, *Recent Patents on Drug Delivery and Formulation*, 2, 238-257.
- Tesch, S., dan Schubert, H, 2002, Influence of increasing viscosity of the aqueous phase on the short-term stability of protein stabilized emulsions, *Journal of Food Engineering*, 52(3), 305–312.
- Thomas, L., Muthupandian, A., dan Sandra, K., 2011, The Fundamentals of Power Ultrasound – A Review, *Acoustic Australia*, 39(2), 54–63.
- Tiwari, A.K., Pandya N.S., Said, Z., Chhatbar, S.H., Al-Turki, Y.A., dan Patel, A.R., 2021, 3S (Sonication, surfactant, stability) impact on the viscosity of hybrid nanofluid with different base fluids: An experimental study, *Journal of Molecular Liquids*, 329, 115455.
- Tolesa, L.D., Gupta, B.S., dan Lee, M.J., 2019, Chitin and chitosan production from shrimp shells using ammonium-based ionic liquids, *International Journal of Biological Macromolecules*, 130, 818-826.
- Tsai, M., Bai, S., dan Chen, R., 2007, Cavitation effects versus stretch effects resulted in different size and polydispersity of ionotropic gelation chitosan–sodium tripolyphosphate nanoparticle, *Carbohydrate Polymers*, 71(3), 448–457.
- Verma, V., 2025, A Comprehensive Framework for Residual Analysis in Regression and Machine Learning, *Journal of Information Systems Engineering and Management*, 10(31), 34-46.
- Wardiyati, S., 2004, *Pemanfaatan Ultrasonik dalam Bidang Kimia*, Puslitbang Iptek Bahan (P3IB)-BATAN. Kawasan Puspipstek.
- Winarni, S., Sunengsih, N., dan Ginanjar, I., 2021, Multi responses taguchi optimization using overlaid contour plot and desirability function, *Journal of Physics Conference Series*, 1776(1), 012061.
- Winarni, S., Sunengsih, N., dan Ginanjar, I., 2021, Multi responses taguchi optimization using overlaid contour plot and desirability function, *Journal of Physics Conference Series*, 1776(1), 012061.
- Yamaguchi, S., 2008, Metabolisme giberelin dan regulasinya, *Annu. Rev. Plant Biol.* 59, 225-251.
- Yan, N. dan Chen, X., 2015, Don't Waste Seafood Waste: Turning Cast-off Shells into Nitrogen-Rich Chemicals Would Benefit Economics and The Environment, *Nature*, 524, 155-157.
- Younes, I., dan Rinaudo, M., 2015, Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications, *Mar. Drugs*, 13, 1133-1174.
- Yue, M., Huang, M., Zhu, Z., Huang, T., dan Huang, M., 2021, Effect of ultrasound assisted emulsification in the production of Pickering emulsion formulated

with chitosan self-assembled particles: Stability, macro, and micro rheological properties, *LWT*, 154, 112595.

- Yue, S., Qian, F., dan Xiangdong, L., 2015, Application of response surface methodology to optimize degradation of polyacrylamide in aqueous solution using heterogeneous Fenton process, *Desalination and Water Treatment*, 53, 1923-1932.
- Yuliani, S.H., M. Hartini, Stephanie, B., Pudyastuti, dan E.P. Istyastono., 2016, Perbandingan Stabilitas Fisis Sediaan Nanoemulsi Minyak Biji Delima dengan Fase Minyak Long-Chain Triglyceride and Medium Chain Triglyceride, *Traditional Medicine Journal*, 12(1), 3-7.
- Yuliusman dan Adelina, P.W., 2010, Pemanfaatan Kitosan dari Cangkang Rajungan Pada Proses Adsorpsi Logam Nikel dari Larutan NiSO₄, *Seminar Rekayasa Kimia dan Proses*, UNDIP, Semarang.
- Zainul, R., 2016, Determination of the half-life and the quantum yield of ZnO Semiconductor Photocatalyst in Humic Acid, *Der Pharmacia Lettre*, 8(15), 176-17.
- Zhang, J., Ge, D., Wang, X., Wang, D., Cui, D., Yuan, G., Wang, K., dan Zhang, w., 2021, Influence of Surfactant and Weak-Alkali Concentrations on the Stability of O/W Emulsion in an Alkali Surfactant-Polymer Compound System, *ACS Omega*, 6, 5001-5008.
- Zhang, S., Ji, Y., He, Y., Dong, J., Li, H., dan Yu, S., 2024, Effect of environmental pH on the mechanics of chitin and chitosan: a Single-Molecule study, *Polymers*, 16(7), 995.
- Zheng, X., Cheng, T., Liu, S., Tian, Y., Liu, J., Wang, Z., dan Guo, Z., 2025, Ultrasonic combined pH shifting strategy for improving the stability of emulsion stabilized by yeast proteins: Focused on solubility, protein structure, interface properties, *International Journal of Biological Macromolecules*, 293, 139396.