

## BIBLIOGRAPHY

- Afonso, T., Moresco, R., Uarrota, V. G., Navarro, B. B., Nunes, E. da C., Maraschin, M., & Rocha, M. (2017). UV-Vis and CIELAB Based Chemometric Characterization of *Manihot esculenta* Carotenoid Contents. *Journal of Integrative Bioinformatics*, 14(4). <https://doi.org/10.1515/jib-2017-0056>
- Ben-Yehoshua, S., & Rodov, V. (2002). Transpiration and Water Stress. In *Postharvest Physiology and Pathology of Vegetables*. CRC Press. <https://doi.org/10.1201/9780203910092.ch5>
- Blattný, C. (2003). PEARS. In *Encyclopedia of Food Sciences and Nutrition* (pp. 4428–4433). Elsevier. <https://doi.org/10.1016/B0-12-227055-X/00898-1>
- Charoenchongsuk, N. (2015). *Studies on color and pigment changes during ripening in pear fruit*.
- Charoenchongsuk, N., Ikeda, K., Itai, A., Oikawa, A., & Murayama, H. (2015). Comparison of the expression of chlorophyll-degradation-related genes during ripening between stay-green and yellow-pear cultivars. *Scientia Horticulturae*, 181, 89–94. <https://doi.org/10.1016/j.scienta.2014.10.005>
- Charoenchongsuk, N., Matsumoto, D., Itai, A., & Murayama, H. (2018). Ripening characteristics and pigment changes in russeted pear fruit in response to ethylene and 1-MCP. *Horticulturae*, 4(3). <https://doi.org/10.3390/horticulturae4030022>
- Cheng, G., Duan, X., Jiang, Y., Sun, J., Yang, S., Yang, B., He, S., Liang, H., & Luo, Y. (2009). Modification of hemicellulose polysaccharides during ripening of postharvest banana fruit. *Food Chemistry*, 115(1), 43–47. <https://doi.org/10.1016/j.foodchem.2008.11.065>
- Du, K., Yuan, F., Huo, M., Mao, N., Zhao, S., Yang, X., Sang, Y., & Tian, G. (2025). Nutrients, bioactives, health-promoting effects, and related products of pears: Different varieties, growth stages and parts. *Journal of Functional Foods*, 129, 106844. <https://doi.org/10.1016/j.jff.2025.106844>



- Gao, M., Matsuta, N., Murayama, H., Toyomasu, T., Mitsuhashi, W., Dandekar, A. M., Tao, R., & Nishimura, K. (2007). Gene expression and ethylene production in transgenic pear (*Pyrus communis* cv. 'La France') with sense or antisense cDNA encoding ACC oxidase. *Plant Science*, *173*(1), 32–42. <https://doi.org/10.1016/j.plantsci.2007.03.014>
- Ghazouani, T., Talbi, W., Sassi, C. Ben, & Fattouch, S. (2020). Pears. In *Nutritional Composition and Antioxidant Properties of Fruits and Vegetables* (pp. 671–680). Elsevier. <https://doi.org/10.1016/B978-0-12-812780-3.00041-6>
- Gidado, M. J., Gunny, A. A. N., Gopinath, S. C. B., Ali, A., Wongs-Aree, C., & Salleh, N. H. M. (2024). Challenges of postharvest water loss in fruits: Mechanisms, influencing factors, and effective control strategies – A comprehensive review. *Journal of Agriculture and Food Research*, *17*, 101249. <https://doi.org/10.1016/j.jafr.2024.101249>
- Harker, F. R., Redgwell, R. J., Hallett, I. C., Murray, S. H., & Carter, G. (1997). Texture of Fresh Fruit. In *Horticultural Reviews* (pp. 121–224). Wiley. <https://doi.org/10.1002/9780470650646.ch2>
- Hong, S.-Y., Lansky, E., Kang, S.-S., & Yang, M. (2021). A review of pears (*Pyrus* spp.), ancient functional food for modern times. *BMC Complementary Medicine and Therapies*, *21*(1), 219. <https://doi.org/10.1186/s12906-021-03392-1>
- Isuzugawa, K., Ikeda, K., & Nishimura, K. (2005). Morphological and ploidy analysis of large fruited mutant in European pear. *Breeding Res.* *7*, *Suppl. 1*(2), 423.
- Isuzugawa, K., Murayama, H., & Nishio, T. (2014). Characterization of a giant-fruit mutant exhibiting fruit-limited polyploidization in pear (*Pyrus communis* L.). *Scientia Horticulturae*, *170*, 196–202. <https://doi.org/10.1016/j.scienta.2014.03.009>
- Ketsa, S. (1990). Effect of fruit size on weight loss and shelf life of tangerines. *Journal of Horticultural Science*, *65*(4), 485–488. <https://doi.org/10.1080/00221589.1990.11516083>

- Knee, M. (1993). Pome fruits. In *Biochemistry of Fruit Ripening* (pp. 325–346). Springer Netherlands. [https://doi.org/10.1007/978-94-011-1584-1\\_11](https://doi.org/10.1007/978-94-011-1584-1_11)
- Konica Micolta. (2023). *Understanding the CIE L\*C\*h Color Space*. <https://sensing.konicaminolta.us/us/blog/understanding-the-cie-lch-color-space/>
- Kumar, A., Sharma, D. P., Kumar, P., Sharma, G., & Suprun, I. I. (2022). Comprehensive insights on Apple (*Malus × domestica* Borkh.) bud sport mutations and epigenetic regulations. In *Scientia Horticulturae* (Vol. 297). Elsevier B.V. <https://doi.org/10.1016/j.scienta.2022.110979>
- Lee, Y. K., Yu, B., & Lim, H. N. (2010). Lightness, chroma, and hue distributions of a shade guide as measured by a spectroradiometer. *Journal of Prosthetic Dentistry*, 104(3), 173–181. [https://doi.org/10.1016/S0022-3913\(10\)60116-3](https://doi.org/10.1016/S0022-3913(10)60116-3)
- Li, X., Li, X., Wang, T., & Gao, W. (2016). Nutritional Composition of Pear Cultivars (*Pyrus* spp.). In *Nutritional Composition of Fruit Cultivars* (pp. 573–608). Elsevier. <https://doi.org/10.1016/B978-0-12-408117-8.00024-6>
- Matile, P., Hörtensteiner, S., & Thomas, H. (1999). CHLOROPHYLL DEGRADATION. *Annual Review of Plant Physiology and Plant Molecular Biology*, 50(1), 67–95. <https://doi.org/10.1146/annurev.arplant.50.1.67>
- Ministry of Agriculture Forestry and Fisheries. (2022). *Survey on the Trends in Production of Western Pear 2022*. <https://www.e-stat.go.jp/stat-search/files?page=1&layout=datalist&toukei=00500503&tstat=000001020907&cycle=7&year=20220&month=0&tclass1=000001032892&tclass2=000001227803>
- Mohsenzadeh, A., Zamani, A., & Taherzadeh, M. J. (2017). Bioethylene Production from Ethanol: A Review and Techno-economical Evaluation. *ChemBioEng Reviews*, 4(2), 75–91. <https://doi.org/10.1002/cben.201600025>
- Mou, Y., Dong, X., Zhang, Y., Tian, L., Huo, H., Qi, D., Xu, J., Liu, C., Li, N., Yin, C., & Yang, X. (2025). Identification and Evaluation of Flesh Texture of Crisp Pear Fruit Based on Penetration Test Using Texture Analyzer. *Horticulturae*, 11(4). <https://doi.org/10.3390/horticulturae11040359>



- Murayama, H., Sai, M., Oikawa, A., & Itai, A. (2015). Inhibitory factors that affect the ripening of pear fruit on the tree. *Horticulture Journal*, 84(1), 14–20. <https://doi.org/10.2503/hortj.MI-015>
- Murayama, H., Takahashi, T., Honda, R., & Fukushima, T. (1998). Cell wall changes in pear fruit softening on and off the tree. In *Postharvest Biology and Technology* (Vol. 14).
- Nashima, K., Takahashi, H., Nakazono, M., Shimizu, T., Nishitani, C., Yamamoto, T., Itai, A., Isuzugawa, K., Hanada, T., Takashina, T., Kato, M., Matsumoto, S., Oikawa, A., & Shiratake, K. (2013). Transcriptome Analysis of Giant Pear Fruit with Fruit-specific DNA Reduplication on a Mutant Branch. In *J. Japan. Soc. Hort. Sci* (Vol. 82, Issue 4). [www.jstage.jst.go.jp/browse/jjshs1](http://www.jstage.jst.go.jp/browse/jjshs1)
- Niu, H., Liu, Y., Wang, Z., Zhang, H., Zhang, Y., & Lan, H. (2020). Effects of Harvest Maturity and Storage Time on Storage Quality of Korla Fragrant Pear Based on GRNN and ANFIS Models: Part I Firmness Study. *Food Science and Technology Research*, 26(3), 363–372. <https://doi.org/10.3136/fstr.26.363>
- Shan, W., Kuang, J., Chen, L., Xie, H., Peng, H., Xiao, Y., Li, X., Chen, W., He, Q., Chen, J., & Lu, W. (2012). Molecular characterization of banana NAC transcription factors and their interactions with ethylene signalling component EIL during fruit ripening. *Journal of Experimental Botany*, 63(14), 5171–5187. <https://doi.org/10.1093/jxb/ers178>
- Singh, D. P., Singh, A. K., & Singh, A. (2021). Mutation breeding. In *Plant Breeding and Cultivar Development* (pp. 279–290). Elsevier. <https://doi.org/10.1016/B978-0-12-817563-7.00025-8>
- Singh, V., Jawandha, S. K., Gill, P. P. S., & Gill, M. S. (2019). Suppression of fruit softening and extension of shelf life of pear by putrescine application. *Scientia Horticulturae*, 256, 108623. <https://doi.org/10.1016/j.scienta.2019.108623>
- Theron, K. I. (2011). SIZE MATTERS: FACTORS INFLUENCING FRUIT SIZE IN PEAR. *Acta Horticulturae*, 909, 545–555. <https://doi.org/10.17660/ActaHortic.2011.909.65>
- Tripathi, K., Pandey, S., Malik, M., & Kaul, T. (2016). *Fruit Ripening of Climacteric and Non Climacteric Fruit*. [www.scienceresearchlibrary.com](http://www.scienceresearchlibrary.com)



- Ustun, H., Dogan, A., Peker, B., Ural, C., Cetin, M., Ozyigit, Y., & Erkan, M. (2023). Determination of the relationship between respiration rate and ethylene production by fruit sizes of different tomato types. *Journal of the Science of Food and Agriculture*, 103(1), 176–184. <https://doi.org/10.1002/jsfa.12129>
- van Schaik, A. C. R., Verschoor, J. A., & Peppelenbos, H. (2005). WATER LOSS OF CONFERENCE-PEARS DURING LONG TERM CA-STORAGE: PREDICTION AND PRACTICAL MEASURES. *Acta Horticulturae*, 687, 181–186. <https://doi.org/10.17660/ActaHortic.2005.687.21>
- Winkler, A., Athoo, T., & Knoche, M. (2022). Russetting of Fruits: Etiology and Management. *Horticulturae*, 8(3), 231. <https://doi.org/10.3390/horticulturae8030231>
- Xanthopoulos, G. T., Templalexis, C. G., Aleiferis, N. P., & Lentzou, D. I. (2017). The contribution of transpiration and respiration in water loss of perishable agricultural products: The case of pears. *Biosystems Engineering*, 158, 76–85. <https://doi.org/10.1016/j.biosystemseng.2017.03.011>
- Xue, L., Liu, X., Lu, S., Cheng, G., Hu, Y., Liu, J., Dou, Z., Cheng, S., & Liu, G. (2021). China's food loss and waste embodies increasing environmental impacts. *Nature Food*, 2(7), 519–528. <https://doi.org/10.1038/s43016-021-00317-6>
- Zahirul Islam, M., Lee, Y.-T., Akter Mele, M., Choi, I.-L., & Kang, H.-M. (2019). Effect of fruit size on fruit quality, shelf life and microbial activity in cherry tomatoes. *AIMS Agriculture and Food*, 4(2), 340–348. <https://doi.org/10.3934/agrfood.2019.2.340>