

REFERENCES

- Abdallah, O. M., EL-Baghdady, K. Z., Khalil, M. M. H., El Borhamy, M. I., & Meligi, G. A. (2020). Antibacterial, antibiofilm and cytotoxic activities of biogenic polyvinyl alcohol-silver and chitosan-silver nanocomposites. *Journal of Polymer Research*, 27(3). <https://doi.org/10.1007/s10965-020-02050-3>
- Aegerter, M. A., Leventis, N., Koebel, M., & Steiner, S. A. (2023). *Springer Handbook of Aerogels*. Springer Nature.
- Alaghawani, N. A., Alkhatib, H., Elmancy, L., & Daou, A. (2024). Harmonizing Innovations: An In-Depth Comparative Review on the Formulation, Applications, and Future Perspectives of Aerogels and Hydrogels in Pharmaceutical Sciences. *Gels*, 10(10), 663. <https://doi.org/10.3390/gels10100663>
- Ali, A., H. A. Abd El-Rehim, Kamal, H., & Hegazy, D. (2008). Synthesis of Carboxymethyl Cellulose Based Drug Carrier Hydrogel Using Ionizing Radiation for Possible Use as Site Specific Delivery System. *Journal of Macromolecular Science, Part A*, 45(8), 628–634. <https://doi.org/10.1080/10601320802168751>
- Ali, A., H. A. Abd El-Rehim, Kamal, H., & Hegazy, D. (2008). Synthesis of Carboxymethyl Cellulose Based Drug Carrier Hydrogel Using Ionizing Radiation for Possible Use as Site Specific Delivery System. *Journal of Macromolecular Science, Part A*, 45(8), 628–634. <https://doi.org/10.1080/10601320802168751>
- Alnaief, M., Alzaitoun, M. A., García-González, C. A., & Smirnova, I. (2011). Preparation of biodegradable nanoporous microspherical aerogel based on alginate. *Carbohydrate Polymers*, 84(3), 1011–1018. <https://doi.org/10.1016/j.carbpol.2010.12.060>
- Al-Tayyar, N. A., Youssef, A. M., & Al-hindi, R. (2020). Antimicrobial food packaging based on sustainable Bio-based materials for reducing foodborne Pathogens: A review. *Food Chemistry*, 310, 125915. <https://doi.org/10.1016/j.foodchem.2019.125915>
- Amjadi, S., Nazari, M., Alizadeh, S. A., & Hamishehkar, H. (2020). Multifunctional betanin nanoliposomes-incorporated gelatin/chitosan nanofiber/ZnO nanoparticles nanocomposite film for fresh beef preservation. *Meat Science*, 167, 108161. <https://doi.org/10.1016/j.meatsci.2020.108161>
- Bakierska, M., Agnieszka Chojnacka, Michał Świętosławski, Piotr Natkański, Gajewska, M., Małgorzata Rutkowska, & Molenda, M. (2017). Multifunctional Carbon Aerogels Derived by Sol–Gel Process of Natural Polysaccharides of Different Botanical Origin. *Materials*, 10(11), 1336–1336. <https://doi.org/10.3390/ma10111336>
- Cazón, P., Velázquez, G., & Vázquez, M. (2020). Regenerated cellulose films combined with glycerol and polyvinyl alcohol: Effect of moisture content on the physical properties. *Food Hydrocolloids*, 103, 105657. <https://doi.org/10.1016/j.foodhyd.2020.105657>

- Chen, C., Ding, R., Yang, S., Wang, J., Chen, W., Zong, L., & Xie, J. (2020). Development of thermal insulation packaging film based on poly(vinyl alcohol) incorporated with silica aerogel for food packaging application. *LWT*, *129*, 109568. <https://doi.org/10.1016/j.lwt.2020.109568>
- Chikhaoui, E., Cherif, E., Ammar, M., Chaste, J., Bouville, D., & Herth, E. (2025). Rheological and film-forming properties of carboxymethylcellulose and polyvinyl alcohol (CMC/PVA) mixtures. *Journal of Molecular Liquids*, *421*, 126819. <https://doi.org/10.1016/j.molliq.2024.126819>
- Ćorković, I., Pichler, A., Buljeta, I., Šimunović, J., & Kopjar, M. (2021). Carboxymethylcellulose hydrogels: Effect of its different amount on preservation of tart cherry anthocyanins and polyphenols. *Current Plant Biology*, *28*, 100222. <https://doi.org/10.1016/j.cpb.2021.100222>
- Dadzie, B.K.; Orchard, J.E. (1997). Routine Post-Harvest Screening of Banana/Plantain Hybrids: Criteria and Methods. INIBAP Technical Guidelines n. 2.
- De France, K. J., Hoare, T., & Cranston, E. D. (2017). Review of Hydrogels and Aerogels Containing Nanocellulose. *Chemistry of Materials*, *29*(11), 4609–4631. <https://doi.org/10.1021/acs.chemmater.7b00531>
- García-González, C. A., Alnaief, M., & Smirnova, I. (2011). Polysaccharide-based aerogels—Promising biodegradable carriers for drug delivery systems. *Carbohydrate Polymers*, *86*(4), 1425–1438. <https://doi.org/10.1016/j.carbpol.2011.06.066>
- Ghorpade, V. S., Dias, R. J., Mali, K. K., & Mulla, S. I. (2019). Citric acid crosslinked carboxymethylcellulose-polyvinyl alcohol hydrogel films for extended release of water soluble basic drugs. *Journal of Drug Delivery Science and Technology*, *52*, 421–430. <https://doi.org/10.1016/j.jddst.2019.05.013>
- Ghorpade, V. S., Dias, R. J., Mali, K. K., & Mulla, S. I. (2019). Citric acid crosslinked carboxymethylcellulose-polyvinyl alcohol hydrogel films for extended release of water soluble basic drugs. *Journal of Drug Delivery Science and Technology*, *52*, 421–430. <https://doi.org/10.1016/j.jddst.2019.05.013>
- Gong, C., Ni, J., Tian, C., & Su, Z. (2021). Research in porous structure of cellulose aerogel made from cellulose nanofibrils. *International Journal of Biological Macromolecules*, *172*, 573–579. <https://doi.org/10.1016/j.ijbiomac.2021.01.080>
- Handaya Saputra, A., & Huda Apriliana, N. (2018). Polyvinyl Alcohol (PVA) Partially Hydrolyzed Addition in Synthesis of Natural Hydrogel Carboxymethyl Cellulose (CMC) Based from Water Hyacinth. *MATEC Web of Conferences*, *156*, 01007. <https://doi.org/10.1051/mateconf/201815601007>
- Hasani, M. M., & Westman, G. (2007). New coupling reagents for homogeneous esterification of cellulose. *Cellulose*, *14*(4), 347–356. <https://doi.org/10.1007/s10570-007-9107-2>

- Hoseini, A., & Bahrami, M. (2017). Effects of humidity on thermal performance of aerogel insulation blankets. *Journal of Building Engineering*, *13*, 107–115. <https://doi.org/10.1016/j.jobbe.2017.07.001>
- Huang, Z.-M., Liu, X.-Y., Wu, W.-G., Li, Y.-Q., & Wang, H. (2017). Highly elastic and conductive graphene/carboxymethylcellulose aerogels for flexible strain-sensing materials. *Journal of Materials Science*, *52*(20), 12540–12552. <https://doi.org/10.1007/s10853-017-1374-1>
- Iacovino, S., Cofelice, M., Sorrentino, E., Cuomo, F., Messina, M. C., & Lopez, F. (2024). Alginate-Based Emulsions and Hydrogels for Extending the Shelf Life of Banana Fruit. *Gels*, *10*(4), 245–245. <https://doi.org/10.3390/gels10040245>
- Javadi, A., Zheng, Q., Payen, F., Javadi, A., Yasin Altin, Cai, Z., Sabo, R., & Gong, S. (2013). Polyvinyl Alcohol-Cellulose Nanofibrils-Graphene Oxide Hybrid Organic Aerogels. *ACS Applied Materials & Interfaces*, *5*(13), 5969–5975. <https://doi.org/10.1021/am400171y>
- Jin, H., Nishiyama, Y., Wada, M., & Kuga, S. (2004). Nanofibrillar cellulose aerogels. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *240*(1), 63–67. <https://doi.org/10.1016/j.colsurfa.2004.03.007>
- Kanatt, S. R., & Makwana, S. H. (2020). Development of active, water-resistant carboxymethyl cellulose-poly vinyl alcohol-Aloe vera packaging film. *Carbohydrate Polymers*, *227*, 115303. <https://doi.org/10.1016/j.carbpol.2019.115303>
- Krishnakumar, T., & Thirupathi, V. (2014). Shelf Life Extension of Ethylene Treated Bananas at Different Storage Temperature with the Ethylene Action Inhibitor, 1-Methylcyclopropene. *Trends in Biosciences*, *7*(22), 3673–3679.
- Kulpinski, P. (2007). Cellulose fibers modified by hydrophobic-type polymer. *Journal of Applied Polymer Science*, *104*(1), 398–409. <https://doi.org/10.1002/app.25150>
- Li, R., Du, J., Zheng, Y., Wen, Y., Zhang, X., Yang, W., Lue, A., & Zhang, L. (2017). Ultra-lightweight cellulose foam material: preparation and properties. *Cellulose*, *24*(3), 1417–1426. <https://doi.org/10.1007/s10570-017-1196-y>
- Li, Y., Hou, X., Pan, Y., Wang, L., & Xiao, H. (2020). Redox-responsive carboxymethyl cellulose hydrogel for adsorption and controlled release of dye. *European Polymer Journal*, *123*, 109447. <https://doi.org/10.1016/j.eurpolymj.2019.109447>
- Liu, H., Tian, X., Xiang, X., & Chen, S. (2022). Preparation of carboxymethyl cellulose/graphene composite aerogel beads and their adsorption for methylene blue. *International Journal of Biological Macromolecules*, *202*, 632–643. <https://doi.org/10.1016/j.ijbiomac.2022.01.052>
- Ma, W., Li, T., Zhang, Q., Zhong, J., & Matsuyama, H. (2020). Preparation of hybrid membranes by incorporating hydrophilic UiO-66 nanoparticles for high-performance pervaporation dehydration of aprotic solvents. *Journal of Nanoparticle Research*, *22*(3). <https://doi.org/10.1007/s11051-020-4778-9>

- Manikpuri, S., Mishra, S., Ekka, S. K., & Charan, K. (2023). Effect of different types of packaging materials to improve quality of Banana (*Musa paradisiaca* L.) cv. G-9. *The Pharma Innovation Journal*, 12(6), 2210-2215.
- Mikkonen, K. S., Parikka, K., Ghafar, A., & Tenkanen, M. (2013). Prospects of polysaccharide aerogels as modern advanced food materials. *Trends in Food Science & Technology*, 34(2), 124–136. <https://doi.org/10.1016/j.tifs.2013.10.003>
- Muppalla, S. R., Kanatt, S. R., Chawla, S. P., & Sharma, A. (2014). Carboxymethyl cellulose–polyvinyl alcohol films with clove oil for active packaging of ground chicken meat. *Food Packaging and Shelf Life*, 2(2), 51–58. <https://doi.org/10.1016/j.fpsl.2014.07.002>
- Nešić, A., Cabrera-Barjas, G., Dimitrijević-Branković, S., Davidović, S., Radovanović, N., & Delattre, C. (2019). Prospect of Polysaccharide-Based Materials as Advanced Food Packaging. *Molecules*, 25(1), 135. <https://doi.org/10.3390/molecules25010135>
- Nešić, A., Gordić, M., Davidović, S., Radovanović, Ž., Nedeljković, J., Smirnova, I., & Gurikov, P. (2018). Pectin-based nanocomposite aerogels for potential insulated food packaging application. *Carbohydrate Polymers*, 195, 128–135. <https://doi.org/10.1016/j.carbpol.2018.04.076>
- Nirumon Chailek, Donraporn Daranarong, Winita Punyodom, Molloy, R., & Patnarin Worajittiphon. (2018). Crosslinking assisted fabrication of ultrafine poly(vinyl alcohol)/functionalized graphene electrospun nanofibers for crystal violet adsorption. *Journal of Applied Polymer Science*, 135(22). <https://doi.org/10.1002/app.46318>
- Paula, A., Cristina, A., Ana Paula Serro, & Carmen Cecília Tadini. (2014). *Impregnation of cinnamaldehyde into cassava starch biocomposite films using supercritical fluid technology for the development of food active packaging*. 102, 830–837. <https://doi.org/10.1016/j.carbpol.2013.10.082>
- PAVANDI, N., TAGHAVI, E., & ANARJAN, N. (2021). PREPARATION OF CARBOXYMETHYL CELLULOSE AND POLYVINYL ALCOHOL (CMC/PVA) HYDROGELS USING FREEZE–THAW PROCESSES FOR ADSORPTION OF Zn²⁺ AND Cu²⁺. *Cellulose Chemistry and Technology*, 55(3-4), 375–383. <https://doi.org/10.35812/cellulosechemtechnol.2021.55.36>
- Pirsa, S., & Hafezi, K. (2023). Hydrocolloids: Structure, preparation method, and application in food industry. *Food Chemistry*, 399, 133967. <https://doi.org/10.1016/j.foodchem.2022.133967>
- Preibisch, I., Niemeyer, P., Yusufoglu, Y., Gurikov, P., Milow, B., & Smirnova, I. (2018). Polysaccharide-Based Aerogel Bead Production via Jet Cutting Method. *Materials*, 11(8), 1287. <https://doi.org/10.3390/ma11081287>
- Reddy, N., Reddy, R., & Jiang, Q. (2015). Crosslinking biopolymers for biomedical applications. *Trends in Biotechnology*, 33(6), 362–369. <https://doi.org/10.1016/j.tibtech.2015.03.008>
- Rizal, S., Yahya, E. B., Abdul Khalil, H. P. S., Abdullah, C. K., Marwan, M., Ikramullah, I., & Muksin, U. (2021). Preparation and Characterization of

- Nanocellulose/Chitosan Aerogel Scaffolds Using Chemical-Free Approach. *Gels*, 7(4), 246. <https://doi.org/10.3390/gels7040246>
- Shan, G., Cui, M., Wang, X., Gao, Y., Xu, Z., Jiang, L., & Sui, X. (2024). Dual-reinforcement strategy: Fabrication of CMC-Na/SPI aerogel-templated oleogels through electrostatic adsorption and chemical crosslinking. *Food Hydrocolloids*, 148, 109525. <https://doi.org/10.1016/j.foodhyd.2023.109525>
- Sun, J., Zhang, J., Peng, X., Zhang, X., Yuan, Z., Liu, X., Liu, S., Zhao, X., Yu, S., & Yi, X. (2023). Carboxymethyl cellulose/polyvinyl alcohol composite aerogel supported beta molecular sieve for CH₄ adsorption and storage. *Carbohydrate Polymers*, 321, 121246–121246. <https://doi.org/10.1016/j.carbpol.2023.121246>
- Sun, L., Sun, J., Chen, L., Niu, P., Yang, X., & Guo, Y. (2017). Preparation and characterization of chitosan film incorporated with thinned young apple polyphenols as an active packaging material. *Carbohydrate Polymers*, 163, 81–91. <https://doi.org/10.1016/j.carbpol.2017.01.016>
- Thunghotrakul, N., & Prapainainar, P. (2024). Development of polyvinyl alcohol/carboxymethylcellulose-based bio-packaging film with citric acid crosslinking and clove essential oil encapsulated chitosan nanoparticle pickering emulsion. *International Journal of Biological Macromolecules*, 282, 137223. <https://doi.org/10.1016/j.ijbiomac.2024.137223>
- Ton That Buu, Phan Minh Tu, Che Quang Cong, Nguyen Duy Hai, Cong, T., Hoai, T., Vo Minh Quan, Bo Khanh Ngoc, Le Gia Han, Ha, P., Nguyen Truong Son, & Nguyen Huu Hieu. (2023). Tea grounds inspiration for a renewable biomass-based carbon aerogel with CMC and PVA reinforcements: Dye adsorption and supercapacitor prospects. *Research Square (Research Square)*. <https://doi.org/10.21203/rs.3.rs-3151346/v1>
- Tong, X., Huang, J., Mei, J., Ge, J., Han, L., & Huang, G. (2018). Characterization of Controlled Release Fertilizer by Infrared Microspectroscopy. *Analytical Letters*, 51(14), 2252–2270. <https://doi.org/10.1080/00032719.2017.1419364>
- Tretinnikov, O. N., & Zagorskaya, S. A. (2012). Determination of the degree of crystallinity of poly(vinyl alcohol) by FTIR spectroscopy. *Journal of Applied Spectroscopy*, 79(4), 521–526. <https://doi.org/10.1007/s10812-012-9634-y>
- Ubeyitogullari, A., Brahma, S., Rose, D. J., & Ciftci, O. N. (2018). *In Vitro* Digestibility of Nanoporous Wheat Starch Aerogels. *Journal of Agricultural and Food Chemistry*, 66(36), 9490–9497. <https://doi.org/10.1021/acs.jafc.8b03231>
- Vieira, S., Ancelmo, A., Carvalho, I. C., Carvalho, S. M., & Mansur, H. S. (2023). Bioengineered Water-Responsive Carboxymethyl Cellulose/Poly(vinyl alcohol) Hydrogel Hybrids for Wound Dressing and Skin Tissue Engineering Applications. *Gels*, 9(2), 166–166. <https://doi.org/10.3390/gels9020166>
- Wang, C., Ma, R., Huang, Z., Liu, X., Wang, T., & Chen, K. (2021). Preparation and characterization of carboxymethylcellulose based citric acid cross-linked magnetic aerogel as an efficient dye adsorbent. *International Journal of Biological Macromolecules*, 181, 1030–1038. <https://doi.org/10.1016/j.ijbiomac.2021.04.078>

- Wang, C., Ma, R., Huang, Z., Liu, X., Wang, T., & Chen, K. (2021). Preparation and characterization of carboxymethylcellulose based citric acid cross-linked magnetic aerogel as an efficient dye adsorbent. *International Journal of Biological Macromolecules*, *181*, 1030–1038. <https://doi.org/10.1016/j.ijbiomac.2021.04.078>
- Wang, L.-Y., & Wang, M.-J. (2016). Removal of Heavy Metal Ions by Poly(vinyl alcohol) and Carboxymethyl Cellulose Composite Hydrogels Prepared by a Freeze–Thaw Method. *ACS Sustainable Chemistry & Engineering*, *4*(5), 2830–2837. <https://doi.org/10.1021/acssuschemeng.6b00336>
- Wang, Q., Pan, X., Zhang, H., Cao, S., Ma, X., Huang, L., Chen, L., & Ni, Y. (2021). Fruit-battery-inspired self-powered stretchable hydrogel-based ionic skin that works effectively in extreme environments. *Journal of Materials Chemistry A*, *9*(7), 3968–3975. <https://doi.org/10.1039/D0TA09149A>
- Worajittiphon, P., Santiwongsathit, N., Bai, S.-L., Daranarong, D., Punyodom, W., Sriyai, M., Jantanasakulwong, K., Rachtanapun, P., Ross, S., Tipduangta, P., Srithep, Y., & Amnuaypanich, S. (2023). Carboxymethyl cellulose/poly(vinyl alcohol) blended films reinforced by buckypapers of carbon nanotubes and 2D material (MoS₂): Enhancing mechanical strength, toughness, and barrier properties. *International Journal of Biological Macromolecules*, *242*, 124726. <https://doi.org/10.1016/j.ijbiomac.2023.124726>
- Wu, H., Lei, Y., Zhu, R., Zhao, M., Lu, J., Xiao, D., Zhang, Z., Shen, G., & Li, S. (2019). Preparation and characterization of bioactive edible packaging films based on pomelo peel flours incorporating tea polyphenol. *Food Hydrocolloids*, *90*, 41–49. <https://doi.org/10.1016/j.foodhyd.2018.12.016>
- Wu, Y., Li, Y., Zhao, T., Wang, X., Isaeva, V. I., Kustov, L. M., Yao, J., & Gao, J. (2022). Bimetal-organic framework-derived nanotube@cellulose aerogels for peroxymonosulfate (PMS) activation. *Carbohydrate Polymers*, *296*, 119969–119969. <https://doi.org/10.1016/j.carbpol.2022.119969>
- Xu, F., Kim, Y., Oh, S.-Y., & Cho, B.-U. (2023). Facile synthesis of porous cellulose aerogel beads with tunable core–shell microstructures and physical properties. *Journal of Industrial and Engineering Chemistry*, *126*, 160–170. <https://doi.org/10.1016/j.jiec.2023.06.006>
- Zhang, D., Xu, W., Cai, J., Cheng, S.-Y., & Ding, W.-P. (2020). Citric acid-incorporated cellulose nanofibrous mats as food materials-based biosorbent for removal of hexavalent chromium from aqueous solutions. *International Journal of Biological Macromolecules*, *149*, 459–466. <https://doi.org/10.1016/j.ijbiomac.2020.01.199>
- Zhang, T., Xiao, S., Fan, K., He, H., & Qin, Z. (2022). Preparation and adsorption properties of green cellulose-based composite aerogel with selective adsorption of methylene blue. *Polymer*, *258*, 125320–125320. <https://doi.org/10.1016/j.polymer.2022.125320>
- Zhao, S., Malfait, W. J., Guerrero-Alburquerque, N., Koebel, M. M., & Nyström, G. (2018). Biopolymer Aerogels and Foams: Chemistry, Properties, and Applications. *Angewandte Chemie International Edition*, *57*(26), 7580–7608. <https://doi.org/10.1002/anie.201709014>