

DAFTAR PUSTAKA

- Ali, M. (2016). Optimasi pengolahan teh kulit buah naga (*Hylocereus Polyrhizus*). *AGRITEPA*, 2(2), 2407–1315.
- Aliya, N. N., Budi Riyanta, A., Muldiyana, T., Harapan, P., & Tegal, B. (2024). Uji aktivitas antioksidan ekstrak kulit dan daging buah naga merah (*Hylocereus polyrhizus*) dan penentuan parameter nonspesifik. *Jurnal Riset Kefarmasian Indonesia*, 6(1).
- Amelia, S. W., & Anggraeni, R. A. (2023). Pengembangan Minuman Ready-to-Drink Kulit Buah Naga Merah dan Kulit Salak dengan Pemanis Stevia. *Prosiding Seminar Nasional Teknologi Pangan -VII*, 173–184. AOAC. (1995). Cereal Food: AOAC Official Method 991.43 Total, Soluble, and Insoluble Dietary Fibre in Foods. In *AOAC OFFICIAL METHODS OF ANALYSIS*.
- Arivalagan, M., Karunakaran, G., Roy, T. K., Dinsha, M., Sindhu, B. C., Shilpashree, V. M., Satisha, G. C., & Shivashankara, K. S. (2021). Biochemical and nutritional characterization of dragon fruit (*Hylocereus* species). *Food Chemistry*, 353. <https://doi.org/10.1016/j.foodchem.2021.129426>
- Ariyanti, A. I., Dwiyantri, H., & Prasetyo, T. J. (2022). Formulation of Food Bar Based on Banana, Oat, and Spinach Flour as a Source Fiber Snack for DASH Diet (Dietary Approaches to Stop Hypertension). *Journal of Global Nutrition*.
- Aslam, H., Nadeem, M., Shahid, U., Ranjha, M. M. A. N., Khalid, W., Qureshi, T. M., Nadeem, M. A., Asif, A., Fatima, M., Rahim, M. A., & Awuchi, C. G. (2023). Physicochemical characteristics, antioxidant potential, and shelf stability of developed roselle–fig fruit bar. *Food Science and Nutrition*, 11(7), 4219–4232. <https://doi.org/10.1002/fsn3.3436>
- Asmara, P. H., Muksin, M., & Eko S, N. B. (2022). Analisis Keberlanjutan Buah Naga Organik di Kabupaten Banyuwangi. *Jurnal Ilmiah Inovasi*, 22(2), 109–113. <https://doi.org/10.25047/jii.v22i2.3155>
- Badan Pangan Nasional. (2024). *Laporan Tahunan Badan Pangan Nasional (NFA) Tahun 2023*.
- Badan Pusat Statistik. (2023). *Produksi Buah-buahan dan Sayuran Menurut Jenis Tanaman Menurut Provinsi, 2023*. Badan Pusat Statistik. <https://www.bps.go.id/id/statistics-table/3/u0dkc1owczvsalj5vfdomwvetnlrvvj6ylrjmf6mdkjmw==/produksi-buah-buahan-menurut-jenis-tanaman-menurut-provinsi--2023.html?Year=2023>
- BPOM. (2019). Peraturan badan pengawas obat dan makanan Nomor 24 tahun 2019 Tentang Perubahan atas peraturan badan pengawas obat dan makanan Nomor 1 tahun 2018 tentang pengawasan pangan olahan untuk Keperluan gizi khusus.



- Bueno-Borges, L. B., Sartim, M. A., Gil, C. C., Sampaio, S. V., Rodrigues, P. H. V., & Regitano-d'Arce, M. A. B. (2018). Sacha inchi seeds from sub-tropical cultivation: effects of roasting on antinutrients, antioxidant capacity and oxidative stability. *Journal of Food Science and Technology*, 55(10), 4159–4166. <https://doi.org/10.1007/s13197-018-3345-1>
- Cahyati, W., & Putriningtyas, N. (2021, November 11). *The Benefits and Uses of Red Dragon Fruit in Food Consumption*. <https://doi.org/10.4108/eai.28-4-2021.2312221>
- Canti, M., Kasanti, N. A., Hutagalung, R. A., Lukas, & Pandjaitan, M. M. L. W. (2025). Nutritional Composition, Physicochemical, and Sensory Properties of Snack Bars Produced from Catfish Head Powder (*Clarias gariepinus*) and Purple Sweet Potatoes (*Ipomoea batatas* var *Ayumurasaki*) as Emergency Food. *Jurnal Ilmiah Perikanan Dan Kelautan*, 17(2), 545–557. <https://doi.org/10.20473/jipk.v17i2.56831>
- Claudina, I., Dina, R. P., & Kartini, A. (2018). Hubungan asupan serat makanan dan cairan dengan kejadian konstipasi fungsional pada remaja di sma kesatrian 1 semarang. *Jurnal kesehatan masyarakat*, 6(1), 486–495. <http://ejournal3.undip.ac.id/index.php/jkm>
- Constantin, O. E., & Istrati, D. I. (2019). Functional Properties of Snack Bars. In *Functional food*. Intech Open. www.intechopen.com
- Dávila-Aviña, J. E., Solís-Soto, L. Y., Rojas-Verde, G., & Salas, N. A. (2015). Sustainability and challenges of minimally processed foods. In *Food Engineering Series* (pp. 279–295). Springer. https://doi.org/10.1007/978-3-319-10677-9_12
- Desiliani, Harun, N., & Fitriani, S. (2019). Pemanfaatan Tepung Pisang Kepok dan Buah Nangka Kering dalam Pembuatan Snack Bar Utilization of Kepok Banana Flour and Dried Jackfruit in the Making Snack Bar. *Juni*, 13(1), 1.
- Dzikrillah, F., Noviasari, S., & Sulaiman, I. (2023). Tingkat Kesukaan Panelis Pada Snack Bar Berbasis Tepung Talas (Preference Level of Talas-Based Snack Bars). *Jurnal Ilmiah Mahasiswa Pertanian*, 8(3), 315–321. www.jim.unsyiah.ac.id/JFP
- FAO. (2019). *The state of food and agriculture. 2019, Moving forward on food loss and waste reduction*. Food and Agriculture Organization of the United Nations.
- Ghorband, A., Joshi, B., & Bhatt, H. (2023). Studies on physicochemical and nutritional properties of dragon fruit (*Hylocereus polyrhizus*). *Journal of Pharmacognosy and Phytochemistry*, 12(6), 223–226. <https://doi.org/10.22271/phyto.2023.v12.i6c.14785>
- Gligoric, K., Chiolero, A., Kıcıman, E., White, R. W., & West, R. (2022). *Population-scale dietary interests during the COVID-19 pandemic*. <https://doi.org/10.1038/s41467-022-28498-z>



- Gupta, E., Mishra, P., Mishra, N., Singh, P., & Sheikh, A. (2023). Topic: Utilization of fruit peel for the development of functional fruit peel bar. *Food Chemistry Advances*, 2. <https://doi.org/10.1016/j.focha.2023.100310>
- Hapsari, A. I., & Widartika, W. (2025). Pengaruh imbalanced tape ketan hitam dan buah naga merah terhadap mutu organoleptik pada snack bar diabetes melitus. *JURNAL RISET KESEHATAN POLTEKKES DEPKES BANDUNG*, 17(1), 72–80. <https://doi.org/10.34011/juriskesbdg.v17i1.2821>
- Istiqamah, N., & Novita, U. D. (2017). Kajian pengembangan komoditas unggulan buah-buahan di kabupaten sambas. *Jurnal Manajemen Motivasi*, 13(2), 936–947.
- Jaeger, S. R., Vidal, L., Ares, G., Chheang, S. L., & Spinelli, S. (2021). Healthier eating: Covid-19 disruption as a catalyst for positive change. *Food Quality and Preference*, 92, 104220. <https://doi.org/10.1016/j.foodqual.2021.104220>
- Jamilah, B., Shu, Kharidah, M., Dzulkifly, M. A., & Noranizan, A. (2011). Physico-chemical characteristics of red pitaya (*Hylocereus polyrhizus*) peel. In *International Food Research Journal* (Vol. 18).
- Jang, Y., & Koh, E. (2023). Lemon juice improved color acceptance of aronia (*Aronia melanocarpa*) pound cake by copigmentation. *Food Science and Biotechnology*, 32(11), 1531–1539. <https://doi.org/10.1007/s10068-023-01286-1>
- Julianti, D. N., Supriyono, T., Kusfryadi, M. K., & Sera, A. C. (2018). *Kadar Serat, Sifat Organoleptik dan Daya Terima Permen Jelly Kulit Buah Naga Merah (*Hylocereus costaricensis*)*.
- Kemp, S. E., Hollowood, T., & Hort, J. (2009). *Sensory Evaluation: A practical handbook*. Blackwell Publishing.
- Kusnandar, F. (2019). *Kimia Pangan Komponen Makro*. Bumi Aksara.
- Kusumasari, S., Syabana, M. A., Pamela, V. Y., & Meindrawan, B. (2024). Potential use of food waste in food processing to add nutritional value. *E3S Web of Conferences*, 483. <https://doi.org/10.1051/e3sconf/202448302006>
- Lestari, A. S., & Santoso, E. B. (2018). Identifikasi Aliran Nilai Tambah Komoditas Unggulan Buah Naga di Kabupaten Banyuwangi. *JURNAL TEKNIK ITS*, 7(2).
- Lestari, D., Nugroho, F. S., Pramitasari, R., Canti, M., & Sustaningrum, R. (2025). Snack bar formulated from moringa and cashew can prevent anemia during pregnancy. *Applied Food Research*, 5(1). <https://doi.org/10.1016/j.afres.2025.100815>
- Li, X., Wang, L., Tan, B., & Li, R. (2024). Effect of structural characteristics on the physicochemical properties and functional activities of dietary fiber: A review of structure-activity relationship. *International Journal of Biological Macromolecules*, 269. <https://doi.org/10.1016/j.ijbiomac.2024.132214>



- Liu, R., Yang, Y., Cui, X., Mwabulili, F., & Xie, Y. (2023). Effects of Baking and Frying on the Protein Oxidation of Wheat Dough. *Foods*, 12(24). <https://doi.org/10.3390/foods12244479>
- Maity, T., Bawa, A. S., & Raju, P. S. (2016). Optimization and quality assessment of ready-to-eat intermediate moisture compressed beetroot bar. *Journal of Food Science and Technology*, 53(8), 3233–3243. <https://doi.org/10.1007/s13197-016-2299-4>
- Mccleary, B. V., Sloane, N., Draga, A., & Lazewska, I. (2013). Measurement of total dietary fiber using AOAC method 2009.01 (AACC International Approved Method 32-45.01): Evaluation and updates. *Cereal Chemistry*, 90(4), 396–414. <https://doi.org/10.1094/CCHEM-10-12-0135-FI>
- Meica, I. A. (2024). *Cookies bar tepung kulit buah naga merah (*Hylocereus polyrhizus* Britton and Rose) kombinasi tepung kedelai hitam (*Glycine max* L.) sebagai alternatif selingan Untuk penderita diabetes.*
- Munir, M., Mahmood Qureshi, T., Nadeem, M., Qayyum, A., Suhaib, M., Zeb, F., Qureshi, A., & Ashokkumar, M. (2018). Addition of Oat Enhanced the Physico-Chemical, Nutritional and Sensory Qualities of Date Fruit Based Snack Bars. *Journal of Food and Nutrition Research*, 6(4), 271–276. <https://doi.org/10.12691/jfnr-6-4-10>
- Nekstaria, A., Fardhani, Z. A., Qulub, A. S., & Muflihati, I. (2019). Formulasi Fruit Bars Berbasis Tepung Pisang Ditinjau dari Karakteristik Fisik, Kimia dan Organoleptik. *Journal of Food and Culinary*, 2(2), 39. <https://doi.org/10.12928/jfc.v2i2.1437>
- Nizori, A., Sihombing, N., & Surhaini. (2020). Karakteristik Ekstrak Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Dengan Penambahan Berbagai Kosentrasi Asam Sitrat Sebagai Pewarna Alami Makanan. *Jurnal Teknologi Industri Pertanian*, 30, 228–233. <https://doi.org/10.24961/j.tek.ind.pert.2020.30.2.228>
- Nofriansyah, D., & Delift, S. (2017). *Multi Criteria Decision Making (MCDM) pada Sistem Pendukung Keputusan*. Deepublish.
- Nurali, E. J. N., Ruindungan, E. T. P., Rawung, D., & Ossoe, J. J. E. (2023). Development Snack Bar Composite Flour Of Goroho Banana (*Musa Acuminata*), Purple Yams (*Ipomoea Batatas* L.) And Green Bean (*Vigna Radiata*). *JURNAL AGROEKOTEKNOLOGI TERAPAN*, 4(1). <https://ejournal.unsrat.ac.id/index.php/samrat-agrotek>
- Paramita, O., Kusumastuti, A., Hadiansmoro, M. A., & Sholeha, N. A. (2023). Pengaruh blanching pada pembuatan simplisia kulit buah naga merah. *Bookchapter Alam Universitas Negeri Semarang*, 3, 99–122. <https://doi.org/10.15294/ka.v1i3.151>
- Păucean, A., Man, S., & Pop, A. (2015). *Development of oat based-food formulation and quality characteristics* (Vol. 21, Issue 3). [Http://](http://)



- Pavlova, T., Dimov, I., & Nakov, G. (2019). QUALITY CHARACTERISTICS OF HONEY: A REVIEW. *PROCEEDINGS OF UNIVERSITY OF RUSE*. <https://www.researchgate.net/publication/336085951>
- Peraturan BPOM Nomor 1 Tahun 2022 Tentang Pengawasan Klaim Pada Label Dan Iklan Pangan Olahan (2022).
- Peraturan menteri kesehatan republik indonesia 28 tahun 2019 kecukupan gizi yang dianjurkan masyarakat indonesia (2019). www.peraturan.go.id
- Petrescu, D. C., Vermeir, I., & Petrescu-Mag, R. M. (2020). Consumer understanding of food quality, healthiness, and environmental impact: A cross-national perspective. *International Journal of Environmental Research and Public Health*, 17(1). <https://doi.org/10.3390/ijerph17010169>
- Popkin, B. M., Corvalan, C., & Grummer-Strawn, L. M. (2020). Dynamics of the double burden of malnutrition and the changing nutrition reality. In *The Lancet* (Vol. 395, Issue 10217, pp. 65–74). Lancet Publishing Group. [https://doi.org/10.1016/S0140-6736\(19\)32497-3](https://doi.org/10.1016/S0140-6736(19)32497-3)
- Pradigdo, S. F., Broto, W., Arifan, F., & Ufa, L. M. (2022). *Optimalisasi Limbah Kulit Buah Naga Hasil Panen Warga Desa Lerep*. 03(1).
- Prianjastian, H., Mufadilah, M. A., Kencana, H. F., & Hafiddin, A. S. (2017). *Teknik Budidaya Tanaman Buah Naga*. IPB Press.
- Purnomo, B. E., Hamzah, F., & Johan, V. S. (2016). *Pemanfaatan kulit buah naga (*Hylocereus polyrhizus*) sebagai teh herbal* (Vol. 3).
- Pusat Data dan Sistem Informasi Pertanian. (2024). *Buletin Konsumsi Pangan Tahun 2024* (Vol. 15).
- Rahma, H. A. (2024). *Substitusi tepung kulit pisang kepok (*Musa acuminata*) pada produk snack bar*.
- Rasane, P., Jha, A., Sabikhi, L., Kumar, A., & Unnikrishnan, V. S. (2015). Nutritional advantages of oats and opportunities for its processing as value added foods - a review. In *Journal of Food Science and Technology* (Vol. 52, Issue 2, pp. 662–675). Springer. <https://doi.org/10.1007/s13197-013-1072-1>
- Rochmawati, N. (2019). *Utilization of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel as Flour for Making Cookies* (Vol. 7, Issue 3).
- Rochmawati, N. (2019). *Utilization of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel as Flour for Making Cookies* (Vol. 7, Issue 3).
- Rosdyaningrum, S., Sitoayu, L., Ronitawati, P., Melani, V., & Fadhilla, R. (2023). Substitution of chayote, dragon fruit peel, and kepok banana peel on nutrient content and sensory of Vegetable Leather as high fiber snack. *Action: Aceh Nutrition Journal*, 8(3), 447. <https://doi.org/10.30867/action.v8i3.1017>
- Rosida, D. F., Priyanto, A. D., & Ristanti, D. W. (2022). Kajian Penambahan Madu dan Pati Kimpul (*Xanthosoma sagittifolium*) pada Snack Bar Buah Kering dan



- Serealia. *Jurnal Keteknikaan Pertanian Tropis Dan Biosistem*, 10(3), 200–212.
<https://doi.org/10.21776/ub.jkptb.2022.010.03.04>
- Rusdin, A., Awaliah, N., Trisutrisno, I., & Asrul. (2022). Kulit Buah Naga sebagai Alternatif Pewarna Alami dalam Makanan. *JURNAL HOLAN: JURNAL SAINS DAN TEKNOLOGI*, 2, 58–61. <https://doi.org/10.61578/holan.vol2.no2.art1>
- Safira, T. M., Yanti, R., Manikharda, & Triwitono, P. (2024). Effect of Ratio of Purple Sweet Potato Flour and Rice Crust Flour on the Physical, Chemical, and Sensory Properties of High Fiber Snack Bar. *Journal of Indonesian and Nutrition Progress*, 42–50.
- Sagala, R. M. B., Lalujan, L., & Koapaha, T. (2017). Pengaruh lama pengeringan terhadap karakteristik kimia dan tingkat kesukaan manisan kering kulit jeruk (*Citrus reticulata*). 9(3).
- Saneto, B. (2005). *Karakterisasi kulit buah naga merah (H. Polyrhizus)*.
- Santi, I. N., Utama, I. M. S., & Madrini, I. A. G. B. (2021). Pengaruh Suhu dan Waktu Pengeringan terhadap Karakteristik Fisikokimia Buah Naga Merah (*Hylocereus polyrhizus* (Weber) Britton & Rose) Kering. *Jurnal Hortikultura Indonesia*, 12(1), 69–80. <https://doi.org/10.29244/jhi.12.1.69-80>
- Saraswati, N. P. P. D., Ekawati, I. G. A., & Putra, I. N. K. (2019). Pengaruh perbandingan tepung hanjeli (*Coix lacryma-Jobi*, L.) dengan buah salak kering (*Salacca edulis* Reinw.) terhadap karakteristik snack bar. *Jurnal Ilmu Dan Teknologi Pangan*, 8(1), 57–65.
- Sari, A. R., & Hardiyanti, R. (2013). Antioxidant Level and Sensory of Dragon Fruit (*Hylocereus undatus*) Peel Tea Infusion Made by Partially Fermented Process. In *Agroindustrial Journal* (Vol. 2, Issue 1).
- Sari, D. Y. E., Angkasa, D., & Swamilaksita, P. D. (2017). Daya Terima dan Nilai Gizi Snack Bar Modifikasi Sayur dan Buah Untuk Remaja Putri. *Jurnal Gizi*.
- Singh, A., Kumari, A., & Chauhan, A. K. (2022). Formulation and evaluation of novel functional snack bar with amaranth, rolled oat, and unripened banana peel powder. *Journal of Food Science and Technology*, 59(9), 3511–3521. <https://doi.org/10.1007/s13197-021-05344-6>
- Siregar, S. (2015). *Statistika Terapan untuk Perguruan Tinggi*. PT Kharisma Putra Utama.
- SNI 01-2346-2006 Terkait Petunjuk Pengujian Organoleptik Dan Atau Sensori (2006).
- SNI 01-2891-1992 Tentang Cara Uji Makanan Dan Minuman, Pub. L. No. SNI 01-2891-1992 (1992).
- Storz, M. A. (2021). Lifestyle Adjustments in Long-COVID Management: Potential Benefits of Plant-Based Diets. In *Current Nutrition Reports* (Vol. 10, Issue 4, pp. 352–363). Springer. <https://doi.org/10.1007/s13668-021-00369-x>

- Sunarti. (2017). *Serat Pangan Dalam Penanganan Sindrom Metabolik*. UGM Press.
- Sun-Waterhouse, D., Teoh, A., Massarotto, C., Wibisono, R., & Wadhwa, S. (2010). Comparative analysis of fruit-based functional snack bars. *Food Chemistry*, 119(4), 1369–1379. <https://doi.org/10.1016/j.foodchem.2009.09.016>
- Syed, S., KS, G., & SD, K. (2020). Studies on physical, chemical and mineral evaluation of oats (*Avena sativa*). ~ 79 ~ *Journal of Pharmacognosy and Phytochemistry*, 9(5). www.phytojournal.com
- Tripathi, M., Diwan, D., Shukla, A. C., Gaffey, J., Pathak, N., Dashora, K., Pandey, A., Sharma, M., Guleria, S., Varjani, S., Nguyen, Q. D., & Gupta, V. K. (2024). Valorization of dragon fruit waste to value-added bioproducts and formulations: A review. *Critical Reviews in Biotechnology*, 44(6), 1061–1079. <https://doi.org/10.1080/07388551.2023.2254930>
- Ty, G. C. (2024). *Lay's Response to Health Trends: Adapting to Changing Consumer Preferences*. <https://doi.org/10.54254/2754-1169/138/2024.19228>
- USDA. (2019). *SR Legacy for Grain-Fruit and Nut Bar*.
- Verified Market Research. (2024). *Snacks Bar in Indonesia Market By Product Type (Cereal Bars, Energy Bars), By Distribution Channel (Supermarkets/Hypermarkets, Convenience/Grocery Stores) Geographic Scope and Forecast*. Verified Market Research. <https://www.verifiedmarketresearch.com/product/snacks-bar-in-indonesia-market/>
- Wu, Q., Gao, H., You, Z., Zhang, Z., Zhu, H., He, M., He, J., Duan, X., Jiang, Y., & Yun, Z. (2023). Multiple metabolomics comparatively investigated the pulp breakdown of four dragon fruit cultivars during postharvest storage. *Food Research International*, 164. <https://doi.org/10.1016/j.foodres.2022.112410>
- Xiao, H. W., Pan, Z., Deng, L. Z., El-Mashad, H. M., Yang, X. H., Mujumdar, A. S., Gao, Z. J., & Zhang, Q. (2017). Recent developments and trends in thermal blanching – A comprehensive review. In *Information Processing in Agriculture* (Vol. 4, Issue 2, pp. 101–127). China Agricultural University. <https://doi.org/10.1016/j.inpa.2017.02.001>
- Yati, K., Ladeska, V., & Putra Wirman, A. (2017). Isolasi pektin dari kulit buah naga (*Hylocereus polyrhizus*) dan pemanfaatannya sebagai pengikat pada sediaan pasta gigi. *Media Farmasi*, 14(1), 1–16.
- Zambare, A. V, Kulkarni, D. A., & Tembore, A. B. (2024). Development of Fruit Bar Using Composite Fruit Peel Powder. *International Journal of Scientific Research in Engineering and Management (IJSREM) International Journal of Scientific Research in Engineering and Management*, 8(6). <https://doi.org/10.55041/IJSREM35668>