

DAFTAR PUSTAKA

- Abd Razak, D. L., Abd Rashid, N. Y., Jamaluddin, A., Sharifudin, S. A., Abd Kahar, A., & Long, K. (2017). Cosmeceutical potentials and bioactive compounds of rice bran fermented with single and mix culture of *Aspergillus oryzae* and *Rhizopus oryzae*. *Journal of the Saudi Society of Agricultural Sciences*, 16(2), 127–134. <https://doi.org/10.1016/j.jssas.2015.04.001>
- Abubakar, A., & Haque, M. (2020). Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. *Journal of Pharmacy And Bioallied Sciences*, 12(1), 1. https://doi.org/10.4103/jpbs.JPBS_175_19
- Aji, A., Bahri, S., & Tantalia, T. (2018). Pengaruh waktu ekstraksi dan konsentrasi HCl untuk pembuatan pektin dari kulit jeruk bali (*Citrus maxima*). *Jurnal Teknologi Kimia Unimal*, 6(1), 33. <https://doi.org/10.29103/jtku.v6i1.467>
- Alara, O. R., Abdurahman, N. H., & Olalere, O. A. (2018). Ethanolic extraction of bioactive compounds from *Vernonia amygdalina* leaf using response surface methodology as an optimization tool. *Journal of Food Measurement and Characterization*, 12(2), 1107–1122. <https://doi.org/10.1007/s11694-018-9726-3>
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D., & Lightfoot, D. (2017). Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts. *Plants*, 6(4), 42. <https://doi.org/10.3390/plants6040042>
- Andika, R., Ferrianta, Y., & Yanti, N. D. (2022). Usahatani Kayu Manis (*Cinnamomum burmannii*) di Desa Haratai Kecamatan Loksado. *Frontier Agribisnis*, 6(4), 199. <https://doi.org/10.20527/frontbiz.v6i4.7845>
- Antasionasti, I., & I, J. (2021). Aktivitas Antioksidan Ekstrak Etanol Kayu Manis (*Cinnamomum burmannii*) Secara In Vitro / Antioxidant Activities Of Cinnamon (*Cinnamomum burmannii*) In Vitro. *Jurnal Farmasi Udayana*, 38. <https://doi.org/10.24843/JFU.2021.v10.i01.p05>
- Aprilyanie, I., Handayani, V., & Syarif, R. A. (2023). Uji Toksisitas Ekstrak Kulit Buah Tanaman Jeruk Purut (*Citrus hystrix* DC.) Dengan Menggunakan Metode Brine Shrimp Lethality Test (BSLT). *Makassar Natural Product Journal*, 1(1), 1–9.
- Arif, Z., Zalukhu, A., Karomah, A. H., & Rafi, M. (2022). Antioxidant Capacity, Total Phenolic, and Flavonoid Content from Java Tea (*Orthosiphon aristatus*) Extracts. *Jurnal Jamu Indonesia*, 7(3), 93–101. <https://doi.org/10.29244/jji.v7i3.268>
- Arumningtyas, A. D. (2016). *Formulasi Sediaan Pasta Gigi dari Minyak Atsiri Kulit Batang Kayu manis (Cinnamomum burmannii) dan Uji Aktifitas Anti Bakteri Streptococcus Mutans dan Staphs aureus* [Skripsi, UMP]. <https://repository.ump.ac.id/3055/>
- Asworo, R. Y., & Widwiastuti, H. (2023). Pengaruh Ukuran Serbuk Simplisia dan Waktu Maserasi terhadap Aktivitas Antioksidan Ekstrak Kulit Sirsak.

- Indonesian Journal of Pharmaceutical Education*, 3(2).
<https://doi.org/10.37311/ijpe.v3i2.19906>
- Athallah, A., Pangondian, A., Chandra, P., & Husein, S. (2024). Edukasi Cara Ekstraksi Kandungan Senyawa Alami dari Bahan Alam Dengan Metode Maserasi di SMP Pahlawan Nasional Medan. *Jukeshum: Jurnal Pengabdian Masyarakat*, 4(1), 147–151.
<https://doi.org/10.51771/jukeshum.v4i1.877>
- Badaring, D. R., Sari, S. P. M., Nurhabiba, S., Wulan, W., & Lembang, S. A. R. (2020). Uji Ekstrak Daun Maja (*Aegle marmelos* L.) terhadap Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Indonesian Journal of Fundamental Sciences*, 6(1), 16. <https://doi.org/10.26858/ijfs.v6i1.13941>
- Bahri, S. (2020). Ekstraksi Kulit Batang Nangka menggunakan Air untuk Pewarna Alami Tekstil. *Jurnal Teknologi Kimia Unimal*, 8(2), 73–88.
<https://doi.org/10.29103/jtku.v8i2.2683>
- Bajkacz, S., & Adamek, J. (2018). Development of a Method Based on Natural Deep Eutectic Solvents for Extraction of Flavonoids from Food Samples. *Food Analytical Methods*, 11(5), 1330–1344.
<https://doi.org/10.1007/s12161-017-1118-5>
- Belwal, T., Ezzat, S. M., Rastrelli, L., Bhatt, I. D., Daglia, M., Baldi, A., Devkota, H. P., Orhan, I. E., Patra, J. K., Das, G., Anandharamakrishnan, C., Gomez-Gomez, L., Nabavi, S. F., Nabavi, S. M., & Atanasov, A. G. (2018). A critical analysis of extraction techniques used for botanicals: Trends, priorities, industrial uses and optimization strategies. *TrAC Trends in Analytical Chemistry*, 100, 82–102.
<https://doi.org/10.1016/j.trac.2017.12.018>
- Bouges, H., Calabro, K., Thomas, O. P., & Antoniotti, S. (2018). Unusual Polycyclic Fused Product by Oxidative Enzymatic Dimerisation of 5-methylpyrogallol Catalysed by Horseradish Peroxidase/H₂O₂. *Molecules*, 23(10), 2619. <https://doi.org/10.3390/molecules23102619>
- Boughendjioua, H., & Djeddi, S. (2018). Study of The Organoleptic and Physicochemical Properties of Cinnamon Essential Oil (*Cinnamomum zeylanicum*). *American Journal of Life Science Researches*, 6(3), 123–130.
- Bucić-Kojić, A., Planinić, M., Tomas, S., Jokić, S., Mujić, I., Bilić, M., & Velić, D. (2011). Effect of Extraction Conditions on the Extractability of Phenolic Compounds from Lyophilised Fig Fruits (*Ficus Carica* L.). *Polish Journal of Food and Nutrition Sciences*, 61(3), 195–199.
<https://doi.org/10.2478/v10222-011-0021-9>
- Chan, C.-H., Yusoff, R., & Ngoh, G.-C. (2014). Modeling and kinetics study of conventional and assisted batch solvent extraction. *Chemical Engineering Research and Design*, 92(6), 1169–1186.
<https://doi.org/10.1016/j.cherd.2013.10.001>
- Chemat, F., Abert-Vian, M., Fabiano-Tixier, A. S., Strube, J., Uhlenbrock, L., Gunjevic, V., & Cravotto, G. (2019). Green extraction of natural products. Origins, current status, and future challenges. *TrAC Trends in Analytical Chemistry*, 118, 248–263. <https://doi.org/10.1016/j.trac.2019.05.037>

- Crossley, J. I., & Aguilera, J. M. (2001). Modeling the effect of microstructure on food extraction. *Journal of Food Process Engineering*, 24(3), 161–177. <https://doi.org/DOI: 10.1111/j.1745-4530.2001.tb00538.x>
- Dai, Y., Van Spronsen, J., Witkamp, G.-J., Verpoorte, R., & Choi, Y. H. (2013). Natural deep eutectic solvents as new potential media for green technology. *Analytica Chimica Acta*, 766, 61–68. <https://doi.org/10.1016/j.aca.2012.12.019>
- Daker, M., Lin, V. Y., Akowuah, G. A., Yam, M. F., & Ahmad, M. (2013). Inhibitory effects of Cinnamomum burmannii Blume stem bark extract and trans-cinnamaldehyde on nasopharyngeal carcinoma cells; synergism with cisplatin. *Experimental and Therapeutic Medicine*, 5(6), 1701–1709. <https://doi.org/10.3892/etm.2013.1041>
- Darasia, Mahendradatta, M., Hasizah, A., & Rahmaniar. (2023). Comparison of soxhletation and Microwave Assisted Extraction method for extracting polyphenols in cacao pod husks (Theobroma cacao L.). *IOP Conference Series: Earth and Environmental Science*, 1200(1), 012038. <https://doi.org/10.1088/1755-1315/1200/1/012038>
- Domínguez-Rodríguez, G., Amador-Luna, V. M., Mendiola, J. A., Parada-Alfonso, F., & Ibáñez, E. (2025). Development of a sustainable extraction and storage stability of antioxidant and anticholinergic pressurized natural deep eutectic solvent extracts from Citrus reticulata leaves. *Food and Bioprocess Processing*, 149, 70–81. <https://doi.org/10.1016/j.fbp.2024.11.006>
- Firdaus, Adri, & Suharyon. (2022). Potensi dan Strategi Pengembangan Perbenihan Komoditas Kayu Manis di Kabupaten Kerinci. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi*, 6(1), 47–55.
- Gulcin, I., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. *Processes*, 11(8), 1–20. <https://doi.org/doi.org/10.3390/pr11082248>
- Gülçin, İ., Elmastaş, M., & Aboul-Enein, H. Y. (2012). Antioxidant activity of clove oil – A powerful antioxidant source. *Arabian Journal of Chemistry*, 5(4), 489–499. <https://doi.org/10.1016/j.arabjc.2010.09.016>
- H. Al Mamari, H. (2022). Phenolic Compounds: Classification, Chemistry, and Updated Techniques of Analysis and Synthesis. In F. A. Badria (Ed.), *Biochemistry* (Vol. 26). IntechOpen. <https://doi.org/10.5772/intechopen.98958>
- Hardianti, M. F., & Tonica, W. W. (2018). Uji Kestabilan Kurkuminoid dalam Natural Deep Eutectic Solvent (NADES) secara Spektrofotometri Uv-Vis [Skripsi]. Institut Teknologi Sepuluh Noverber.
- Herlina, H., Aritonang, B., Sitorus, R. S., & Rahayu, A. (2024). Ekstrak kulit kayu manis alternatif pengganti edta sebagai antikoagulan alami. *Forte Journal*, 4(2), 465–471. <https://doi.org/10.51771/fj.v4i2.973>
- Hidayat, S. N., & Setyaningsih, E. (2021). Kulit Batang Kayu Manis (Cinnamomum Burmannii) Ditinjau Dari Metode Ekstraksi Dan Dosis Efektif Terhadap Diabetes (Literatur Review). *Symbiotic: Journal of Biological Education*, 2(2), 40–54.
- Hikmawanti, N. P. E., Ramadon, D., Jantan, I., & Mun'im, A. (2021). Natural Deep Eutectic Solvents (NADES): Phytochemical Extraction Performance

- Enhancer for Pharmaceutical and Nutraceutical Product Development. *Plants*, 10(10), 2091. <https://doi.org/10.3390/plants10102091>
- Hukom, Z. F. M., Mahulette, A. S., Nendissa, J. I., & Amba, M. (2023). *Agroteknologi Tanaman Kayu Manis*. Pattimura University Press.
- Husna, A., Lubis, Y. M., & Erika, C. (2022). Ekstraksi Pewarna Alami Dari Bunga Telang (*Clitoria ternatea* L.) Dengan Variasi Jenis Pelarut dan Lama Ekstraksi. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(2), 410–419. <https://doi.org/10.17969/jimfp.v7i2.20144>
- Idris, H., & Mayura, E. (2019). *Informasi Teknologi Tanaman Rempah dan Obat*. Balai Penelitian Tanaman Rempah dan Obat.
- Ilmi, I. N., Filianty, F., & Yarlina, V. P. (2022). Sediaan Kayu Manis (*Cinnamomum* Sp.) sebagai Minuman Fungsional Antidiabetes: Kajian Literatur. *Kimia Padjadjaran*, 1(1), 31–59.
- Indrawati, N. L., & Razimin. (2013). *Bawang Dayak Si Umbi Ajaib Penakluk Aneka Penyakit* (Vol. xvi). Agromedia Pustaka.
- Ioannou, I., Hafsa, I., Hamdi, S., Charbonnel, C., & Ghoul, M. (2012). Review of the effects of food processing and formulation on flavonol and anthocyanin behaviour. *Journal of Food Engineering*, 111(2), 208–217. <https://doi.org/10.1016/j.jfoodeng.2012.02.006>
- Izza, H. F., Susanti, D. Y., Mariyam, S., & Saputro, A. D. (2023). Performance of microwave-assisted extraction of proanthocyanidins from red sorghum grain in various power and citric acid concentration. *Journal of the Saudi Society of Agricultural Sciences*, 22(7), 480–492. <https://doi.org/10.1016/j.jssas.2023.05.002>
- Jain, T., Jain, V., Pandey, R., Vyas, A., Gandhi, S., & Shukla, S. (2009). Microwave assisted extraction for phytoconstituents – An overview. *Asian J. Research Chem.*, 2(1), 19–25.
- Kawatra, P., & Rajagopalan, R. (2015). Cinnamon: Mystic powers of a minute ingredient. *Pharmacognosy Research*, 7(5), 1. <https://doi.org/10.4103/0974-8490.157990>
- Kementerian Pertanian. (22). Potensi Benih Tanaman Kayu Manis Unggul Lokal di Kabupaten Sijunjung Provinsi Sumatera Barat. *Kementerian Pertanian Direktorat Jendral Perkebunan*. https://ditjenbun.pertanian.go.id/potensi-benih-tanaman-kayu-manis-unggul-lokal-di-kabupaten-sijunjung-provinsi-sumatera-barat/?utm_source=chatgpt.com
- Kiswando, A. A. (2017). Skrining senyawa kimia dan pengaruh metode maserasi dan refluks pada biji kelor (*Moringa oleifera*, Lamk) terhadap rendemen ekstrak yang dihasilkan. *Jurnal Sains Natural*, 1(2), 126. <https://doi.org/10.31938/jsn.v1i2.21>
- Kristanti, Y., Widarta, I. W. R., & Permana, I. D. G. M. (2019). Pengaruh waktu ekstraksi dan konsentrasi etanol menggunakan metode Microwave Assisted Extraction (MAE) terhadap aktivitas antioksidan ekstrak rambut jagung (*Zea mays* L.). *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 8(1), 94. <https://doi.org/10.24843/itepa.2019.v08.i01.p11>
- Kusuma, H. S., Rohadi, T. I., Daniswara, E. F., Altway, A., & Mahfud. (2017). Preliminary Study: Comparison of Kinetic Models of Oil Extraction from

- Vetiver (*Vetiveria Zizanioides*) by Microwave Hydrodistillation. *Korean Chemical Engineering Research*, 55(4), 574–577. <https://doi.org/10.9713/KCER.2017.55.4.574>
- López-Salazar, H., Camacho-Díaz, B. H., Ocampo, M. L. A., & Jiménez-Aparicio, A. R. (2023). Microwave-assisted extraction of functional compounds from plants: A Review. *BioResources*, 18(3). <https://doi.org/10.15376/biores.18.3.Lopez-Salazar>
- Luo, Y., Liao, T., Yu, X., Li, J., Zhang, L., & Xi, L. (2019). Dielectric properties and microwave heating behavior of neutral leaching residues from zinc metallurgy in the microwave field. *Green Process Synth*, 7(1), 1–19. <https://doi.org/10.1515/spma-2019-0001>
- Mahardani, O. T., & Yuanita, L. (2021). Efek metode pengolahan dan penyimpanan terhadap kadar senyawa fenolik dan aktivitas antioksidan. *Unesa Journal of Chemistry*, 10(1), 64–78. <https://doi.org/10.26740/ujc.v10n1.p64-78>
- Mahardika, M. S. P. (2021). Flavonoid ekstrak etanol daun matoa (*Pomitea pinnata*). *Scientific Journal of Food Technology*, 8(1), 18–24.
- Mahbub, S. I., & Swasono, M. A. H. (2017). Pengaruh proporsi kayu secang (*Caesalpinia sappan* L.) dan kayu manis (*Cinnamomum burmannii* Bl) Terhadap aktivitas antioksidan “Wedang Semanis.” *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 8(2). <https://doi.org/10.35891/tp.v8i2.649>
- Maslahah, N., & Nurhayati, H. (2023). Kandungan senyawa bioaktif dan kegunaan. *Warta BSIP Perkebunan*, 1(3), 5–7.
- Menggala, S. R., Vanhove, W., Muhammad, D. R. A., Hendri, J., Speelman, S., & Van Damme, P. (2019). Sustainable Harvesting of *Cinnamomum burmannii* (Nees & T. Nees) Blume in Kerinci Regency, Indonesia. *Sustainability*, 11(23), 6709. <https://doi.org/10.3390/su11236709>
- Minaker, S. A., Mason, R. H., & Chow, D. R. (2021). Optimizing Color Performance of the Ngenuity 3-Dimensional Visualization System. *Ophthalmology Science*, 1(3), 100054. <https://doi.org/10.1016/j.xops.2021.100054>
- Mukhriani. (2014). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, 8(2), 361–367.
- Nadhira, A., Febianli, D., Fransisca, F., Mun’Im, A., & Aryati, W. D. (2020). Natural deep eutectic solvents ultrasound-assisted extraction (NADES-UAE) of trans-cinnamaldehyde and coumarin from cinnamon bark [*Cinnamomum burmannii* (Nees T. Nees) Blume]. *Journal of Research in Pharmacy*, 24(3), 389–398. <https://doi.org/10.35333/jrp.2020.161>
- Paiva, A., Craveiro, R., Aroso, I., Martins, M., Reis, R. L., & Duarte, A. R. C. (2014). Natural Deep Eutectic Solvents – Solvents for the 21st Century. *ACS Sustainable Chemistry & Engineering*, 2(5), 1063–1071. <https://doi.org/10.1021/sc500096j>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A.-J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6(1), 36–60. <https://doi.org/10.1007/s11947-012-0867-9>

- Prasetyorini, Utami, N. F., Novitasari, N., & Fitriyani, W. (2021). Potensi Ekstrak Refluks Kulit Batang Kayu Manis (*Cinnamomum burmannii*) sebagai Antijamur *Candida albicans* dan *Candida tropicalis*. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 11(2), 164–178. <https://doi.org/10.33751/jf.v11i2.2272>
- Pratama, M. A. (2023). Peningkatan kesadaran masyarakat terhadap kesehatan melalui gaya hidup bersih peduli lingkungan Desa Sekaroh Kecamatan Jerowaru Kabupaten Lombok Timur. *Prosiding Seminar Nasional Gelar Wicara, 1*, 12–16. <https://proceeding.unram.ac.id/index.php/wicara>
- Puspitasari, & Julianti. (2021). Modifikasi Waterbath dan Soxhlet pada Analisis Kadar Lemak. *Prosiding 5th Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat 2021*, 72–75.
- Rismunandar, Paimin, & Farry, B. (2001). *Kayu Manis Budidaya Dan Pengolahan*. Penebar Swadaya.
- Rosa, R. (2023). Uji Aktivitas Antioksidan Ekstrak Kayu Manis (*Cinnamomum burmannii*). *SITAWA: Jurnal Farmasi Sains dan Obat Tradisional*, 2(2). <https://doi.org/10.62018/sitawa.v2i2.42>
- Routray, W., & Orsat, V. (2012). Microwave-Assisted Extraction of Flavonoids: A Review. *Food and Bioprocess Technology*, 5(2), 409–424. <https://doi.org/10.1007/s11947-011-0573-z>
- Rudiana, T., Nurbayti, S., Ashari, T. H., Zhorif, S. A., & Suryani, N. (2023). Comparison of Maceration and Soxhletation Methods on the Antioxidant Activity of the *Bouea macrophylla* Griff Plant. *Jurnal Kimia Valensi*, 9(2), 244–252. <https://doi.org/10.15408/jkv.v9i2.35239>
- Rusli, R. (2022). Circulating UV-vis spectrophotometry using curcumin reagent to measure borax in wet noodles. *International Journal on Obygn and Health Sciences*, 1(1), 17–23.
- Rusli, Z., Yulianita, Y., & Amalia, N. P. (2023). Optimasi Ultrasound Assisted Extraction Senyawa Flavonoid dari Daun Meniran Menggunakan Natural Deep Eutectic Solvent. *Fitofarmaka: Jurnal Ilmiah Farmasi*, 13(2), 121–129. <https://doi.org/10.33751/jf.v13i2.9136>
- Sanjaya, A. S., & Agustine, R. P. (2015). Studi kinetika adsorpsi pb menggunakan arang aktif dari kulit pisang. *Konversi*, 4(1), 17. <https://doi.org/10.20527/k.v4i1.261>
- Savi, L. K., Dias, M. C. G. C., Carpine, D., Waszczynskyj, N., Ribani, R. H., & Haminiuk, C. W. I. (2019). Natural deep eutectic solvents (NADES) based on citric acid and sucrose as a potential green technology: A comprehensive study of water inclusion and its effect on thermal, physical and rheological properties. *International Journal of Food Science & Technology*, 54(3), 898–907. <https://doi.org/10.1111/ijfs.14013>
- Sawyer, S. F. (2009). Analysis of Variance: The Fundamental Concepts. *Journal of Manual & Manipulative Therapy*, 17(2), 27E–38E. <https://doi.org/10.1179/jmt.2009.17.2.27E>
- Setiadi, A., & Syukur, C. (2024). Morphological characteristics of cinnamon (*Cinnamomum burmannii* (Nees & T. Nees) Blume) population in Agam

- Regency, West Sumatra. *BIO Web of Conferences*, 123, 01032. <https://doi.org/10.1051/bioconf/202412301032>
- Sharma, M., & Dash, K. K. (2022). Microwave and ultrasound assisted extraction of phytochemicals from black jamun pulp: Kinetic and thermodynamics characteristics. *Innovative Food Science & Emerging Technologies*, 75, 102913. <https://doi.org/10.1016/j.ifset.2021.102913>
- Silprasit, K., Seetaha, S., Pongsanarakul, P., Hannongbua, S., & Choowongkamon, K. (2011). *Anti-HIV-1 reverse transcriptase activities of hexane extracts from some Asian medicinal plants*. 5(9), 4899–4906.
- Sitorus, A. S., Rambe, R., & Pangondian, A. (2022). Formulation and Evaluation of Sheet Mask Containing Green Apple Fruit (*Malus Domestica*) Extract As Antioxidant. *Journal of Pharmaceutical and Sciences*, 5(1), 54–61.
- Spigno, G., & De Faveri, D. M. (2009). Microwave-assisted extraction of tea phenols: A phenomenological study. *Journal of Food Engineering*, 93(2), 210–217. <https://doi.org/10.1016/j.jfoodeng.2009.01.006>
- Spigno, G., Tramelli, L., & De Faveri, D. M. (2007). Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of Food Engineering*, 81(1), 200–208. <https://doi.org/10.1016/j.jfoodeng.2006.10.021>
- Suhri, L., & Santi, I. (2023). Review artikel : Potensi kayu manis (*Cinnamomum burmannii*) sebagai antihipertensi. *Makassar Natural Product Journal*, 1(3), 185–190.
- Susanti, D. Y. (2021). *Evaluasi Kuantitatif Pemungutan Antioksidan Biji Sorgum Merah dengan Batch Extraction dalam Rangka Optimalisasi Potensi Sorgum* [Disertasi, Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/203023>
- Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., & Hidayat, M. (2019). A Mechanistic Model of Mass Transfer in the Extraction of Bioactive Compounds from Intact Sorghum Pericarp. *Processes*, 7(11), 837. <https://doi.org/10.3390/pr7110837>
- Suseno, R., Surhaini, S., & Ampitasari, C. N. (2021). Pengaruh konsentrasi asam sitrat terhadap pewarna alami bunga kembang sepatu. *Jurnal Sains dan Teknologi Pangan*, 6(2). <https://doi.org/10.33772/jstp.v6i2.14825>
- Syamsul, E. S., Amanda, N. A., & Lestari, D. (2020). Perbandingan ekstrak lamur *aquilaria malaccensis* dengan metode maserasi dan refluks. *Jurnal Riset Kefarmasian Indonesia*, 2(2), 97–104. <https://doi.org/10.33759/jrki.v2i2.85>
- Tan, M. V., Rorong, J. A., & Sangi, M. S. (2018). Fotoreduksi besi Fe³⁺ menggunakan ekstrak daun kayu manis (*Cinnamomum burmannii*). *Jurnal Ilmiah Sains*, 18(1), 1. <https://doi.org/10.35799/jis.18.1.2018.18821>
- Teow, C. C., Truong, V.-D., McFeeters, R. F., Thompson, R. L., Pecota, K. V., & Yencho, G. C. (2007). Antioxidant activities, phenolic and β -carotene contents of sweet potato genotypes with varying flesh colours. *Food Chemistry*, 103(3), 829–838. <https://doi.org/10.1016/j.foodchem.2006.09.033>
- Torun, M., Dincer, C., Topuz, A., Sahin–Nadeem, H., & Ozdemir, F. (2015). Aqueous extraction kinetics of soluble solids, phenolics and flavonoids

- from sage (*Salvia fruticosa* Miller) leaves. *Journal of Food Science and Technology*, 52(5), 2797–2805. <https://doi.org/10.1007/s13197-014-1308-8>
- Tri, R., Yasni, S., Muhandri, T., & Yuliani, S. (2022). Pengaruh metode ekstraksi terhadap kualitas ekstrak kulit manggis (*Garcinia mangostana* L.). *JURNAL UNITEK*, 15(2), 198–211. <https://doi.org/10.52072/unitek.v15i2.389>
- Triardianto, D., & Bintoro, N. (2024). Analisis Korelasi Parameter Fisik Pasca Panen Buah Pisang Kepok Selama Penyimpanan dengan Metode Principal Component Analysis (PCA). *Jurnal Teknik Pertanian Terapan*, 1(2), 74–82.
- Troter, D., Zlatkovic, M., Djokic-Stojanovic, D., Konstantinovic, S., & Todorovic, Z. (2016). Citric acid-based deep eutectic solvents: Physical properties and their use as cosolvents in sulphuric acid-catalysed ethanolysis of oleic acid. *Advanced Technologies*, 5(1), 53–65. <https://doi.org/10.5937/savteh1601053T>
- Wadli, & Hasdar, M. (2021). Ekstraksi beras hitam sirampog berbantu gelombang mikro (Microwave Assisted Extraction (MAE)). *Jurnal Pengolahan Pangan*, 6(2), 49–53. <https://doi.org/10.31970/pangan.v6i2.49>
- Wahyuni, D. T., & Widjanarko, S. B. (2015). Pengaruh jenis pelarut dan lama ekstraksi terhadap ekstrak karotenoid labu kuning dengan metode gelombang ultrasonik. *Jurnal Pangan dan Agroindustri*, 3(2), 390–401.
- Wijaya, D. R., Paramitha, M., & Putri, N. P. (2019). Dengan metode sokletasi. *Konversi*, 8(1), 9–16.
- Wootton-Beard, P. C., Moran, A., & Ryan, L. (2011). Stability of the total antioxidant capacity and total polyphenol content of 23 commercially available vegetable juices before and after in vitro digestion measured by FRAP, DPPH, ABTS and Folin–Ciocalteu methods. *Food Research International*, 44(1), 217–224. <https://doi.org/10.1016/j.foodres.2010.10.033>
- Wulandari, E. Y., Redjeki, E. S., & Rahmawati, F. F. (2018). Uji daya hambat serbuk daun kayu manis (*Cinnamomum burmannii*) terhadap bakteri *Streptococcus agalactiae*. *Jurnal Perikanan Pantura (JPP)*, 1(1), 10. <https://doi.org/10.30587/jpp.v1i1.287>
- Xiao, K., Wuerger, S., Fu, C., & Karatzas, D. (2011). Unique hue data for colour appearance models. Part I: Loci of unique hues and hue uniformity. *Color Research & Application*, 36(5), 316–323. <https://doi.org/10.1002/col.20637>
- Yamaden. (2007). *Table of dielectric constants of substances*. s. http://Www.Ydic.Co.Jp/English/Technology/Table_E.Html#Anchor_c.
- Yani, G. F., Abbas, M., & Samiyarsih, S. (2020). Pemanfaatan ekstrak kulit buah manggis (*Garcinia mangostana* L.) sebagai pewarna alami jaringan daun dan batang krokot (*Portulaca oleracea* L.). *BioEksakta : Jurnal Ilmiah Biologi Unsoed*, 2(2), 288. <https://doi.org/10.20884/1.bioe.2020.2.2.2139>
- Zahidin, I., Rayhan, M., & Malted, P. (2023). Uji Simplisia Kulit Kayu Manis (*Cinnamomum burmannii*). *PharmaCine : Journal of Pharmacy, Medical and Health Science*, 4(1), 42–50. <https://doi.org/10.35706/pc.v4i1.8332>
- Zainal-Abidin, M. H., Hayyan, M., Hayyan, A., & Jayakumar, N. S. (2017). New horizons in the extraction of bioactive compounds using deep eutectic

- solvents: A review. *Analytica Chimica Acta*, 979, 1–23. <https://doi.org/10.1016/j.aca.2017.05.012>
- Zamora, R., Harmadi, H., & Wildian, W. (2016). Perancangan alat ukur TDS (Total Dissolved Solid) air dengan sensor konduktivitas secara real time. *Sainstek : Jurnal Sains dan Teknologi*, 7(1), 11. <https://doi.org/10.31958/js.v7i1.120>
- Zhang, Q., Sun, S., Pitula, S., Liu, Q., Welz-Biermann, U., & Zhang, J. (2011). Electrical Conductivity of Solutions of Ionic Liquids with Methanol, Ethanol, Acetonitrile, and Propylene Carbonate. *Journal of Chemical & Engineering Data*, 56(12), 4659–4664. <https://doi.org/10.1021/jc200616t>
- Zhang, Y., Cao, Y., & Wang, H. (2020). Multi-Interactions in Ionic Liquids for Natural Product Extraction. *Molecules*, 26(1), 98. <https://doi.org/10.3390/molecules26010098>
- Zhou, Y., Wu, W., Zhang, N., Soladoye, O. P., Zhang, Y., & Fu, Y. (2022). Deep eutectic solvents as new media for green extraction of food proteins: Opportunity and challenges. *Food Research International*, 161, 111842. <https://doi.org/10.1016/j.foodres.2022.111842>