



DAFTAR PUSTAKA

- Asif, M., F. Khan, T. Ansari, F. Ahmad, M. Tariq, A. Khan, M. Shariq, and M. A Siddiqui, 2021. DL- β -Amino butyric acid induced resistance in tomato against root-knot nematode *Meloidogyne incognita* under salt stress condition. *Indian Phytopathology*. 74(1): 1-4
- Baliadi, Y. 2008. Identifikasi karakter morfologi nematoda sista pada tanaman jagung (*Heterodera zae*) di Indonesia. *Berkala Penelitian Hayati*. 14(1): 1-5.
- Bridge, J., R. A. Plowright, and D. Peng. 2005. Nematode parasites of rice. *Plant parasitic nematodes in subtropical and tropical agriculture 2*: 87-130.
- de Melo, T. P. G., D. Aviz, D. C. M. da Silva, S. E. L. da Silva, T. A da Costa Borba, M. Rollnic, and V. Venekey. 2024. How morphodynamic gradients shape the distribution of meiofauna and nematodes on sandy beaches of the Amazon region?. *Regional Studies in Marine Science*. 79. 103844.
- Devran, Z., and O. Baysal. 2018. Induction of resistance to *Meloidogyne incognita* by DL-Beta amino butyric acid under salt stress condition. *Australasian Plant Disease Notes*. 13(1): 1-3.
- Dutta, T. K., A. K. Ganguly, and H. S. Gaur. 2012. Global status of rice root-knot nematode, *Meloidogyne graminicola*. *African Journal of Microbiology Research*. 6(31): 6016-6021.
- Edongali, E. A., and H. Ferris. 1982. Varietal response of tomato to the interaction of salinity and *Meloidogyne incognita* infection. *Journal of Nematology*. 14(1): 57-62.
- Handiani, D.N., S. Darmawan, A. Heriti, dan Y. D. Aditya. 2019. Kajian kerentanan pesisir terhadap kenaikan muka air laut di Kabupaten Subang. *Jurnal Kelautan Nasional*. 14(3): 145-154.
- Hairmansis, A., dan Nafisah. 2020. Pengembangan varietas unggul padi untuk lahan terdampak salinitas. *Jurnal Pangan*. 29(2): 161-170.
- Horie, T., I. Karahara, and M. Katsuhara. 2012. Salinity tolerance mechanisms in glycophytes: An overview with the central focus on rice plants. *Rice*. 5(1): 1-18.
- Indarti, S., T. Taryono, S. Supriyanta, dan A. S. Wulandari. 2019. Penapisan pendahuluan berbagai aksesori padi (*Oryza sativa* L) terhadap serangan hama serangga dan nematoda parasit tanaman. *Agrotechnology Innovation (Agrinova)*. 2(2):1-8.
- Ismail, A., M. Thomson, G. Vergara, M. Rahman, R. Singh, G. Gregorio, and D. Mackill. 2010. Designing resilient rice varieties for coastal deltas using modern breeding tools. Ed. *Tropical Deltas and Coastal Zones Food Production, Communities and Environment at the Land-Water Interface*. CAB International, Oxfordshire:154–165
- Jaiswal R.K, D. Kumar, K. P. Singh. 2012. Relationship between growth of rice seedlings and time of infection with *Meloidogyne graminicola*. *Libyan Agric Res Cen J Int*. 3(1):13–17.
- Jatti, A. P., dan D. Mardiatno. 2023. Analisis Kerentanan Wilayah Pesisir terhadap Kenaikan Muka Air Laut di Kabupaten Bantul. *Jurnal Geografi, Edukasi, dan Lingkungan*. 7(1): 47-58
- Joshi, M., and J. D. Deshpande. 2010. Polymerase chain reaction: methods, principles and application. *International Journal of Biomedical Research*. 2(1): 81-97.
- Kemboi, B., H. Karuri, J. M. Nyaga, and A. J. Kingsbury, A. J. 2022. Vertical Distribution of Plant-Parasitic Nematodes in Sweet Potato. *Journal of Nematology*. 54(1). 20220025.



- Narasimhamurthy, H. B., M. Sehgal, and R. Ganesha Naik. 2023. Rice Root-Knot Nematode (*Meloidogyne graminicola*): A Major Menace in Rice Production. In Sustainable Rice Production – Challenges, Strategies and Opportunities. 2023. IntechOpen.
- Magalhães, P. R., F. B. da Silva Café, F. J. C. de Souza Junior, R.O. Mesquita, R. O., and C. D.G. Santos. 2021. Effect of salt stress on the parasitism of *Meloidogyne enterolobii* in cowpea. *Research, Society and Development*, 10(10).
- Maggenti, A. R., and A. Hardan. 1973. The effects of soil salinity and *Meloidogyne javanica* on tomato. *Journal of nematology*: 5(4): 231-234.
- Mantelin, S., S. Bellafiore, and T. Kyndt. 2017. *Meloidogyne graminicola*: a major threat to rice agriculture. *Molecular plant pathology*. 18(1): 3-15.
- Masganti, A. M. Abduh, M. Alwi, M. Noor, dan R Agustina. 2022. Pengelolaan lahan dan tanaman padi di lahan salin." *Jurnal Sumberdaya Lahan*. 16(2): 83-95.
- Mirsam, H., dan F. Kurniawati. 2018. Laporan pertama di Sulawesi Selatan: karakter morfologi dan molekuler nematoda puru akar yang berasosiasi dengan akar padi di Kabupaten Wajo, Sulawesi Selatan. *Jurnal Perlindungan Tanaman Indonesia*. 22(1): 58-65.
- Mondal, M. M. A., A. B. Puteh, M. A. Malek, and M. Y. Rafii. 2013. Salinity induced morpho-physiological characters and yield attributes in rice genotypes. *Journal of Food, Agriculture and Environment*. 11(2): 610–614.
- Muliawan, N. R. E., J. Sampurno, dan M. I. Jumarang. 2016. Identifikasi nilai salinitas pada lahan pertanian di daerah Jungkat berdasarkan metode daya hantar listrik (DHL). *Prisma Fisika*. 4(2): 69-72.
- Mulyadi. 1997. Pengaruh populasi nematoda puru akar (*Meloidogyne graminicola*) terhadap pertumbuhan dan hasil padi. *Jurnal Perlindungan Tanaman Indonesia*. 3(1):17–22.
- Munns, R., and M. Tester. 2008. Mechanisms of salinity tolerance. *Annual Review of Plant Biology*. 59: 651–681.
- Nasrudin, N., dan A. Rosmala. 2020. Analisis pertumbuhan padi lokal akses PH 1 menggunakan penambahan pupuk silika padat pada kondisi salin. *AGROTEKNIKA*. 3(2):75–84.
- Nguyễn, P.V., S. Bellafiore, A. S. Petitot, R. Haidar, A. Bak, A. Abed, P. Gantet, I. Mezzalira, J. de Almeida Engler, and D. Fernandez. 2014. *Meloidogyne incognita* - rice (*Oryza sativa*) interaction: a new model system to study plant-root-knot nematode interactions in monocotyledons. *Rice (N Y)*. 7(1):23.
- Noronha, M. D. A., M. F. Fernandes, S.M. Maria de Fatima, E. M. R. Pedrosa, M. C. Assunção, and L. C. D. S. Calheiros. 2020. Soil abiotic factors associated with *Meloidogyne* spp. and *Pratylenchus* spp. populations in sugarcane. *Nematology*, 23(2): 125-137.
- Nugroho, C. A., dan A. W. Setiawan. 2022. Pengaruh Frekuensi Penyiraman dan Volume Air terhadap Pertumbuhan Sawi Pakcoy pada Media Tanam Campuran Arang Sekam dan Pupuk Kandang. *Agrium*. 25(1): 12-23.
- Nurjayadi, M.Y, A. Munif, dan G. Suastika. 2015. Identifikasi nematoda puru akar, *Meloidogyne graminicola*, pada tanaman padi di Jawa Barat. *Jurnal Fitopatologi Indonesia*. 11(4): 113-120.
- Purwaningrahayu, R. D., dan A. Taufiq. 2018. Pemulsaan dan Ameliorasi Tanah Salin untuk Pertumbuhan dan Hasil Kedelai. *Jurnal Agronomi Indonesia* 46(2): 182-188.
- Rad, H. E., F. Aref, M. Rezaei, E. Amiri, and M. R. Khaledian. 2011. The effects of salinity at different growth stage on rice yield. *Ecology, Environment and Conservation*. 17(3): 111–117



- Ranchman A., A. Dariah, dan Sutono. 2018. Pengelolaan Sawah Salin Berkadar Garam Tinggi. IAARD Press. Jakarta.
- Ravindra H, M. Sehgal, H. B. Narasimhamurthy, K. Jayalakshmi, H. I. S. Khan. 2017. Rice rootknot nematode (*Meloidogyne graminicola*) an emerging problem. Int J Curr Microbiol App Sci. 6(8):3143–3171.
- Rivaie A.A., Kiswanto, dan Pasandaran. 2017. Inovasi pola tanam relay-intercropping jagung ubikayu di Lampung mengantisipasi dampak kekeringan: 305-337 ED. Pasandaran et al. Memperkuat Kemampuan Wilayah Menghadapi Perubahan Iklim. IAARD Press. Jakarta.
- Sikandar, A., M. Y. Zhang, Y. Y. Wang, X. F. Zhu, X. Y. Liu, H. Y. Fan, Y. H. Xuan, L. J. Chen, and Y. X. Duan. 2020. Review article: *Meloidogyne incognita* (root knot nematode) a risk to agriculture. Applied Ecology and Environmental Research. 18(1): 1679 – 1690.
- Silva, I. A. C. E., E. M. R. Pedrosa, E. F. D. F. E. Silva, M. M. Rolim, and T. F. D. S. Vicente. 2022. Motility and migration of nematodes in saline environments. Revista Caatinga. 35(4): 865-876.
- Southey, J. F. 1986. Laboratory methods for work with plant and soil nematodes. Her Majesty's Stationary Office. London(UK).
- Stavi, I., N. Thevs, and S. Priori. 2021. Soil Salinity and Sodicity in Drylands: A Review of Causes, Effects, Monitoring, and Restoration Measures. Frontiers in Environmental Science, 9.
- Sukarman, A. Mulyani, dan S. Purwanto. 2018. Modifikasi metode evaluasi kesesuaian lahan berorientasi perubahan iklim. Jurnal Sumberdaya Lahan. 12(1): 1-11.
- Tamba, R., D. Martino, dan Sarman. 2020. Pengaruh pemberian auksin (NAA) terhadap pertumbuhan tunas tajuk dan tunas cabang akar bibit karet (*Hevea brasillensis* Muell. Arg) okulasi mata tidur. Jurnal Agroecotania : Publikasi Nasional Ilmu Budidaya Pertanian. 2(2): 11–20.
- Thiruchelvan, N., S. R. Casonato, Moukarzel, L. Condron, and M. Kularathna. 2024. Root-lesion nematode (*Pratylenchus* spp.) extraction from maize roots: a comparison of three methods. New Zealand Plant Protection. 77: 36-42.
- Truong, H. T. H., S. Rasphone, L. Q. B. Nguyen, H. N. Ho, Q. C. Nguyen, T. T. Tran, X. T. Hoang, and T. T. Duong. 2023. Identification of Piper species that are resistant to *Phytophthora capsici*, *Meloidogyne incognita*, and waterlogging in Vietnam. Plant Pathology. 72(9): 1615-1625.
- Wiesman, Z. 2009. Desert Olive Oil Cultivation. Advance Biotechnologies. Academic Press.USA.
- Xu, W. B., Y. M. Zhang, B. Z. Li, C. Y. Lin, D. Y. Chen, Y. X. Cheng, X. L. Guo, W. R. Dong and M. A. Shu. 2023. Effects of low salinity stress on osmoregulation and gill transcriptome in different populations of mud crab *Scylla paramamosain*. Science of The Total Environment. 867. 161522.
- Zaki, M. J., D. D. D. Khan, and M. Abid. 2012. Nematodes in the saline environment: a mini overview. International Journal of Biology and Biotechnology. 9(1-2): 99-113.
- Zhong-ling, T., M. Maria, E. M. Barsalote, P. Castillo, and J. W. Zheng. 2018. Morphological and molecular characterization of the rice root-knot nematode, *Meloidogyne graminicola*, Golden and Birchfeild, 1965 occurring in Zhejiang, China. Journal of integrative agriculture. 17(12): 2724-2733