

## REFERENCES

- Abbes, S., Mary, C., Sellami, H., Michel-Nguyen, A., Ayadi, A., & Ranque, S. (2013). Interactions between copy number and expression level of genes involved in fluconazole resistance in *Candida glabrata*. *Frontiers in Cellular and Infection Microbiology*, *3*, 74. <https://doi.org/10.3389/fcimb.2013.00074>
- Al-Baqsmi, Z. F., Ahmad, S., & Khan, Z. (2020). Antifungal drug susceptibility, molecular basis of resistance to echinocandins and molecular epidemiology of fluconazole resistance among clinical *Candida glabrata* isolates in Kuwait. *Scientific Reports*, *10*(1), 6238. <https://doi.org/10.1038/s41598-020-63240-z>
- Apsari, C. N., Ujjantari, N. S. O., Rohmah, Z., Utami, S. T., Suma, A. A. T., & Gusnaniar, N. (2024). Commercial incense: compound analysis and its molecular docking studies as anxiolytic agents. *Biology, Medicine, & Natural Product Chemistry*, *13*(1), 239–250. <https://doi.org/10.14421/biomedich.2024.131.239-250>
- Bakus, G. J., & Green, G. (1974). Toxicity in sponges and holothurians: a geographic pattern. *Science*, *185*(4155), 951–953. <https://doi.org/10.1126/science.185.4155.951>
- Bashari, M. H., Arsydinilhuda, F. Z., Ilhamsyah, R. S., Nugrahani, A. D., Nurdin, R. A., Kartika, A., Huda, F., Abdurahman, M., Putri, T., Qomarilla, N., Atmaja, H., Sudji, I. R., Subhan, B., Usman, H. A., Pamela, Y., Ariyanto, E. F., & Meiyanto, E. (2021). The ethanol extract of marine sponge *Aaptos suberitoides* suppress cell viability, cell proliferation and cell migration in HER2-positive breast cancer cell line. *Asian Pacific Journal of Cancer Prevention*, *22*(S1), 25–32. <https://doi.org/10.31557/APJCP.2021.22.S1.25>
- Bashari, M. H., Huda, F., Tartila, T. S., Shabrina, S., Putri, T., Qomarilla, N., Atmaja, H., Subhan, B., Sudji, I. R., & Meiyanto, E. (2019). bioactive compounds in the ethanol extract of marine sponge *Stylissa carteri* demonstrates potential anti-cancer activity in breast cancer cells. *Asian Pacific Journal of Cancer Prevention*, *20*(4), 1199–1206. <https://doi.org/10.31557/APJCP.2019.20.4.1199>
- Becking, L., Cleary, D., & de Voogd, N. (2013). Sponge species composition, abundance, and cover in marine lakes and coastal mangroves in Berau, Indonesia. *Marine Ecology Progress Series*, *481*, 105–120. <https://doi.org/10.3354/meps10155>
- Bhattacharya, S., Sobel, J. D., & White, T. C. (2016). A combination fluorescence assay demonstrates increased efflux pump activity as a resistance mechanism in azole-resistant vaginal *Candida albicans* isolates. *Antimicrobial Agents and Chemotherapy*, *60*(10), 5858–5866. <https://doi.org/10.1128/AAC.01252-16>
- Blunt, J. W., Copp, B. R., Keyzers, R. A., Munro, M. H. G., & Prinsep, M. R. (2013). Marine natural products. *Nat. Prod. Rep.*, *30*(2), 237–323. <https://doi.org/10.1039/C2NP20112G>
- Bongomin, F., Gago, S., Oladele, R., & Denning, D. (2017). Global and multi-national prevalence of fungal diseases—estimate precision. *Journal of Fungi*, *3*(4), 57. <https://doi.org/10.3390/jof3040057>
- Browning, T. J., & Moore, C. M. (2023). Global analysis of ocean phytoplankton nutrient limitation reveals high prevalence of co-limitation. *Nature Communications*, *14*(1), 5014. <https://doi.org/10.1038/s41467-023-40774-0>

- Bruns, H., Ziesche, L., Taniwal, N. K., Wolter, L., Brinkhoff, T., Herrmann, J., Müller, R., & Schulz, S. (2018). *N*-Acylated amino acid methyl esters from marine *Roseobacter* group bacteria. *Beilstein Journal of Organic Chemistry*, *14*, 2964–2973. <https://doi.org/10.3762/bjoc.14.276>
- Buchanan, P. J., Aumont, O., Bopp, L., Mahaffey, C., & Tagliabue, A. (2021). Impact of intensifying nitrogen limitation on ocean net primary production is fingerprinted by nitrogen isotopes. *Nature Communications*, *12*(1), 6214. <https://doi.org/10.1038/s41467-021-26552-w>
- Burgsdorf, I., Sizikov, S., Squatrito, V., Britstein, M., Slaby, B. M., Cerrano, C., Handley, K. M., & Steindler, L. (2022). Lineage-specific energy and carbon metabolism of sponge symbionts and contributions to the host carbon pool. *The ISME Journal*, *16*(4), 1163–1175. <https://doi.org/10.1038/s41396-021-01165-9>
- Cannon, R. D., Lamping, E., Holmes, A. R., Niimi, K., Baret, P. V., Keniya, M. V., Tanabe, K., Niimi, M., Goffeau, A., & Monk, B. C. (2009). Efflux-mediated antifungal drug resistance. In *Clinical Microbiology Reviews*. *22*(2), 291–321. <https://doi.org/10.1128/CMR.00051-08>
- Castro, L. F. C., Tocher, D. R., & Monroig, O. (2016). Long-chain polyunsaturated fatty acid biosynthesis in chordates: Insights into the evolution of Fads and Elovl gene repertoire. *Progress in Lipid Research*, *62*, 25–40. <https://doi.org/10.1016/j.plipres.2016.01.001>
- Ceccarelli, D. M., McLeod, I. M., Boström-Einarsson, L., Bryan, S. E., Chartrand, K. M., Emslie, M. J., Gibbs, M. T., Gonzalez Rivero, M., Hein, M. Y., Heyward, A., Kenyon, T. M., Lewis, B. M., Mattocks, N., Newlands, M., Schläppy, M.-L., Suggett, D. J., & Bay, L. K. (2020). Substrate stabilisation and small structures in coral restoration: State of knowledge, and considerations for management and implementation. *PLOS ONE*, *15*(10), e0240846. <https://doi.org/10.1371/journal.pone.0240846>
- Chanas, B., & Pawlik, J. R. (1996). Does the skeleton of a sponge provide a defense against predatory reef fish? *Oecologia*, *1996*(107), 225–231. <https://doi.org/10.1007/BF00327906>
- Chen, D., Oezguen, N., Urvil, P., Ferguson, C., Dann, S. M., & Savidge, T. C. (2016). Regulation of protein-ligand binding affinity by hydrogen bond pairing. *Science Advances*, *2*(3), e1501240. <https://doi.org/10.1126/sciadv.1501240>
- Chen, Y., Liu, C., Kumaravel, K., Nan, L., & Tian, Y. (2022). Two new sulfate-modified dibenzopyrones with anti-foodborne bacteria activity from sponge-derived fungus *Alternaria* sp. SCSIOS02F49. *Frontiers in Microbiology*, *13*: 879674. <https://doi.org/10.3389/fmicb.2022.879674>
- Choy, H. L., Gaylord, E. A., & Doering, T. L. (2023). Ergosterol distribution controls surface structure formation and fungal pathogenicity. *MBio.*, *14*(4), e01353-23. <https://doi.org/10.1128/mbio.01353-23>
- Clinical and Laboratory Standards Institute. (2008). *M27-A3 Reference Method for Broth Dilution Antifungal Susceptibility testing of Yeasts* (3rd ed.). Clinical and Laboratory Standards Institute.
- da Silva, G. M., de Figueirêdo, R. M. F., de Melo Queiroz, A. J., de Vilela Silva, E. T., Moura, H. V., de França Silva, A. P., Santos, N. C., Buriti, F. C. A., Carvalho, A. J.

- de B. A., & dos Santos Lima, M. (2025). Blanching, cooking, and ethanol are effective strategies for preserving biofunctional compounds in purple-fleshed sweet potato powder. *Food and Bioproducts Processing*, *150*, 118–130. <https://doi.org/10.1016/j.fbp.2025.01.005>
- Dahihande, A. S., & Thakur, N. L. (2021). Differences in the structural components influence the pumping capacity of marine sponges. *Frontiers in Marine Science*, *8*: 671362. <https://doi.org/10.3389/fmars.2021.671362>
- Das, P., Mukherjee, S., & Sen, R. (2009). Biosurfactant of marine origin exhibiting heavy metal remediation properties. *Bioresource Technology*, *100*(20), 4887–4890. <https://doi.org/10.1016/j.biortech.2009.05.028>
- de Voogd, N. J., Alvarez, B., Boury-Esnault, N., Cárdenas, P., Díaz, M. C., Dohrmann, M., Downey, R., Goodwin, C., Hajdu, E., Hooper, J. N. A., Kelly, M., Klautau, M., Lim, S. C., Manconi, R., Morrow, C., Pinheiro, U., Pisera, A. B., Ríos, P., Rützler, K., ... Xavier, J. (2025). *Aptos aptos (Schmidt, 1864)*. World Porifera Database.
- Decottignies, A., Grant, A. M., Nichols, J. W., de Wet, H., McIntosh, D. B., & Goffeau, A. (1998). ATPase and multidrug transport activities of the overexpressed yeast ABC protein Yor1p. *Journal of Biological Chemistry*, *273*(20), 12612–12622. <https://doi.org/10.1074/jbc.273.20.12612>
- Denardi, L. B., Keller, J. T., Oliveira, V., Mario, D. A. N., Santurio, J. M., & Alves, S. H. (2017). Activity of combined antifungal agents against multidrug-resistant *Candida glabrata* strains. *Mycopathologia*, *182*(9–10), 819–828. <https://doi.org/10.1007/s11046-017-0141-9>
- Du, Y., Han, W., Hao, P., Hu, Y., Hu, T., & Zeng, Y. (2024). A genomics-based discovery of secondary metabolite biosynthetic gene clusters in the potential novel strain *Streptomyces* sp. 21So2-11 isolated from antarctic soil. *Microorganisms*, *12*(6), 1228. <https://doi.org/10.3390/microorganisms12061228>
- Dua, V. K., Verma, G., Singh, B., Rajan, A., Bagai, U., Agarwal, D. D., Gupta, N., Kumar, S., & Rastogi, A. (2013). Anti-malarial property of steroidal alkaloid conessine isolated from the bark of *Holarrhena antidysenterica*. *Malaria Journal*, *12*(1), 194. <https://doi.org/10.1186/1475-2875-12-194>
- Dyshlovoy, S. A., Fedorov, S. N., Svetashev, V. I., Makarieva, T. N., Kalinovskiy, A. I., Moiseenko, O. P., Krasokhin, V. B., Shubina, L. K., Guzii, A. G., von Amsberg, G., & Stonik, V. A. (2022). 1-O-alkylglycerol ethers from the marine sponge *Guitarra abbotti* and their cytotoxic activity. *marine drugs*, *20*(7), 409. <https://doi.org/10.3390/md20070409>
- Gökalp, M. M. (2021). *The multifunctional role of marine sponges in multi-trophic mariculture systems : towards sustainable use of sponges in polluted marine waters* [Wageningen University]. <https://doi.org/10.18174/546382>
- Gunathilake, K. D. P. P., Ranaweera, K. K. D. S., & Rupasinghe, H. P. V. (2019). Response surface optimization for recovery of polyphenols and carotenoids from leaves of *Centella asiatica* using an ethanol-based solvent system. *Food Science & Nutrition*, *7*(2), 528–536. <https://doi.org/10.1002/fsn3.832>

- Hadi, T. A., Hafizt, M., Hadiyanto, H., Budiyanto, A., & Siringoringo, R. M. (2018). Shallow water sponges along the south coast of Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, *19*(2), 485–493. <https://doi.org/10.13057/biodiv/d190223>
- Hajjeh, R. A., Sofair, A. N., Harrison, L. H., Lyon, G. M., Arthington-Skaggs, B. A., Mirza, S. A., Phelan, M., Morgan, J., Lee-Yang, W., Ciblak, M. A., Benjamin, L. E., Thomson Sanza, L., Huie, S., Yeo, S. F., Brandt, M. E., & Warnock, D. W. (2004). Incidence of bloodstream infections due to *candida* species and in vitro susceptibilities of isolates collected from 1998 to 2000 in a population-based active surveillance program. *Journal of Clinical Microbiology*, *42*(4), 1519–1527. <https://doi.org/10.1128/JCM.42.4.1519-1527.2004>
- Hamann, M. T., Scheuer, P. J., & Kelly-Borges, M. (1993). Biogenetically diverse, bioactive constituents of a sponge, order Verongida: Bromotyramines and sesquiterpene-shikimate derived metabolites. *The Journal of Organic Chemistry*, *58*(24), 6565–6569. <https://doi.org/10.1021/jo00076a012>
- Hamitouche, I., & Jonic, S. (2021). Deep learning of elastic 3D shapes for cryo electron microscopy analysis of continuous conformational changes of biomolecules. *2021 29th European Signal Processing Conference (EUSIPCO)*, 1251–1255. <https://doi.org/10.23919/EUSIPCO54536.2021.9616013>
- Harris, A., Wagner, M., Du, D., Raschka, S., Nentwig, L.-M., Gohlke, H., Smits, S. H. J., Luisi, B. F., & Schmitt, L. (2021). Structure and efflux mechanism of the yeast pleiotropic drug resistance transporter Pdr5. *Nature Communications*, *12*(1), 5254. <https://doi.org/10.1038/s41467-021-25574-8>
- He, Y., Huang, Z., Zhong, C., Guo, Z., & Chen, B. (2019). Pressurized liquid extraction with ethanol as a green and efficient technology to lipid extraction of *Isochrysis* biomass. *Bioresource Technology*, *293*, 122049. <https://doi.org/10.1016/j.biortech.2019.122049>
- Helber, S. B., Hoeijmakers, D. J. J., Muhando, C. A., Rohde, S., & Schupp, P. J. (2018). Sponge chemical defenses are a possible mechanism for increasing sponge abundance on reefs in Zanzibar. *PLOS ONE*, *13*(6), e0197617. <https://doi.org/10.1371/journal.pone.0197617>
- Henry, T. R., & Wallace, K. B. (1995). The role of redox cycling versus arylation in quinone-induced mitochondrial dysfunction: a mechanistic approach in classifying reactive toxicants. *SAR and QSAR in Environmental Research*, *4*(2–3), 97–108. <https://doi.org/10.1080/10629369508029907>
- Hooper, J. N. A., Kennedy, J. A., & van Soest, R. W. M. (2000). Annotated checklist of sponges (Porifera) of the south china sea region. *The Raffles Bulletin of Zoology*, *8*, 125–207. <https://rnbr.nus.edu.sg/exanambas/rbzs8-scs/pdf/s08rbz125-207.pdf>
- Hu, L., He, C., Zhao, C., Chen, X., Hua, H., & Yan, Z. (2019). Characterization of oral candidiasis and the *Candida* species profile in patients with oral mucosal diseases. *Microbial Pathogenesis*, *134*, 103575. <https://doi.org/10.1016/j.micpath.2019.103575>
- Inagaki, K., Aki, T., Fukuda, Y., Kawamoto, S., Shigeta, S., Ono, K., & Sunuki, O. (2002). Identification and expression of a rat fatty acid elongase involved in the biosynthesis

- of C18 fatty acids. *Bioscience, Biotechnology, and Biochemistry*, 66(3), 613–621. <https://doi.org/10.1271/bbb.66.613>
- Izumikawa, K., Kakeya, H., Tsai, H., Grimberg, B., & Bennett, J. E. (2003). Function of *Candida glabrata* ABC transporter gene, *PDH1*. *Yeast*, 20(3), 249–261. <https://doi.org/10.1002/yea.962>
- Kabir, M. A., & Ahmad, Z. (2013). *Candida* infections and their prevention. *ISRN Preventive Medicine*, 2013, 1–13. <https://doi.org/10.5402/2013/763628>
- Kalinowsky, L., Weber, J., Balasupramaniam, S., Baumann, K., & Proschak, E. (2018). A diverse benchmark based on 3d matched molecular pairs for validating scoring functions. *ACS Omega*, 3(5), 5704–5714. <https://doi.org/10.1021/acsomega.7b01194>
- Kampjut, D., Steiner, J., & Sazanov, L. A. (2021). Cryo-EM grid optimization for membrane proteins. *IScience*, 24(3), 102139. <https://doi.org/10.1016/j.isci.2021.102139>
- Kasitowati, R. D., Witriansyah, K., Trianto, A., Pratiwi, D. C., & Panjaitan, M. A. P. (2019). Antifungal activity of marine sponges (Class Demospongiae) collected from Biak, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 236, 012102. <https://doi.org/10.1088/1755-1315/236/1/012102>
- Klingspor, L., Törnqvist, E., Johansson, A., Petrini, B., Forsum, U., & Hedin, G. (2004). A prospective epidemiological survey of candidaemia in Sweden. *Scandinavian Journal of Infectious Diseases*, 36(1), 52–55. <https://doi.org/10.1080/00365540310017447>
- Komaki, H., Tamura, T., & Igarashi, Y. (2023). Taxonomic positions and secondary metabolite-biosynthetic gene clusters of akazaoxime- and levantilide-producers. *Life*, 13(2), 542. <https://doi.org/10.3390/life13020542>
- Kumar, M. S. (2022). Antifungal and antibacterial activity of marine sponges from Ratnagiri coast of India. *Journal of Medical Mycology*, 32(4), 101305. <https://doi.org/10.1016/j.mycmed.2022.101305>
- Kumari, S., Kumar, M., Khandelwal, N. K., Pandey, A. K., Bhakt, P., Kaur, R., Prasad, R., & Gaur, N. A. (2020). A homologous overexpression system to study roles of drug transporters in *Candida glabrata*. *FEMS Yeast Research*, 20(4), foaa032. <https://doi.org/10.1093/femsyr/foaa032>
- Leirós, M., Sánchez, J., Alonso, E., Rateb, M., Houssen, W., Ebel, R., Jaspars, M., Alfonso, A., & Botana, L. (2014). Spongionella secondary metabolites protect mitochondrial function in cortical neurons against oxidative stress. *Marine Drugs*, 12(2), 700–718. <https://doi.org/10.3390/md12020700>
- Li, B., Zhu, D., Shi, H., & Zhang, X. (2021). Effect of charge on protein preferred orientation at the air–water interface in cryo-electron microscopy. *Journal of Structural Biology*, 213(4), 107783. <https://doi.org/10.1016/j.jsb.2021.107783>
- Li, C. W., Chen, J. Y., & Hua, T. E. (1998). Precambrian sponges with cellular structures. *Science*, 279(5352), 879–882. <https://doi.org/10.1126/science.279.5352.879>
- Lindberg, E., Hammarström, H., Ataollahy, N., & Kondori, N. (2019). Species distribution and antifungal drug susceptibilities of yeasts isolated from the blood samples of patients with candidemia. *Scientific Reports*, 9(1), 3838. <https://doi.org/10.1038/s41598-019-40280-8>

- Liu, N., & Wang, H.-W. (2023). Better cryo-em specimen preparation: how to deal with the air–water interface? *Journal of Molecular Biology*, 435(9), 167926. <https://doi.org/10.1016/j.jmb.2022.167926>
- Loureiro, C., Galani, A., Gavriilidou, A., Chaib de Mares, M., van der Oost, J., Medema, M. H., & Sipkema, D. (2022). Comparative metagenomic analysis of biosynthetic diversity across sponge microbiomes highlights metabolic novelty, conservation, and diversification. *MSystems*, 7(4), e00357-22. <https://doi.org/10.1128/msystems.00357-22>
- Lüskow, F., Kløve-Mogensen, K., Tophøj, J., Pedersen, L. H., Riisgård, H. U., & Eriksen, N. T. (2019). Seasonality in lipid content of the demosponges *Halichondria panicea* and *H. bowerbanki* at two study sites in temperate danish waters. *Frontiers in Marine Science*, 6(1), 328. <https://doi.org/10.3389/fmars.2019.00328>
- Malani, A., Hmoud, J., Chiu, L., Carver, P. L., Bielaczyc, A., & Kauffman, C. A. (2005). *Candida glabrata* fungemia: experience in a tertiary care center. *Clinical Infectious Diseases*, 41(7), 975–981. <https://doi.org/10.1086/432939>
- McMurray, S., Pawlik, J., & Finelli, C. (2014). Trait-mediated ecosystem impacts: how morphology and size affect pumping rates of the Caribbean giant barrel sponge. *Aquatic Biology*, 23(1), 1–13. <https://doi.org/10.3354/ab00612>
- Mittal, R. P., & Jaitak, V. (2019). Plant-derived natural alkaloids as new antimicrobial and adjuvant agents in existing antimicrobial therapy. *Current Drug Targets*, 20(14), 1409–1433. <https://doi.org/10.2174/1389450120666190618124224>
- Miura, K., Ueno, H., Numa, Y., Morita, S., & Nishimoto, M. (2021). Effects of fatty acid from deep-sea microorganisms on lipid bilayer membrane fluidity under high pressure: comparison of branched-chain and polyunsaturated fatty acid. In E. S. Kartamihardja, T. Peristiwady, S. M. Bergmann, E. Setyobudi, A. Collins, Alimuddin, C. P. H. Simanjuntak, N. Hubert, S. B. Andi Omar, Djumanto, P. G. Sasmita, & D. F. Mokodongan (Eds.), *E3S Web of Conferences* (p. 01019). <https://doi.org/10.1051/e3sconf/202132201019>
- Mohanty, I., Moore, S. G., Yi, D., Biggs, J. S., Gaul, D. A., Garg, N., & Agarwal, V. (2020). Precursor-guided mining of marine sponge metabolomes lends insight into biosynthesis of pyrrole–imidazole alkaloids. *ACS Chemical Biology*, 15(8), 2185–2194. <https://doi.org/10.1021/acscchembio.0c00375>
- Mokaddas, E. M., Al-Sweih, N. A., & Khan, Z. U. (2007). Species distribution and antifungal susceptibility of *Candida* bloodstream isolates in Kuwait: a 10-year study. *Journal of Medical Microbiology*, 56(2), 255–259. <https://doi.org/10.1099/jmm.0.46817-0>
- Nagle, D. G., & Zhou, Y.-D. (2009). Marine natural products as inhibitors of hypoxic signaling in tumors. *Phytochemistry Reviews*, 8(2), 415–429. <https://doi.org/10.1007/s11101-009-9120-1>
- Najafi, A., Moradinasab, M., & Nabipour, I. (2018). First record of microbiomes of sponges collected from the persian gulf, using tag pyrosequencing. *Frontiers in Microbiology*, 9, 1500. <https://doi.org/10.3389/fmicb.2018.01500>
- Nakamura, K., Niimi, M., Niimi, K., Holmes, A. R., Yates, J. E., Decottignies, A., Monk, B. C., Goffeau, A., & Cannon, R. D. (2001). Functional Expression of *Candida*

- albicans* drug efflux pump *cdr1p* in a *saccharomyces cerevisiae* strain deficient in membrane Transporters. *Antimicrobial Agents and Chemotherapy*, 45(12), 3366–3374. <https://doi.org/10.1128/AAC.45.12.3366-3374.2001>
- Nichols, D. S., Olley, J., Garda, H., Brenner, R. R., & McMeekin, T. A. (2000). Effect of temperature and salinity stress on growth and lipid composition of *Shewanella gelidimarina*. *Applied and Environmental Microbiology*, 66(6), 2422–2429. <https://doi.org/10.1128/AEM.66.6.2422-2429.2000>
- Nichols, S. A., & Barnes, P. A. G. (2005). A molecular phylogeny and historical biogeography of the marine sponge genus *Placospongia* (Phylum Porifera) indicate low dispersal capabilities and widespread crypsis. *Journal of Experimental Marine Biology and Ecology*, 323(1), 1–15. <https://doi.org/10.1016/j.jembe.2005.02.012>
- Niimi, M., Tanabe, K., Wada, S., Yamazaki, A., Uehara, Y., Niimi, K., Lamping, E., Holmes, A. R., Monk, B. C., & Cannon, R. D. (2005). ABC transporters of pathogenic fungi: recent advances in functional analyses. *Nippon Ishinkin Gakkai Zasshi*, 46(4), 249–260. <https://doi.org/10.3314/jjmm.46.249>
- Nowak, V. V., Hou, P., & Owen, J. G. (2024). Microbial communities associated with marine sponges from diverse geographic locations harbor biosynthetic novelty. *Applied and Environmental Microbiology*, 90(12), e00726-24. <https://doi.org/10.1128/aem.00726-24>
- Patra, M., Salonen, E., Terama, E., Vattulainen, I., Faller, R., Lee, B. W., Holopainen, J., & Karttunen, M. (2006). Under the influence of alcohol: the effect of ethanol and methanol on lipid bilayers. *Biophysical Journal*, 90(4), 1121–1135. <https://doi.org/10.1529/biophysj.105.062364>
- Patra, N., Ray, D., Aswal, V. K., & Ghosh, S. (2018). Exploring physicochemical interactions of different salts with sodium *n*-dodecanoyl sarcosinate in aqueous solution. *ACS Omega*, 3(8), 9256–9266. <https://doi.org/10.1021/acs.omega.8b00718>
- Pawlik, J. R., Steindler, L., Henkel, T. P., Beer, S., & Ilan, M. (2007). Chemical warfare on coral reefs: Sponge metabolites differentially affect coral symbiosis *in situ*. *Limnology and Oceanography*, 52(2), 907–911. <https://doi.org/10.4319/lo.2007.52.2.0907>
- Peng, F., Wang, Y., Sun, F., Liu, Z., Lai, Q., & Shao, Z. (2008). A novel lipopeptide produced by a Pacific Ocean deep-sea bacterium, *Rhodococcus* sp. TW53. *Journal of Applied Microbiology*, 105(3), 698–705. <https://doi.org/10.1111/j.1365-2672.2008.03816.x>
- Peng, Y., Lu, Y., Sun, H., Ma, J., Li, X., Han, X., Fang, Z., Tan, J., Qiu, Y., Qu, T., Yin, M., & Yan, Z. (2024). Cryo-EM structures of *Candida albicans* Cdr1 reveal azole-substrate recognition and inhibitor blocking mechanisms. *Nature Communications*, 15(1), 7722. <https://doi.org/10.1038/s41467-024-52107-w>
- Petrack, B., Martínez-García, A., Auer, G., Reuning, L., Auderset, A., Deik, H., Takayanagi, H., De Vleeschouwer, D., Iryu, Y., & Haug, G. H. (2019). Glacial Indonesian throughflow weakening across the mid-pleistocene climatic transition. *Scientific Reports*, 9(1), 16995. <https://doi.org/10.1038/s41598-019-53382-0>

- Pham, C.-D., Hartmann, R., Müller, W. E. G., de Voogd, N., Lai, D., & Proksch, P. (2013). Aaptamine derivatives from the Indonesian sponge *aaptos suberitoides*. *Journal of Natural Products*, 76(1), 103–106. <https://doi.org/10.1021/np300794b>
- Pugsley, M. K., Saint, D. A., Hayes, E., Berlin, K. D., & Walker, M. J. A. (1995). The cardiac electrophysiological effects of sparteine and its analogue BRB-I-28 in the rat. *European Journal of Pharmacology*, 294(1), 319–327. [https://doi.org/10.1016/0014-2999\(95\)00551-X](https://doi.org/10.1016/0014-2999(95)00551-X)
- Punjani, A., & Fleet, D. J. (2021). 3D variability analysis: Resolving continuous flexibility and discrete heterogeneity from single particle cryo-EM. *Journal of Structural Biology*, 213(2), 107702. <https://doi.org/10.1016/j.jsb.2021.107702>
- Rashad, F. M., Fathy, H. M., El-Zayat, A. S., & Elghonaimy, A. M. (2015). Isolation and characterization of multifunctional *Streptomyces* species with antimicrobial, nematicidal and phytohormone activities from marine environments in Egypt. *Microbiological Research*, 175, 34–47. <https://doi.org/10.1016/j.micres.2015.03.002>
- Ravikumar, A., Gopnarayan, M. N., Subramaniam, S., & Srinivasan, N. (2022). Comparison of side-chain dispersion in protein structures determined by cryo-EM and X-ray crystallography. *IUCrJ*, 9(1), 98–103. <https://doi.org/10.1107/S2052252521011945>
- Ribeiro, B. de C., Lopes, I. R., de Oliveira, B. F. R., & Laport, M. S. (2022). How can the microorganisms living in marine sponges help us? *Frontiers for Young Minds*, 10: 640195. <https://doi.org/10.3389/frym.2022.640195>
- Riisgård, H. U., & Larsen, P. S. (2022). Filtration rates and scaling in demosponges. *Journal of Marine Science and Engineering*, 10(5), 643. <https://doi.org/10.3390/jmse10050643>
- Rohde, S., Nietzer, S., & Schupp, P. J. (2015). Prevalence and mechanisms of dynamic chemical defenses in tropical sponges. *PLOS ONE*, 10(7), e0132236. <https://doi.org/10.1371/journal.pone.0132236>
- Rohde, S., & Schupp, P. J. (2011). Allocation of chemical and structural defenses in the sponge *Melophlus sarasinorum*. *Journal of Experimental Marine Biology and Ecology*, 399(1), 76–83. <https://doi.org/10.1016/j.jembe.2011.01.012>
- Sandoval, A., Fraisl, P., Arias-Barrau, E., DiRusso, C. C., Singer, D., Sealls, W., & Black, P. N. (2008). Fatty acid transport and activation and the expression patterns of genes involved in fatty acid trafficking. *Archives of Biochemistry and Biophysics*, 477(2), 363–371. <https://doi.org/10.1016/j.abb.2008.06.010>
- Sanglard, D., & Coste, A. T. (2016). Activity of isavuconazole and other azoles against *Candida* clinical isolates and yeast model systems with known azole resistance mechanisms. *Antimicrobial Agents and Chemotherapy*, 60(1), 229–238. <https://doi.org/10.1128/AAC.02157-15>
- Sanglard, D., Ischer, F., Calabrese, D., Majcherczyk, P. A., & Bille, J. (1999). The ATP binding cassette transporter gene *CgCDR1* from *Candida glabrata* is involved in the resistance of clinical isolates to azole antifungal agents. *Antimicrobial Agents and Chemotherapy*, 43(11), 2753–2765. <https://doi.org/10.1128/AAC.43.11.2753>
- Seghal Kiran, G., Anto Thomas, T., Selvin, J., Sabarathnam, B., & Lipton, A. P. (2010). Optimization and characterization of a new lipopeptide biosurfactant produced by

- marine *Brevibacterium aureum* MSA13 in solid state culture. *Bioresource Technology*, *101*(7), 2389–2396. <https://doi.org/10.1016/j.biortech.2009.11.023>
- Septiani, C. P. (2024). *Indonesian marine sponge ethanolic extracts as potential efflux pump inhibitor of candida albicans cdr1 transporter*. Undergraduate Thesis. Universitas Gadjah Mada.
- Shah, M., Sun, C., Sun, Z., Zhang, G., Che, Q., Gu, Q., Zhu, T., & Li, D. (2020). Antibacterial polyketides from antarctica sponge-derived fungus *Penicillium sp.* HDN151272. *Marine Drugs*, *18*(2), 71. <https://doi.org/10.3390/md18020071>
- Siebert, K. J., Troukhanova, N. V., & Lynn, P. Y. (1996). Nature of polyphenol–protein interactions. *Journal of Agricultural and Food Chemistry*, *44*(1), 80–85. <https://doi.org/10.1021/jf9502459>
- Smith, A. F., Silvano, E., Päufer, O., Guillonneau, R., Quareshy, M., Murphy, A., Mausz, M. A., Stirrup, R., Rihtman, B., Aguilo-Ferretjans, M., Brandsma, J., Petersen, J., Scanlan, D. J., & Chen, Y. (2021). A novel class of sulfur-containing aminolipids widespread in marine *Roseobacters*. *The ISME Journal*, *15*(8), 2440–2453. <https://doi.org/10.1038/s41396-021-00933-x>
- Subhan, B., Hutagalung, S. D., Soedharma, D., Aisyah, S. Z., Ismet, M. S., Ayu, I. P., & Arafat, D. (2024). Growth and survival rate of *Aaptos suberitoides* and *Petrosia sigricans* in the circulatory system. *BIO Web of Conferences*, *112*, 05001. <https://doi.org/10.1051/bioconf/202411205001>
- Tanabe, K., Bonus, M., Tomiyama, S., Miyoshi, K., Nagi, M., Niimi, K., Chindamporn, A., Gohlke, H., Schmitt, L., Cannon, R. D., Niimi, M., & Lamping, E. (2019). FK506 Resistance of *Saccharomyces cerevisiae* Pdr5 and *Candida albicans* Cdr1 involves mutations in the transmembrane domains and extracellular loops. *Antimicrobial Agents and Chemotherapy*, *63*(1), aac.01146-18. <https://doi.org/10.1128/AAC.01146-18>
- Tao, H., Zuo, L., Xu, H., Li, C., Qiao, G., Guo, M., & Lin, X. (2020). Alkaloids as anticancer agents: a review of Chinese patents in recent 5 years. *Recent Patents on Anti-Cancer Drug Discovery*, *15*(1), 2–13. <https://doi.org/10.2174/1574892815666200131120618>
- Taylor, M. W., Radax, R., Steger, D., & Wagner, M. (2007). Sponge-associated microorganisms: evolution, ecology, and biotechnological potential. *Microbiology and Molecular Biology Reviews*, *71*(2), 295–347. <https://doi.org/10.1128/MMBR.00040-06>
- Tóth, Z., Forgács, L., Locke, J. B., Kardos, G., Nagy, F., Kovács, R., Szekely, A., Borman, A. M., & Majoros, L. (2019). In vitro activity of rezafungin against common and rare *Candida* species and *Saccharomyces cerevisiae*. *The Journal of Antimicrobial Chemotherapy*, *74*(12), 3505–3510. <https://doi.org/10.1093/jac/dkz390>
- Trang, D. T., Hang, D. T. T., Dung, D. T., Cuc, N. T., Yen, P. H., Huong, P. T. T., Huyen, L. T., Mai, N. T., Nhiem, N. X., Tai, B. H., & Van Kiem, P. (2022). Rhabdastrenones A–D from the sponge *Rhabdastrella globostellata*. *RSC Advances*, *12*(17), 10646–10652. <https://doi.org/10.1039/D2RA01674E>
- Truong, D.-H., Nguyen, D. H., Ta, N. T. A., Bui, A. V., Do, T. H., & Nguyen, H. C. (2019). Evaluation of the use of different solvents for phytochemical constituents,

- antioxidants, and *in vitro* anti-inflammatory activities of *Severinia buxifolia*. *Journal of Food Quality*, 2019, 1–9. <https://doi.org/10.1155/2019/8178294>
- Utami, S. T., Paramita, N. S. P., Agustina, K., Maulidia, F. N., Prayoga, M. B., Nugroho, A., Gusnaniar, N., Putro, E. W., Handayani, I., Santosa, D., Apsari, C. N., & Atikana, A. (2024). Identification of the secondary metabolite derived from *Aaptos spp.* and its antibacterial activity. *Indonesian Journal of Pharmacy*, 35(2), 325–339. <https://doi.org/10.22146/ijp.11409>
- van Meer, G., Voelker, D. R., & Feigenson, G. W. (2008). Membrane lipids: here they are and how they behave. *Nature Reviews Molecular Cell Biology*, 9(2), 112–124. <https://doi.org/10.1038/nrm2330>
- Varamogianni-Mamatsi, D., Anastasiou, T. I., Vernadou, E., Papandroulakis, N., Kalogerakis, N., Dailianis, T., & Mandalakis, M. (2021). A multi-species investigation of sponges' filtering activity towards marine microalgae. *Marine Drugs*, 20(1), 24. <https://doi.org/10.3390/md20010024>
- Varijakzhan, D., Loh, J.-Y., Yap, W.-S., Yusoff, K., Seboussi, R., Lim, S.-H. E., Lai, K.-S., & Chong, C.-M. (2021). Bioactive compounds from marine sponges: Fundamentals and applications. *Marine Drugs*, 19(5), 246. <https://doi.org/10.3390/md19050246>
- Vermitsky, J., Earhart, K. D., Smith, W. L., Homayouni, R., Edlind, T. D., & Rogers, P. D. (2006). Pdr1 regulates multidrug resistance in *Candida glabrata*: gene disruption and genome-wide expression studies. *Molecular Microbiology*, 61(3), 704–722. <https://doi.org/10.1111/j.1365-2958.2006.05235.x>
- Vinatoru, M., Mason, T. J., & Calinescu, I. (2017). Ultrasonically assisted extraction (UAE) and microwave assisted extraction (MAE) of functional compounds from plant materials. *Trends in Analytical Chemistry*, 97, 159–178. <https://doi.org/10.1016/j.trac.2017.09.002>
- Wada, S., Niimi, M., Niimi, K., Holmes, A. R., Monk, B. C., Cannon, R. D., & Uehara, Y. (2002). *Candida glabrata* ATP-binding cassette transporters Cdr1p and Pdh1p expressed in a *Saccharomyces cerevisiae* strain deficient in membrane transporters show phosphorylation-dependent pumping properties. *Journal of Biological Chemistry*, 277(48), 46809–46821. <https://doi.org/10.1074/jbc.M207817200>
- Wang, J., Liu, Z., Frank, J., & Moore, P. B. (2018). Identification of ions in experimental electrostatic potential maps. *IUCrJ*, 5(4), 375–381. <https://doi.org/10.1107/S2052252518006292>
- Wei, H., Han, Y., Wang, J., Hou, T., Yao, Y., Jin, J., Zhao, T., Zhang, X., Liu, Y., & Liang, X. (2021). Analgesic bisbenzylisoquinoline alkaloids from the rhizoma of *Menispermum dauricum* DC. *Bioorganic Chemistry*, 107, 104517. <https://doi.org/10.1016/j.bioorg.2020.104517>
- Wen, H., Zhang, D., Zhao, H., Zhang, Y., Yan, X., Lin, W., He, S., & Ding, L. (2023). Molecular networking-guided isolation of undescribed antifungal odoriferous sesquiterpenoids from a marine mesophotic zone sponge-associated *Streptomyces sp.* NBU3428. *Phytochemistry*, 213, 113779. <https://doi.org/10.1016/j.phytochem.2023.113779>

- Wenzel, R. P., & Gennings, C. (2005). Bloodstream infections due to *Candida* species in the intensive care unit: identifying especially high-risk patients to determine prevention strategies. *Clinical Infectious Diseases*, 41(Supplement\_6), S389–S393. <https://doi.org/10.1086/430923>
- Won, E. J., Choi, M. J., Kim, M.-N., Yong, D., Lee, W. G., Uh, Y., Kim, T. S., Byeon, S. A., Lee, S. Y., Kim, S. H., & Shin, J. H. (2021). Fluconazole-resistant *Candida glabrata* bloodstream isolates, South Korea, 2008-2018. *Emerging Infectious Diseases*, 27(3), 779–788. <https://doi.org/10.3201/eid2703.203482>
- Wooster, M. K., McMurray, S. E., Pawlik, J. R., Morán, X. A. G., & Berumen, M. L. (2019). Feeding and respiration by giant barrel sponges across a gradient of food abundance in the Red Sea. *Limnology and Oceanography*, 64(4), 1790–1801. <https://doi.org/10.1002/lno.11151>
- Xu, L., Liu, R., Fang, J., Zhang, N., Pu, F., Lei, Z., Ding, W., & Jiang, Y. (2024). Cytotoxic and antifungal staurosporine derivatives from marine-derived actinomycete *Streptomyces* sp. ZS-A121. *Chemistry & Biodiversity*, 21(2), e202301712. <https://doi.org/10.1002/cbdv.202301712>
- Yip, K. M., Fischer, N., Paknia, E., Chari, A., & Stark, H. (2020). Atomic-resolution protein structure determination by cryo-EM. *Nature*, 587(7832), 157–161. <https://doi.org/10.1038/s41586-020-2833-4>
- Yu, H.-B., Yang, F., Sun, F., Li, J., Jiao, W.-H., Gan, J.-H., Hu, W.-Z., & Lin, H.-W. (2014). Aaptamine derivatives with antifungal and anti-hiv-1 activities from the south China sea sponge *Aaptos aaptos*. *Marine Drugs*, 12(12), 6003–6013. <https://doi.org/10.3390/md12126003>