

## DAFTAR PUSTAKA

- Aires, A., Carvalho, R., Barbosa, M. D., & Rosa, E. 2009. Suppressing potato cyst nematode, *Globodera rostochiensis*, with extracts of Brassicacea plants. *American Journal of Potato research* 86, 330-332.
- Akyazi, F & Felek, A. F. 2022. Molecular determination of root-knot nematode species, *Meloidogyne* spp. Goeldi, 1892 (Tylenchida: Meloidogynidae) infesting weeds in kiwifruit irchards in Turkiye. *Turky Entomology* 46 (4): 470-471.
- Andriawan, L. D. A. 2023. Pengaruh pemberian air pada variasi campuran tanah dan kompos terhadap kadar lengas tanah pada irigasi tetes bertingkat. *Skripsi*. 3-5.
- Arafa, R. A., J. Prohes, A. A. Emeran, S. Hamden, D. Taher, M. M. Saleh, & M. Rakha. 2025. Identification of promosing eggplant genotypes for root knot nematode (*Meloidogyne incognita*) resistance. *Horticultura Science*. 60 (1): 38-40.
- Badan Pusat Statistik. 2022. Statistik Hortikultura 2021. Jakarta (ID): BPS Statistics Indonesia.
- Behera, S. K., Sahu, A., Das, N., & Ujjwal, A. K. 2020. Effect of bio-fumigatio on nemtode population and nutrient status of soil okra. *Journal of Entomology and Zoology Studies* 8 (2), 396-397.
- Bui, H. X., & Desaeager, J. A. 2021. Volatile compounds as potential biofumigants against plant parasitic nematodes - a mini review. *Journal of Entomology* 53 (14), 1-2.
- Collange, B., M. Navarrete, G. Peyre, T. Mateille, & M. Tchamitchian. 2011. Root-knot nematode (*Meloidogyne*) management in vegetable crop production: The challenge of an agronomic system analysis. *Crop Protection* 30 (10): 1251-1252.
- Damayanti, A.P., Rahardjo, B.T., & Tarno, H. 2018. Pengaruh pemberian plant growth promoting rhizobacteria (*Pseudomonas fluorescens*) terhadap nematoda puru akar *Meloidogyne* spp. pada tanaman tomat. *Jurnal Hama dan Penyakit Tumbuhan* 6(1): 26-33.
- Duta, T. K., Khan, M. R, & Phani V. 2019. Plant parasitic nematode management via biofumigation using brassica and non-brassica plants; current status and future prospects. *Current Plant Biology* 18: 18-20.
- Gonzalez, G. G., I. C. Lachica, I. M. Zequera, & J. B. Torres. 2021. *Meloidogyne enterolobii* egg extraction in NaOCl versus infectivity of inoculum on cucumber. *Journal of Nematology*. 53 (57): 2-3.
- Favery B, Quentin M, Jaubert-Possamai S, & Abad P. 2016. Gall-forming root-knot nematodes hijack key plant cellular functions to induce multinucleate and hypertrophied feeding cells. *Journal Insect Physiol* 80: 60-69.
- Fourie, H., Ahuja, P., Lammers, J., & Daneel, M. 2016. Brassicacea-based management strategies as an alternative to combat nematode pests: A synopsis. *Crop Protection* 20, 23-33.
- Hajihassani, A., Marquez, J., Woldemeskel, M., & Hamidi, N. 2022. Identification of four populations of *Meloidogyne incognita* in Gorgia, United States, capable of parastizing tomato-bearing Mi-1.2 gene. *Plant Disease* 106 (1), 138-139.
- Holterman, M., Wurff, A. V. D., Elsen, S. V. D., Megen, H. V., Bongers, T., Holovachov, O., Bakker, J., & Helder, J. 2006. Phylum-wide analysis of SSU rDNA reveals deep phylogenetic relationships among nematodes and accelerated evolution toward crown clades. *Molecular Biology and Evolution* 23 (9): 1793-1795.

- Ibrahim, A. Y., Supraman, & Giyanto. 2023. Populasi nematoda tanah pada perlakuan limbah tanaman Brassicaceae. *Fitopatologi Indonesia* 19 (1), 22-25.
- Ibrahim, A. Y., Supramana, & Giyanto. 2022. Effect of Brassicaceae waste application on soil nematode community. *Jurnal Perlindungan Tanaman Indonesia* 26 (2), 178-179.
- Ji, Y., Zhang, Y., Fang, W., Li, Y., Yan, D., Cao, A., & Wang, Q. 2024. A review of biofumigation effects with plant materials. *New Plant Protection*, 2-3.
- Khan, Z., A. Kumar, M. Mahamood, B. Gawade, N. K. Gautam. 2014. The root-knot nematode, *Meloidogyne incognita*, on *Psiraleacorylifolia* in India. *Nematropica* 44 (1): 83-84.
- Kim, E., Y. S. Yunhee, Y. S. Kim, Y. Park, & Y. H. Kim. 2017. Effect of soil textures on infectivity of root knot nematodes on carrot. *Molecular Plant Pathology*. 33 (1): 66-74.
- Kirkegaard J. A. 2004. Biofumigation potential of Brassicas. I. Variation in glucosinolate profiles of diverse field-grown Brassicas. *Plant Soil* 201 (1): 71-89.
- Luc M, R. A. Sikora, & J. Bridge. 1995. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture 2<sup>nd</sup> Edition. Wallingford (US): 301 CABI. 11-52.
- Luc, M., Sikora, R.A. & Bridge, J. 1995. *Nematoda Parasitik Tumbuhan di Indonesia Subtropik dan Tropik*. Diterjemahkan oleh Supartoyo dan Mulyadi, Gajah Mada University Press., Yogyakarta.
- Mitkowski N. A., Beek J. G., & Abawi G. S. 2002. Characterization of root-knot nematode populations associated with vegetables in New York State. *Plant Disease* 86:840-847.
- Monfort W. S., Csinos A. S., Desaeager J, Seebold K, Webster T. M., & Perez J. C. 2007. Evaluating *Brassicaceae* species as an alternative control measure for root-knot nematode (*M. incognita*) in Georgia vegetable plastic culture. *Crop Prot* 26:1359-1368.
- Mulyadi. 2009. *Nematologi Pertanian*. Yogyakarta: Gadjah Mada University Press.
- Mustika I. 2010. Konsepsi dan strategi pengendalian nematoda parasit tanaman di Indonesia. *Pengembangan Inovasi Pertanian* 3(2): 81-101.
- Nur, M. J., Supramana, & A. Munif. 2016. Keefektifan limbah tanaman Brassicaceae untuk pengendali nematoda puru akar (*Meloidogyne* spp.) pada mikroplot di lapangan. *HPT Tropika* 16 (2): 99-100.
- Pratiwi, N. W. K., Auly, F. E. A., Amrulloh, R., & Kurniawati, F. 2020. Deteksi dan identifikasi nematoda puru akar (*Meloidogyne* spp.) pada tanaman bit menggunakan metode DNA *barcoding*. *Jurnal Fitopatologi Indonesia* 16 (1): 3-4.
- Prihatin. 2019. Keefektifan biofumigasi limbah tanaman Brassicaceae untuk pengendalian nematoda puru akar (*Meloidogyne* spp.) pada tanaman mentimun. *Tesis IPB*, 40-41.
- Raihana, D. Fitriyanti, & Zairin. 2018. Aplikasi perkembangan stadia hidup nematoda puru akar (*Meloidogyne* spp.) mulai dari fase telur sampai dewasa ada pertanaman tomat (*Solanum lycopersicum* L.) di Kota Banjarbaru. *Jtam Agroekotek View* 1 (2): 25-26.
- Remaly, E. E., Osman, A. A., Gawad, H. G., Althibaiti, F., Albogami, S., Mogy, M. M., & Dessoky, E. S. 2022. Bio-management of root knot nematodes on cucumber using biocidal effects on *Brassicaceae* crops. *Horticulturae* 8 (699), 2-3.

- Sowmya, R., Pankaj, & A. Kamra. 2023. Biofumigation for nematode management: advantages and limitations. *Journal of Entomology and Zoology Studies*. 11 (6): 60-62.
- Waisen, P., Zhiqiang, Cheng, Sipes, B. S., & Wang, K. H. 2022. Biofumigation effects of brassicaceous cover crops on soil health in cucurbit agroecosystems in Hawaii, USA. *Pedosphere* 32 (4), 522-529.
- Wendimu, G. Y. 2021. Biology, taxonomy, and management of the root knot nematode (*Meloidogyne incognita*) in sweet potato. *Advance in Agriculture* 1, 2-4.
- Wilandari, R., Swibawa, I. G., Aeny, T. N., & Purnomo. 2022. Efikasi bionematisida *Purpureocillium lilacinum* terhadap nematoda puru akar (*Meloidogyne* spp.) dari dua inang berbeda. *Jurnal Agrotek Tropika* 10 (2): 188-190.
- Yulianti, T., & Supriadi. 2009. Biofumigan untuk pengendalian patogen tular tanah penyebab penyakit tanaman yang ramah lingkungan. *Perspektif* 7 (1), 22-24.
- Zeck W.M. 1971. Ein Bonitierungsschema zur Felddauswertung von Wurzelgallenbefall. *Pflanzenschutz – Nachrichten Bayer* 24 (1): 144–147.