

REFERENSI

- [1] E. Suryani *et al.*, “Dynamic model to assess the impacts of government support for electric vehicles on the economy and environment sectors in Indonesia,” *Int. J. Sustain. Transp.*, vol. 19, no. 1, pp. 35–54, Jan. 2025, doi: 10.1080/15568318.2024.2443825.
- [2] F. N. Hidayah, M. Hisjam, A. Ma’aram, and W. Sutopo, “Comparison of customer preferences in Malaysia and Indonesia to evaluate the need of charging infrastructure and dual battery electric motorcycle as an effort to increase the adoption rate of electric motorcycles,” *Case Stud. Transp. Policy*, vol. 20, p. 101446, Jun. 2025, doi: 10.1016/j.cstp.2025.101446.
- [3] S. A. Nugroho and S. Widiyanto, “Exploring electric vehicle adoption in Indonesia using zero-shot aspect-based sentiment analysis,” *Sustain. Oper. Comput.*, vol. 5, pp. 191–205, 2024, doi: 10.1016/j.susoc.2024.08.002.
- [4] I. Alviya, M. Zahrul Muttaqin, M. Salminah, and F. Almuhayat Uhib Hamdani, “COMMUNITY-BASED CARBON EMISSION REDUCTION PROGRAM IN PROTECTION FOREST,” *J. Anal. Kebijak. Kehutan.*, vol. 15, no. 1, pp. 19–37, May 2018, doi: 10.20886/jakk.2018.15.1.19-37.
- [5] C. Sudjoko, “Strategi Pemanfaatan Kendaraan Listrik Berkelanjutan Sebagai Solusi Untuk Mengurangi Emisi Karbon,” vol. 2, no. 2, 2021.
- [6] X. Hu, L. Xu, X. Lin, and M. Pecht, “Battery Lifetime Prognostics,” *Joule*, vol. 4, no. 2, pp. 310–346, Feb. 2020, doi: 10.1016/j.joule.2019.11.018.
- [7] J. Zhang, Y. Jiang, X. Li, H. Luo, S. Yin, and O. Kaynak, “Remaining Useful Life Prediction of Lithium-Ion Battery With Adaptive Noise Estimation and Capacity Regeneration Detection,” *IEEEASME Trans. Mechatron.*, vol. 28, no. 2, pp. 632–643, Apr. 2023, doi: 10.1109/TMECH.2022.3202642.
- [8] J. Kumagai, “Momentum Builds for Lithium-ion Battery Recycling”.
- [9] M. Böttiger, M. Paulitschke, and T. Bocklisch, “Systematic experimental pulse test investigation for parameter identification of an equivalent based lithium-ion battery model,” *Energy Procedia*, vol. 135, pp. 337–346, Oct. 2017, doi: 10.1016/j.egypro.2017.09.525.
- [10] A. K. Koech, G. Mwandila, F. Mulolani, and P. Mwaanga, “Lithium-ion battery fundamentals and exploration of cathode materials: A review,” *South Afr. J. Chem. Eng.*, vol. 50, pp. 321–339, Oct. 2024, doi: 10.1016/j.sajce.2024.09.008.
- [11] S. Shete, P. Jog, R. K. Kumawat, and D. K. Palwalia, “Battery Management System for SOC Estimation of Lithium-Ion Battery in Electric Vehicle: A Review,” in *2021 6th IEEE*

- International Conference on Recent Advances and Innovations in Engineering (ICRAIE)*,
Kedah, Malaysia: IEEE, Dec. 2021, pp. 1–4. doi: 10.1109/ICRAIE52900.2021.9703752.
- [12] M. Coleman, W. G. Hurley, and Chin Kwan Lee, “An Improved Battery Characterization Method Using a Two-Pulse Load Test,” *IEEE Trans. Energy Convers.*, vol. 23, no. 2, pp. 708–713, Jun. 2008, doi: 10.1109/TEC.2007.914329.
- [13] K. Movassagh, A. Raihan, B. Balasingam, and K. Pattipati, “A Critical Look at Coulomb Counting Approach for State of Charge Estimation in Batteries,” *Energies*, vol. 14, no. 14, p. 4074, Jul. 2021, doi: 10.3390/en14144074.
- [14] I. Baccouche, A. Mlayah, S. Jemmali, B. Manai, and N. Essoukri Ben Amara, “Implementation of a Coulomb counting algorithm for SOC estimation of Li-Ion battery for multimedia applications,” in *2015 IEEE 12th International Multi-Conference on Systems, Signals & Devices (SSD15)*, Mahdia, Tunisia: IEEE, Mar. 2015, pp. 1–6. doi: 10.1109/SSD.2015.7348255.
- [15] “PULSE-DISCHARGE BATTERY TESTING.pdf.”
- [16] J. Meng, L. Cai, G. Luo, D.-I. Stroe, and R. Teodorescu, “Lithium-ion battery state of health estimation with short-term current pulse test and support vector machine,” *Microelectron. Reliab.*, vol. 88–90, pp. 1216–1220, Sep. 2018, doi: 10.1016/j.microrel.2018.07.025.
- [17] A. Ch. Lazanas and M. I. Prodromidis, “Electrochemical Impedance Spectroscopy—A Tutorial,” *ACS Meas. Sci. Au*, vol. 3, no. 3, pp. 162–193, Jun. 2023, doi: 10.1021/acsmeasuresciau.2c00070.
- [18] “basics-of-electrochemical-impedance-spectroscopy.pdf.”
- [19] V. Roscher *et al.*, “Synchronisation using wireless trigger-broadcast for impedance spectroscopy of battery cells,” in *2015 IEEE Sensors Applications Symposium (SAS)*, Zadar, Croatia: IEEE, Apr. 2015, pp. 1–6. doi: 10.1109/SAS.2015.7133608.
- [20] P.-Y. Lee, A. Nagar, K. Yoo, and J. Kim, “Impedance-based health indicators determination for degradation diagnosis and fault identification of lithium-ion batteries under extreme operating conditions,” *J. Electroanal. Chem.*, vol. 942, p. 117572, Aug. 2023, doi: 10.1016/j.jelechem.2023.117572.
- [21] A. H. Anbuky, P. E. Pascoe, and P. M. Hunter, “Knowledge based VRLA battery monitoring and health assessment,” in *INTELEC. Twenty-Second International Telecommunications Energy Conference (Cat. No.00CH37131)*, Phoenix, AZ, USA: IEEE, 2000, pp. 687–694. doi: 10.1109/INTLEC.2000.884323.



- [22] K.-H. Tseng, J.-W. Liang, W. Chang, and S.-C. Huang, "Regression Models Using Fully Discharged Voltage and Internal Resistance for State of Health Estimation of Lithium-Ion Batteries," *Energies*, vol. 8, no. 4, pp. 2889–2907, Apr. 2015, doi: 10.3390/en8042889.
- [23] S. Zhang, X. Guo, X. Dou, and X. Zhang, "A data-driven coulomb counting method for state of charge calibration and estimation of lithium-ion battery," *Sustain. Energy Technol. Assess.*, vol. 40, p. 100752, Aug. 2020, doi: 10.1016/j.seta.2020.100752.
- [24] K. S. Ng, C.-S. Moo, Y.-P. Chen, and Y.-C. Hsieh, "Enhanced coulomb counting method for estimating state-of-charge and state-of-health of lithium-ion batteries," *Appl. Energy*, vol. 86, no. 9, pp. 1506–1511, Sep. 2009, doi: 10.1016/j.apenergy.2008.11.021.
- [25] X. Wei, B. Zhu, and W. Xu, "Internal Resistance Identification in Vehicle Power Lithium-Ion Battery and Application in Lifetime Evaluation," in *2009 International Conference on Measuring Technology and Mechatronics Automation*, Zhangjiajie, Hunan, China: IEEE, 2009, pp. 388–392. doi: 10.1109/ICMTMA.2009.468.
- [26] D.-I. Stroe, M. Swierczynski, S. K. Kar, and R. Teodorescu, "A comprehensive study on the degradation of lithium-ion batteries during calendar ageing: The internal resistance increase," in *2016 IEEE Energy Conversion Congress and Exposition (ECCE)*, Milwaukee, WI, USA: IEEE, Sep. 2016, pp. 1–7. doi: 10.1109/ECCE.2016.7854664.