

## REFERENCE

- Ali, A., Noh, N. M., & Mustafa, M. A. (2015). Antimicrobial activity of chitosan enriched with lemongrass oil against anthracnose of bell pepper. *Food packaging and shelf life*, 3, 56-61.
- Aloui, H., & Khwaldia, K. (2016). Natural antimicrobial edible coatings for microbial safety and food quality enhancement. *Comprehensive Reviews in Food Science and Food Safety*, 15(6), 1080-1103.
- Altın, İ., & Sökmen, M. (2014). Preparation of TiO<sub>2</sub>-polystyrene photocatalyst from waste material and its usability for removal of various pollutants. *Applied Catalysis B: Environmental*, 144, 694-701.
- Amal, S. A., El-Mogy, M. M., Aboul-Anean, H. E., & Alsanius, B. W. (2010). Improving strawberry fruit storability by edible coating as a carrier of thymol or calcium chloride. *Journal of Horticultural Science & Ornamental Plants*, 2(3), 88-97.
- Andrade, R. D., Skurtys, O., & Osorio, F. A. (2012). Atomizing spray systems for application of edible coatings. *Comprehensive reviews in food science and food safety*, 11(3), 323-337.
- Andrady, A. L., & Xu, P. (1997). Elastic behavior of chitosan films. *Journal of Polymer Science Part B: Polymer Physics*, 35(3), 517-521.
- Arbia, W., Arbia, L., Adour, L., & Amrane, A. (2013). Chitin extraction from crustacean shells using biological methods—a review. *Food Technology and Biotechnology*, 51(1), 12-25.
- Azarakhsh, N., Osman, A., Ghazali, H. M., Tan, C. P., & Adzahan, N. M. (2014). Lemongrass essential oil incorporated into alginate-based edible coating for shelf-life extension and quality retention of fresh-cut pineapple. *Postharvest Biology and Technology*, 88, 1-7.
- Azizah, F., Nursakti, H., Ningrum, A., & Supriyadi. (2023). Development of edible composite film from fish gelatin–pectin incorporated with lemongrass essential oil and its application in chicken meat. *Polymers*, 15(9), 2075.
- Baker, B. P., & Grant, J. A. (2018). Lemongrass Oil Profile.
- Bakkali, F., Averbeck, S., Averbeck, D., & Idaomar, M. (2008). Biological effects of essential oils—a review. *Food and chemical toxicology*, 46(2), 446-475.
- Barbieri, C., & Borsotto, P. (2018). Essential oils: market and legislation. *Potential of essential oils*, 107-127.
- Barikloo, H., & Ahmadi, E. (2018). Shelf life extension of strawberry by temperatures conditioning, chitosan coating, modified atmosphere, and clay and silica nanocomposite packaging. *Scientia Horticulturae*, 240, 496-508.
- Bibiana, M. A., Selvamani, P., & Latha, S. (2012). In-vitro antimicrobial evaluation of extracts, oil and fractionated geraniol of cymbopogon citratus-an aromatic grass. *International Journal of Environmental Sciences*, 3(1), 583-590.
- Bonetta, S., Bonetta, S., Motta, F., Strini, A., & Carraro, E. (2013). Photocatalytic bacterial inactivation by TiO<sub>2</sub>-coated surfaces. *Amb Express*, 3, 1-8.
- Bonilla, J., Poloni, T., Lourenço, R. V., & Sobral, P. J. (2018). Antioxidant potential of eugenol and ginger essential oils with gelatin/chitosan films. *Food bioscience*, 23, 107-114.

- Burt, S. (2004). Essential oils: their antibacterial properties and potential applications in foods—a review. *International journal of food microbiology*, 94(3), 223-253.
- Butler, B. L., Vergano, P. J., Testin, R. F., Bunn, J. M., & Wiles, J. L. (1996). Mechanical and barrier properties of edible chitosan films as affected by composition and storage. *Journal of food science*, 61(5), 953-956.
- Calo, J. R., Crandall, P. G., O'Bryan, C. A., & Ricke, S. C. (2015). Essential oils as antimicrobials in food systems - review. *Food Control*, 54, 111–119.
- Castro-Muñoz, R., Galiano, F., Fila, V., Drioli, E., & Figoli, A. (2018). Matrimid® 5218 dense membrane for the separation of azeotropic MeOH-MTBE mixtures by pervaporation. *Separation and Purification Technology*, 199, 27-36.
- Castro-Muñoz, R., Buera-González, J., de la Iglesia, Ó., Galiano, F., Fila, V., Malankowska, M., Rubio, C., Figoli, A., Téllez, C., & Coronas, J. (2019). Towards the dehydration of ethanol using pervaporation cross-linked poly(vinyl alcohol)/graphene oxide membranes. *Journal of Membrane Science*, 582, 423–434.
- Castro-Muñoz, R., & González-Valdez, J. (2019). New trends in biopolymer-based membranes for pervaporation. *Molecules*, 24(19), 3584.
- Cuq, B., Aymard, C., CUQ, J. L., & Guilbert, S. (1995). Edible packaging films based on fish myofibrillar proteins: formulation and functional properties. *Journal of Food Science*, 60(6), 1369-1374.
- Davies, D. H., Elson, C. M., & Hayes, E. R. (1989). N, O-carboxymethyl chitosan, a new water soluble chitin derivative. *Chitin and Chitosan: Sources, Chemistry, Biochemistry, Physical Properties and Applications*. Elsevier, London, UK, 467-72.
- de Azeredo, H. M. (2013). Antimicrobial nanostructures in food packaging. *Trends in food science & technology*, 30(1), 56-69.
- De Bruno, A., Gattuso, A., Ritorito, D., Piscopo, A., & Poiana, M. (2023). Effect of Edible Coating Enriched with Natural Antioxidant Extract and Bergamot Essential Oil on the Shelf Life of Strawberries. *Foods*, 12(3), 488.
- Díaz-Montes, E., & Castro-Muñoz, R. (2021). Edible films and coatings as food-quality preservers: An overview. *Foods*, 10(2), 249.
- Do, D. N., Nguyen, D. P., Phung, V. D., Le, X. T., Le, T. M., Do, V. M., ... & Luu, X. C. (2021). Fractionating of lemongrass (*Cymbopogon citratus*) essential oil by vacuum fractional distillation. *Processes*, 9(4), 593.
- Dong, F., & Wang, X. (2017). Effects of carboxymethyl cellulose incorporated with garlic essential oil composite coatings for improving quality of strawberries. *International Journal of Biological Macromolecules*, 104, 821- 826.
- Dutta, P. K., Tripathi, S., Mehrotra, G. K., & Dutta, J. (2009). Perspective for chitosan based antimicrobial films in food applications. *Food Chemistry*, 114(4), 1173–1182.
- El Ghaouth, A., Arul, J., Ponnampalam, R., & Boulet, M. (1991a). Chitosan coating effect on storability and quality of fresh strawberries. *Journal of food science*, 56(6), 1618-1620.

- El Ghaouth, A., Arul, J., Ponnampalam, R., & Boulet, M. (1991b). Use of chitosan coating to reduce water loss and maintain quality of cucumber and bell pepper fruits. *Journal of food processing and preservation*, 15(5), 359-368.
- Elsabee, M. Z., & Abdou, E. S. (2013). Chitosan based edible films and coatings: A review. *Materials science and engineering: C*, 33(4), 1819-1841.
- Elson, C. M., Hayes, E. R., & Lidster, P. D. (1985). Development of the differentially permeable fruit coating 'Nutri-Save' for the modified atmosphere storage of fruit.
- Embuscado, M. E., & Huber, K. C. (2009). *Edible films and coatings for food applications* (Vol. 9, pp. 169-208). New York, NY, USA:: Springer.
- Evangelista-Martínez, Z., Reyes-Vázquez, N., & Rodríguez-Buenfil, I. (2018). Antimicrobial evaluation of plant essential oils against pathogenic microorganisms: In vitro study of oregano oil combined with conventional food preservatives. *Acta universitaria*, 28(4), 10-18.
- Farris, S., Schaich, K. M., Liu, L., Cooke, P. H., Piergiovanni, L., & Yam, K. L. (2011). Gelatin-pectin composite films from polyion-complex hydrogels. *Food hydrocolloids*, 25(1), 61-70.
- Fleming-Jones, M. E., & Smith, R. E. (2003). Volatile organic compounds in foods: a five year study. *Journal of agricultural and food chemistry*, 51(27), 8120-8127.
- Gennadios, A., McHugh, T. H., Weller, C. T., & Krochta, J. M. (1994). Edible coatings and films based on proteins. In J. M. Krochta, E. A. Baldwin & M. NisperosCarriedo (Eds.). *Edible coatings and films to improve food quality* (pp. 201-277). Lancaster, Pennsylvania, USA: Technomic Publishing Company Inc.
- Gol, N. B., Patel, P. R., & Rao, T. R. (2013). Improvement of quality and shelf-life of strawberries with edible coatings enriched with chitosan. *Postharvest Biology and Technology*, 85, 185-195.
- Gómez-Estaca, J., Gómez-Guillén, M. C., Fernández-Martín, F., & Montero, P. (2011). Effects of gelatin origin, bovine-hide and tuna-skin, on the properties of compound gelatin-chitosan films. *Food Hydrocolloids*, 25(6), 1461-1469.
- Gómez-Guillén, M. C., Giménez, B., López-Caballero, M. A., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food hydrocolloids*, 25(8), 1813-1827.
- Guimarães, A. C., Meireles, L. M., Lemos, M. F., Guimarães, M. C. C., Endringer, D. C., Fronza, M., & Scherer, R. (2019). Antibacterial activity of terpenes and terpenoids present in essential oils. *Molecules*, 24(13), 2471.
- Gupta, K., Singh, R. P., Pandey, A., & Pandey, A. (2013). Photocatalytic antibacterial performance of TiO<sub>2</sub> and Ag-doped TiO<sub>2</sub> against *S. aureus*, *P. aeruginosa* and *E. coli*. *Beilstein journal of nanotechnology*, 4(1), 345-351.
- Haghighi, H., Biard, S., Bigi, F., De Leo, R., Bedin, E., Pfeifer, F., ... & Pulvirenti, A. (2019). Comprehensive characterization of active chitosan-gelatin blend films enriched with different essential oils. *Food Hydrocolloids*, 95, 33-42.

- Hanaa, A. M., Sallam, Y. I., El-Leithy, A. S., & Aly, S. E. (2012). Lemongrass (*Cymbopogon citratus*) essential oil as affected by drying methods. *Annals of Agricultural Sciences*, 57(2), 113-116.
- Ibrahim, M. A., Sharoba, A. M., El Waseif, K. H., El Mansy, H. A., & El Tanahy, H. (2017). Effect of edible coating by chitosan with lemongrass and thyme oils on strawberry quality and shelf life during storage. *J. Food Technol. Nutr. Sci*, 3(007).
- Irianto, H. E., Marpaung, D. B., Fransiska, D., & Basriman, I. (2021, November). Anti-bacterial Activity of Alginate Based Edible Coating Solution Added with Lemongrass Essential Oil Against Some Pathogenic Bacteria. In *IOP Conference Series: Earth and Environmental Science* (Vol. 934, No. 1, p. 012023). IOP Publishing.
- Jiang, Y., Li, Y., Chai, Z., & Leng, X. (2010). Study of the physical properties of whey protein isolate and gelatin composite films. *Journal of Agricultural and Food Chemistry*, 58(8), 5100-5108.
- Kahramanoğlu, İ. (2019). Effects of lemongrass oil application and modified atmosphere packaging on the postharvest life and quality of strawberry fruits. *Scientia Horticulturae*, 256, 108527.
- Kaplan, D. L., Mayer, J. M., Ball, D., McCassie, J., Allen, A. L., & Stenhouse, P. (1993). Fundamentals of biodegradable polymers. *Biodegradable polymers and packaging*, 8(5), 1-42.
- Karbowiak, T., Hervet, H., Léger, L., Champion, D., Debeaufort, F., & Voilley, A. (2006). Effect of plasticizers (water and glycerol) on the diffusion of a small molecule in iota-carrageenan biopolymer films for edible coating application. *Biomacromolecules*, 7(6), 2011-2019.
- Kester, J. J., & Fennema, O. R. (1986). Edible films and coatings: A review. *Food Technology*, 40(12), 47-59.
- Kristo, E., & Biliaderis, C. G. (2006). Water sorption and thermo-mechanical properties of water/sorbitol-plasticized composite biopolymer films: Caseinate-pullulan bilayers and blends. *Food hydrocolloids*, 20(7), 1057-1071.
- Krochta, J. M. (2002). Proteins as raw materials for films and coatings: definitions, current status, and opportunities. *Protein-based films and coatings*, 1, 1-40.
- Kumar, R., & Münstedt, H. (2005). Silver ion release from antimicrobial polyamide/silver composites. *Biomaterials*, 26(14), 2081-2088.
- Kuraishi, C., Yamazaki, K., & Susa, Y. (2001). Transglutaminase: Its utilization in the food industry. *Food Reviews International*, 17(2), 221-246.
- Kuraishi, C., Sakamoto, J., & Soeda, T. (1996). The usefulness of transglutaminase for food processing. In *Biotechnology for improved foods and flavors* (pp. 29- 38).
- Ladika, G., Strati, I. F., Tsiaka, T., Cavouras, D., & Sinanoglou, V. J. (2024). On the assessment of strawberries' shelf-life and quality, based on image analysis, physicochemical methods, and chemometrics. *Foods*, 13(2), 234.
- Laila, U. (2008). Pengaruh Plasticizer dan Suhu Pengeringan Terhadap Sifat Mekanik Edible Film dari Kitosan. *Laporan Penelitian Laboratorium*

*Teknik Pangan dan Bioproses, Jurusan Teknik Kimia, Fakultas Teknik, UGM, Yogyakarta.*

- Lavall, R. L., Assis, O. B., & Campana-Filho, S. P. (2007).  $\beta$ -Chitin from the pens of *Loligo* sp.: Extraction and characterization. *Bioresource Technology*, 98(13), 2465-2472.
- Li, Y., Tang, Z., Wang, W., Huang, X., Lv, Y., Qian, F., Cheng, Y., & Wang, H. (2021). Improving air barrier, water vapor permeability properties of cellulose paper by layer-by-layer assembly of graphene oxide. *Carbohydrate Polymers*, 253, 117227.
- Limpisophon, K., Tanaka, M., Weng, W., Abe, S., & Osako, K. (2009). Characterization of gelatin films prepared from under-utilized blue shark (*Prionace glauca*) skin. *Food Hydrocolloids*, 23(7), 1993-2000.
- Lu, Z., Dockery, C. R., Crosby, M., Chavarria, K., Patterson, B., & Giedd, M. (2016). Antibacterial activities of wasabi against *Escherichia coli* O157: H7 and *Staphylococcus aureus*. *Frontiers in microbiology*, 7, 1403.
- Masamba, K., Li, Y., Hategekimana, J., Liu, F., Ma, J., & Zhong, F. (2016). Effect of type of plasticizers on mechanical and water barrier properties of transglutaminase cross-linked zein-oleic acid composite films. *International Journal of Food Engineering*, 12(4), 365-376.
- Mendes, J. F., Norcino, L. B., Martins, H. H. A., Manrich, A., Otoni, C. G., Carvalho, E. E. N., ... & Mattoso, L. H. C. (2020). Correlating emulsion characteristics with the properties of active starch films loaded with lemongrass essential oil. *Food Hydrocolloids*, 100, 105428.
- Mith, H., Duré, R., Delcenserie, V., Zhiri, A., Daube, G., & Clinquart, A. (2014). Antimicrobial activities of commercial essential oils and their components against food-borne pathogens and food spoilage bacteria. *Food Sciences and Nutrition*, 2(4), 403-416.
- Montalvo, C., López-Malo, A., & Palou, E. (2012). Películas comestibles de proteína: características, propiedades y aplicaciones. *Temas Sel. Ing. Aliment*, 6, 32-46.
- Moore-Neibel, K., Gerber, C., Patel, J., Friedman, M., & Ravishankar, S. (2012). Antimicrobial activity of lemongrass oil against *Salmonella enterica* on organic leafy greens. *Journal of Applied Microbiology*, 112(3), 485-492.
- Morales-Jiménez, M., Gouveia, L., Yáñez-Fernández, J., Castro-Muñoz, R., & Barragán-Huerta, B. E. (2020). Production, preparation and characterization of microalgae-based biopolymer as a potential bioactive film. *Coatings*, 10(2), 120.
- Mukarram, M., Choudhary, S., Khan, M. A., Poltronieri, P., Khan, M. M. A., Ali, J., ... & Shahid, M. (2021). Lemongrass essential oil components with antimicrobial and anticancer activities. *Antioxidants*, 11(1), 20.
- Muzzarelli, R. A. (1996). Chitosan-based dietary foods. *Carbohydrate Polymers*, 29(4), 309-316.
- Naseri, H. R., Beigmohammadi, F., Mohammadi, R., & Sadeghi, E. (2020). Production and characterization of edible film based on gelatin-chitosan containing *Ferulago angulate* essential oil and its application in the

- prolongation of the shelf life of turkey meat. *Journal of Food Processing and Preservation*, 44(8), e14558.
- Ningrum, A., Hapsari, M. W., Nisa, A. A., & Munawaroh, H. S. H. (2020). Edible film characteristic from yellowfin skin tuna (*Thunnus albacares*) gelatin enriched with cinnamon (*Cinnamomum zeylanicum*) and roselle (*Hibiscus sabdariffa*). *Food Res*, 4, 1646-1652.
- Nguyen, T. T., Dao, U. T. T., Bui, Q. P. T., Bach, G. L., Thuc, C. H., & Thuc, H. H. (2020). Enhanced antimicrobial activities and physiochemical properties of edible film based on chitosan incorporated with *Sonneratia caseolaris* (L.) Engl. leaf extract. *Progress in Organic Coatings*, 140, 105487.
- Ojagh, S. M., Rezaei, M., Razavi, S. H., & Hosseini, S. M. H. (2010). Development and evaluation of a novel biodegradable film made from chitosan and cinnamon essential oil with low affinity toward water. *Food chemistry*, 122(1), 161-166.
- Oliveira Filho, J. G. de, Albiero, B. R., Calisto, Í. H., Bertolo, M. R. V., Oldoni, F. C. A., Egea, M. B., Bogusz Junior, S., de Azeredo, H. M. C., & Ferreira, M. D. (2022). Bio-nanocomposite edible coatings based on arrowroot starch/cellulose nanocrystals/carnauba wax nanoemulsion containing essential oils to preserve quality and improve shelf life of strawberry. *International Journal of Biological Macromolecules*, 219, 812–823.
- Oliveira, H. B. M., Selis, N. D. N., Sampaio, B. A., Júnior, M. N. S., de Carvalho, S. P., de Almeida, J. B., ... & Marques, L. M. (2021). Citral modulates virulence factors in methicillin-resistant *Staphylococcus aureus*. *Scientific reports*, 11(1), 16482.
- Otoni, C. G., Avena-Bustillos, R. J., Olsen, C. W., Bilbao-Sáinz, C., & McHugh, T. H. (2016). Mechanical and water barrier properties of isolated soy protein composite edible films as affected by carvacrol and cinnamaldehyde micro and nanoemulsions. *Food Hydrocolloids*, 57, 72-79.
- Pandey, A. K., Kumar, P., Singh, P., Tripathi, N. N., & Bajpai, V. K. (2017). Essential oils: Sources of antimicrobials and food preservatives. *Frontiers in microbiology*, 7, 2161.
- Paniagua, A. C., East, A. R., Hindmarsh, J. P., & Heyes, J. (2013). Moisture loss is the major cause of firmness change during postharvest storage of blueberry. *Postharvest Biology and Technology*, 79, 13-19.
- Paschoalick, T. M., Garcia, F. T., Sobral, P. D. A., & Habitante, A. M. Q. B. (2003). Characterization of some functional properties of edible films based on muscle proteins of Nile Tilapia. *Food Hydrocolloids*, 17(4), 419-427.
- Paudel, S., Regmi, S., & Janaswamy, S. (2023). Effect of glycerol and sorbitol on cellulose-based biodegradable films. *Food Packaging and Shelf Life*, 37, 101090.
- Pereda, M., Ponce, A. G., Marcovich, N. E., Ruseckaite, R. A., & Martucci, J. F. (2011). Chitosan-gelatin composites and bi-layer films with potential antimicrobial activity. *Food Hydrocolloids*, 25(5), 1372-1381.
- Phuong, N. T. H., Van, T. T., Nkede, F. N., Tanaka, F., & Tanaka, F. (2024). Preservation of strawberries using chitosan incorporated with lemongrass essential oil: An X-ray computed tomography analysis of the internal

- structure and quality parameters. *Journal of Food Engineering*, 361, 111737.
- Pizato, S., Vega-Herrera, S. S., Chevalier, R. C., Pinedo, R. A., & Cortez-Vega, W. R. (2022). Impact of chitosan coatings enriched with clove essential oil on quality of minimally processed strawberries. *Brazilian Archives of Biology and Technology*, 65, e22210278.
- Prakash, A., Baskaran, R., Paramasivam, N., & Vadivel, V. (2018). Essential oil based nanoemulsions to improve the microbial quality of minimally processed fruits and vegetables: A review. *Food Research International*, 111, 509-523.
- Raeisi, M., Tajik, H., Yarahmadi, A., & Sanginabadi, S. (2015). Antimicrobial effect of cinnamon essential oil against *Escherichia coli* and *Staphylococcus aureus*. *Health Scope*, 4(4).
- Ren, L., Yan, X., Zhou, J., Tong, J., & Su, X. (2017). Influence of chitosan concentration on mechanical and barrier properties of corn starch/chitosan films. *International journal of biological macromolecules*, 105, 1636-1643.
- Restrepo, A. E., Rojas, J. D., García, O. R., Sánchez, L. T., Pinzón, M. I., & Villa, C. C. (2018). Mechanical, barrier, and color properties of banana starch edible films incorporated with nanoemulsions of lemongrass (*Cymbopogon citratus*) and rosemary (*Rosmarinus officinalis*) essential oils. *Food Science and Technology International*, 24(8), 705-712.
- Rodriguez-Garcia, I., Silva-Espinoza, B. A., Ortega-Ramirez, L. A., Leyva, J. M., Siddiqui, M. W., Cruz-Valenzuela, M. R., ... & Ayala-Zavala, J. F. (2016). Oregano essential oil as an antimicrobial and antioxidant additive in food products. *Critical Reviews in Food Science and Nutrition*, 56(10), 1717-1727.
- Ross-Murphy, S. B. (1992). Structure and rheology of gelatin gels-Recent progress. *Polymer*, Vol. 33, No. 12. (September 1991), pp. 2622-2627. ISSN: 0032-3861.
- Sandorf, P. A. (1989). Chitosan: commercial uses and potential applications. *Chitin and Chitosan*, 51-69.
- Sapkota, A., Anceno, A. J., Baruah, S., Shipin, O. V., & Dutta, J. (2011). Zinc oxide nanorod mediated visible light photoinactivation of model microbes in water. *Nanotechnology*, 22(21), 215703.
- Sawai, J. (2003). Quantitative evaluation of antibacterial activities of metallic oxide powders (ZnO, MgO and CaO) by conductimetric assay. *Journal of microbiological methods*, 54(2), 177-182.
- Sejidov, F. T., Mansoori, Y., & Goodarzi, N. (2005). Esterification reaction using solid heterogeneous acid catalysts under solvent-less condition. *Journal of Molecular Catalysis A: Chemical*, 240(1-2), 186-190.
- Shankar, S., Jaiswal, L., & Rhim, J. W. (2016). Gelatin-based nanocomposite films: Potential use in antimicrobial active packaging. In *Antimicrobial food packaging* (pp. 339-348). Academic Press.
- Shankar, S., Khodaei, D., & Lacroix, M. (2021). Effect of chitosan/essential oils/silver nanoparticles composite films packaging and gamma irradiation on shelf life of strawberries. *Food Hydrocolloids*, 117, 106750.

- Sicari, V., Loizzo, M. R., Pellicanò, T. M., Giuffrè, A. M., & Poiana, M. (2020). Evaluation of Aloe arborescens gel as new coating to maintain the organoleptic and functional properties of strawberry (*Fragaria× ananassa* cv. Cadonga) fruits. *International Journal of Food Science and Technology*, 55(2), 861-870.
- Sobral, P. J. D. A., dos Santos, J. S., & García, F. T. (2005). Effect of protein and plasticizer concentrations in film forming solutions on physical properties of edible films based on muscle proteins of a Thai Tilapia. *Journal of Food Engineering*, 70(1), 93-100.
- Soradech, S., Nunthanid, J., Limmatvapirat, S., & Luangtana-Anan, M. (2012). An approach for the enhancement of the mechanical properties and film coating efficiency of shellac by the formation of composite films based on shellac and gelatin. *Journal of Food Engineering*, 108(1), 94-102.
- Sothornvit, R., & Krochta, J. M. (2001). Plasticizer effect on mechanical properties of  $\beta$ -lactoglobulin films. *Journal of food engineering*, 50(3), 149-155.
- Steel, R. G., Torrie, J. H., & Dickey, D. A. 1980. *Principles and procedures of statistics: A biometrical approach*. New York: McGraw-Hill.
- Sun, X., Narciso, J., Wang, Z., Ference, C., Bai, J., & Zhou, K. (2014). Effects of chitosan-essential oil coatings on safety and quality of fresh blueberries. *Journal of Food Science*, 79(5), 955–960.
- Sutrisno, E., Ningrum, A. N., Munawaroh, S., Aisyah, S., & Susanto, E. (2021). Characterization of tuna (*Thunnus albacares*) skin gelatin edible film incorporated with clove and ginger essential oils and different surfactants. *Food Res.* 5, 440–450.
- Tajkarimi, M. M., Ibrahim, S. A., & Cliver, D. O. (2010). Antimicrobial herb and spice compounds in food. *Food control*, 21(9), 1199-1218.
- Tian, H., Liu, D., Yao, Y., Ma, S., Zhang, X., & Xiang, A. (2017). Effect of sorbitol plasticizer on the structure and properties of melt processed polyvinyl alcohol films. *Journal of food science*, 82(12), 2926-2932.
- Tian, J., Zeng, X., Feng, Z., Miao, X., Peng, X., & Wang, Y. (2014). *Zanthoxylum molle* Rehd. essential oil as a potential natural preservative in management of *Aspergillus flavus*. *Industrial Crops and Products*, 60, 151-159.
- Tongnuanchan, P., Benjakul, S., & Prodpran, T. (2012). Properties and antioxidant activity of fish skin gelatin film incorporated with citrus essential oils. *Food chemistry*, 134(3), 1571-1579.
- Tongnuanchan, P., Benjakul, S., Prodpran, T., Pisuchpen, S., & Osako, K. (2016). Mechanical, thermal and heat sealing properties of fish skin gelatin film containing palm oil and basil essential oil with different surfactants. *Food Hydrocolloids*, 56, 93-107.
- Unsa, L. K., & Paramastri, G. A. (2018). Kajian jenis plasticizer campuran gliserol dan sorbitol terhadap sintesis dan karakterisasi edible film pati bonggol pisang sebagai pengemas buah apel. *Jurnal Kompetensi Teknik*, 10(1), 35-47.
- Vallverdú-Queralt, A., Regueiro, J., Martínez-Huélamo, M., Alvarenga, J. F. R., Leal, L. N., & Lamuela-Raventos, R. M. (2014). A comprehensive study on

- the phenolic profile of widely used culinary herbs and spices: Rosemary, thyme, oregano, cinnamon, cumin and bay. *Food chemistry*, 154, 299-307.
- Velickova, E., Winkelhausen, E., Kuzmanova, S., Alves, V. D., & Moldão-Martins, M. (2013). Impact of chitosan-beeswax edible coatings on the quality of fresh strawberries (*Fragaria ananassa* cv Camarosa) under commercial storage conditions. *LWT-Food Science and Technology*, 52(2), 80-92.
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. *European polymer journal*, 47(3), 254-263.
- Wang, Y., Li, R., Lu, R., Xu, J., Hu, K., & Liu, Y. (2019). Preparation of chitosan/corn starch/cinnamaldehyde films for strawberry preservation. *Foods*, 8(9), 423.
- Wardah, I., & Hastuti, E. (2015). Pengaruh variasi komposisi gliserol dengan pati dari bonggol pisang, tongkol jagung, dan enceng gondok terhadap sifat fisis dan mekanis plastik biodegradable. *Jurnal Neutrino: Jurnal Fisika dan Aplikasinya*, 77-85.
- Wińska, K., Mączka, W., Łyczko, J., Grabarczyk, M., Czubaszek, A., & Szumny, A. (2019). Essential oils as antimicrobial agents – myth or real alternative? *Molecules*, 24(11), 2130.
- Wirawan, S. K., Prasetya, A., & Ernie, E. (2012). Pengaruh plasticizer pada karakteristik edible film dari pektin. *Reaktor*, 14(1), 61-67.
- Yao, N., & Yeung, K. L. (2011). Investigation of the performance of TiO<sub>2</sub> photocatalytic coatings. *Chemical engineering journal*, 167(1), 13-21.
- Zhang, Y., Liu, Z., & Han, J. (2008). Starch-based edible films. In *Environmentally compatible food packaging* (pp. 108-136). Woodhead Publishing.