

DAFTAR PUSTAKA

- Ahmad, J., Mir, S. R., Kohli, K., Chuttani, K., Mishra, A. K., Panda, A. K., & Amin, S. (2014). Solid-nanoemulsion preconcentrate for oral delivery of paclitaxel: Formulation design, biodistribution, and γ scintigraphy imaging. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/984756>
- Ahmed, N., Abo-zeid, Y., & Sakran, W. (2023). Strategies Adopted to Improve Bioavailability of Glibenclamide: Insights on Novel Delivery Systems. *Journal of Advanced Pharmacy Research*, 7(1). <https://doi.org/10.21608/aprh.2022.168998.1199>
- Ahn, H., & Park, J. H. (2016). Liposomal delivery systems for intestinal lymphatic drug transport. In *Biomaterials Research* (Vol. 20, Issue 1). <https://doi.org/10.1186/s40824-016-0083-1>
- Ainurofiq, A., Hidayat, Y., Lestari, E. Y. P., Kumalasari, M. M. W., & Choiri, S. (2022). Resveratrol Nanocrystal Incorporated into Mesoporous Material: Rational Design and Screening through Quality-by-Design Approach. *Nanomaterials*, 12(2). <https://doi.org/10.3390/nano12020214>
- Akhtar, F., Somia Gul, Ashfaq, S., Rehman, I., & Mirza, A. Z. (2020). UV Spectroscopic Method for Optimization and Determination of Glibenclamide in Bulk, Pharmaceutical Dosage Form and its Application for In Vitro Interaction Studies. *Journal of Analysis and Testing*, 4(4). <https://doi.org/10.1007/s41664-020-00146-9>
- Akhtar, K., Khan, S. A., Khan, S. B., & Asiri, A. M. (2018). Scanning electron microscopy: Principle and applications in nanomaterials characterization. In *Handbook of Materials Characterization*. https://doi.org/10.1007/978-3-319-92955-2_4
- Alam, M. A., Al-Jenoobi, F. I., & Al-Mohizea, A. M. (2012). Everted gut sac model as a tool in pharmaceutical research: Limitations and applications. In *Journal of Pharmacy and Pharmacology* (Vol. 64, Issue 3).
- Al-Hilphy, A. R., Gavahian, M., Barba, F. J., Lorenzo, J. M., Al-Shalah, Z. M., & Verma, D. K. (2021). Drying of sliced tomato (*Lycopersicon esculentum* L.) by a novel halogen dryer: Effects of drying temperature on physical properties, drying kinetics, and energy consumption. *Journal of Food Process Engineering*, 44(3). <https://doi.org/10.1111/jfpe.13624>

- Al-Khattawi, A., Koner, J., Rue, P., Kirby, D., Perrie, Y., Rajabi-Siahboomi, A., & Mohammed, A. R. (2015). A pragmatic approach for engineering porous mannitol and mechanistic evaluation of particle performance. *European Journal of Pharmaceutics and Biopharmaceutics*, 94. <https://doi.org/10.1016/j.ejpb.2015.04.011>
- AOAC International. (2016). Guidelines for Standard Method Performance Requirements : Appendix F. *AOAC Official Methods Of Analysis*.
- Arrua, E. C., Hartwig, O., Ho, D. K., Loretz, B., Murgia, X., Salomon, C. J., & Lehr, C. M. (2021). Surfactant-Free Glibenclamide Nanoparticles: Formulation, Characterization and Evaluation of Interactions with Biological Barriers. *Pharmaceutical Research*. <https://doi.org/10.1007/s11095-021-03056-2>
- Atkinson, I., Seciu-Grama, A. M., Petrescu, S., Culita, D., Mocioiu, O. C., Voicescu, M., Mitran, R. A., Lincu, D., Prelipcean, A. M., & Craciunescu, O. (2022). Cerium-Containing Mesoporous Bioactive Glasses (MBGs)-Derived Scaffolds with Drug Delivery Capability for Potential Tissue Engineering Applications. *Pharmaceutics*, 14(6).
- Baghel, S., Cathcart, H., & O'Reilly, N. J. (2016). Polymeric Amorphous Solid Dispersions: A Review of Amorphization, Crystallization, Stabilization, Solid-State Characterization, and Aqueous Solubilization of Biopharmaceutical Classification System Class II Drugs. In *Journal of Pharmaceutical Sciences* (Vol. 105, Issue 9).
- Benetti, A. A., Bianchera, A., Buttini, F., Bertocchi, L., & Bettini, R. (2021). Mannitol polymorphs as carrier in dpis formulations: Isolation characterization and performance. *Pharmaceutics*, 13(8). <https://doi.org/10.3390/pharmaceutics13081113>
- Biruni, S. I. (2024). Peningkatan Profil Disolusi Glibenklamid dengan Modifikasi Manitol Mesopori Menggunakan Porogen Amonium Bikarbonat. *Skripsi*. Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Blagden, N., de Matas, M., Gavan, P. T., & York, P. (2007). Crystal engineering of active pharmaceutical ingredients to improve solubility and dissolution rates. In *Advanced Drug Delivery Reviews* (Vol. 59, Issue 7).
- Bruni, G., Berbenni, V., Milanese, C., Girella, A., Cofrancesco, P., Bellazzi, G., & Marini, A. (2009). Physico-chemical characterization of anhydrous d-mannitol. *Journal of Thermal Analysis and Calorimetry*, 95(3). <https://doi.org/10.1007/s10973-008-9384-5>

- Budiman, A., Sopyan, I., & Riyandi, D. S. (2019). Enhancement of glibenclamide dissolution rate by solid dispersion method using HPMC and PVP. *International Journal of Applied Pharmaceutics*, 11(5). <https://doi.org/10.22159/ijap.2019v11i5.34137>
- Chen, M., Zhang, W., Wu, H., Guang, C., & Mu, W. (2020). Mannitol: physiological functionalities, determination methods, biotechnological production, and applications. In *Applied Microbiology and Biotechnology* (Vol. 104, Issue 16, pp. 6941–6951).
- da Silva Júnior, W. F., de Oliveira Pinheiro, J. G., Moreira, C. D. L. F. A., de Souza, F. J. J., & de Lima, Á. A. N. (2017). Alternative Technologies to Improve Solubility and Stability of Poorly Water-Soluble Drugs. In *Multifunctional Systems for Combined Delivery, Biosensing and Diagnostics*.
- Depkes RI, 2020, Farmakope Indonesia edisi VI,.
- Ebrahimi, A., Saffari, M., & Langrish, T. (2015). The use of CTAB and citric acid as templating agents in production of highly-porous lactose particles. *Journal of Food Engineering*, 156.
- Elbahwy, I. A., Ibrahim, H. M., Ismael, H. R., & Kasem, A. A. (2017). Enhancing bioavailability and controlling the release of glibenclamide from optimized solid lipid nanoparticles. *Journal of Drug Delivery Science and Technology*, 38.
- Ezuruike, U. F., Chieli, E., & Prieto, J. M. (2019). In Vitro Modulation of Glibenclamide Transport by P-glycoprotein Inhibitory Antidiabetic African Plant Extracts 1. *Planta Medica*, 85(11–12). <https://doi.org/10.1055/a-0948-9072>
- Forootan, A., Sjöback, R., Björkman, J., Sjögreen, B., Linz, L., & Kubista, M. (2017). Methods to determine limit of detection and limit of quantification in quantitative real-time PCR (qPCR). *Biomolecular Detection and Quantification*, 12.
- Fukai, Y. (2020). Some Fundamental Properties of Hydrogen and Water. In *Molecular Hydrogen for Medicine*. https://doi.org/10.1007/978-981-15-7157-2_5
- Furman, B. L. (2007). Glibenclamide. In *xPharm: The Comprehensive Pharmacology Reference*. <https://doi.org/10.1016/B978-008055232-3.61826-4>
- He, S., Pan, H., & Zhang, J. (2023). Advances of typical mesoporous materials and the application in drug delivery. In *Materials Research Express* (Vol. 10, Issue 4).

- HL, R., & Kumar G, P. (2016). Development and Evaluation of Polymer-bound Glibenclamide Oral Thin Film. *Journal of Bioequivalence & Bioavailability*, 09(01). <https://doi.org/10.4172/jbb.1000319>
- Hong, S., Shen, S., Tan, D. C. T., Ng, W. K., Liu, X., Chia, L. S. O., Irwan, A. W., Tan, R., Nowak, S. A., Marsh, K., & Gokhale, R. (2016). High drug load, stable, manufacturable and bioavailable fenofibrate formulations in mesoporous silica: A comparison of spray drying versus solvent impregnation methods. *Drug Delivery*, 23(1).
- Irwansyah, F. S., Amal, A. I., Diyanthi, E. W., Hadisantoso, E. P., Noviyanti, A. R., Eddy, D. R., & Risdiana, R. (2024). How to Read and Determine the Specific Surface Area of Inorganic Materials using the Brunauer-Emmett-Teller (BET) Method. *ASEAN Journal of Science and Engineering*, 4(1).
- Jadhav, N. V., & Vavia, P. R. (2017). Dodecylamine Template-Based Hexagonal Mesoporous Silica (HMS) as a Carrier for Improved Oral Delivery of Fenofibrate. *AAPS PharmSciTech*, 18(7).
- Jiang, N., Wang, S., Cheng, Z., & Liu, W. (2020). In vitro and in vivo evaluation of porous lactose/mannitol carriers for solubility enhancement of poorly water-soluble drugs. *Drying Technology*, 38(7).
- Jouyban, A. (2008). Review of the cosolvency models for predicting solubility of drugs in water-cosolvent mixtures. In *Journal of Pharmacy and Pharmaceutical Sciences* (Vol. 11, Issue 1).
- Kamp, F., Kizilbash, N., Corkey, B. E., Berggren, P. O., & Hamilton, J. A. (2003). Sulfonyleureas rapidly cross phospholipid bilayer membranes by a free-diffusion mechanism. *Diabetes*, 52(10). <https://doi.org/10.2337/diabetes.52.10.2526>
- Karas, J., Pavloková, S., Hořavová, H., & Gajdziok, J. (2023). Optimization of Spray Drying Process Parameters for the Preparation of Inhalable Mannitol-Based Microparticles Using a Box-Behnken Experimental Design. *Pharmaceutics*, 15(2).
- Karimi-Jafari, M., Padrela, L., Walker, G. M., & Croker, D. M. (2018). Creating cocrystals: A review of pharmaceutical cocrystal preparation routes and applications. In *Crystal Growth and Design* (Vol. 18, Issue 10). <https://doi.org/10.1021/acs.cgd.8b00933>
- Khan, S., Madni, A., Rahim, M. A., Shah, H., Jabar, A., Khan, M. M., Khan, A., Jan, N., & Mahmood, M. A. (2021). Enhanced in vitro release and permeability of glibenclamide by proliposomes: Development, characterization and

histopathological evaluation. *Journal of Drug Delivery Science and Technology*, 63. <https://doi.org/10.1016/j.jddst.2021.102450>

- Kim, D. H., Lee, S. E., Pyo, Y. C., Tran, P., & Park, J. S. (2020). Solubility enhancement and application of cyclodextrins in local drug delivery. In *Journal of Pharmaceutical Investigation* (Vol. 50, Issue 1).
- Koranne, S., Krzyzaniak, J. F., Luthra, S., Arora, K. K., & Suryanarayanan, R. (2019). Role of Coformer and Excipient Properties on the Solid-State Stability of Theophylline Cocrytals. *Crystal Growth and Design*, 19(2).
- Krukowski, S., Karasiewicz, M., & Kolodziejcki, W. (2017). Convenient UV-spectrophotometric determination of citrates in aqueous solutions with applications in the pharmaceutical analysis of oral electrolyte formulations. *Journal of Food and Drug Analysis*, 25(3). <https://doi.org/10.1016/j.jfda.2017.01.009>
- Kuncahyo, I., Choiri, S., Fudholi, A., Rohman, A., & Martien, R. (2019). Understanding the effect of lipid formulation loading and ethanol as a diluent on solidification of pitavastatin super-saturable SNEDDS using factorial design approach. *Research in Pharmaceutical Sciences*, 14(5).
- Lee, E. C., Nguyen, C. T. H., Strounina, E., Davis-Poynter, N., & Ross, B. P. (2018). Structure-Activity Relationships of GAG Mimetic-Functionalized Mesoporous Silica Nanoparticles and Evaluation of Acyclovir-Loaded Antiviral Nanoparticles with Dual Mechanisms of Action. *ACS Omega*, 3(2).
- Leuner, C., & Dressman, J. (2000). Improving drug solubility for oral delivery using solid dispersions. In *European Journal of Pharmaceutics and Biopharmaceutics* (Vol. 50, Issue 1).
- Li, T., Shen, X., Geng, Y., Chen, Z., Li, L., Li, S., Yang, H., Wu, C., Zeng, H., & Liu, Y. (2016). Folate-Functionalized Magnetic-Mesoporous Silica Nanoparticles for Drug/Gene Codelivery to Potentiate the Antitumor Efficacy. *ACS Applied Materials and Interfaces*, 8(22).
- Li, Z., Luo, X., Li, Q., Jin, Z., Naeem, A., Zhu, W., Chen, L., Feng, Y., & Ming, L. (2024). The Fabrication, Drug Loading, and Release Behavior of Porous Mannitol. *Molecules*, 29(3).
- Li, Z., Zhang, Y., & Feng, N. (2019). Mesoporous silica nanoparticles: synthesis, classification, drug loading, pharmacokinetics, biocompatibility, and application in drug delivery. In *Expert Opinion on Drug Delivery* (Vol. 16, Issue 3).

- Menzel, C., Holzeisen, T., Laffleur, F., Zaichik, S., Abdulkarim, M., Gumbleton, M., & Bernkop-Schnürch, A. (2018). In vivo evaluation of an oral self-emulsifying drug delivery system (SEDDS) for exenatide. *Journal of Controlled Release*, 277.
- Merisko-Liversidge, E. M., & Liversidge, G. G. (2008). Drug Nanoparticles: Formulating Poorly Water-Soluble Compounds. *Toxicologic Pathology*, 36(1).
- Moritz, M., & Łaniecki, M. (2011). Modified SBA-15 as the carrier for metoprolol and papaverine: Adsorption and release study. *Journal of Solid State Chemistry*, 184(7).
- N. Umadevi, CH. Mounika, Dr. I. S. B. (2014). Spectrophotometric Method Development and Validation for the. *International Journal of Pharmaceutical Sciences and Research*, 5(11).
- Nugroho, A., Zulkarnain, A., Laksitorini, M., Adhyatmika, & Pawestri, S. (2022). *DASAR DASAR TEKNIK PERCOBAAN BIOFARMASETIKA*. Istana Publishing.
- Olivares-Morales, A., Hatley, O. J. D., Turner, D., Galetin, A., Aarons, L., & Rostami-Hodjegan, A. (2014). The use of ROC analysis for the qualitative prediction of human oral bioavailability from animal data. *Pharmaceutical Research*, 31(3).
- Palugan, L., Moutaharrik, S., Cirilli, M., Gelain, A., Maroni, A., Melocchi, A., Zema, L., Foppoli, A., & Cerea, M. (2022). Evaluation of different types of mannitol for dry granulation by roller compaction. *Journal of Drug Delivery Science and Technology*, 75.
- Patil, S. M., Chilkawar, R. N., & Panchal, V. (2013). Validated Simple and Sensitive Uv Spectrophotometric Method for Estimation of Glibenclamide in Bulk and Pharmaceutical Formulations. *World Journal of Pharmacy and Pharmaceutical Sciences*, 2(5).
- Peng, T., Zhang, X., Huang, Y., Zhao, Z., Liao, Q., Xu, J., Huang, Z., Zhang, J., Wu, C. Y., Pan, X., & Wu, C. (2017). Nanoporous mannitol carrier prepared by non-organic solvent spray drying technique to enhance the aerosolization performance for dry powder inhalation. *Scientific Reports*, 7.
- Pouton, C. W. (2000). Lipid formulations for oral administration of drugs: Non-emulsifying, self-emulsifying and “self-microemulsifying” drug delivery systems. *European Journal of Pharmaceutical Sciences*, 11(SUPPL. 2).

- Rambiritch, V., Maharaj, B., & Naidoo, P. (2014). Glibenclamide in patients with poorly controlled type 2 diabetes: A 12-week, prospective, single-center, open-label, dose-escalation study. *Clinical Pharmacology: Advances and Applications*, 6(1).
- Rasenack, N., & Müller, B. W. (2004). Micron-Size Drug Particles: Common and Novel Micronization Techniques. In *Pharmaceutical Development and Technology* (Vol. 9, Issue 1).
- Rodrigues, M., Baptista, B., Lopes, J. A., & Sarraguça, M. C. (2018). Pharmaceutical cocrystallization techniques. Advances and challenges. In *International Journal of Pharmaceutics* (Vol. 547, Issues 1–2).
- Saffari, M., Ebrahimi, A., & Langrish, T. (2015a). Highly-porous mannitol particle production using a new templating approach. *Food Research International*, 67.
- Saffari, M., Ebrahimi, A., & Langrish, T. (2015b). Highly-porous mannitol particle production using a new templating approach. *Food Research International*, 67.
- Saffari, M., Ebrahimi, A., & Langrish, T. (2016). Nano-confinement of acetaminophen into porous mannitol through adsorption method. *Microporous and Mesoporous Materials*, 227.
- Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*, 2012.
- Seljak, K. B., Kocbek, P., & Gašperlin, M. (2020). Mesoporous silica nanoparticles as delivery carriers: An overview of drug loading techniques. In *Journal of Drug Delivery Science and Technology* (Vol. 59).
- Shekhawat, P., & Pokharkar, V. (2019). Risk assessment and QbD based optimization of an Eprosartan mesylate nanosuspension: In-vitro characterization, PAMPA and in-vivo assessment. *International Journal of Pharmaceutics*, 567.
- Sinha, A. S., Maguire, A. R., & Lawrence, S. E. (2015). Cocrystallization of nutraceuticals. In *Crystal Growth and Design* (Vol. 15, Issue 2).
- Srivastava, D., Fatima, Z., Kaur, C. D., Mishra, A., Nashik, S. S., Rizvi, D. A., & Prasad, R. (2022). Glibenclamide–malonic acid cocrystal with an enhanced solubility and bioavailability. *Drug Development and Industrial Pharmacy*, 48(8).

- Stielow, M., Witczyńska, A., Kubryń, N., Fijałkowski, Ł., Nowaczyk, J., & Nowaczyk, A. (2023). The Bioavailability of Drugs—The Current State of Knowledge. In *Molecules* (Vol. 28, Issue 24).
- Sun, L., Wang, Y., Yang, F., Zhang, X., & Hu, W. (2019). Cocrystal Engineering: A Collaborative Strategy toward Functional Materials. *Advanced Materials*, 31(39).
- Shah, A., Shah, A. A., Nandakumar, K., & Lobo, R. (2021). Mechanistic targets for BPH and prostate cancer—a review. In *Reviews on Environmental Health* (Vol. 36, Issue 2). <https://doi.org/10.1515/reveh-2020-0051>
- Suresh, K., Khandavilli, U. B. R., Gunnam, A., & Nangia, A. (2017). Polymorphism, isostructurality and physicochemical properties of glibenclamide salts. *CrystEngComm*, 19(6). <https://doi.org/10.1039/c6ce02295b>
- Taniya, D., Praveen, K., and Meenu, C., 2023, Method Development And Validation Of Glibenclamide By UV-Spectroscopy, *European Chemical Bulletin*, 12, 7444–7451.
- Trzeciak, K., Chotera-ouda, A., Bak-sypien, I. I., & Potrzebowski, M. J. (2021). Mesoporous silica particles as drug delivery systems—the state of the art in loading methods and the recent progress in analytical techniques for monitoring these processes. In *Pharmaceutics* (Vol. 13, Issue 7).
- Valentin, M., Coibion, D., Vertruyen, B., Malherbe, C., Cloots, R., & Boschini, F. (2023). Macroporous Mannitol Granules Produced by Spray Drying and Sacrificial Templating. *Materials*, 16(1).
- Williams, H. D., Trevaskis, N. L., Charman, S. A., Shanker, R. M., Charman, W. N., Pouton, C. W., & Porter, C. J. H. (2013). Strategies to address low drug solubility in discovery and development. In *Pharmacological Reviews* (Vol. 65, Issue 1).
- Yang, K. N., Zhang, C. Q., Wang, W., Wang, P. C., Zhou, J. P., & Liang, X. J. (2014). pH-responsive mesoporous silica nanoparticles employed in controlled drug delivery systems for cancer treatment. In *Cancer Biology and Medicine* (Vol. 11, Issue 1).
- Zhu, W. F., Zhu, L., Li, Z., Wu, W. T., Guan, Y. M., Chen, L. H., Mao, Z. X., & Ming, L. S. (2021). The novel use of pvp k30 as templating agent in production of porous lactose. *Pharmaceutics*, 13(6).