

DAFTAR PUSTAKA

- [1] J. Weizenbaum, “Eliza—a computer program for the study of natural language communication between man and machine,” *Commun. ACM*, vol. 9, no. 1, p. 36–45, Jan. 1966. [Online]. Available: <https://doi.org/10.1145/365153.365168>
- [2] M. Al-Amin, M. S. Ali, A. Salam, A. Khan, A. Ali, A. Ullah, M. N. Alam, and S. K. Chowdhury, “History of generative artificial intelligence (ai) chatbots: past, present, and future development,” 2024. [Online]. Available: <https://arxiv.org/abs/2402.05122>
- [3] E. Adamopoulou and L. Moussiades, “An overview of chatbot technology,” in *Artificial Intelligence Applications and Innovations*, I. Maglogiannis, L. Iliadis, and E. Pimenidis, Eds. Cham: Springer International Publishing, 2020, pp. 373–383.
- [4] H. T. Hien, P.-N. Cuong, L. N. H. Nam, H. L. T. K. Nhung, and L. D. Thang, “Intelligent assistants in higher-education environments: The fit-ebot, a chatbot for administrative and learning support,” in *Proceedings of the 9th International Symposium on Information and Communication Technology*, ser. SoICT '18. New York, NY, USA: Association for Computing Machinery, 2018, p. 69–76. [Online]. Available: <https://doi.org/10.1145/3287921.3287937>
- [5] S. Pandey and S. Sharma, “A comparative study of retrieval-based and generative-based chatbots using deep learning and machine learning,” *Healthcare Analytics*, vol. 3, p. 100198, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2772442523000655>
- [6] M. Nuruzzaman and O. K. Hussain, “A survey on chatbot implementation in customer service industry through deep neural networks,” in *2018 IEEE 15th International Conference on e-Business Engineering (ICEBE)*, 2018, pp. 54–61.
- [7] S. A. Marinin, N. A. Mironov, and A. V. Makarov, “Digital education of the future: The development of a chatbot as an innovative solution in the field of education,” in *2025 Systems of Signals Generating and Processing in the Field of on Board Communications*, 2025, pp. 1–5.
- [8] M. Laymouna, Y. Ma, D. Lessard, T. Schuster, K. Engler, and B. Lebouché, “Roles, users, benefits, and limitations of chatbots in health care: Rapid review,” *J Med Internet Res*, vol. 26, p. e56930, Jul 2024. [Online]. Available: <https://www.jmir.org/2024/1/e56930>
- [9] A. Kapoor and S. Goel, “Applications of conversational ai in mental health: A survey,” in *2022 6th International Conference on Trends in Electronics and Informatics (ICOEI)*, 2022, pp. 1013–1016.
- [10] A. Diaz and D. Kwak, “Leveraging chatbots for mental health enhancement,” in *2023 International Conference on Computational Science and Computational Intelligence (CSCI)*, 2023, pp. 137–143.
- [11] UGM, “Layanan chatbot lintang,” 2023. [Online]. Available: <https://hpu.ugm.ac.id/layanan-chatbot-lintang/>
- [12] B. Inkster, S. Sarada, and V. Subramanian, “An empathy-driven, conversational artificial intelligence agent (wysa) for digital mental well-being: Real-world data evaluation mixed-methods study,” *JMIR Mhealth Uhealth*, vol. 6, no. 11, p. e12106, Nov 2018. [Online]. Available: <https://doi.org/10.2196/12106>

- [13] T. Spring, J. Casas, K. Daher, E. Mugellini, and O. Abou Khaled, "Empathic response generation in chatbots," *Proceedings of 4th Swiss Text Analytics Conference (SwissText 2019)*, 18-19 June 2019, Wintherthur, Switzerland, no. CONFERENCE, p. 10 p., 2019. [Online]. Available: <http://arodes.hes-so.ch/record/4525>
- [14] E. S. De Duro, R. Improta, and M. Stella, "Introducing counsellme: A dataset of simulated mental health dialogues for comparing llms like haiku, llamantino and chatgpt against humans," *Emerging Trends in Drugs, Addictions, and Health*, vol. 5, p. 100170, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2667118225000017>
- [15] S. Pahune and N. Rewatkar, "Large language models and generative ai's expanding role in healthcare," 01 2024.
- [16] H. Nori, N. King, S. M. McKinney, D. Carignan, and E. Horvitz, "Capabilities of gpt-4 on medical challenge problems," 2023. [Online]. Available: <https://arxiv.org/abs/2303.13375>
- [17] K. He, R. Mao, Q. Lin, Y. Ruan, X. Lan, M. Feng, and E. Cambria, "A survey of large language models for healthcare: from data, technology, and applications to accountability and ethics," 2025. [Online]. Available: <https://arxiv.org/abs/2310.05694>
- [18] Q. Liu, R. Yang, Q. Gao, T. Liang, X. Wang, S. Li, B. Lei, and K. Gao, "A review of applying large language models in healthcare," *IEEE Access*, vol. 13, pp. 6878–6892, 2025.
- [19] H. Alkaiissi and S. I. McFarlane, "Artificial hallucinations in chatgpt: implications in scientific writing," *Cureus*, vol. 15, no. 2, 2023.
- [20] H. Ali, J. Qadir, T. Alam, M. Househ, and Z. Shah, "Chatgpt and large language models in healthcare: Opportunities and risks," in *2023 IEEE International Conference on Artificial Intelligence, Blockchain, and Internet of Things (AIBThings)*, 2023, pp. 1–4.
- [21] Z. Song, B. Yan, Y. Liu, M. Fang, M. Li, R. Yan, and X. Chen, "Injecting domain-specific knowledge into large language models: A comprehensive survey," 2025. [Online]. Available: <https://arxiv.org/abs/2502.10708>
- [22] J. M. Liu, D. Li, H. Cao, T. Ren, Z. Liao, and J. Wu, "Chatcounselor: A large language models for mental health support," 2023. [Online]. Available: <https://arxiv.org/abs/2309.15461>
- [23] Y. Li, Z. Li, K. Zhang, R. Dan, S. Jiang, and Y. Zhang, "Chatdoctor: A medical chat model fine-tuned on a large language model meta-ai (llama) using medical domain knowledge," 2023. [Online]. Available: <https://arxiv.org/abs/2303.14070>
- [24] A. Grattafiori and et al., "The llama 3 herd of models," 2024. [Online]. Available: <https://arxiv.org/abs/2407.21783>
- [25] H.-Y. Shum, X. He, and D. Li, "From eliza to xiaoice: Challenges and opportunities with social chatbots," 2018. [Online]. Available: <https://arxiv.org/abs/1801.01957>
- [26] J. Jia, "Csiec: A computer assisted english learning chatbot based on textual knowledge and reasoning," *Knowledge-Based Systems*, vol. 22, no. 4, pp. 249–255, 2009, artificial Intelligence (AI) in Blended Learning. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0950705109000045>
- [27] R. S. Wallace, *The Anatomy of A.L.I.C.E.* Dordrecht: Springer Netherlands, 2009, pp. 181–210. [Online]. Available: https://doi.org/10.1007/978-1-4020-6710-5_13

- [28] D. Jurafsky and J. H. Martin, *Speech and Language Processing (2nd Edition)*. USA: Prentice-Hall, Inc., 2009.
- [29] Y. Gao, Y. Xiong, X. Gao, K. Jia, J. Pan, Y. Bi, Y. Dai, J. Sun, M. Wang, and H. Wang, "Retrieval-augmented generation for large language models: A survey," 2024. [Online]. Available: <https://arxiv.org/abs/2312.10997>
- [30] N. Kandpal, H. Deng, A. Roberts, E. Wallace, and C. Raffel, "Large language models struggle to learn long-tail knowledge," 2023. [Online]. Available: <https://arxiv.org/abs/2211.08411>
- [31] Y. Zhang, Y. Li, L. Cui, D. Cai, L. Liu, T. Fu, X. Huang, E. Zhao, Y. Zhang, Y. Chen, L. Wang, A. T. Luu, W. Bi, F. Shi, and S. Shi, "Siren's song in the ai ocean: A survey on hallucination in large language models," 2023. [Online]. Available: <https://arxiv.org/abs/2309.01219>
- [32] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W. tau Yih, T. Rocktäschel, S. Riedel, and D. Kiela, "Retrieval-augmented generation for knowledge-intensive nlp tasks," 2021. [Online]. Available: <https://arxiv.org/abs/2005.11401>
- [33] W. Fan, Y. Ding, L. Ning, S. Wang, H. Li, D. Yin, T.-S. Chua, and Q. Li, "A survey on rag meeting llms: Towards retrieval-augmented large language models," 2024. [Online]. Available: <https://arxiv.org/abs/2405.06211>
- [34] S. Siriwardhana, R. Weerasekera, E. Wen, T. Kaluarachchi, R. Rana, and S. Nanayakkara, "Improving the domain adaptation of retrieval augmented generation (rag) models for open domain question answering," 2022. [Online]. Available: <https://arxiv.org/abs/2210.02627>
- [35] M. Cheng, Y. Luo, J. Ouyang, Q. Liu, H. Liu, L. Li, S. Yu, B. Zhang, J. Cao, J. Ma, D. Wang, and E. Chen, "A survey on knowledge-oriented retrieval-augmented generation," 2025. [Online]. Available: <https://arxiv.org/abs/2503.10677>
- [36] J. Ma, I. Korotkov, Y. Yang, K. Hall, and R. McDonald, "Zero-shot neural passage retrieval via domain-targeted synthetic question generation," 2021. [Online]. Available: <https://arxiv.org/abs/2004.14503>
- [37] Y. Hua, F. Liu, K. Yang, Z. Li, H. Na, Y. han Sheu, P. Zhou, L. V. Moran, S. Ananiadou, A. Beam, and J. Torous, "Large language models in mental health care: a scoping review," 2024. [Online]. Available: <https://arxiv.org/abs/2401.02984>
- [38] H. Xiao, F. Zhou, X. Liu, T. Liu, Z. Li, X. Liu, and X. Huang, "A comprehensive survey of large language models and multimodal large language models in medicine," *Information Fusion*, vol. 117, p. 102888, May 2025. [Online]. Available: <http://dx.doi.org/10.1016/j.inffus.2024.102888>
- [39] S. Roller, E. Dinan, N. Goyal, D. Ju, M. Williamson, Y. Liu, J. Xu, M. Ott, K. Shuster, E. M. Smith, Y.-L. Boureau, and J. Weston, "Recipes for building an open-domain chatbot," 2020. [Online]. Available: <https://arxiv.org/abs/2004.13637>
- [40] L. Zhao, W. Zeng, X. Shi, and H. Zhou, "Carebot: A pioneering full-process open-source medical language model," 2024. [Online]. Available: <https://arxiv.org/abs/2412.15236>
- [41] X. Xu, B. Yao, Y. Dong, S. Gabriel, H. Yu, J. Hendler, M. Ghassemi, A. K. Dey, and D. Wang, "Mental-llm: Leveraging large language models for mental health prediction via online text data," *Proceedings of the ACM on Interactive, Mobile, Wearable*

- [42] J. Kaddour, J. Harris, M. Mozes, H. Bradley, R. Raileanu, and R. McHardy, “Challenges and applications of large language models,” 2023. [Online]. Available: <https://arxiv.org/abs/2307.10169>
- [43] A. Marrapese, B. Suleiman, I. Ullah, and J. Kim, “A novel nuanced conversation evaluation framework for large language models in mental health,” 2024. [Online]. Available: <https://arxiv.org/abs/2403.09705>
- [44] M. D. Chu, Z. He, R. Dorn, and K. Lerman, “Large language models help reveal unhealthy diet and body concerns in online eating disorders communities,” 2024. [Online]. Available: <https://arxiv.org/abs/2401.09647>
- [45] S. Carreira, T. Marques, J. Ribeiro, and C. Grilo, “Revolutionizing mobile interaction: Enabling a 3 billion parameter gpt llm on mobile,” 2023. [Online]. Available: <https://arxiv.org/abs/2310.01434>
- [46] C. Poth, H. Sterz, I. Paul, S. Purkayastha, L. Engländer, T. Imhof, I. Vulić, S. Ruder, I. Gurevych, and J. Pfeiffer, “Adapters: A unified library for parameter-efficient and modular transfer learning,” 2023. [Online]. Available: <https://arxiv.org/abs/2311.11077>
- [47] V. Lialin, V. Deshpande, X. Yao, and A. Rumshisky, “Scaling down to scale up: A guide to parameter-efficient fine-tuning,” 2024. [Online]. Available: <https://arxiv.org/abs/2303.15647>
- [48] M. Sabry and A. Belz, “Peft-ref: A modular reference architecture and typology for parameter-efficient finetuning techniques,” 2023. [Online]. Available: <https://arxiv.org/abs/2304.12410>
- [49] J. Pfeiffer, S. Ruder, I. Vulić, and E. M. Ponti, “Modular deep learning,” 2024. [Online]. Available: <https://arxiv.org/abs/2302.11529>
- [50] E. J. Hu, Y. Shen, P. Wallis, Z. Allen-Zhu, Y. Li, S. Wang, L. Wang, and W. Chen, “Lora: Low-rank adaptation of large language models,” 2021. [Online]. Available: <https://arxiv.org/abs/2106.09685>
- [51] T. Dettmers, A. Pagnoni, A. Holtzman, and L. Zettlemoyer, “Qlora: Efficient finetuning of quantized llms,” 2023. [Online]. Available: <https://arxiv.org/abs/2305.14314>
- [52] N. Houlsby, A. Giurgiu, S. Jastrzebski, B. Morrone, Q. de Laroussilhe, A. Gesmundo, M. Attariyan, and S. Gelly, “Parameter-efficient transfer learning for nlp,” 2019. [Online]. Available: <https://arxiv.org/abs/1902.00751>
- [53] S. Hayou, N. Ghosh, and B. Yu, “Lora+: Efficient low rank adaptation of large models,” 2024. [Online]. Available: <https://arxiv.org/abs/2402.12354>
- [54] Z. Han, C. Gao, J. Liu, J. Zhang, and S. Q. Zhang, “Parameter-efficient fine-tuning for large models: A comprehensive survey,” 2024. [Online]. Available: <https://arxiv.org/abs/2403.14608>
- [55] J. Lee, S. Park, J. Kwon, J. Oh, and Y. Kwon, “Exploring the trade-offs: Quantization methods, task difficulty, and model size in large language models from edge to giant,” 2025. [Online]. Available: <https://arxiv.org/abs/2409.11055>

- [56] P. Sahoo, A. K. Singh, S. Saha, V. Jain, S. Mondal, and A. Chadha, "A systematic survey of prompt engineering in large language models: Techniques and applications," 2025. [Online]. Available: <https://arxiv.org/abs/2402.07927>
- [57] J. Wei, X. Wang, D. Schuurmans, M. Bosma, B. Ichter, F. Xia, E. Chi, Q. Le, and D. Zhou, "Chain-of-thought prompting elicits reasoning in large language models," 2023. [Online]. Available: <https://arxiv.org/abs/2201.11903>
- [58] B. Lester, R. Al-Rfou, and N. Constant, "The power of scale for parameter-efficient prompt tuning," 2021. [Online]. Available: <https://arxiv.org/abs/2104.08691>
- [59] X. L. Li and P. Liang, "Prefix-tuning: Optimizing continuous prompts for generation," 2021. [Online]. Available: <https://arxiv.org/abs/2101.00190>
- [60] A. Kermani, V. Perez-Rosas, and V. Metsis, "A systematic evaluation of llm strategies for mental health text analysis: Fine-tuning vs. prompt engineering vs. rag," 2025. [Online]. Available: <https://arxiv.org/abs/2503.24307>
- [61] M. Sclar, Y. Choi, Y. Tsvetkov, and A. Suhr, "Quantifying language models' sensitivity to spurious features in prompt design or: How i learned to start worrying about prompt formatting," 2024. [Online]. Available: <https://arxiv.org/abs/2310.11324>
- [62] P. N. Waaler, M. Hussain, I. Molchanov, L. A. Bongo, and B. Elvevåg, "Prompt engineering a schizophrenia chatbot: Utilizing a multi-agent approach for enhanced compliance with prompt instructions," 2024. [Online]. Available: <https://arxiv.org/abs/2410.12848>
- [63] L. Ouyang, J. Wu, X. Jiang, D. Almeida, C. L. Wainwright, P. Mishkin, C. Zhang, S. Agarwal, K. Slama, A. Ray, J. Schulman, J. Hilton, F. Kelton, L. Miller, M. Simens, A. Askell, P. Welinder, P. Christiano, J. Leike, and R. Lowe, "Training language models to follow instructions with human feedback," 2022. [Online]. Available: <https://arxiv.org/abs/2203.02155>
- [64] R. Rafailov, A. Sharma, E. Mitchell, S. Ermon, C. D. Manning, and C. Finn, "Direct preference optimization: Your language model is secretly a reward model," 2024. [Online]. Available: <https://arxiv.org/abs/2305.18290>
- [65] K. Ethayarajh, W. Xu, N. Muennighoff, D. Jurafsky, and D. Kiela, "Kto: Model alignment as prospect theoretic optimization," 2024. [Online]. Available: <https://arxiv.org/abs/2402.01306>
- [66] Z. Shao, P. Wang, Q. Zhu, R. Xu, J. Song, X. Bi, H. Zhang, M. Zhang, Y. K. Li, Y. Wu, and D. Guo, "Deepseekmath: Pushing the limits of mathematical reasoning in open language models," 2024. [Online]. Available: <https://arxiv.org/abs/2402.03300>
- [67] X. Li, Z. Li, Y. Kosuga, and V. Bian, "Optimizing safe and aligned language generation: A multi-objective grpo approach," 2025. [Online]. Available: <https://arxiv.org/abs/2503.21819>
- [68] DeepSeek-AI, D. Guo, and et al., "Deepseek-r1: Incentivizing reasoning capability in llms via reinforcement learning," 2025. [Online]. Available: <https://arxiv.org/abs/2501.12948>
- [69] S. Wang, S. Zhang, J. Zhang, R. Hu, X. Li, T. Zhang, J. Li, F. Wu, G. Wang, and E. Hovy, "Reinforcement learning enhanced llms: A survey," 2025. [Online]. Available: <https://arxiv.org/abs/2412.10400>

- [70] W. Xiao, Z. Wang, L. Gan, S. Zhao, W. He, L. A. Tuan, L. Chen, H. Jiang, Z. Zhao, and F. Wu, "A comprehensive survey of direct preference optimization: Datasets, theories, variants, and applications," 2024. [Online]. Available: <https://arxiv.org/abs/2410.15595>
- [71] Y. Mroueh, "Reinforcement learning with verifiable rewards: Grpo's effective loss, dynamics, and success amplification," 2025. [Online]. Available: <https://arxiv.org/abs/2503.06639>
- [72] S. Das and D. Das, "Natural language processing (nlp) techniques: Usability in human-computer interactions," in *2024 6th International Conference on Natural Language Processing (ICNLP)*, 2024, pp. 783–787.
- [73] A. Chernyavskiy, D. Ilvovsky, and P. Nakov, "Transformers: "the end of history" for nlp?" 2021. [Online]. Available: <https://arxiv.org/abs/2105.00813>
- [74] G. Caldarini, S. Jaf, and K. McGarry, "A literature survey of recent advances in chatbots," *Information*, vol. 13, no. 1, p. 41, Jan. 2022. [Online]. Available: <http://dx.doi.org/10.3390/info13010041>
- [75] S. Serrano, Z. Brumbaugh, and N. A. Smith, "Language models: A guide for the perplexed," 2023. [Online]. Available: <https://arxiv.org/abs/2311.17301>
- [76] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [77] L. Shiloh-Perl and R. Giryes, "Introduction to deep learning," 2020. [Online]. Available: <https://arxiv.org/abs/2003.03253>
- [78] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," 2023. [Online]. Available: <https://arxiv.org/abs/1706.03762>
- [79] H. Naveed, A. U. Khan, S. Qiu, M. Saqib, S. Anwar, M. Usman, N. Akhtar, N. Barnes, and A. Mian, "A comprehensive overview of large language models," 2024. [Online]. Available: <https://arxiv.org/abs/2307.06435>
- [80] J. Kaplan, S. McCandlish, T. Henighan, T. B. Brown, B. Chess, R. Child, S. Gray, A. Radford, J. Wu, and D. Amodei, "Scaling laws for neural language models," 2020. [Online]. Available: <https://arxiv.org/abs/2001.08361>
- [81] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. M. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, "Language models are few-shot learners," 2020. [Online]. Available: <https://arxiv.org/abs/2005.14165>
- [82] DeepSeek-AI, A. Liu, and et al., "Deepseek-v2: A strong, economical, and efficient mixture-of-experts language model," 2024. [Online]. Available: <https://arxiv.org/abs/2405.04434>
- [83] H. Na, "Cbt-llm: A chinese large language model for cognitive behavioral therapy-based mental health question answering," 2024. [Online]. Available: <https://arxiv.org/abs/2403.16008>

- [84] S. Zhang, L. Dong, X. Li, S. Zhang, X. Sun, S. Wang, J. Li, R. Hu, T. Zhang, F. Wu, and G. Wang, "Instruction tuning for large language models: A survey," 2024. [Online]. Available: <https://arxiv.org/abs/2308.10792>
- [85] Y. Wang, Y. Kordi, S. Mishra, A. Liu, N. A. Smith, D. Khashabi, and H. Hajishirzi, "Self-instruct: Aligning language models with self-generated instructions," 2023. [Online]. Available: <https://arxiv.org/abs/2212.10560>
- [86] T. Kaufmann, P. Weng, V. Bengs, and E. Hüllermeier, "A survey of reinforcement learning from human feedback," 2024. [Online]. Available: <https://arxiv.org/abs/2312.14925>
- [87] Unsloth, "Unsloth documentation," 2025. [Online]. Available: <https://docs.unsloth.ai>
- [88] I. Hartsock and G. Rasool, "Vision-language models for medical report generation and visual question answering: a review," *Frontiers in Artificial Intelligence*, vol. 7, Nov. 2024. [Online]. Available: <http://dx.doi.org/10.3389/frai.2024.1430984>
- [89] T. Zhang, V. Kishore, F. Wu, K. Q. Weinberger, and Y. Artzi, "Bertscore: Evaluating text generation with bert," 2020. [Online]. Available: <https://arxiv.org/abs/1904.09675>
- [90] C.-Y. Lin, "ROUGE: A package for automatic evaluation of summaries," in *Text Summarization Branches Out*. Barcelona, Spain: Association for Computational Linguistics, Jul. 2004, pp. 74–81. [Online]. Available: <https://aclanthology.org/W04-1013/>
- [91] L. Zheng, W.-L. Chiang, Y. Sheng, S. Zhuang, Z. Wu, Y. Zhuang, Z. Lin, Z. Li, D. Li, E. P. Xing, H. Zhang, J. E. Gonzalez, and I. Stoica, "Judging llm-as-a-judge with mt-bench and chatbot arena," 2023. [Online]. Available: <https://arxiv.org/abs/2306.05685>
- [92] R. M. S. Khan, P. Li, S. Yun, Z. Wang, S. Nirjon, C.-W. Wong, and T. Chen, "Portllm: Personalizing evolving large language models with training-free and portable model patches," 2025. [Online]. Available: <https://arxiv.org/abs/2410.10870>
- [93] N. Bertagnolli, "Counsel chat: Bootstrapping high-quality therapy data," 2020. [Online]. Available: <https://huggingface.co/datasets/nbertagnolli/counsel-chat>
- [94] F. T. and, "Anxiety disorders: a review of current literature," *Dialogues in Clinical Neuroscience*, vol. 19, no. 2, pp. 87–88, 2017, pMID: 28867933. [Online]. Available: <https://doi.org/10.31887/DCNS.2017.19.2/fthibaut>
- [95] C. McCormick and M. Green, "From the stressed adolescent to the anxious and depressed adult: Investigations in rodent models," *Neuroscience*, vol. 249, pp. 242–257, 2013, stress and the Adolescent Brain. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0306452212008986>
- [96] J. Kansky and J. Allen, "Long-term risks and possible benefits associated with late adolescent romantic relationship quality," *Journal of Youth and Adolescence*, vol. 47, 07 2018.
- [97] D. Li and S. Jiang, "Intergenerational relationship, family social support, and depression among chinese elderly: A structural equation modeling analysis," *Journal of Affective Disorders*, vol. 248, 04 2019.
- [98] G. Slavich, "From stress to inflammation and major depressive disorder: A social signal transduction theory of depression," *Psychological Bulletin*, vol. 140, pp. 774–815, 01 2014.
- [99] W. R. Miller and T. B. M. and, "Eight stages in learning motivational interviewing," *Journal of Teaching in the Addictions*, vol. 5, no. 1, pp. 3–17, 2006. [Online]. Available: https://doi.org/10.1300/J188v05n01_02

- [100] H. Sun, Z. Lin, C. Zheng, S. Liu, and M. Huang, "Psyqa: A chinese dataset for generating long counseling text for mental health support," 2021. [Online]. Available: <https://arxiv.org/abs/2106.01702>
- [101] A. Sharma, I. W. Lin, A. S. Miner, D. C. Atkins, and T. Althoff, "Towards facilitating empathic conversations in online mental health support: A reinforcement learning approach," 2021. [Online]. Available: <https://arxiv.org/abs/2101.07714>
- [102] C. R. Rogers, "The necessary and sufficient conditions of therapeutic personality change." *Journal of Consulting Psychology*, vol. 21, pp. 95–103, 1957.
- [103] H. Jin, S. Chen, D. Dilixiati, Y. Jiang, M. Wu, and K. Q. Zhu, "Psyeval: A suite of mental health related tasks for evaluating large language models," 2024. [Online]. Available: <https://arxiv.org/abs/2311.09189>
- [104] L. Michael and D. Barley, "Research summary of the therapeutic relationship and psychotherapy outcome," *Psychotherapy: Theory, Research, Practice, Training*, vol. 38, pp. 357–361, 01 2001.