

DAFTAR PUSTAKA

- Abdelsalam, M. Y., Sarafraz, P., Cotton, J. S., & Lightstone, M. F. (2017). Heat transfer characteristics of a hybrid thermal energy storage tank with Phase Change Materials (PCMs) during indirect charging using isothermal coil heat exchanger. *Solar Energy*, 157, 462–476. <https://doi.org/10.1016/j.solener.2017.08.043>
- Abd, H. S., Jaddoa, A. A., Judran, H. K., Alkhasraji, J. M. D., Aqool, S. J., & Chaichan, M. T. (2025). Phase change material nanocomposites for thermal energy storage applications on solar water heater. *Results in Engineering*, 25, 104428. <https://doi.org/10.1016/j.rineng.2025.104428>
- Adara. (2017). *UPA 15-90: Buku petunjuk pengguna*. Diakses pada 27 Juni 2025, dari <https://adara-bg.com/wp-content/uploads/2017/02/UPA-15-90.pdf>
- Agyenim, F., Hewitt, N., Eames, P., & Smyth, M. (2010). A review of materials, heat transfer and phase change problem formulation for latent heat thermal energy storage systems (LHTESS). Dalam *Renewable and Sustainable Energy Reviews* (Vol. 14, Nomor 2, hlm. 615–628). <https://doi.org/10.1016/j.rser.2009.10.015>
- Alva, G., Lin, Y., & Fang, G. (2018). An overview of thermal energy storage systems. *Energy*, 144, 341–378. <https://doi.org/10.1016/j.energy.2017.12.037>
- American Society of Mechanical Engineer. (2004). *ASME B36.10M*.
- American Society of Mechanical Engineer. (2019). *ASME Boiler and Pressure Vessel Code An International Code*. <https://www.asme.org/shop/certification-accreditation>.
- American Society of Mechanical Engineer. (2021). *ASME Boiler and Pressure Vessel Code An International Code*. <https://www.asme.org/shop/certification-accreditation>.

- Azhar, M., Solechan, S., Saraswati, R., Suharso, P., Suhartoto, S., dan Ispriyarso, B. (2018). The new renewable energy consumption policy of rare earth metals to build Indonesia's national energy security. *E3s Web of Conferences*, 68, 03068. <https://doi.org/10.1051/e3sconf/20186803068>
- Bejan, A., 1993, *Heat Transfer*, John Wiley & Sons, Inc., New York.
- Bergmann, T. L., dan Levine, A. S. (2019). *Fundamentals of heat and mass transfer*. John Wiley & Sons, Inc.
- Bharathiraja, R., Ramkumar, T., Selvakumar, M., dan Sasikumar, K. (2024). Experimental and numerical analysis of hybrid nano-enhanced PCM based flat plate solar collector. *Journal of Energy Storage*, 96, 112649. <https://doi.org/10.1016/j.est.2024.112649>
- Bouhal, T., Fertahi, S., Agrouaz, Y., El Rhafiki, T., Kousksou, T., Jamil, A., & Zeraouli, Y. (2021). Technical assessment, economic viability and investment risk analysis of solar heating/cooling systems in residential buildings in Morocco. *Solar Energy*, 170, 1043–1062. <https://doi.org/10.1016/j.solener.2018.06.032>
- Bouhal, T., El Rhafiki, T., Kousksou, T., Jamil, A., dan Zeraouli, Y. (2018). PCM addition inside solar water heaters: Numerical comparative approach. *Journal of Energy Storage*, 19, 232-246. <https://doi.org/10.1016/j.est.2018.08.005>
- Buddhi, D., Bansal, N.K., Sawhney, R.L., Sodha, M.S., 1988, Solar Thermal Storage Systems Using Phase Change Materials, *International Journal of Energy Research*, 12, 457 – 555.
- Cabeza, L. F., Castell, A., Barreneche, C., de Gracia, A., dan Fernandez, A. I., (2011). Materials used as PCM in thermal energy storage in buildings: A review. *Renewable and Sustainable Energy Reviews*, 15(3), 1675-1695. <https://doi.org/10.1016/j.rser.2010.11018>
- Cabeza, L. F., Castellon, C., Nogues, M., Medrano, M., Leppers, R., dan Zubillaga,

- O. (2007). Use of microencapsulated PCM in concrete walls for energy savings. *Energy and Buildings*, 39 (2), 113-119. <https://doi.org/10.1016/j.enbuild.2006.03.030>
- Canbazoglu, S., Şahinaslan, A., Ekmekyapar, A., Aksoy, İ. G., & Akarsu, F. (2005). Enhancement of solar thermal energy storage performance using sodium thiosulfate pentahydrate of a conventional solar water-heating system. *Energy and Buildings*, 37(3), 235–242. <https://doi.org/10.1016/j.enbuild.2004.06.016>
- Carmona, M., Kheradmand, S., dan Kheradmand, R. (2019). Thermal performance enhancement of phase change materials using copper and aluminum oxide nanoparticles – A comparative experimental study. *Solar Energy*, 183, 530–541. <https://doi.org/10.1016/j.solener.2018.11.056>
- Castell, A., Solé, C., Medrano, M., Roca, J., Cabeza, L. F., & García, D. (2008). Natural convection heat transfer coefficients in Phase Change Material (PCM) modules with external vertical fins. *Thermal Engineering*, 28(13), 1676. <https://doi.org/10.1016/j.applthermaleng.2007.11.004>
- Cengel, Y. (2014). *Fluid Mechanics Fundamentals and Applications*.
- Douvi, E., Pagkalos, C., Dogkas, G., Koukoub, M. K., Stathopolous, V. N., Caouris, Y., dan Vrachopoulos, M. G. (2021). Phase change materials in solar domestic hot water systems: A review. *International Journal of Thermofluids*, 10, 100075. <https://doi.org/10.1016/j.ijft.2021.100075>
- Duffie, J. A. ., & Beckman, W. A. . (2013). *Solar engineering of thermal processes*. Wiley.
- Dwivedi, V., Professor, A., & Counsell, J. (2009). *Thermal modelling and control of domestic hot water tank*.
- Esen, M., Durmus, A. (1998). Geometric design of solar aided latent heat store depending on various parameters and phase change materials. *Solar Energy*, 62(1), 19-28. [https://doi.org/10.1016/S0038-092X\(97\)00104-7](https://doi.org/10.1016/S0038-092X(97)00104-7)

- Farid, M.M., Khudair, A.M., Razack, S.A.K., Al-Hallaj, S., 2004, *A Review on Phase Change Energy Storage: Materials and Applications*, *Energy Conversion & Management*, 45, 1597 – 1615.
- Fath, H.E.S., 1991, Heat Exchanger Performance for Latent Heat Thermal Energy Storage System, *Energy Conversion and Management*, 31(2), 149 – 155.
- Fazilati, M. A., dan Alemrajabi, A. A. (2013). Phase change material for enhancing solar water heater, an experimental approach. *Energy Conversion and Management*, 71, 138-145.
<https://doi.org/10.1016/j.enconman.2013.03.034>
- Gil, A., Medrano, M. Martorell, I., Lázaro, A., Dolado, P., Zalba, B., dan Cabeza, L. F. (2010). State of the art on high temperature thermal energy storage for power generation. Part 1-Concepts, materials and modellization. *Renewable and Sustainable Energy Reviews*, 14(1), 31-55.
<https://doi.org/10.1016/j.rser.2009.07.035>
- H. Fayaz, S. Ramesh., A. Asif., Khan, S. A., Asif, M., Raja, V., dan Linul, E. (2024). Investigation of numerical phase transition of nano-enhanced SiC/paraffin wax PCM in solar-assisted water desalination system. *Thermal Science and Engineering Progress*, 50, 102528.
<https://doi.org/10.1016/j.tsep.2024.102528>
- Hedau, A., dan Singal, S. K. (2023). Study on the thermal performance of double pass solar air heater with PCM-based thermal energy storage. *Journal of Energy Storage*, 73, 109018. <https://doi.org/10.1016/j.est.2023.109018>
- Holman, J. P. (2002). *Heat transfer* (8th ed.). McGraw-Hill.
- Holman, J. P. (2010). *Heat Transfer Tenth Edition*.
- Holman, J. P. (2020). *Heat transfer* (11th ed.). McGraw-Hill Education.
- Huang, Y., Chen, Y., & Xie, J. (2020). Heat transfer enhancement of phase change materials with graphene oxide for thermal energy storage: A review. *Solar*

Energy Materials and Solar Cells, 213, 110582.
<https://doi.org/10.1016/j.solmat.2020.110582>

Ibrahim, N. I., Al-Sulaiman, F. A., Rahman, S., Yilbas, B. S., dan Sahin, A. Z. (2017). Heat transfer enhancement of phase change materials for thermal energy storage applications: A critical review. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 74, hlm. 26-50). Elsevier.
<https://doi.org/10.1016/B978-0-12-374501-9.0024-8>

Incropera, F.P., Dewitt, D.P., Bergman T.L., dan Lavine, A.S., 2007, *Fundamentals of Heat and mass Transfer*, Sixth Edition, John Wiley & Sons (Asia) Pte Ltd.

Islam, M. P., & Morimoto, T. (2024). Advances in low to medium temperature non-concentrating solar thermal technology. *Renewable and Sustainable Energy Reviews*, 82, 2066 – 2093. <http://dx.doi.org/10.1016/j.rser.2017.08.030>

Jegadheeswaran, S. dan Pohekar, S.D., 2009, Performance Enhancement in Latent Heat Thermal Storage Systems: A Review, *Renewable and Sustainable Energy Reviews*, 13, 2225 – 2244.

Kalogirou, S. (2009). *Solar energy engineering: Processes and systems* (1st ed.). Academic Press (Elsevier). <https://doi.org/10.1016/B978-0-12-374501-9.X0001-3>

Kalogirou. (2014). *Solar Water-Heating Systems Chapter 5*.
<https://doi.org/10.1016/B978-0-12-397270-5.00005-4>

Kaygusuz, K., dan Sari, A. (2005). Thermal energy storage system using a technical grade paraffin wax as latent heat energy storage material. *Energy Sources*, 27, 1535-1546. <https://doi.org/10.1080/>

Kee, S. Y., Munusamy, Y., & Ong, K. S. (2018). Review of solar water heaters incorporating solid-liquid organic phase change materials as thermal storage. Dalam *Applied Thermal Engineering* (Vol. 131, hlm. 455–471). Elsevier Ltd.

- Khoukhi, M., & Maruyama, S. (2005). Theoretical approach of a plate solar collector with clear and low-iron glass covers taking into account the spectral absorption and emission within glass covers layer. *Renewable Energy*, 30(8), 1177-1194. <https://doi.org/10.1016/j.renene.2004.09.014>
- Konuklu, Y., Ostry, M., Paksoy, H. O., dan Charvat, P. (2015). Review on using microencapsulated phase change materials (PCM) in building applications. *Energy and Buildings*, 106, 134-155. <https://doi.org/10.1016/j.enbuild.2015.07.019>
- Kürklü, A., Özmerzi, A., & Bilgin, S. (2002). Thermal performance of a water–phase change material solar collector. *Renewable Energy*, 26(3), 391–399. [https://doi.org/10.1016/S0960-1481\(01\)00130-6](https://doi.org/10.1016/S0960-1481(01)00130-6)
- Lingayat A., Das, P., Gilago, M. C., Chandramohan, V. P. (2023). A detailed assessment of paraffin waxed thermal energy storage medium for solar dryers. *Solar Energy*, 261, 14-27. <https://doi.org/10.1016/j.solener.2023.05.047>
- Manan, S. (2009). Energi matahari, sumber energi alternatif yang efisien, handal dan ramah lingkungan di Indonesia. Program Diploma III Teknik Elektro, Fakultas Teknik, Universitas Diponegoro.
- Megyessy. (1997). *E. Megyessy Pressure Vessel Handbook 10th Ed.*
- Mondol, J. D., Smyth, M., dan Zacharopoulos, A. (2011). Experimental characterisation of a novel heat exchanger for a solar hot water application under indoor and outdoor conditions. *Renewable Energy*, 36(6), 1766-1779. <https://doi.org/10.1016/j.renene.2010.10.031>
- Nadjib, M. (2014). *STUDI EKSPERIMENTAL PENGINTEGRASIAN PARAFFIN WAX DAN AIR SEBAGAI MEDIA PENYIMPAN KALOR PADA SISTEM PEMANAS AIR TENAGA SURYA.*
- Nadjib, M. (2021). *KAJIAN EKSPERIMENTAL DAN NUMERIK PENGGUNAAN PARAFFIN WAX PADA TANGKI PEMANAS AIR TENAGA SURYA SISTEM*

AKTIF.

- Nagar, N. (2019). *Central Solar Hot Water Systems Design Guide*.
- Peamsuwan, R., Nuntaphan, C., & Jivacate, C. (2013). A comparative performance study of a solar simulator and natural sunlight on a solar collector. *Journal of Fundamentals of Renewable Energy and Applications*, 3(4), 1–5. <https://doi.org/10.1016/j.enbenv.2023.04.002>
- Pielichowska, K., dan Pielichowski, K. (2014). Phase change materials for thermal energy storage. *Progress in Materials Science*, 65, 67-123. <https://doi.org/10.1016/j.ptmatsci.2014.03.005>
- Regin, A. F., Solanki, S. C., dan Saini, J. S. (2006). Latent heat thermal energy storage using cylindrical capsule: Numerical and experimental investigations. *Renewable Energy*, 31(14), 2025-2041. <https://doi.org/10.1016/j.renene.2005.10.011>
- Regin, A. F., Solanki, S. C., dan Saini, J. S. (2008). Heat transfer characteristics of thermal energy storage system using PCM capsules: A review. *Renewable and Sustainable Energy Reviews*, 12(9), 2438-2458. <https://doi.org/10.1016/j.rser.2007.06.009>
- Saravanan, M., Arul Selvan, S., Radhakrishnan, N., Srinivasa Rao, S., Sharma, V., Madhavarao, S., dan Siva Chandran, S. (2023). Improving the thermal efficiency of a solar water heater by using PCM. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.07.233>
- Sari, A., & Kaygusuz, K. (2001). Thermal energy storage system using stearic acid as a phase change material. *Solar Energy*, 71(6), 365–376. [https://doi.org/10.1016/S0038-092X\(01\)00075-5](https://doi.org/10.1016/S0038-092X(01)00075-5)
- Şen, Z. (2008). *Solar energy fundamentals and modeling techniques: Atmosphere, environment, climate change and renewable energy*. Dalam *Solar Energy Fundamentals and Modeling Techniques: Atmosphere, Environment, Climate Change and Renewable Energy*. Springer London.

<https://doi.org/10.1007/978-1-84800-134-3>

- Sharma, S. D., dan Sagara, K. (2005). Latent heat storage materials and systems: A review. *International Journal of Green Energy*, 2(1), 1-56.
<https://doi.org/10.1081/GE-200051299>
- Shatat, M., Worall, M., & Riffat, S. (2013). Opportunities for solar water desalination worldwide: Review. *Sustainable Cities and Society*, 9, 67–80.
<https://doi.org/10.1016/j.scs.2013.03.004>
- ElCheikh, A., Mansour, M. B., Ramadan, M., & ElKhoury, M. (2024). An experimental investigation of a novel PCM-embedded solar water heater. *Heliyon*, 10(6), e241021. <https://doi.org/10.1016/j.est.2024.114516>
- Talmatsky, E., dan Kribus, A. (2008). PCM storage for solar DHW: An unfulfilled promise? *Solar Energy*, 82(9), 861-869.
<https://doi.org/10.1016/j.solener.2008.04.003>
- Wang, X.-Q., Yap, C., & Mujumdar, A. S. (2014). Cyclic melting and freezing heat transfer using paired phase change materials. In B. Thorat, S. Devahastin, & G. Chen (Eds.), *Topics in Heat and Mass Transfer. IWSID2004*, Mumbai, India.
- Watanabe, T., & Kanzawa, A. (1995). Second-law optimization of a latent heat storage system with PCMs having different melting points. *Heat Recovery Systems & CHP*, 15(7), 641–653. [https://doi.org/10.1016/0890-4332\(95\)90044-6](https://doi.org/10.1016/0890-4332(95)90044-6)
- Zalba, B., Marin, J. M., Cabeza, L. F., dan Mehling, H. (2003). Review on thermal energy storage with phase change: Materials, heat transfer analysis and applications. *Applied Thermal Engineering*, 23(3), 251-283.
[https://doi.org/10.1016/s1359-4311\(02\)00192-8](https://doi.org/10.1016/s1359-4311(02)00192-8)