

DAFTAR PUSTAKA

- [1] N. Gupta, S. K. Gupta, R. K. Pathak, V. Jain, P. Rashidi, and J. S. Suri, "Human activity recognition in artificial intelligence framework: a narrative review," *Artif. Intell. Rev.*, vol. 55, no. 6, pp. 4755–4808, Aug. 2022, doi: 10.1007/s10462-021-10116-x.
- [2] S. Bian, M. Liu, B. Zhou, and P. Lukowicz, "The State-of-the-Art Sensing Techniques in Human Activity Recognition: A Survey," *Sensors*, vol. 22, no. 12, p. 4596, Jun. 2022, doi: 10.3390/s22124596.
- [3] Y. Ma, G. Zhou, and S. Wang, "WiFi Sensing with Channel State Information: A Survey," *ACM Comput. Surv.*, vol. 52, no. 3, pp. 1–36, May 2020, doi: 10.1145/3310194.
- [4] I. D. Mienye and Y. Sun, "A Survey of Ensemble Learning: Concepts, Algorithms, Applications, and Prospects," *IEEE Access*, vol. 10, pp. 99129–99149, 2022, doi: 10.1109/ACCESS.2022.3207287.
- [5] H. Li, X. He, X. Chen, Y. Fang, and Q. Fang, "Wi-Motion: A Robust Human Activity Recognition Using WiFi Signals," *IEEE Access*, vol. 7, pp. 153287–153299, 2019, doi: 10.1109/ACCESS.2019.2948102.
- [6] Y. Zeng, D. Wu, J. Xiong, E. Yi, R. Gao, and D. Zhang, "FarSense: Pushing the Range Limit of WiFi-based Respiration Sensing with CSI Ratio of Two Antennas," *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.*, vol. 3, no. 3, pp. 1–26, Sep. 2019, doi: 10.1145/3351279.
- [7] W. Wang, A. X. Liu, M. Shahzad, K. Ling, and S. Lu, "Understanding and Modeling of WiFi Signal Based Human Activity Recognition," in *Proceedings of the 21st Annual International Conference on Mobile Computing and Networking*, Paris France: ACM, Sep. 2015, pp. 65–76. doi: 10.1145/2789168.2790093.
- [8] "A Robust and Device-Free Daily Activities Recognition System using Wi-Fi Signals," *KSII Trans. Internet Inf. Syst.*, vol. 14, no. 6, Jun. 2020, doi: 10.3837/tiis.2020.06.004.
- [9] D. J. Suroso and F. Y. M. Adiyatma, "C-MEL: Consensus-Based Multiple Ensemble Learning for Indoor Device-Free Localization Through Fingerprinting," *IEEE Access*, vol. 12, pp. 166381–166392, 2024, doi: 10.1109/ACCESS.2024.3493889.
- [10] A. A. Susanto, "Klasifikasi Aktifitas Manusia Menggunakan Channel State Information Pada Wi-Fi Berbasis Ensemble Stacking," *Univ. Gadjah Mada Yogyak.*, 2025.
- [11] "Rancang Bangun Sistem Pengenalan Aktivitas Manusia."



- [12] U. Surendranathan, “Wi-Fi 6 : performance analysis of IEEE 802.11AX”.
- [13] J. B. Andersen, T. S. Rappaport, and S. Yoshida, “Propagation measurements and models for wireless communications channels,” *IEEE Commun. Mag.*, vol. 33, no. 1, pp. 42–49, Jan. 1995, doi: 10.1109/35.339880.
- [14] N. A. Khan, A. Awang, and S. A. A. Karim, “Security in Internet of Things: A Review,” *IEEE Access*, vol. 10, pp. 104649–104670, 2022, doi: 10.1109/ACCESS.2022.3209355.
- [15] Z. Yang, K. Qian, C. Wu, and Y. Zhang, *Smart Wireless Sensing: From IoT to AIoT*. Singapore: Springer Singapore, 2021. doi: 10.1007/978-981-16-5658-3.
- [16] P. V. Jasud, “The OSI Model: Overview on the Seven Layers of Computer Networks,” vol. 4, no. 3.
- [17] “Wi-Fi CERTIFIED 6 | Wi-Fi Alliance.” Accessed: Apr. 28, 2025. [Online]. Available: <https://www.wi-fi.org/discover-wi-fi/wi-fi-certified-6>
- [18] M. S. Gast, *802.11 wireless networks: the definitive guide*. in A Nutshell handbook. Sebastopol, Calif: O’Reilly, 2002.
- [19] K. Pahlavan and P. Krishnamurthy, “Evolution and Impact of Wi-Fi Technology and Applications: A Historical Perspective,” *Int. J. Wirel. Inf. Netw.*, vol. 28, no. 1, pp. 3–19, Mar. 2021, doi: 10.1007/s10776-020-00501-8.
- [20] E. Khorov, A. Kiryanov, A. Lyakhov, and G. Bianchi, “A Tutorial on IEEE 802.11ax High Efficiency WLANs,” *IEEE Commun. Surv. Tutor.*, vol. 21, no. 1, pp. 197–216, 2019, doi: 10.1109/COMST.2018.2871099.
- [21] S. M. Hernandez and E. Bulut, “WiFi Sensing on the Edge: Signal Processing Techniques and Challenges for Real-World Systems,” *IEEE Commun. Surv. Tutor.*, vol. 25, no. 1, pp. 46–76, 2023, doi: 10.1109/COMST.2022.3209144.
- [22] M. S. Afaqui, E. Garcia-Villegas, and E. Lopez-Aguilera, “IEEE 802.11ax: Challenges and Requirements for Future High Efficiency WiFi,” *IEEE Wirel. Commun.*, vol. 24, no. 3, pp. 130–137, Jun. 2017, doi: 10.1109/MWC.2016.1600089WC.
- [23] D.-J. Deng, K.-C. Chen, and R.-S. Cheng, “IEEE 802.11ax: Next generation wireless local area networks,” in *10th International Conference on Heterogeneous Networking for Quality, Reliability, Security and Robustness*, Rhodes, Greece: IEEE, Aug. 2014, pp. 77–82. doi: 10.1109/QSHINE.2014.6928663.
- [24] Z. Yang, Y. Zhang, G. Chi, and G. Zhang, “Hands-on Wireless Sensing with Wi-Fi: A Tutorial,” Jun. 20, 2022, *arXiv*: arXiv:2206.09532. doi: 10.48550/arXiv.2206.09532.



- [25] S. R. Saunders and A. Aragón-Zavala, *Antennas and propagation for wireless communication systems*, 2nd ed. Chichester, England ; Hoboken, NJ: J. Wiley & Sons, 2007.
- [26] “Wireless Sensing and Communication Lab.” Accessed: Apr. 27, 2025. [Online]. Available: <https://wisecomlab.github.io/research.html>
- [27] A. F. Molisch, Ed., *Wireless communications*, 2nd ed. in IEEE Xplore Digital Library. Chichester, West Sussex, U.K: Wiley, 2011.
- [28] D. J. Suroso, M. Arifin, and P. Cherntanomwong, “Distance-based Indoor Localization using Empirical Path Loss Model and RSSI in Wireless Sensor Networks,” *J. Robot. Control JRC*, vol. 1, no. 6, 2020, doi: 10.18196/jrc.1638.
- [29] Y. Baştanlar and M. Özuysal, “Introduction to Machine Learning,” in *miRNomics: MicroRNA Biology and Computational Analysis*, vol. 1107, M. Yousef and J. Allmer, Eds., in *Methods in Molecular Biology*, vol. 1107. , Totowa, NJ: Humana Press, 2014, pp. 105–128. doi: 10.1007/978-1-62703-748-8_7.
- [30] R. E. Schapire, “The Boosting Approach to Machine Learning: An Overview,” in *Nonlinear Estimation and Classification*, vol. 171, D. D. Denison, M. H. Hansen, C. C. Holmes, B. Mallick, and B. Yu, Eds., in *Lecture Notes in Statistics*, vol. 171. , New York, NY: Springer New York, 2003, pp. 149–171. doi: 10.1007/978-0-387-21579-2_9.
- [31] I. T. Jolliffe and J. Cadima, “Principal component analysis: a review and recent developments,” *Philos. Trans. R. Soc. Math. Phys. Eng. Sci.*, vol. 374, no. 2065, p. 20150202, Apr. 2016, doi: 10.1098/rsta.2015.0202.
- [32] Y. Wang, K. Wu, and L. M. Ni, “WiFall: Device-Free Fall Detection by Wireless Networks,” *IEEE Trans. Mob. Comput.*, vol. 16, no. 2, pp. 581–594, Feb. 2017, doi: 10.1109/TMC.2016.2557792.
- [33] A. Todorov, V. Stoykova, and Z. Zlatev, “Improving Signal Strength Estimation In Iot Using Wi-Fi Network Performance Data,” vol. 11, pp. 224–236, doi: 10.15547/artte.2023.04.002.
- [34] D. Halperin, W. Hu, A. Sheth, and D. Wetherall, “Tool release: gathering 802.11n traces with channel state information,” *ACM SIGCOMM Comput. Commun. Rev.*, vol. 41, no. 1, pp. 53–53, Jan. 2011, doi: 10.1145/1925861.1925870.
- [35] W. Wang, A. X. Liu, M. Shahzad, K. Ling, and S. Lu, “Understanding and Modeling of WiFi Signal Based Human Activity Recognition,” in *Proceedings of the 21st Annual International Conference on Mobile Computing and Networking*, Paris France: ACM, Sep. 2015, pp. 65–76. doi: 10.1145/2789168.2790093.



- [36] I. T. Jolliffe and J. Cadima, “Principal component analysis: a review and recent developments,” *Philos. Trans. R. Soc. Math. Phys. Eng. Sci.*, vol. 374, no. 2065, p. 20150202, Apr. 2016, doi: 10.1098/rsta.2015.0202.
- [37] S. Yousefi, H. Narui, S. Dayal, S. Ermon, and S. Valaee, “A Survey on Behavior Recognition Using WiFi Channel State Information,” *IEEE Commun. Mag.*, vol. 55, no. 10, pp. 98–104, Oct. 2017, doi: 10.1109/MCOM.2017.1700082.
- [38] M. Kotaru, K. Joshi, D. Bharadia, and S. Katti, “SpotFi: Decimeter Level Localization Using WiFi,” in *Proceedings of the 2015 ACM Conference on Special Interest Group on Data Communication*, London United Kingdom: ACM, Aug. 2015, pp. 269–282. doi: 10.1145/2785956.2787487.
- [39] S. Y. Boulahia, A. Amamra, M. R. Madi, and S. Daikh, “Early, intermediate and late fusion strategies for robust deep learning-based multimodal action recognition,” *Mach. Vis. Appl.*, vol. 32, no. 6, p. 121, Nov. 2021, doi: 10.1007/s00138-021-01249-8.
- [40] P. K. Atrey, M. A. Hossain, A. El Saddik, and M. S. Kankanhalli, “Multimodal fusion for multimedia analysis: a survey,” *Multimed. Syst.*, vol. 16, no. 6, pp. 345–379, Nov. 2010, doi: 10.1007/s00530-010-0182-0.
- [41] M. Moshawrab, M. Adda, A. Bouzouane, H. Ibrahim, and A. Raad, “Reviewing Multimodal Machine Learning and Its Use in Cardiovascular Diseases Detection,” *Electronics*, vol. 12, no. 7, p. 1558, Mar. 2023, doi: 10.3390/electronics12071558.
- [42] D. Singh and B. Singh, “Investigating the impact of data normalization on classification performance,” *Appl. Soft Comput.*, vol. 97, p. 105524, Dec. 2020, doi: 10.1016/j.asoc.2019.105524.
- [43] D. Borkin, A. Némethová, G. Michal’čonok, and K. Maiorov, “Impact of Data Normalization on Classification Model Accuracy,” *Res. Pap. Fac. Mater. Sci. Technol. Slovak Univ. Technol.*, vol. 27, no. 45, pp. 79–84, Sep. 2019, doi: 10.2478/rput-2019-0029.
- [44] S. Jiang, X. Li, Q. Zheng, and L. Wang, “Approximate Equal Frequency Discretization Method,” in *2009 WRI Global Congress on Intelligent Systems*, Xiamen, China: IEEE, 2009, pp. 514–518. doi: 10.1109/GCIS.2009.131.
- [45] R. Bro and A. K. Smilde, “Principal component analysis,” *Anal Methods*, vol. 6, no. 9, pp. 2812–2831, 2014, doi: 10.1039/C3AY41907J.
- [46] Y. Zhang, J. Liu, and W. Shen, “A Review of Ensemble Learning Algorithms Used in Remote Sensing Applications,” *Appl. Sci.*, vol. 12, no. 17, p. 8654, Aug. 2022, doi: 10.3390/app12178654.



- [47] R. E. Schapire, “The strength of weak learnability,” *Mach. Learn.*, vol. 5, no. 2, pp. 197–227, Jun. 1990, doi: 10.1007/BF00116037.
- [48] M. Kearns and L. G. Valiant, “Cryptographic limitations on learning Boolean formulae and finite automata,” in *Proceedings of the twenty-first annual ACM symposium on Theory of computing - STOC '89*, Seattle, Washington, United States: ACM Press, 1989, pp. 433–444. doi: 10.1145/73007.73049.
- [49] T. Chen and C. Guestrin, “XGBoost: A Scalable Tree Boosting System,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, San Francisco California USA: ACM, Aug. 2016, pp. 785–794. doi: 10.1145/2939672.2939785.
- [50] H. Deng, Y. Zhou, L. Wang, and C. Zhang, “Ensemble learning for the early prediction of neonatal jaundice with genetic features,” *BMC Med. Inform. Decis. Mak.*, vol. 21, no. 1, p. 338, Dec. 2021, doi: 10.1186/s12911-021-01701-9.
- [51] T. Chen and C. Guestrin, “XGBoost: A Scalable Tree Boosting System,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, San Francisco California USA: ACM, Aug. 2016, pp. 785–794. doi: 10.1145/2939672.2939785.
- [52] U. von Luxburg *et al.*, Eds., *Advances in neural information processing systems 30: 31st Annual Conference on Neural Information Processing Systems (NIPS 2017): Long Beach, California, USA, 4-9 December 2017*. Red Hook, NY: Curran Associates, Inc, 2018.
- [53] L. Prokhorenkova, G. Gusev, A. Vorobev, A. V. Dorogush, and A. Gulin, “CatBoost: unbiased boosting with categorical features,” 2017, *arXiv*. doi: 10.48550/ARXIV.1706.09516.
- [54] J. T. Hancock and T. M. Khoshgoftaar, “CatBoost for big data: an interdisciplinary review,” *J. Big Data*, vol. 7, no. 1, p. 94, Dec. 2020, doi: 10.1186/s40537-020-00369-8.
- [55] Y. Zhang, Z.-H. Zhou, C. Zhang, and Y. Li, Eds., *Intelligent Science and Intelligent Data Engineering: Second Sino-foreign-interchange Workshop, IScIDE 2011, Xi'an, China, October 23-25, 2011, Revised Selected Papers*, vol. 7202. in *Lecture Notes in Computer Science*, vol. 7202. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012. doi: 10.1007/978-3-642-31919-8.
- [56] H. Karamdel, M. Ashtiani, M. J. Mehditabar, and F. Bakhshi, “A consensus-based approach to improve the accuracy of machine learning models,” *Evol. Intell.*, vol. 17, no. 5–6, pp. 4257–4278, Oct. 2024, doi: 10.1007/s12065-024-00982-z.
- [57] H. Wang, Y. Yang, H. Wang, and D. Chen, “Soft-Voting Clustering Ensemble,” in *Multiple Classifier Systems*, vol. 7872, Z.-H. Zhou, F. Roli, and J.



Kittler, Eds., in *Lecture Notes in Computer Science*, vol. 7872. , Berlin, Heidelberg: Springer Berlin Heidelberg, 2013, pp. 307–318. doi: 10.1007/978-3-642-38067-9_27.

[58] S. Karlos, G. Kostopoulos, and S. Kotsiantis, “A Soft-Voting Ensemble Based Co-Training Scheme Using Static Selection for Binary Classification Problems,” *Algorithms*, vol. 13, no. 1, p. 26, Jan. 2020, doi: 10.3390/a13010026.

[59] I. A. Jones, M. P. Van Oyen, M. S. Lavieri, C. A. Andrews, and J. D. Stein, “Predicting rapid progression phases in glaucoma using a soft voting ensemble classifier exploiting Kalman filtering,” *Health Care Manag. Sci.*, vol. 24, no. 4, pp. 686–701, Dec. 2021, doi: 10.1007/s10729-021-09564-2.

[60] L. Rokach, “Ensemble-based classifiers,” *Artif. Intell. Rev.*, vol. 33, no. 1–2, pp. 1–39, Feb. 2010, doi: 10.1007/s10462-009-9124-7.

[61] H. Dalianis, *Clinical Text Mining: Secondary Use of Electronic Patient Records*, 1st ed. Cham: Springer International Publishing AG, 2018.

[62] “3.1. Cross-validation: evaluating estimator performance,” scikit-learn. Accessed: May 11, 2025. [Online]. Available: https://scikit-learn/stable/modules/cross_validation.html

[63] M. Burukanli and N. Yumuşak, “StackGridCov: a robust stacking ensemble learning-based model integrated with *GridSearchCV* hyperparameter tuning technique for mutation prediction of COVID-19 virus,” *Neural Comput. Appl.*, vol. 36, no. 35, pp. 22379–22401, Dec. 2024, doi: 10.1007/s00521-024-10428-3.

