

## DAFTAR PUSTAKA

- Abbasi, S., & Kiani, S. (2009). Effect of Time and Temperature on Moisture Content, Shrinkage, and Rehydration of Dried Onion. *Iranian Journal of Chemical Engineering*, 6(23). <https://www.researchgate.net/publication/258959711>
- Ambaw, A., Delele, M. A., Defraeye, T., Ho, Q. T., Opara, L. U., Nicolaï, B. M., & Verboven, P. (2013). The use of CFD to characterize and design post-harvest storage facilities: Past, present and future. *Computers and Electronics in Agriculture*, 93, 184–194. <https://doi.org/10.1016/j.compag.2012.05.009>
- Anoraga, S. B., & Bintoro, N. (2020). The effect of packaging and storage method on Snake fruit (*Salacca edulis* Rainw.) quality. *IOP Conference Series: Earth and Environmental Science*, 475(1). <https://doi.org/10.1088/1755-1315/475/1/012022>
- Apriliyanti, E. D., & Purbasari, D. (2022). Aplikasi Pelapisan Kitosan untuk Meningkatkan Umur Simpan Salak (*Salacca zalacca*). *Jurnal BETA (Biosistem Dan Teknik Pertanian)*, 10(2), 383. <https://doi.org/10.24843/jbeta.2022.v10.i02.p21>
- Árpád, I. W., Kiss, J. T., & Kocsis, D. (2024). Role of the volume-specific surface area in heat transfer objects : A critical thinking-based investigation of Newton ' s law of cooling. *International Journal of Heat and Mass Transfer*, 227(December 2023). <https://doi.org/10.1016/j.ijheatmasstransfer.2024.125535>
- ASHRAE Handbook. (1993). *Fundamentals*. American Society of Heating, Refrigerating, and Air-Conditioning Engineering, Inc.
- Asiah, N., Cempaka, L., Ramadhan, K., & Matatula, S. H. (2020). Prinsip Dasar Penyimpanan Pangan Pada Suhu Rendah. In *Nasmedia* (Vol. 1).
- Badan Pusat Statistik. (2025). *Data Ekspor Impor Nasional*. Bps.Go.Id. <https://www.bps.go.id/id/exim>
- Barbosa, I. B., & Gois, L. M. N. (2024). Mass Transfer in An Absorption Column. *International Journal of Scientific Research in Science and Technology*, 11(5), 150–156.
- Ben-Yehoshua, S., & Rodov, V. (2002). Transpiration and water stress. In *Postharvest physiology and pathology of vegetables* (pp. 143–197). CRC Press.
- Bergman, T. L., & Lavine, A. S. (2017). Fundamentals of Heat and Mass Transfer. In A. Patterson (Ed.), *McGraw-Hill Education* (Eight). John Wiley & Sons, Inc.
- Berk, Z. (2018). Chapter 1 - Physical properties of food materials. In Z. Berk (Ed.), *Food Process Engineering and Technology (Third Edition)* (Third Edit, pp. 1–29). Academic Press. <https://doi.org/10.1016/B978-0-12-812018-7.00001-4>
- Biu, E. O., Nwakuya, M. T., & Wonu, N. (2019). Detection of Non-Normality in Data Sets and Comparison between Different Normality Tests. *Asian Journal of Probability and Statistics*, 5(4), 1–20. <https://doi.org/DOI:10.9734/AJPAS/2019/v5i430149>

- Boukaew, S., Chumkaew, K., Kumla, J., Suwannarach, N., Petlamul, W., Nooprom, K., & Chuprom, J. (2024). Preserving snake fruit (*Salacca zalacca*) Voss quality: Effective control of *Peniophora salaccae* SKRU002 with fungicides and biological agents. *Journal of Agriculture and Food Research*, 18(September), 101475. <https://doi.org/10.1016/j.jafr.2024.101475>
- BSN. (2009). *SNI 3167:2009 - Salak*. Badan Standardisasi Nasional.
- Cao, S., Yang, C., Zang, Y., Li, Y., Gu, J., Ding, H., Yao, X., Zhu, R., Wang, Q., Dong, W., & Huang, Y. (2023). Simulated and Verification of Mass and Heat Transfer Coupled Model of Jujube Slices Dried by Hot Air Combined with Radio Frequency Heat Treatment at Different Drying Stages. *Foods*, 12(16). <https://doi.org/10.3390/foods12163025>
- Çengel, Y. A., & Ghajar, A. J. (2015). Heat and Mass Transfer: Fundamentals and Applications. In *Sustainability (Switzerland)* (Fifth). McGraw-Hill Education. [http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484\\_SISTEM\\_PEMBETUNGAN\\_TERPUSAT\\_STRATEGI\\_MELESTARI](http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI)
- Centre, T., Conservation, P., Garden, B. B., & Obstbau, F. (2002). *Deutscher Tropentag - Witzenhausen, 9-11 October 2002 Conference on International Research on Food Security, Natural Resource Management and Rural Development Salak* (. October, 9–11.
- Chareoansiri, R., & Kongkachuichai, R. (2009). Sugar profiles and soluble and insoluble dietary fiber contents of fruits in Thailand markets. *International Journal of Food Sciences and Nutrition*, 60(SUPPL.4), 126–139. <https://doi.org/10.1080/09637480802609376>
- Chay-Prove, P; Goebel, R. (2000). Salak (Snake fruit)(*Salacca* sp.). *Department of Primary Industry (DPI) Notes. Queensland Horticulture Institute, Centre for Wet Tropics Agriculture, South Johnstone, Queensland-Australia*.
- Chen, P., Wang, X., Fan, M., Tian, G., Zhu, W., Zhu, Y., & Jin, Y. (2025). Simulation study of moisture and heat migration during hot air drying of corn with stacked structures based on CFD-DEM. *Journal of Stored Products Research*, 112(March), 102627. <https://doi.org/10.1016/j.jspr.2025.102627>
- Cronquist, A. (1981). *An Integrated System of Classification of Flowering Plants*. Columbia University Press. <https://books.google.co.id/books?id=EB6qflbmcwC>
- Da Silva, W. P., Da Silva E Silva, C. M. D. P., Da Silva, L. D., & Farias, V. S. D. O. (2013). Drying of clay slabs: Experimental determination and prediction by two-dimensional diffusion models. *Ceramics International*, 39(7), 7911–7919. <https://doi.org/10.1016/j.ceramint.2013.03.053>
- de Araújo Gomes, A., Diniz, P. H. G. D., de Sousa Fernandes, D. D., Ríos-Reina, R., Azcarate, S. M., & Špánik, I. (2025). Digital image-based chemometrics for food analysis: a practical tutorial and roadmap. *Food Chemistry*, 486(April). <https://doi.org/10.1016/j.foodchem.2025.144531>
- de Sousa, J. V. N., de Lima, A. G. B., Batista, F. A., de Souza, E. C., de Macedo Cavalcante, D. C., de Moraes Pessôa, P., & do Carmo, J. E. F. (2020). On the Study of Autonomous Underwater Vehicles by Computational Fluid-

- Dynamics. In *Open Journal of Fluid Dynamics* (Vol. 10, Issue 01). <https://doi.org/10.4236/ojfd.2020.101005>
- Defraeye, T., & Radu, A. (2018). Insights in convective drying of fruit by coupled modeling of fruit drying, deformation, quality evolution and convective exchange with the airflow. *Applied Thermal Engineering*, *129*, 1026–1038. <https://doi.org/10.1016/j.applthermaleng.2017.10.082>
- Defraeye, T., Shrivastava, C., Berry, T., Verboven, P., Onwude, D., Schudel, S., Bühlmann, A., Cronje, P., & Rossi, R. M. (2021). Digital twins are coming: Will we need them in supply chains of fresh horticultural produce? *Trends in Food Science and Technology*, *109*, 245–258. <https://doi.org/10.1016/j.tifs.2021.01.025>
- Domínguez, E., Heredia-Guerrero, J. A., & Heredia, A. (2011). The biophysical design of plant cuticles: an overview. *The New Phytologist*, *189*(4), 938–949. <https://doi.org/10.1111/j.1469-8137.2010.03553.x>
- Du, Z., Hu, Y., Ali Buttar, N., & Mahmood, A. (2019). X-ray computed tomography for quality inspection of agricultural products: A review. *Food Science and Nutrition*, *7*(10), 3146–3160. <https://doi.org/10.1002/fsn3.1179>
- Escribà-Gelonch, M., Liang, S., van Schalkwyk, P., Fisk, I., Long, N. V. D., & Hessel, V. (2024). Digital Twins in Agriculture: Orchestration and Applications. *Journal of Agricultural and Food Chemistry*, *72*(19), 10737–10752. <https://doi.org/10.1021/acs.jafc.4c01934>
- Fernández-Muñoz, R., Heredia, A., & Domínguez, E. (2022). The role of cuticle in fruit shelf-life. *Current Opinion in Biotechnology*, *78*, 102802. <https://doi.org/10.1016/j.copbio.2022.102802>
- Gidado, M. J., Gunny, A. A. N., Gopinath, S. C. B., Ali, A., Wongs-Aree, C., & Salleh, N. H. M. (2024). Challenges of postharvest water loss in fruits: Mechanisms, influencing factors, and effective control strategies – A comprehensive review. *Journal of Agriculture and Food Research*, *17*(June), 101249. <https://doi.org/10.1016/j.jafr.2024.101249>
- Grabowski, S., Ramaswamy, H., & Marcotte, M. (2003). Drying of Fruits, Vegetables, and Spices. In R. A. Chakraverty, A.S., Mujumdar, G.S.V. Raghavan and H.S. (Ed.), *Handbook of Postharvest Technology* (pp. 445–478). Marcel Dekker Inc. <https://doi.org/10.1201/9780203911310.ch23>
- Gross, K. C., Wang, C. Y., & Saltveit, M. E. (eds). (2016). The commercial storage of Fruits, Vegetables, and Florist and Nursery Stocks. *Agricultural Research Service, United States Department of Agriculture, Wahington DC*, *66*(66), 442. [www.ntis.gov](http://www.ntis.gov).
- Guerrero-Beltrán, J. A. (2020). Subtropical fruits: Prickly pear. *Controlled and Modified Atmospheres for Fresh and Fresh-Cut Produce, April*, 469–475. <https://doi.org/10.1016/B978-0-12-804599-2.00035-1>
- Hall, M. R. B. T.-M. for E. E. and T. C. in B. (Ed.). (2010). Materials for Energy Efficiency and Thermal Comfort in Buildings. In *Woodhead Publishing Series in Energy* (pp. 709–734). Woodhead Publishing. <https://doi.org/10.1533/9781845699277.backmatter>
- Han, J. W., Zhao, C. J., Yang, X. T., Qian, J. P., & Fan, B. L. (2015). Computational modeling of airflow and heat transfer in a vented box during cooling: Optimal

- package design. *Applied Thermal Engineering*, 91, 883–893. <https://doi.org/10.1016/j.applthermaleng.2015.08.060>
- Harahap, M. J., & Sitorus, Z. (2023). Manufacture of Polymer Concrete Based on Snake-Fruit Seeds (*Salacca zalacca*) and Sawdust with Polyester Resin as an Adhesive. *Journal of Technomaterial Physics*, 5(2), 63–72. <https://doi.org/10.32734/jotpv5i2.12380>
- Hellström, K., Diószegi, A., & Diaconu, L. (2017). A broad literature review of density measurements of liquid cast iron. *Metals*, 7(5). <https://doi.org/10.3390/met7050165>
- Henrichs, E., Noack, T., Piedrahita, A. M. P., Salem, M. A., Stolz, J., & Krupitzer, C. (2022). Can a byte improve our bite? An analysis of digital twins in the food industry. *Sensors*, 22(1). <https://doi.org/10.3390/s22010115>
- Hoffmann, T. G., Ronzoni, A. F., da Silva, D. L., Bertoli, S. L., & de Souza, C. K. (2021). Cooling kinetics and mass transfer in postharvest preservation of fresh fruits and vegetables under refrigerated conditions. *Chemical Engineering Transactions*, 87(January), 115–120. <https://doi.org/10.3303/CET2187020>
- Hurtado, G., Grimm, E., Bruggenwirth, M., & Knoche, M. (2021). Strawberry fruit skins are far more permeable to osmotic water uptake than to transpirational water loss. *PLoS ONE*, 16(5 May), 1–20. <https://doi.org/10.1371/journal.pone.0251351>
- Ifmalinda, Andasuryani, & Lubis, R. H. (2019). Jurnal Teknik Pertanian Lampung Volume Lampung Desember 2019 Published by : Jurusan Teknik Pertanian , Fakultas Pertanian Universitas Lampung. *Jurnal Teknik Pertanian Lampung*, 8(4), 256–264.
- Incropera, F. P., & DeWitt, D. P. (1990). Fundamentals of heat and mass transfer. In *John Wiley & Sons Inc.* (3rd ed.). John Wiley & Sons Inc.
- Iqbal M, J., Akbar M, W., Aftab, R., Younas, I., & Jamil, U. (2019). Heat and mass transfer modeling for fruit drying: a review. *MOJ Food Processing & Technology*, 7(3), 69–73. <https://doi.org/10.15406/mojfpt.2019.07.00222>
- Isachenko, V. P., Osipova, V. A., & Sukomel, A. S. (1980). *Heat transfer*. Nirali Prakashan.
- Janssen, S., Verboven, P., Nugraha, B., Wang, Z., Boone, M., Josipovic, I., & Nicolaï, B. M. (2020). 3D pore structure analysis of intact ‘Braeburn’ apples using X-ray micro-CT. *Postharvest Biology and Technology*, 159(September 2019), 111014. <https://doi.org/10.1016/j.postharvbio.2019.111014>
- Kader, A. A. (2013). Postharvest Technology of Horticultural Crops - An Overview from Farm to Fork. *Journal of Applied Sciences and Technology*, 1(1), 1–8.
- Kaminski, W., Tomczak, E., Opara, B., & Tylman, M. (2021). Application of lewis analogy to estimate the heat and mass transfer in membrane distillation. *Desalination and Water Treatment*, 214, 107–113. <https://doi.org/10.5004/dwt.2021.26651>
- Karyadi, J. N. W., Rahma, S., Sitindaon, R., Putri, D. G. P., & Ayuni, D. (2021). Drying characteristics of jackfruit and snake fruit using freeze dryer. *Pertanika Journal of Science and Technology*, 29(1), 317–330. <https://doi.org/10.47836/pjst.29.1.18>
- Khanal, B. P., Ikigu, G. M., & Knoche, M. (2019). Russeting partially restores apple

- skin permeability to water vapour. *Planta*, 249(3), 849–860. <https://doi.org/10.1007/s00425-018-3044-1>
- Khanal, B. P., Imoro, Y., Chen, Y. H., Straube, J., & Knoche, M. (2021). Surface moisture increases microcracking and water vapour permeance of apple fruit skin. *Plant Biology*, 23(1), 74–82. <https://doi.org/10.1111/plb.13178>
- Khanal, B. P., Sangroula, B., Bhattarai, A., Almeida, G. K., & Knoche, M. (2022). Pathways of postharvest water loss from banana fruit. *Postharvest Biology and Technology*, 191(March), 111979. <https://doi.org/10.1016/j.postharvbio.2022.111979>
- Kim, H.-Y. (2019). Statistical notes for clinical researchers: the independent samples t -test . *Restorative Dentistry & Endodontics*, 44(3), 2–7. <https://doi.org/10.5395/rde.2019.44.e26>
- Kojić, M., Milošević, M., & Ziemys, A. (2022). Description of the software accompanying the book. In *Computational Models in Biomedical Engineering Finite Element Models Based on Smearred Physical Fields : Theory, Solutions, and Software* (pp. 279–283). Academic Press. <https://doi.org/https://doi.org/10.1016/C2020-0-03703-5>
- Kuznik, F., Rusaouën, G., & Brau, J. (2007). Experimental and numerical study of a full scale ventilated enclosure: Comparison of four two equations closure turbulence models. *Building and Environment*, 42(3), 1043–1053. <https://doi.org/10.1016/j.buildenv.2005.11.024>
- Leni Marlina, Y. Aris Purwanto, & Usman Ahmad. (2014). Aplikasi Pelapisan Kitosan dan Lilin Lebah untuk Meningkatkan Umur Simpan Salak Pondoh. *Jurnal Keteknik Pertanian*, 2(1), 65–72.
- Lentzou, D., Xanthopoulos, G., Templalexis, C., & Kaltsa, A. (2021). The transpiration and respiration as mechanisms of water loss in cold storage of figs. *Food Research*, 5(6), 109–118. [https://doi.org/10.26656/fr.2017.5\(6\).178](https://doi.org/10.26656/fr.2017.5(6).178)
- Lestari, R., Ebert, G., & Huyskens-Keil, S. (2013). Fruit Quality Changes of Salak “Pondoh” Fruits (*Salacca zalacca* (Gaertn.) Voss) during Maturation and Ripening. *Journal of Food Research*, 2(1), 204. <https://doi.org/10.5539/jfr.v2n1p204>
- Liu, H., Han, X., Fadiji, T., Li, Z., & Ni, J. (2022). Prediction of the cracking susceptibility of tomato pericarp: Three-point bending simulation using an extended finite element method. *Postharvest Biology and Technology*, 187(February), 111876. <https://doi.org/10.1016/j.postharvbio.2022.111876>
- Liu, W., Han, D., Wang, G., & Chu, X. (2023). Representative elementary volume evaluation of coal microstructure based on CT 3D reconstruction. *Fuel*, 336(August 2022), 126965. <https://doi.org/10.1016/j.fuel.2022.126965>
- Lufu, R., Ambaw, A., & Opara, U. L. (2020). Water loss of fresh fruit: Influencing pre-harvest, harvest and postharvest factors. *Scientia Horticulturae*, 272(January). <https://doi.org/10.1016/j.scienta.2020.109519>
- M, V., N, V., Kennedy Z, J., D, A., & Jesudas D, M. (2017). Applications of X-Ray Computed Tomography in Food Processing. *Journal of Food Processing & Technology*, 08(05), 10–12. <https://doi.org/10.4172/2157-7110.1000673>
- Ma, S., Wang, Z., Wang, L., Liu, J., Chen, H., Su, E., & An, F. (2025). Inhibition mechanism and diffusion model of gas desorption in cylindrical coal core

- during frozen coring: Experimental simulation and validation. *Fuel*, 400(May), 135779. <https://doi.org/10.1016/j.fuel.2025.135779>
- Maguire, K. M., Banks, N. H., & Opara, L. U. (2010). Factors affecting weight loss of apples. *Horticultural Reviews*, 25, 197–234.
- Mao, H., Kumi, F., Li, Q., & Han, L. (2016). Combining X-ray computed tomography with relevant techniques for analyzing soil–root dynamics – an overview. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 66(1), 1–19. <https://doi.org/10.1080/09064710.2015.1067711>
- Mazumdar, P., Pratama, H., Lau, S. E., Teo, C. H., & Harikrishna, J. A. (2019). Biology, phytochemical profile and prospects for snake fruit: An antioxidant-rich fruit of South East Asia. *Trends in Food Science and Technology*, 91(May 2018), 147–158. <https://doi.org/10.1016/j.tifs.2019.06.017>
- Meng, X., Zepeng, H., & Fangcheng, B. (2016). *Dry-fog controlled humidity system and its application in fruit & vegetable storage*. 8–13. <https://doi.org/https://dx.doi.org/10.11975/j.issn.1002-6819.2016.11.038>
- Mukama, M., Ambaw, A., & Opara, U. L. (2020). Thermophysical properties of fruit—a review with reference to postharvest handling. *Journal of Food Measurement and Characterization*, 14(5), 2917–2937. <https://doi.org/10.1007/s11694-020-00536-8>
- Mulyawanti, I., Widayanti, S. M., Dewandari, K. T., & Setyabudi, D. A. (2021). Study of the Quality of Zalacca Fruit on Control Atmosphere Storage (CAS) and Modified Atmosphere Packaging (MAP). *IOP Conference Series: Earth and Environmental Science*, 803(1). <https://doi.org/10.1088/1755-1315/803/1/012035>
- Murdijati, G., & Swasti, Y. R. (2018). *Fisiologi Pascapanen Buah dan Sayur*. Gadjah Mada University Press.
- Nawrocka, A., Stegonekpień, E., Grundas, S., & Nawrot, J. (2012). Mass loss determination of wheat kernels infested by granary weevil from X-ray images. *Journal of Stored Products Research*, 48, 19–24. <https://doi.org/10.1016/j.jspr.2011.08.004>
- Norton, T., & Sun, D. W. (2006). Computational fluid dynamics (CFD) - an effective and efficient design and analysis tool for the food industry: A review. *Trends in Food Science and Technology*, 17(11), 600–620. <https://doi.org/10.1016/j.tifs.2006.05.004>
- Ntumba, P. T., Khamlich, S., Sone, B. T., & Fester, V. (2025). Experimental and molecular-level insights into thermal conductivity of cobalt hydroxylchloride nanofluids. *International Journal of Thermofluids*, 27(May), 101256. <https://doi.org/10.1016/j.ijft.2025.101256>
- Nugraha, D. S., Muyassarun, M. A., & Honasan, N. (2025). *The Effect of Storage Temperature on the Quality of Pondoh Salak Fruit (Salacca edulis Reinw)*. 2(3), 172–179. <https://doi.org/10.62885/agrosoci.v2i3.550>
- Nwakuba, N., Ezeanya, N., Horsfall, I. T., Okafor, V., Ononogbo, C., Ndukwu, M., Simo-Tagne, M., & Asoegwu, S. (2025). Heat and moisture transport in okra cylinders with shrinkage effects under solar drying: a multiphysics-based simulation approach. *Sustainable Food Technology*, 520–536. <https://doi.org/10.1039/d4fb00343h>

- Onwude, D. I., Hashim, N., Abdan, K., Janius, R., Chen, G., & Kumar, C. (2018). Modelling of coupled heat and mass transfer for combined infrared and hot-air drying of sweet potato. *Journal of Food Engineering*, 228, 12–24. <https://doi.org/10.1016/j.jfoodeng.2018.02.006>
- Perez, J. H., Tanaka, F., & Uchino, T. (2012). Modeling of mass transfer and initiation of hygroscopically induced cracks in rice grains in a thermally controlled soaking condition: With dependency of diffusion coefficient to moisture content and temperature - A 3D finite element approach. *Journal of Food Engineering*, 111(3), 519–527. <https://doi.org/10.1016/j.jfoodeng.2012.02.029>
- Potochnik, A., Colombo, M., & Wright, C. (2018). T test as a parametric statistic. *Recipes for Science, Table 2*, 167–206. <https://doi.org/10.4324/9781315686875-6>
- Rai, I. N., Semarajaya, C. G. A., Wiraatmaja, I. W., & Alit Astiari, K. (2016). Relationship between IAA, sugar content and fruit-set in snake fruit (*Zalacca salacca*). *Journal of Applied Horticulture*, 18(3), 213–216. <https://doi.org/10.37855/jah.2016.v18i03.37>
- Rajesh, S., Sekar, S., Sekar, S. D., & Madhankumar, S. (2024). Drying kinetics, energy, statistical, economic, and proximate analysis of a greenhouse dryer using different glazing materials for *Coccinia grandis* drying. *Solar Energy*, 284(August), 113047. <https://doi.org/10.1016/j.solener.2024.113047>
- Raman, R. K., Dewang, Y., & Raghuwanshi, J. (2018). A review on applications of computational fluid dynamics. *International Journal of LNCT*, 2(6), 137–143.
- Ramaswamy, H. S. (2014). *Post-harvest Technologies of Fruits & Vegetables*. DEStech Publications, Incorporated. <https://books.google.co.id/books?id=m3zVBAAQBAJ>
- Ramos, C. C., Preizal, J., Hu, X., Caucheteur, C., Woyessa, G., Bang, O., Rocha, A. M., & Oliveira, R. (2025). Highly resolution liquid level sensor based on Archimedes' law of Buoyancy using polymer optical fiber Bragg gratings. *Measurement*, 252(March). <https://doi.org/10.1016/j.measurement.2025.117368>
- Rao, C. G. (2016). Postharvest Physiology of Fruits and Vegetables. In C. B. T.-E. for S. of F. and V. Gopala Rao (Ed.), *Engineering for Storage of Fruits and Vegetables* (pp. 13–38). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-803365-4.00002-6>
- Razak, N. A., Hamid, N. A., & Shaari, A. R. (2018). Effect of storage temperature on moisture content of encapsulated *Orthosiphon stamineus* spray-dried powder. *AIP Conference Proceedings*, 2030(January). <https://doi.org/10.1063/1.5066835>
- Ridho, A., Wathoni, N., Subarnas, A., & Levita, J. (2019). Insights of phytoconstituents and pharmacology activities of *Salacca* plants. *Journal of Applied Pharmaceutical Science*, 9(10), 121–124. <https://doi.org/10.7324/JAPS.2019.91017>
- Rodolfo, B. B., Chang, O., Rodrigo, P., & Jesus, G. Y. (2023). *Digital Twins Application in The Post-Harvest Supply Chain of Fruits and Vegetables: A Systematic Review of the Literature*. 118–130.

<https://doi.org/10.46254/an12.20220038>

- Rukmana, R. (1999). *Prosper Agribisnis dan Teknik Usaha Tani*. Kanisius.
- Saleh, M. S. M., Siddiqui, M. J., Mediani, A., Ismail, N. H., Ahmed, Q. U., So'ad, S. Z. M., & Saidi-Besbes, S. (2018). *Salacca zalacca*: A short review of the palm botany, pharmacological uses and phytochemistry. *Asian Pacific Journal of Tropical Medicine*, *11*(12), 645–652. <https://doi.org/10.4103/1995-7645.248321>
- Santoso, H. B. (1990). *Salak Pondoh*. Kanisius.
- Sastroprojo, S. (1980). *Fruits*. IBPGR Scretariat Home.
- Shi, Y., Rui, S., Xu, S., Wang, N., & Wang, Y. (2022). COMSOL Modeling of Heat Transfer in SVE Process. *Environments - MDPI*, *9*(5). <https://doi.org/10.3390/environments9050058>
- Shrivastava, C., Berry, T., Cronje, P., Schudel, S., & Defraeye, T. (2022). Digital twins enable the quantification of the trade-offs in maintaining citrus quality and marketability in the refrigerated supply chain. *Nature Food*, *3*(6), 413–427. <https://doi.org/10.1038/s43016-022-00497-9>
- Singh, R., Giri, S. K., & Kotwaliwale, N. (2014). Shelf-life enhancement of green bell pepper (*Capsicum annuum* L.) under active modified atmosphere storage. *Food Packaging and Shelf Life*, *1*(2), 101–112. <https://doi.org/10.1016/j.fpsl.2014.03.001>
- Steif, P. S., Palastro, M. C., & Rabin, Y. (2007). The Effect of Temperature Gradients on Stress Development during Cryopreservation via Vitrification. *Cell Preserv Technol*, *5*(2), 104–115.
- Supapvanich S, Megia R, D. P. (2011). Salak [*Salacca zalacca* (Gaertner) Voss]. In Y. EM (Ed.), *Postharvest biology and technology of tropical and subtropical fruits* (pp. 334–352). Oxford Woodhead Publishing.
- Talla, A., Puiggali, J. R., Jomaa, W., & Jannot, Y. (2004). Shrinkage and density evolution during drying of tropical fruits: Application to banana. *Journal of Food Engineering*, *64*(1), 103–109. <https://doi.org/10.1016/j.jfoodeng.2003.09.017>
- Tanaka, F., Nashiro, K., Obatake, W., Tanaka, F., & Uchino, T. (2018). Observation and analysis of internal structure of cucumber fruit during storage using X-ray computed tomography. *Engineering in Agriculture, Environment and Food*, *11*(2), 51–56. <https://doi.org/https://doi.org/10.1016/j.eaef.2017.12.004>
- Tempelaere, A., De Ketelaere, B., He, J., Kalfas, I., Pieters, M., Saeys, W., Van Belleghem, R., Van Doorselaer, L., Verboven, P., & Nicolai, B. M. (2023). An introduction to artificial intelligence in machine vision for postharvest detection of disorders in horticultural products. *Postharvest Biology and Technology*, *206*(March), 112576. <https://doi.org/10.1016/j.postharvbio.2023.112576>
- Tempelaere, A., Van Doorselaer, L., He, J., Verboven, P., & Nicolai, B. M. (2024). BraeNet: Internal disorder detection in 'Braeburn' apple using X-ray imaging data. *Food Control*, *155*(April 2023), 110092. <https://doi.org/10.1016/j.foodcont.2023.110092>
- Thompson, M. K., & Thompson, J. M. (2017). Postprocessing. In *ANSYS Mechanical APDL for Finite Element Analysis* (pp. 295–318). Butterworth-

- Heinemann is an imprint of Elsevier. <https://doi.org/10.1016/B978-0-12-809231-6.00030-2>
- Tugnolo, A., Giovenzana, V., Malegori, C., Oliveri, P., Casson, A., Curatitoli, M., Guidetti, R., & Beghi, R. (2021). A reliable tool based on near-infrared spectroscopy for the monitoring of moisture content in roasted and ground coffee: A comparative study with thermogravimetric analysis. *Food Control*, 130(February), 108312. <https://doi.org/10.1016/j.foodcont.2021.108312>
- Uhl, Natalie W; Dransfield, J. (1988). *Genera Palmarum. A classification of palms based on the work of Harold E. Moore, Jr.*
- Umeohia, U. E., & Olapade, A. A. (2024). Physiological Processes Affecting Postharvest Quality of Fresh Fruits and Vegetables. In *Asian Food Science Journal* (Vol. 23, Issue 4, pp. 1–14). <https://doi.org/10.9734/afsj/2024/v23i4706>
- Verboven, P., Defraeye, T., Datta, A. K., & Nicolai, B. (2020). Digital twins of food process operations: the next step for food process models? *Current Opinion in Food Science*, 35, 79–87. <https://doi.org/10.1016/j.cofs.2020.03.002>
- Verdouw, C., Tekinerdogan, B., Beulens, A., & Wolfert, S. (2021). Digital twins in smart farming. *Agricultural Systems*, 189(December 2020), 103046. <https://doi.org/10.1016/j.agsy.2020.103046>
- Wang, Q., Xue, H., John Martin, J. J., Hou, M., Cao, H., Dong, Z., Li, J., & Sun, C. (2024). Trends and Applications of Computed Tomography in Agricultural Non-Destructive Testing. *Agriculture (Switzerland)*, 14(12), 1–23. <https://doi.org/10.3390/agriculture14122329>
- Wang, Y., Tang, Y., & Ye, Z. S. (2022). Paired or partially paired two-sample tests with unordered samples. *Journal of the Royal Statistical Society. Series B: Statistical Methodology*, 84(4), 1503–1525. <https://doi.org/10.1111/rssb.12541>
- Wong, K. C., & Tie, D. Y. (1993). Volatile constituents of salak (*Salacca edulis* Reinw.) fruit. *Flavour and Fragrance Journal*, 8(6), 321–324. <https://doi.org/https://doi.org/10.1002/ffj.2730080606>
- Xanthopoulos, G. T., Athanasiou, A. A., Lentzou, D. I., Boudouvis, A. G., & Lambrinos, G. P. (2014). Modelling of transpiration rate of grape tomatoes. Semi-empirical and analytical approach. *Biosystems Engineering*, 124, 16–23. <https://doi.org/10.1016/j.biosystemseng.2014.06.005>
- Xanthopoulos, G. T., Templalexis, C. G., Aleiferis, N. P., & Lentzou, D. I. (2017). The contribution of transpiration and respiration in water loss of perishable agricultural products: The case of pears. *Biosystems Engineering*, 158, 76–85. <https://doi.org/10.1016/j.biosystemseng.2017.03.011>
- Yahia, E., & Carrillo-Lopez, A. (2018). Postharvest Physiology and Biochemistry of Fruits and Vegetables. In *Woodhead Publishing*.
- Yahia, E. M. (2019). Introduction. In E. M. B. T.-P. T. of P. H. C. Yahia (Ed.), *Postharvest Technology of Perishable Horticultural Commodities* (pp. 1–41). Woodhead Publishing. <https://doi.org/https://doi.org/10.1016/B978-0-12-813276-0.00001-8>
- Ye, J., Li, Z., Zhang, L., Wang, S., & Jiang, L. (2022). Measurement and the improvement of effective thermal conductivity for a metal hydride bed - a

- review. *RSC Advances*, 12(39), 25722–25743.  
<https://doi.org/10.1039/d2ra04627j>
- Zaed, A. S. (2015). Pengaruh perbedaan sumber polen dan varietas salak (*Salacca zalacca* Gaertner Voss.) terhadap kualitas buah. *Agrovigor*, 8(1), 51–57.
- Zewdie, T. A., Delele, M. A., Fanta, S. W., Alemayehu, M., Alemayehu, G., Adgo, E., Nyssen, J., Verboven, P., & Nicolai, B. M. (2022). Optimisation of onion bulb curing using a heat and mass transfer model. *Biosystems Engineering*, 214, 42–57. <https://doi.org/10.1016/j.biosystemseng.2021.12.009>
- Zhang, S., Kong, N., Zhu, Y., Zhang, Z., & Xu, C. (2013). 3D model-based simulation analysis of energy consumption in hot air drying of corn kernels. *Mathematical Problems in Engineering*, 2013. <https://doi.org/10.1155/2013/579452>
- Zou, Q., Opara, L. U., & McKibbin, R. (2006). A CFD modeling system for airflow and heat transfer in ventilated packaging for fresh foods: II. Computational solution, software development, and model testing. *Journal of Food Engineering*, 77(4), 1048–1058. <https://doi.org/10.1016/j.jfoodeng.2005.08.043>