

DAFTAR PUSTAKA

- Amalia, I.W., Nurnanda, D. and Hendrianie, N. (2019) 'Proses Pembuatan Asam Sitrat dari Molasses dengan Metode Submerged Fermentation', 8(2).
- Asworo, R.Y. and Widwastuti, H. (2023) 'Pengaruh Ukuran Serbuk Simplisia dan Waktu Maserasi terhadap Aktivitas Antioksidan Ekstrak Kulit Sirsak', *Indonesian Journal of Pharmaceutical Education*, 3(2). Available at: <https://doi.org/10.37311/ijpe.v3i2.19906>.
- Brunelli, D., Seyler, M., Cipriani, A., Ottolini, L., & Bonatti, E. (2006). Discontinuous melt extraction and weak refertilization of mantle peridotites at the Vema lithospheric section (Mid-Atlantic Ridge). *Journal of Petrology*, 70(4), 745–771.
- Chemat, F., Abert-Vian, M., Huma, Z., 2009. *Microwave-assisted separations: green chemistry in action*. In: *Pearlman, J.T.* (Ed.), *Green Chemistry Research Trends*. Nova Science Publishers, New York, NY, pp. 33–62.
- Dai, Y., Verpoorte, R. and Choi, Y.H. (2014) 'Natural deep eutectic solvents providing enhanced stability of natural colorants from safflower (*Carthamus tinctorius*)', *Food Chemistry*, 159, pp. 116–121. Available at: <https://doi.org/10.1016/j.foodchem.2014.02.155>.
- Dayana, M.E., Singkam, A.R. and Jumiarni, D. (2022) 'Keanekaragaman Mikroalga sebagai Bioindikator di Perairan Sungai', *BIOEDUSAINS: Jurnal Pendidikan Biologi dan Sains*, 5(1), pp. 77–84. Available at: <https://doi.org/10.31539/bioedusains.v5i1.3531>.
- Dewatisari, W.F. (2020) 'Perbandingan Pelarut Kloroform dan Etanol terhadap Rendemen Ekstrak Daun Lidah Mertua (*Sansevieria trifasciata* Prain.) Menggunakan Metode Maserasi'.
- Dey, S. dan V.K. Rathod. 2013. Ultrasound assisted extraction of β -carotene from *Spirulina platensis*. *Ultrasonics-Sonochemistry*. 20(1): 271 – 276.
- Fadhlorrohmah, I., Setyawandani, T. and Sumarmono, J. (2023) 'Karakteristik Warna (Hue, Chroma, Whiteness Index), Rendemen, dan Persentase Whey Keju dengan Penambahan Teh Hitam Orthodox (*Camellia sinensis* var. *assamica*)', *JITIPARI (Jurnal Ilmiah Teknologi dan Industri Pangan UNISRI)*, 8(1), pp. 10–19. Available at: <https://doi.org/10.33061/jitipari.v8i1.8133>.
- Fernández-Rojas, B., Hernández-Juárez, J. and Pedraza-Chaverri, J. (2014) 'Nutraceutical properties of phycocyanin', *Journal of Functional Foods*, 11, pp. 375–392. Available at: <https://doi.org/10.1016/j.jff.2014.10.011>.
- Firdaus, A.S. and Azara, R. (2022) 'Effect of Additional Stabilities (CMC) and Citric Acid in Red Guava Juice (*Psidium Guajava* L.)', *Procedia of Engineering and Life Science*, 2(2). Available at: <https://doi.org/10.21070/pels.v2i2.1273>.

- Gentscheva, G. *et al.* (2023) 'Application of *Arthrospira platensis* for Medicinal Purposes and the Food Industry: A Review of the Literature', *Life*, 13(3), p. 845. Available at: <https://doi.org/10.3390/life13030845>.
- Gonçalves, J. *et al.* (2023) 'Microalgae as Biofertilizers: A Sustainable Way to Improve Soil Fertility and Plant Growth', *Sustainability*, 15(16), p. 12413. Available at: <https://doi.org/10.3390/su151612413>.
- Halee, A., Supavititpatana, P., Ruttaeattanamongkol, K., Juttrepotch, N., Rojsuntronkitti, K., & Kongbangkerd, T. (2018). Effects of solvent types and citric aci concentrations on the extractions on antioxidants from the black rice bran of *Oryza sativa* L. CV. Hom Nin. *Journal of Microbiology, Biotechnology an Food Sciences*, 8(20, 765-769. <https://doi.org/10.15414/jmbfs.2018.8.2.765-769>
- Handayani, N.A. and Ariyanti, D. (2012) 'Potensi Mikroalga sebagai Sumber Biomasa dan Pengembangan Produk Turunannya', 33.
- Hidayah, N. *et al.* (2016) 'Uji Efektivitas Ekstrak *Sargassum muticum* Sebagai Alternatif Obat Bisul Akibat Aktivitas *Staphylococcus aureus*', *Journal of Creativity Student*, 1(2). Available at: <https://doi.org/10.15294/jcs.v1i2.7794>.
- Hsieh-Lo, M. *et al.* (2019) 'Phycocyanin and phycoerythrin: Strategies to improve production yield and chemical stability', *Algal Research*, 42, p. 101600. Available at: <https://doi.org/10.1016/j.algal.2019.101600>.
- Ibrahim, A.M., Yunianta., dan F.H. Sriherfyna. 2015. Pengaruh suhu dan lama waktu ekstraksi terhadap sifat kimia dan fisik pada pembuatan minuman sari jahe merah dengan kombinasi penambahan madu sebagai pemanis. *Jurnal Pangan dan Agroindustri*. 3(2) : 530 – 541.
- Ibroham, M.H., Jamilatun, S. and Kumalasari, I.D. (2022) 'A Review: Potensi Tumbuh-Tumbuhan di Indonesia sebagai Antioksidan Alami', pp. 1–13.
- Imelda, S., Claudia, C. and Lambui, O. (2018) 'Kultivasi Mikroalga Isolat Lokal Pada Medium Ekstrak Tauge', *Natural Science*, 7.
- Ippolito, L. *et al.* (2019) 'Cancer-associated fibroblasts promote prostate cancer malignancy via metabolic rewiring and mitochondrial transfer', *Oncogene*, 38(27), pp. 5339–5355. Available at: <https://doi.org/10.1038/s41388-019-0805-7>.
- Izza, H.F. *et al.* (2023) 'Performance of microwave-assisted extraction of proanthocyanidins from red sorghum grain in various power and citric acid concentration', *Journal of the Saudi Society of Agricultural Sciences*, 22(7), pp. 480–492. Available at: <https://doi.org/10.1016/j.jssas.2023.05.002>.
- Jihan Hana Fauziah, Kiki Mulkiya Yuliatwati, and Vinda Maharani Patricia (2022) 'Pengaruh Perbedaan Pelarut Ekstraksi terhadap Aktivitas Antioksidan Ekstrak Kulit Buah Naga yang Diekstraksi dengan Metode Ultrasound-Assisted Extraction (UAE)', *Bandung Conference Series: Pharmacy*, 2(2). Available at: <https://doi.org/10.29313/bcsp.v2i2.3584>.

- Jurinjak Tušek, A. *et al.* (2021) ‘Rapid quantification of dissolved solids and bioactives in dried root vegetable extracts using near infrared spectroscopy’, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 261, p. 120074. Available at: <https://doi.org/10.1016/j.saa.2021.120074>.
- Kristiana, M., Fitriyana, F. and Kurnyawaty, N. (2023) ‘Pengaruh Waktu Maserasi terhadap Senyawa Flavonoid dari Umbi Bawang Dayak’, *Jurnal Teknik Kimia Vokasional (JIMSI)*, 3(2), pp. 66–71. Available at: <https://doi.org/10.46964/jimsi.v3i2.547>.
- Kusmayadi, A. *et al.* (2021) ‘Microalgae as sustainable food and feed sources for animals and humans – Biotechnological and environmental aspects’, *Chemosphere*, 271, p. 129800. Available at: <https://doi.org/10.1016/j.chemosphere.2021.129800>.
- Lambros, M. *et al.* (2022) ‘Citric Acid: A Multifunctional Pharmaceutical Excipient’, *Pharmaceutics*, 14(5), p. 972. Available at: <https://doi.org/10.3390/pharmaceutics14050972>.
- Lauceri, R., Chini Zittelli, G. and Torzillo, G. (2019) ‘A simple method for rapid purification of phycobiliproteins from *Arthrospira platensis* and *Porphyridium cruentum* biomass’, *Algal Research*, 44, p. 101685. Available at: <https://doi.org/10.1016/j.algal.2019.101685>.
- Li, Y. *et al.* (2020) ‘Phycobiliproteins from *Arthrospira Platensis* (*Spirulina*): A New Source of Peptides with Dipeptidyl Peptidase-IV Inhibitory Activity’, *Nutrients*, 12(3), p. 794. Available at: <https://doi.org/10.3390/nu12030794>.
- Liu, Y. *et al.* (2018) ‘Natural Deep Eutectic Solvents: Properties, Applications, and Perspectives’, *Journal of Natural Products*, 81(3), pp. 679–690. Available at: <https://doi.org/10.1021/acs.jnatprod.7b00945>.
- Maimulyanti, A. *et al.* (2023) ‘Development of natural deep eutectic solvent (NADES) based on choline chloride as a green solvent to extract phenolic compound from coffee husk waste’, *Arabian Journal of Chemistry*, 16(4), p. 104634. Available at: <https://doi.org/10.1016/j.arabjc.2023.104634>.
- Manasika, A. and Widjanarko, S.B. (2015) ‘Ekstraksi Pigmen Karotenoid Labu Kabocha Menggunakan Metode Ultrasonik (Kajian Rasio Bahan: Pelarut dan Lama Ekstraksi)’, 3(3).
- Manuela, P. *et al.* (2020) ‘Biological activity and sensory evaluation of cocoa by-products NADES extracts used in food fortification’, *Innovative Food Science & Emerging Technologies*, 66, p. 102514. Available at: <https://doi.org/10.1016/j.ifset.2020.102514>.
- Markou, G. *et al.* (2023) ‘Production of *Arthrospira platensis*: Effects on Growth and Biochemical Composition of Long-Term Acclimatization at Different Salinities’, *Bioengineering*, 10(2), p. 233. Available at: <https://doi.org/10.3390/bioengineering10020233>.
- McGregor, A. *et al.* (2008) ‘Allophycocyanin Trimer Stability and Functionality Are Primarily Due to Polar Enhanced Hydrophobicity of the

- Phycocyanobilin Binding Pocket', *Journal of Molecular Biology*, 384(2), pp. 406–421. Available at: <https://doi.org/10.1016/j.jmb.2008.09.018>.
- Mišan, A. *et al.* (2020) 'The perspectives of natural deep eutectic solvents in agri-food sector', *Critical Reviews in Food Science and Nutrition*, 60(15), pp. 2564–2592. Available at: <https://doi.org/10.1080/10408398.2019.1650717>.
- Octavianus, T., Supriadi, A., & Hanggita, S. (2014). Analisis Korelasi Harga Terhadap Warna dan Mutu Sensoris Kemplang Ikan Gabus (*Channa striata*) di Pasar Cinde Palembang. *Jurnal Fishtech*, 3(1), 40-48.
- Ovelando, R., Nabilla, M.A. and Surest, A.H. (2013) 'Fermentasi Buah Markisa (*Passiflora*) Menjadi Asam Sitrat'.
- Patadan, A. (2023) 'Tinjauan Pustaka: Potensi Aktivitas Antioksidan Spirulina sp Terhadap Penyakit-penyakit Metabolik dan Proses Degeneratif', 2(3), pp. 361–370.
- Patel, S.N. *et al.* (2018) 'Antioxidant activity and associated structural attributes of Halomicronema phycoerythrin', *International Journal of Biological Macromolecules*, 111, pp. 359–369. Available at: <https://doi.org/10.1016/j.ijbiomac.2017.12.170>.
- Prabakaran, G. *et al.* (2020) 'Extraction and characterization of phycocyanin from Spirulina platensis and evaluation of its anticancer, antidiabetic and antiinflammatory effect', *International Journal of Biological Macromolecules*, 153, pp. 256–263. Available at: <https://doi.org/10.1016/j.ijbiomac.2020.03.009>.
- Prahastuti, S. (2011) 'Konsumsi Fruktosa Berlebihan dapat Berdampak Buruk bagi Kesehatan Manusia'.
- Pratibhatai Pawar College of Pharmacy. *et al.* (2023) 'A Review on: Modern Vs Conventional Extraction Techniques', *International Journal of Scientific Research in Engineering and Management*, 07(12), pp. 1–11. Available at: <https://doi.org/10.55041/IJSREM27606>.
- Pratiwi, P.R., Subandi, M. and Mustari, E. (2015) 'Pengaruh Tingkat EC (Electrical Conductivity) terhadap Pertumbuhan Tanaman Sawi (*Brassica juncea* L.) pada Sistem Instalasi Aeroponik Vertikal', *Jurnal AGRO*, 2(1), pp. 50–55. Available at: <https://doi.org/10.15575/163>.
- Purwandari, R., Subagiyo, S. and Wibowo, T. (2018) 'Uji Aktivitas Antioksidan Ekstrak Daun Jambu Biji', *Walisongo Journal of Chemistry*, 1(2), p. 66. Available at: <https://doi.org/10.21580/wjc.v2i2.3104>.
- Sanchez-Prado, L., Garcia-Jares, C. and Llompert, M. (2010) 'Microwave-assisted extraction: Application to the determination of emerging pollutants in solid samples', *Journal of Chromatography A*, 1217(16), pp. 2390–2414. Available at: <https://doi.org/10.1016/j.chroma.2009.11.080>.
- Santos, J.M. *et al.* (2024) 'Extraction of macroalgae phenolic compounds for cosmetic application using eutectic solvents', *Algal Research*, 79, p. 103438. Available at: <https://doi.org/10.1016/j.algal.2024.103438>.

- Serea, D., Constantin, O. E., Horincar, G., Stanciuc. N., Aprodu, I., Bahrim, G. E., & Rapeanu, G. (2023). Optimization of Extraction Parameters of Anthocyanin Compounds and Antioxidant Properties from Red Grape (*Băbească neagră*) Peels. *Inventions*, 8(2). <https://doi.org/10.3390/inventions9020059>
- Setiawan, M.A.W., Nugroho, E.K. and Lestario, L.N. (2016) 'Ekstraksi Betasianin dari Kulit Umbi Bit (*Beta vulgaris*) sebagai Pewarna Alami', *Agric*, 27(1), p. 38. Available at: <https://doi.org/10.24246/agric.2015.v27.i1.p38-43>.
- Shang, M. *et al.* (2023) 'Fluorescence and antioxidant activity of heterologous expression of phycocyanin and allophycocyanin from *Arthrospira platensis*', *Frontiers in Nutrition*, 10, p. 1127422. Available at: <https://doi.org/10.3389/fnut.2023.1127422>.
- Sharma, M. and Dash, K.K. (2022) 'Microwave and ultrasound assisted extraction of phytochemicals from black jamun pulp: Kinetic and thermodynamics characteristics', *Innovative Food Science & Emerging Technologies*, 75, p. 102913. Available at: <https://doi.org/10.1016/j.ifset.2021.102913>.
- Silva-Núñez, A., Donoso-Quezada, J. and González-Valdez, J. (2023) 'Phycoerythrin from *Porphyridium purpureum*: Highly Efficient Extraction, Purification, and Microencapsulation for Food Applications', in *ECM 2023*. *ECM 2023*, MDPI, p. 13. Available at: <https://doi.org/10.3390/ECM2023-16481>.
- Silviani, Y. and Prian Nirwana, A. (2020) 'Aktivitas Antibakteri Ekstrak Etil Asetat Daun Sukun (*Artocarpus altilis*) Metode Perkolasi terhadap *Pseudomonas aeruginosa* Pseudomonas aeruginosa', *Jurnal Kesehatan Kusuma Husada*, pp. 7–12. Available at: <https://doi.org/10.34035/jk.v11i1.398>.
- Sholihah, M. 2016. *Ultrasonic-Assisted Extraction Antioksidan dari Kulit Manggis*. Tesis. Dipublikasikan. Sekolah Pasca Sarjana IPB, Bogor.
- Sosa-Morales, M.E. *et al.* (2010) 'Dielectric properties of foods: Reported data in the 21st Century and their potential applications', *LWT - Food Science and Technology*, 43(8), pp. 1169–1179. Available at: <https://doi.org/10.1016/j.lwt.2010.03.017>.
- Stanley, T. H., Smithson, A. T., Neilson, A. P., Anantheswaran, R. C., & Lambert, J. D. (2015). Analysis of Cocoa Proanthocyanidins Using Reversed Phase High-Performance Liquid Chromatography and Electrochemical Detection: Application to Studies on the Effect of Alkaline Processing. *Journal of Agricultural and Food Chemistry*, 63(25), 5970–5975. <https://doi.org/10.1021/acs.jafc.5b02661>
- Suryaratna, G., n. (2023). *Eksplorasi Tren Suplemen Antioksidan Tinggi*. Diakses pada 6 Mei 2025. <https://INDOCAREB3B.com>
- Suseno, S. and Widyawati, N. (2020) 'Pengaruh Nilai EC Berbagai Pupuk Cair Majemuk Terhadap Pertumbuhan Vegetatif Kangkung Darat Pada Soilless Culture', *Agrosains : Jurnal Penelitian Agronomi*, 22(1), p. 12. Available at: <https://doi.org/10.20961/agsjpa.v22i1.32510>.

- Swara, I.M.A.B., Puspawati, G.A.K.D. and Widarta, I.W.R. (2023) ‘Pengaruh Waktu Ekstraksi dengan Metode Microwave Assisted Extraction (MAE) terhadap Aktivitas Antioksidan Ekstrak Daun Belimbing Wuluh (*Averrhoa Bilimbi L.*)’, *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 12(4), p. 939. Available at: <https://doi.org/10.24843/itepa.2023.v12.i04.p14>.
- Tan, H.T. *et al.* (2022) ‘A Review on a Hidden Gem: Phycoerythrin from Blue-Green Algae’, *Marine Drugs*, 21(1), p. 28. Available at: <https://doi.org/10.3390/md21010028>.
- Tri, R. *et al.* (2022) ‘Pengaruh Metode Ekstraksi terhadap Kualitas Ekstrak Kulit Manggis (*Garcinia mangostana L.*)’, 15(2), pp. 198–211. Available at: <https://doi.org/10.52072/unitek.v15i2.389>.
- Trida, P. and Perwito, D. (2022) ‘Optimasi Perbandingan Pelarut dan Lama Maserasi terhadap Kadar Total Antosianin Ekstrak Jantung Pisang (*Musa acuminata x Musa balbisiana*)’, . *ISSN*, 19(2).
- Triyanti, S.B. *et al.* (2025) ‘Pengaruh Metode Ekstraksi Maserasi, Sonikasi, dan Sokletasi Terhadap Nilai Rendemen Sampel Kulit Buah Naga (*Hylocereus polyrhizus*)’, *Jurnal Sains dan Edukasi Sains*, 8(1), pp. 71–78. Available at: <https://doi.org/10.24246/juses.v8i1p71-78>.
- Troxler, R.F., Greenwald, L.S. and Zilinskas, B.A. (1980) ‘Allophycocyanin from *Nostoc sp.* phycobilisomes. Properties and amino acid sequence at the NH₂ terminus of the alpha and beta subunits of allophycocyanins I, II, and III.’, *Journal of Biological Chemistry*, 255(19), pp. 9380–9387. Available at: [https://doi.org/10.1016/S0021-9258\(19\)70573-0](https://doi.org/10.1016/S0021-9258(19)70573-0).
- Wadli and Hasdar, M. (2021) ‘Ekstraksi Beras Hitam Sirampog Berbantu Gelombang Mikro (Microwave-Assisted Extraction/MAE)’, *Jurnal Pengolahan Pangan*, 6(2), pp. 49–53. Available at: <https://doi.org/10.31970/pangan.v6i2.49>.
- Wahyuni, Y.A.T., Kadek Diah Puspawati, G.A. and Kencana Putra, I.N. (2021) ‘Pengaruh Jenis Pelarut pada Metode Microwave Assisted Extraction (MAE) terhadap Karakteristik Ekstrak Daun Singkong (*Manihot utilissima Pohl.*)’, *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 10(4), p. 566. Available at: <https://doi.org/10.24843/itepa.2021.v10.i04.p03>.
- Wennersten, R. (1983). The Extraction of Citric Acid from Fermentation Broth Using a Solution of a Tertiary Amine. *In J. Chem. Tech. Biotechnol* (Vol. 33).
- Widhiana Putra, I.K., Ganda Putra, G.P. and Wrsiati, L.P. (2020) ‘Pengaruh Perbandingan Bahan dengan Pelarut dan Waktu Maserasi terhadap Ekstrak Kulit Biji Kakao (*Theobroma cacao L.*) sebagai Sumber Antioksidan’, *Jurnal Rekayasa dan Manajemen Agroindustri*, 8(2), p. 167. Available at: <https://doi.org/10.24843/JRMA.2020.v08.i02.p02>.
- Wowor, B.Y., Hanurawaty, N.Y. and Yulianto, B. (2023) ‘Perbedaan Variasi Ketebalan Media Filter Arang Aktif Terhadap Penurunan Kadar Total



- Dissolved Solids (TDS)', *Jurnal Kesehatan Lingkungan Indonesia*, 22(1), pp. 76–83. Available at: <https://doi.org/10.14710/jkli.22.1.76-83>.
- Wu, Q. *et al.* (2016) 'The antioxidant, immunomodulatory, and anti-inflammatory activities of Spirulina: an overview', *Archives of Toxicology*, 90(8), pp. 1817–1840. Available at: <https://doi.org/10.1007/s00204-016-1744-5>.
- Xiao, X. *et al.* (2012) 'Microwave-assisted extraction performed in low temperature and in vacuo for the extraction of labile compounds in food samples', *Analytica Chimica Acta*, 712, pp. 85–93. Available at: <https://doi.org/10.1016/j.aca.2011.11.034>.
- Yulinar, F. and Suharti, P.H. (2023) 'Seleksi Proses Ekstraksi Daun Sirih pada Pra-Rancangan Pabrik Hand Sanitizer Daun Sirih dengan Kapasitas Produksi 480 Ton/Tahun: *Jurnal Teknologi Separasi*, 8(1), pp. 146–153. Available at: <https://doi.org/10.33795/distilat.v8i1.305>.