

## DAFTAR PUSTAKA

- Abdollahi, M. and Mohammadirad, A., 2014, Nitrophenol, 4-,. In, *Encyclopedia of Toxicology*. Elsevier, pp. 575–577.
- Abdullah, J.A.A., Jiménez-Rosado, M., Guerrero, A., and Romero, A., 2023, Effect of Calcination Temperature and Time on the Synthesis of Iron Oxide Nanoparticles: Green vs. Chemical Method, *Materials (Basel)*, 16, 1798.
- Abdollahi, S.S., Güner, S., Koseoglu, Y., Musa, I.M., Adamu, B.I., and Abdulhamid, M.I., 2016, Simple Method for the Determination of Band Gap of A Nanopowdered Sample Using Kubelka Munk Theory, *J. Niger. Assoc. Math. Phys.*, 35, 241–264.
- Ahmad, M., Aziz, A.R.A., Mazari, S.A., Baloch, A.G., and Nizamuddin, S., 2020, Photocatalytic Degradation of Methyl Orange from Wastewater Using A Newly Developed Fe-Cu-Zn-ZSM-5 Catalyst, *Environ. Sci. Pollut. Res.*, 27, 26239–26248.
- Ahmed, Y., Yaakob, Z., and Akhtar, P., 2016, Degradation and Mineralization of Methylene Blue Using A Heterogeneous Photo-Fenton Catalyst under Visible and Solar Light Irradiation, *Catal. Sci. Technol.*, 6, 1222–1232.
- Ban, F.C., Zheng, X.T., and Zhang, H.Y., 2020, Photo-assisted Heterogeneous Fenton-like Process for Treatment of PNP Wastewater, *J. Water Sanit. Hyg. Dev.*, 10, 136–145.
- Barwal, A. and Chaudhary, R., 2017, Effectiveness of Solar Photo-Fenton Process for Simultaneous Detoxification of Heavy Metals and Disinfection in Municipal Wastewater by Using Response Surface Method, *Environ. Prog. Sustain. Energy*, 36, 448–459.
- Bianco, A., Passananti, M., Brigante, M., and Mailhot, G., 2020, Photochemistry of the Cloud Aqueous Phase: A Review, *Molecules*, 25, 1–23.
- Bistafa, C., Kitamura, Y., Nagaoka, M., and Canuto, S., 2018, Microscopic Origin of Different Hydration Patterns of para-Nitrophenol and Its Anion: A Study Combining Multiconfigurational Calculations and the Free-Energy Gradient Method, *J. Phys. Chem. B*, 122, 9202–9209.

- Boruah, P.K., Sharma, B., Karbhal, I., Shelke, M. V., and Das, M.R., 2017, Ammonia-modified Graphene Sheets Decorated with Magnetic Fe<sub>3</sub>O<sub>4</sub> Nanoparticles for the Photocatalytic and Photo-Fenton Degradation of Phenolic Compounds under Sunlight Irradiation, *J. Hazard. Mater.*, 325, 90–100.
- Chakraborty, A., Sarangapany, S., Mishra, U., and Mohanty, K., 2022, Green Synthesized Magnetically Separable Iron Oxide Nanoparticles for Efficient Heterogeneous Photo-Fenton Degradation of Dye Pollutants, *J. Clust. Sci.*, 33, 675–685.
- Chakraborty, A.R., Zohora Toma, F.T., Alam, K., Yousuf, S.B., and Hossain, K.S., 2024, Influence of Annealing Temperature on Fe<sub>2</sub>O<sub>3</sub> Nanoparticles: Synthesis Optimization and Structural, Optical, Morphological, and Magnetic Properties Characterization for Advanced Technological Applications, *Heliyon*, 10, e40000.
- Champness, N.R., 2011, The Future of Metal–Organic Frameworks, *Dalt. Trans.*, 40, 10311.
- Chan, J.Y.T., Ang, S.Y., Ye, E.Y., Sullivan, M., Zhang, J., and Lin, M., 2015, Heterogeneous Photo-Fenton Reaction on Hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) {104}, {113} and {001} Surface Facets, *Phys. Chem. Chem. Phys.*, 17, 25333–25341.
- Chen, Y.H. and Lin, C.C., 2014, Effect of Nano-Hematite Morphology on Photocatalytic Activity, *Phys. Chem. Miner.*, 41, 727–736.
- Choquehuanca, A., Ruiz-Montoya, J.G., and Gómez, A.L.R.-T., 2021, Discoloration of Methylene Blue at Neutral pH by Heterogeneous Photo-Fenton-like Reactions Using Crystalline and Amorphous Iron Oxides, *Open Chem.*, 19, 1009–1020.
- Clarizia, L., Russo, D., Di Somma, I., Marotta, R., and Andreozzi, R., 2017, Homogeneous Photo-Fenton Processes at Near Neutral pH: A Review, *Appl. Catal. B Environ.*, 209, 358–371.
- Diamandescu, L., Mihăilă-Tărăbășanu, D., and Popescu-Pogriion, N., 1996, Hydrothermal Transformation of  $\alpha$ -FeOOH Into  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> in the Presence of Silicon Oxide, *Mater. Lett.*, 27, 253–257.
- Dutt, M., Suhasini, K., Ratan, A., Shah, J., Kotnala, R.K., and Singh, V., 2018, Mesoporous Silica Mediated Synthesis of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Porous Structures and their Application as Humidity Sensors, *J. Mater. Sci. Mater. Electron.*, 29, 20506–20516.

- Farahmandjou, M. and Soflaee, F., 2015, Synthesis and Characterization of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Nanoparticles by Simple Co-Precipitation Method, *Phys. Chem. Res.*, 3, 191–196.
- Fatima, R., Naveed, M., Kumar, V., Lee, J., Ali, I., Kim, K., and Kim, J., 2019, Photocatalytic Degradation Performance of Various Types of Modified TiO<sub>2</sub> Against Nitrophenols in Aqueous Systems, 231, 899–912.
- Ghazzaf, H., Nechchadi, B., Jouali, A., Salhi, A., El Krati, M., and Tahiri, S., 2022, Synthesis of Heterogeneous Photo-Fenton Catalyst from Iron Rust and its Application to Degradation of Acid Red 97 in Aqueous Medium, *J. Environ. Chem. Eng.*, 10, .
- Ghosh, D., Spinlove, K.E., Greene, H.J.M., Lau, N., Gómez, S., Kao, M.H., Whitaker, W., Clark, I.P., Malakar, P., Worth, G.A., Oliver, T.A.A., Fielding, H.H., and Orr-Ewing, A.J., 2024, Efficient Ground-State Recovery of UV-Photoexcited *p*-Nitrophenol in Aqueous Solution by Direct and Multistep Pathways, *J. Am. Chem. Soc.*, 146, 30443–30454.
- Ghosh, M.K., Poinern, G.E.J., Issa, T.B., and Singh, P., 2012, Arsenic Adsorption on Goethite Nanoparticles Produced through Hydrazine Sulfate Assisted Synthesis Method, *Korean J. Chem. Eng.*, 29, 95–102.
- Guo, L., Chen, F., Fan, X., Cai, W., and Zhang, J., 2010, S-doped  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> as a Highly Active Heterogeneous Fenton-like Catalyst towards the Degradation of Acid Orange 7 and Phenol, *Appl. Catal. B Environ.*, 96, 162–168.
- Guo, S., Zhang, G., and Wang, J., 2014, Photo-Fenton Degradation of Rhodamine B using Fe<sub>2</sub>O<sub>3</sub>-Kaolin as Heterogeneous Catalyst: Characterization, Process Optimization and Mechanism, *J. Colloid Interface Sci.*, 433, 1–8.
- Guo, T., Wang, K., Zhang, G., and Wu, X., 2019, A novel  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>@g-C<sub>3</sub>N<sub>4</sub> Catalyst: Synthesis Derived from Fe-based MOF and its Superior Photo-Fenton Performance, *Appl. Surf. Sci.*, 469, 331–339.
- Habran, M., Pontón, P.I., Mancic, L., Pandoli, O., Krambrock, K., Maia, M.E.H., Letichevsky, S., Costa, A.M.L.M., Morgado, E., and Marinkovic, B.A., 2018, Journal of Photochemistry & Photobiology A: Chemistry Visible Light Sensitive Mesoporous Nanohybrids of Lepidocrocite-like Ferrititanate Coupled to a Charge Transfer Complex: Synthesis, Characterization and Photocatalytic Degradation of NO, *J. Photochem. Photobiol. A Chem.*, 365, 133–144.
- Hakim, A., Yarmo, M.A., Marliza, T.S., Tahari, M.N.A., Samad, W.Z., Yusop, M.R., Hisham, M.W.M., and Dzakaria, N., 2016, The Influence of Calcination Temperature On Iron Oxide ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) Towards CO<sub>2</sub> Adsorption Prepared By Simple Mixing Method, *Malaysian J. Anal. Sci.*, 20, 1286–1298.

- Hamd, W.S. and Dutta, J., 2020, Heterogeneous Photo-Fenton Reaction and its Enhancement upon Addition of Chelating Agents,. In, *Nanomaterials for the Detection and Removal of Wastewater Pollutants*. Elsevier, pp. 303–330.
- Hasan, Z., Ok, Y.S., Rinklebe, J., Tsang, Y.F., Cho, D.-W., and Song, H., 2017, N doped Cobalt-Carbon Composite for Reduction of *p*-Nitrophenol and Pendimethaline, *Journal Alloy. Compd.*, 703, 118–124.
- He, L., Michailidou, F., Gahlon, H.L., and Zeng, W., 2022, Hair Dye Ingredients and Potential Health Risks from Exposure to Hair Dyeing This manuscript is part of a special collection : Chemical Exposures and Impact on Human Health ., *Chem. Reseach Toxicol.*, 35, 901–915.
- Hermanek, M., Zboril, R., Medrik, I., Pechousek, J., and Gregor, C., 2007, Catalytic Efficiency of Iron(III)Oxides in Decomposition of Hydrogen Peroxide: Competition Between the Surface Area and Crystallinity of Nanoparticles, *J. Am. Chem. Soc.*, 129, 10929–10936.
- Herney-Ramirez, J., Vicente, M.A., and Madeira, L.M., 2010, Heterogeneous Photo-Fenton Oxidation with Pillared Clay-based Catalysts for Wastewater Treatment: A Review, *Appl. Catal. B Environ.*, 98, 10–26.
- Hojamberdiev, M., Zhu, G., Eminov, A., and Okada, K., 2013, Template-Free Hydrothermal Synthesis of Hollow  $\alpha$ -FeOOH Urchin-Like Spheres and Their Conversion to  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> Under Low-Temperature Thermal Treatment in Air, *J. Clust. Sci.*, 24, 97–106.
- Hu, J., Li, J., Cui, J., An, W., Liu, L., Liang, Y., and Cui, W., 2020, Surface Oxygen Vacancies enriched FeOOH/Bi<sub>2</sub>MoO<sub>6</sub> Photocatalysis-Fenton Synergy Degradation of Organic Pollutants, *J. Hazard. Mater.*, 384, 121399.
- Islam, S., Bormon, S.K., Hossain, K., Habib, A., Nadim, M., and Islam, T.S.A., 2014, Photocatalytic Degradation of *p*-Nitrophenol (PNP) in Aqueous Suspension of TiO<sub>2</sub>, *Am. J. Anal. Chem.*, 5, 483–489.
- Jaiswal, R., Patel, N., Dashora, A., Fernandes, R., Yadav, M., Edla, R., Varma, R.S., Kothari, D.C., Ahuja, B.L., and Miotello, A., 2016, Efficient Co-B-codoped TiO<sub>2</sub> Photocatalyst for Degradation of Organic Water Pollutant under Visible Light, *Appl. Catal. B Environ.*, 183, 242–253.
- Ju, K.-S. and Parales, R.E., 2010, Nitroaromatic Compounds, from Synthesis to Biodegradation, *Microbiol. Mol. Biol. Rev.*, 74, 250–272.
- Kovacic, P. and Somanathan, R., 2014, Nitroaromatic Compounds : Environmental Toxicity, Carcinogenicity, Mutagenicity, Therapy and Mechanism, *J. Appl. Toxicol.*, 34, 810–824.

- Kumar, D.R., Kesavan, S., Baynosa, M.L., and Shim, J.-J., 2017, 3,5-Diamino-1,2,4-Triazole@Electrochemically Reduced Graphene Oxide Film Modified Electrode for the Electrochemical Determination of 4-Nitrophenol, *Electrochim. Acta*, 246, 1131–1140.
- Lestari, D.U., 2023, Sintesis Pigmen Merah Hematit ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) dari Pasir Besi dengan Metode Kopresipitasi dan Hidrotermal: A Review, *Asian J. Sci. Technol. Eng. Art*, 1, 255–265.
- Li, F., Zhu, K., Liu, B., Wang, N., Liu, H., and Chen, R., 2018, Comprehensive Effect of *p*-Nitrophenol Degradation in the Iron Oxide/Oxalate Suspension, *Water, Air, Soil Pollut.*, 229, 91.
- Li, J., You, J., Wang, Z., Zhao, Y., Xu, J., Li, X., and Zhang, H., 2022, Application of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>-based Heterogeneous Photo-Fenton Catalyst in Wastewater Treatment: A Review of Recent Advances, *J. Environ. Chem. Eng.*, 10, 108329.
- Li, X., Cui, K., Guo, Z., Yang, T., Cao, Y., Xiang, Y., Chen, H., and Xi, M., 2020, Heterogeneous Fenton-like Degradation of Tetracyclines Using Porous Magnetic Chitosan Microspheres as An Efficient Catalyst Compared with Two Preparation Methods, *Chem. Eng. J.*, 379, 122324.
- Lima, V.N., Rodrigues, C.S.D., Brandão, Y.B., Benachour, M., and Madeira, L.M., 2022, Optimisation of the Degradation of 4-Nitrophenol by Fenton's Process, *J. Water Process Eng.*, 47, 102685.
- Liu, D., Li, C., Ni, T., Gao, R., Ge, J., Zhang, F., Wu, W., Li, J., and Zhao, Q., 2021, 3D Interconnected Porous g-C<sub>3</sub>N<sub>4</sub> Hybridized with Fe<sub>2</sub>O<sub>3</sub> Quantum Dots for Enhanced Photo-Fenton Performance, *Appl. Surf. Sci.*, 555, 149677.
- Liu, J., Ge, X., Ding, H., Yang, S., Sun, Y., Li, Yanzhang, Ji, X., Li, Yan, and Lu, A., 2022, Effect of Photoreduction of Semiconducting Iron Mineral—Goethite on Microbial Community in the Marine Euphotic Zone, *Front. Microbiol.*, 13, 1–13.
- Liu, T., Chen, N., Deng, Y., Chen, F., and Feng, C., 2020, Degradation of *p*-Nitrophenol by Nano-Pyrite Catalyzed Fenton Reaction with Enhanced Peroxide Utilization, *RSC Adv.*, 10, 15901–15912.
- Liu, X., Liu, H.-L., Cui, K.-P., Dai, Z.-L., Wang, B., and Chen, X., 2022, Heterogeneous Photo-Fenton Removal of Methyl Orange Using the Sludge Generated in Dyeing Wastewater as Catalysts, *Water*, 14, 629.
- Mahmood, T., Saddique, M.T., Naeem, A., Westerhoff, P., Mustafa, S., and Alum, A., 2011, Comparison of Different Methods for The Point of Zero Charge Determination of NiO, *Ind. Eng. Chem. Res.*, 50, 10017–10023.

- Malengreaux, C.M., Pirard, S.L., Bartlett, J.R., and Heinrichs, B., 2014, Kinetic Study of 4-Nitrophenol Photocatalytic Degradation over A  $Zn^{2+}$  Doped  $TiO_2$  Catalyst Prepared Through an Environmentally Friendly Aqueous Sol-Gel Process, *Chem. Eng. J.*, 245, 180–190.
- Mansour, H., Letifi, H., Bargougui, R., De Almeida-Didry, S., Negulescu, B., Autret-Lambert, C., Gadri, A., and Ammar, S., 2017, Structural, Optical, Magnetic and Electrical Properties of Hematite ( $\alpha-Fe_2O_3$ ) Nanoparticles Synthesized by Two Methods: Polyol and Precipitation, *Appl. Phys. A*, 123, 787.
- Mao, M., Deng, C., and He, Y., 2017, Fluorescence Detection of *p*-Nitrophenol in Water Using Bovine Serum Albumin Capped ag Nanoclusters, *J. Fluor.*, 27, 1421–1426.
- Mishra, M. and Chun, D.-M., 2015,  $\alpha-Fe_2O_3$  as a Photocatalytic Material: A Review, *Appl. Catal. A Gen.*, 498, 126–141.
- Mohammadikish, M., 2014, Hydrothermal Synthesis, Characterization and Optical Properties of Ellipsoid Shape  $\alpha-Fe_2O_3$  Nanocrystals, *Ceram. Int.*, 40, 1351–1358.
- Morales-Morales, J.A., 2017, Synthesis of Hematite  $\alpha-Fe_2O_3$  Nanopowders by the Controlled Precipitation Method, *Cienc. en Desarro.*, 8, 99–107.
- Mostafa, D., Alqahtani, M.D., Shehata, N., Jumah, M.N.B., Alotaibi, N.M., Alenazi, N.A., Rudayni, H.A., Allam, A.A., and Abukhadra, M.R., 2025, Insight Into the Impact of the Calcination on the Catalytic Performance of Synthetic Hematite Nano-rods During the Photo-Fenton's Oxidation of 4-Chlorophenol Toxic Residuals, *Surfaces and Interfaces*, 59, .
- Nurhayati, T., Iskandar, F., Abdullah, M., and Khairurrijal, 2013, Synthesis of Hematite ( $\alpha-Fe_2O_3$ ) Nanoparticles Using Microwave-Assisted Calcination Method, *Mater. Sci. Forum*, 737, 197–203.
- O'Dowd, K. and Pillai, S.C., 2020, Photo-Fenton Disinfection at Near Neutral pH: Process, Parameter Optimization and Recent Advances, *J. Environ. Chem. Eng.*, 8, 104063.
- Pawar, M.J., Khajone, A.D., D, G.M., and S, C.P., 2012, Photodegradation of Malachite Green Dye Over Sol-gel Synthesized Nanocrystalline  $\alpha-Fe_2O_3$ , *Int. J. Adv. Sci. Res. Technol.*, 4, 1880–1884.
- Pouran, S.R., Aziz, A.R.A., and Daud, W.M.A.W., 2015, Review on the Main Advances in Photo-Fenton Oxidation System for Recalcitrant Wastewaters, *J. Ind. Eng. Chem.*, 21, 53–69.

- Qian, M., Zhang, Y., Bian, Y., Feng, X., and Zhang, Z., 2024, Nitrophenols in the Environment: An Update on Pretreatment and Analysis Techniques Since 2017, *Ecotoxicol. Environ. Saf.*, 281, 116611.
- Qian, X., Ren, M., Zhu, Y., Yue, D., Han, Y., Jia, J., and Zhao, Y., 2017, Visible Light Assisted Heterogeneous Fenton-Like Degradation of Organic Pollutant via  $\alpha$ -FeOOH/Mesoporous Carbon Composites, *Environ. Sci. Technol.*, 51, 3993–4000.
- Rodrigues, C.S.D., Borges, R.A.C., Lima, V.N., and Madeira, L.M., 2018, *p*-Nitrophenol Degradation by Fenton's Oxidation in a Bubble Column Reactor, *J. Environ. Manag.*, 206, 774–785.
- Saidani, A., Boudraa, R., Fendi, K., Benouadah, L., Benabbas, A., Djermoune, A., Salvestrini, S., Bollinger, J.-C., Alayyaf, A.A., and Mouni, L., 2024, Effect of Calcination Temperature on the Photocatalytic Activity of Precipitated ZnO Nanoparticles for the Degradation of Rhodamine B Under Different Light Sources, *Water*, 17, 32.
- Salama, W., El Aref, M., and Gaupp, R., 2015, Spectroscopic Characterization of Iron Ores Formed in Different Geological Environments Using FTIR, XPS, Mössbauer Spectroscopy and Thermoanalyses, *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, 136, 1816–1826.
- Saleh, R. and Taufik, A., 2019, Degradation of Methylene Blue and Congo-Red Dyes Using Fenton, Photo-Fenton, Sono-Fenton, and Sonophoto-Fenton Methods in the Presence of Iron(II,III) Oxide/Zinc Oxide/Graphene (Fe<sub>3</sub>O<sub>4</sub>/ZnO/Graphene) Composites, *Sep. Purif. Technol.*, 210, 563–573.
- Septityana, K.D., Priyono, Rochman, N.T., Yuswono, Rahman, T.P., Nugroho, D.W., Ikono, R., Nofrizal, and Maulana, N.N., 2013, Sintesis Dan Karakterisasi Pigmen Hematit ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) Dari Bijih Besi Alam Melalui Metode Presipitasi, *Youngster Phys. J.*, 2, 95–100.
- Silva, M. and Baltrusaitis, J., 2021, Destruction of emerging organophosphate contaminants in wastewater using the heterogeneous iron-based photo-Fenton-like process, *J. Hazard. Mater. Lett.*, 2, 100012.
- Soon, A.N. and Hameed, B.H., 2011, Heterogeneous Catalytic Treatment of Synthetic Dyes in Aqueous Media Using Fenton and Photo-Assisted Fenton Process, *Desalination*, 269, 1–16.
- Sudarsanam, P., Peeters, E., Makshina, E. V., Parvulescu, V.I., and Sels, B.F., 2019, Advances in Porous and Nanoscale Catalysts for Viable Biomass Conversion, *Chem. Soc. Rev.*, 48, 2366–2421.

- Sun, S.-P. and Lemley, A.T., 2011, *p*-Nitrophenol Degradation by a Heterogeneous Fenton-like Reaction on Nano-Magnetite: Process Optimization, Kinetics, and Degradation Pathways, *J. Mol. Catal. A Chem.*, 349, 71–79.
- Thomas, N., Dionysiou, D.D., and Pillai, S.C., 2021, Heterogeneous Fenton Catalysts: A Review of Recent Advances, *J. Hazard. Mater.*, 404, 124082.
- Tiar, K., Soualah, A., Bisio, C., and Guidotti, M., 2024, Effect of Initial Solution pH on 4-Nitrophenol Oxidation Through Homogeneous/Heterogeneous Photo-Fenton Process Using Goethite/H<sub>2</sub>O<sub>2</sub> System, *J. Photochem. Photobiol. A Chem.*, 447, 115184.
- Urdaneta, J., Bermúdez, Y., Arrieta, F., Rosales, M., Cubillán, N., Hernández, J., Castellano, O., and Soscún, H., 2010, Theoretical Study in Gas Phase of Linear and Nonlinear Optical Properties of the ortho-, meta- and para-Nitrophenol Isomers, *Theor. Chem. Acc.*, 126, 27–37.
- Wahyuni, E.T., Nurhikmatillah, A., Kurniasari, H., and Siswanta, D., 2021, Detoxification of As(III) in Aqueous Media by Using Photo-Fenton Method, *Glob. Nest J.*, 23, 550–555.
- Wahyuni, E.T., Sabrina, A., and Aprilita, N.H., 2022, Enhancement of Fenton Performance at Near-Neutral pH by Using Ethylene Diamine Tetra Acetic Acid for Anionic Surfactant Removal from a Laundry Wastewater, *Key Eng. Mater.*, 920, 57–62.
- Wang, R., Chu, Y., and Zhang, H., 2024, Comprehensive Evaluation of the Catalytic Activity of alpha-Ferric Oxide in Photocatalysis, Fenton-like and Photo-Fenton Systems for Organics Degradation: Performance and in-depth Mechanism Consideration, *J. Environ. Chem. Eng.*, 12, 112479.
- Wanko, M., Houmøller, J., Støchkel, K., Suhr Kirketerp, M.-B., Petersen, M.Å., Nielsen, M.B., Nielsen, S.B., and Rubio, A., 2012, Substitution Effects on the Absorption Spectra of Nitrophenolate Isomers, *Phys. Chem. Chem. Phys.*, 14, 12905.
- Wu, Y., Chen, R., Liu, H., Wei, Y., and Wu, D., 2013, Feasibility and Mechanism of *p*-nitrophenol Decomposition in Aqueous Dispersions of Ferrihydrite and H<sub>2</sub>O<sub>2</sub> under Irradiation, *React. Kinet. Mech. Catal.*, 110, 87–99.
- Xia, H., Guo, J., Yang, Y., Wang, Y., Wang, Z., Wang, X., and Zhang, W., 2022, Remediation of PNP-Contaminated Groundwater Using a Modified CaO<sub>2</sub>/Fe(II) Fenton System: Reactive Principles, Degradation Performance and Potential Pathways, *J. Environ. Chem. Eng.*, 10, 107305.

- Xu, J., Ma, Q., Feng, W., Zhang, X., Lin, Q., You, C., and Wang, X., 2022, Removal of Methyl Orange from Water by Fenton Oxidation of Magnetic Coconut-Clothed Biochar, *RSC Adv.*, 12, 24439–24446.
- Xu, L. and Wang, J., 2012a, Fenton-like Degradation of 2,4-Dichlorophenol Using Fe<sub>3</sub>O<sub>4</sub> Magnetic Nanoparticles, *Appl. Catal. B Environ.*, 123–124, 117–126.
- Xu, L. and Wang, J., 2012b, Magnetic Nanoscaled Fe<sub>3</sub>O<sub>4</sub>/CeO<sub>2</sub> Composite as an Efficient Fenton-Like Heterogeneous Catalyst for Degradation of 4-Chlorophenol, *Environ. Sci. Technol.*, 46, 10145–10153.
- Yang, L., Yang, Y., Liu, T., Ma, X., Lee, S.W., and Wang, Y., 2018, Oxygen Vacancies Confined in SnO<sub>2</sub> Nanoparticles for Glorious Photocatalytic Activities from the UV, Visible to Near-Infrared Region, *New J. Chem.*, 42, 15253–15262.
- Zain, M., Yasin, K.A., Haq, S., Rehman, W., Din, S.U., Shujaat, S., Syed, A., Hossain, M.K., Paray, B.A., Razzokov, J., and Samad, A., 2024, Effect of Calcination Temperature Induced Structural Modifications on the Photocatalytic Efficacy of Fe<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> Nanostructures: Mechanochemical Synthesis, *RSC Adv.*, 14, 15085–15094.
- Zhang, G., Wang, Q., Zhang, W., Li, T., Yuan, Y., and Wang, P., 2016, Effects of Organic Acids and Initial Solution pH on Photocatalytic Degradation of Bisphenol A (BPA) in a Photo-Fenton-like Process Using Goethite ( $\alpha$ -FeOOH), *Photochem. Photobiol. Sci.*, 15, 1046–1053.
- Zhao, H., Tian, C., Mei, J., Yang, S., and Wong, P.K., 2021, Faster Electron Injection and Higher Interface Reactivity in g-C<sub>3</sub>N<sub>4</sub>/Fe<sub>2</sub>O<sub>3</sub> Nanohybrid for Efficient Photo-Fenton-like Activity toward Antibiotics Degradation, *Environ. Res.*, 195, 110842.
- Zhao, L., Jian, T., Shi, L., Li, Y., Wen, Z., Guo, L., Li, Q., and Jian, X., 2023, Case Report: Methemoglobinemia Caused by Nitrobenzene Poisoning, *Front. Med.*, 10, 1–6.
- Zhou, L., Wang, L., Zhang, J., Lei, J., and Liu, Y., 2016, Well-Dispersed Fe<sub>2</sub>O<sub>3</sub> Nanoparticles on g-C<sub>3</sub>N<sub>4</sub> for Efficient and Stable Photo-Fenton Photocatalysis under Visible-Light Irradiation, *Eur. J. Inorg. Chem.*, 2016, 5387–5392.
- Zhu, Y., Xie, Q., Deng, F., Ni, Z., Lin, Q., Cheng, L., Chen, X., Qiu, R., and Zhu, R., 2023, The differences in Heterogeneous Fenton Catalytic Performance and Mechanism of Various Iron Minerals and their Influencing Factors: A Review, *Sep. Purif. Technol.*, 325, 124702.