

## DAFTAR PUSTAKA

- Aldrees, A.M., Al-Foraidi, S.A., Murayshed, M.S., Almoammar, K.A. 2015. Color stability and force decay of clear orthodontic elastomeric chains: an in vitro study. *Int Orthod*, 13: p.287-301.
- Alif, J., Yudianto, A. 2017. Pengaruh lama paparan pengikat cincin elastomer ortodonti terhadap kualitas DNA. *J Biosains Pascasarjana*, 19(1): p.1-13.
- Alhasyimi, A.A., Rosyida, N.F and Rihadini, M.S. 2019. Postorthodontic relapse prevention by administration of grape seed (*vitis vinifera*) extract containing cyanidine in rats. *Eur J Dent*, 13(4):p. 629-34.
- Anindita, A., Soemantri, E.S.S., Mardiaty, E., Laviana, A. 2017. Force degradation differences between conventional power chain and memory chain. *Proceeding Indonesian Association of Orthodontists (IAO)*. Medan: USU Press. p.15-21.
- Anhare, P., Datana, S., Agarwal, S.S., Chopra, S.S. 2021. Comparison of in vivo and in vitro force decay of elastomeric chains/modules: a systematic review and meta analysis. *J World Fed Orthod*. 10(4): 155–62.
- Antony, P.J., Palose, J. 2014. An in-vitro study to compare the force degradation of pigmented and non-pigmented elastomeric chains. *Indian J Dent Res*. 25(2): p.208-13.
- Baratieri, C., Mattos, C.T., Alves, M., Lau, T.C.L., Nojima, L.I., Souza, M.M.G. de, Araujo, M.T., Nojima, M.da C.G. 2012. *In situ* evaluation of orthodontic elastomeric chains. *Braz Dent J*. 23(4): 394–98.
- Bhalajhi, S.I. 2018. *Orthodontics: The art and science 5th Ed*. New Delhi: SK Arya. 1.
- Braga, E., Souza, G., Barretto, P., Ferraz, C., Pithon, M. 2019. Experimental evaluation of strength degradation of orthodontic chain elastics immersed in hot beverages. *J Indian Orthod Soc*. 53(4): p.244–8.
- Brantley, W. A., Eliadees, T. 2001. *Orthodontics materials: scientific and clinical aspects*. New York: Thieme.
- Buchman, N., Senn, C., Ball, J., Brauchli, L. 2012. Influence of initial strain on the force decay of currently available elastic chain over time. *Angle Orthod*. 82(3): p.529-30.
- Casaus, D. 2009. DSC, FTIR and SEM characterization of as-received colored elastomeric chains. *Columbus, Ohio : Ohio State University*.
- Castello, C.A., Martinez, N.Z., Alvarez, B.T., Gallardo, V.P. 2024. Comparative evaluation of two cetylpyridinium chloride-based mouthwashes on the mechanical properties and strength loss of elastomeric chains used in dentistry : An vitro study. *Heliyon*. 10: p. 1-14.
- Chaves-Filho, A.C.dS., Costa, A.R., Borges, L.P.S., Santos, E.C.A., Crepaldi, M.V., Vedovello, S.A.S., Correr, A.B., Correr-Sobrinho, L. 2021. Force degradation of elastomeric chains after storage time and mechanical brushing. *Braz Dent J*. 32(4): p.55-61.

- Cheng, H.C., Chen, M.S., Peng, B.Y., Lin, W.T., Shen, Y.K., Wang, Y.H. 2017. Surface treatment on physical properties and biocompatibility of orthodontic power chain. *BioMed Res Int.* p.1-9.
- Da Silva, V.D., Dias, C., Osório, L.B., Matje, P.R.B., de Menezes, L.M., de Lima, E.M.S. 2018. Color changes of esthetic elastomeric ligatures evaluated with the commission internationale d'éclairage color system. *Eur J Dent.* 12(3): p.428-33.
- Dittmer, M.P., Demling, A.P., Borchers, L., Stiesch, M., Kohorst, P., Polly, R.S., 2010. Tensile properties of orthodontic elastomeric chains. *J Orofac Orthop.* 5: p.330-38.
- Dixit, P., Jaipuria, DK., Nagar, A., Jaipuria, V. 2017. In vivo and in vitro tensile properties of orthodontic elastomeric chain – A comparative study. *Indian J of Orthod Dentofac Res.* 3(2): p. 76-81.
- Doyan, A., Taufik, M., Anjani, R. 2018. Pengaruh pendekatan multi representasi terhadap hasil belajar fisika ditinjau dari motivasi belajar peserta didik. *JPPIPA.* 4(1): p.35-45.
- Empidonta, S., Yusra, Y. 2023. Hubungan anatara kebutuhan perawatan ortodonti interseptif dengan tingkat pendidikan ibu. *J Kedokt Gigi Ter.* 5(1): p.188-92.
- Habar, E. H., Dase, C. B. 2023. Correlation between orthodontic treatment and temporomandibular joint disorders. *Makassar Dent J* 12(2): p.176-8.
- Halimi, A., Benyahia, H., Doukkali, A., Azeroual, M.F., Zaoui, F. 2012. A systematic review of force decay in orthodontic elastomeric power chains. *Int Orthod.* 10(3): p.223-40.
- Hoseini, A.M., Najafabadi, M.P., Amirabadi, G.E., and Kashani, M.A.B. 2020. Comparing the elastomeric behavior and force degradation pattern between different orthodontic elastomeric chains. *J Dent Med,* 33(1): 54-62.
- Indryasari., Wibowo, B., Vidyahayati, I. L. 2023. The effect of sodium lauryl sulfate on orthodontic elastic latex's & non-latex's tensile strength. *J Clin Med,* 10(3): p.340-5.
- Indriasari, V., Suparwitri, S., Christnawati, C and Alhasyimi, A.A. 2020. Different effects of soybean isoflavone genistein on transforming growth factor levels during orthodontic tooth movement among young and old rabbits. *F1000Research.* 8: p.1-14.
- Issa, A. R., Kadhum, A. S. 2022. Force degradation of orthodontic elastomeric chains: a literature review. *J Bagh Coll Dent.* 34(4): p.1817-69.
- Kassir, C.A., Daou, M., Abboud, M., 2020. Comparison of The Force Decay Over Time of Four Different Brands of Elastomeric Chains (Elongated to 25 mm Grey / Transparent and Closed / Open): An in vitro study. *Int Orthod.* 18:p.538-45
- Kardach, H., Biedziak, B., Olszewska, A., Golusińska-Kardach, E., Sokalski, J. 2017. The mechanical strength of orthodontic elastomeric memory chains and plastic chains: An in vitro study. *Adv Clin Exp Med.* 26(3):p.373-8.
- Kim, K., Chung, C., Choy, K., Lee, J., Vanarsdall, R.L. 2005. Effect of prestretching on force degradation of synthetic elastomeric chains. *Am J Orthod. Dentofacial Orthop.* 128(4):p.477-82.

- Masoud, A.I. 2014. Force decay evaluation of thermoplastic and thermoset elastomeric chains- A mechanical design comparison. *Angle Orthodont.* 84(6):p.1026-33.
- Macedo, E, de O, D., Collares, F, M., Leitune, V, C, B., Samuel, S, M, W., Fortes, C, B, B. 2012. Pigment effect on the long term elasticity of elastomeric ligatures. *Dental Press J Orthod*, 17(3):27.e1-6.
- Mahajan, V., Singla, A., Negi, A., Jaj, H.S and Bhandari, V. 2015. Dynamic force delivery and damping behavior of different brands of elastomeric chains using dynamic mechanical analysis. *J Indian Orthod Soc*, 49(2):71-8.
- Miller, K., Caputo, A.A., and Chaconas, S.J. 2007. Tensile strength of orthodontic elastomeric chains. *Am J Orthod Dentofac Orthop*, 112(4): 482–86.
- Mirhashemi, A.H., Saffarshahroudi, A., Sodagar, A., Atai, M.2012. Force-degradation pattern of six different orthodontic elastomeric chains. *JTD*, 9(4): 204-15.
- Omidkhoda, M., Shahroudi, A.S., Shafae, H., and Khodaei, S. 2016. Evaluation of force degradation pattern of six different orthodontic elastomeric chains. *J Dent Res Dent Clin Dent Prospects*, 10(3): 182–87.
- Osorio, L.B., Gutierrez, L.M.O., de Lima, E.M., Mota, E.G., de Menezes, L.M. 2022. Disinfection of orthodontic elastomers and its effects on tensile strength. *Turk J Orthod.* 35(1): p.22-6.
- Ormco. 2017. *Product Catalog 2017*. California. Section 7 page 3.
- Parambil, S.A., Duraisamy, S., R, K., K, R. 2022. An In - vivo study to evaluate the force decay of three different orthodontic elastomeric ligatures. *Int J Orthod Rehabil.* 13(2): 25–36
- Paradella, T. C. Bottino, M. A. 2012. Use of SEM in Dental Research: A Historical Perspective from 1962 to 2012. *J Dent Sci.* 7(4): 89-95.
- Polonczyk, J., Jakubik, A., Przeklasa, A., Muszyncka, B. 2017. Artificial saliva and its use in biological experiment. *J Physiol Pharmacol.* 68(6): 807-13.
- Pradipta, H. I., Wibowo, B., Purbaningrum, D. A., Prabowo, Y. B. 2021. Pengaruh perendaman minuman berkarbonasi terhadap gaya elastik pada elastomeric ligatur dengan variasi panjang penarikan. *e-GiGi.* 9(2): p.282-88.
- Proffit, W. R., Fields, H. W., Sarver, D. M. 2018. Contemporary orthodontics. 6<sup>th</sup> Edition. Canada: Elsevier.
- Quenzer, J. P., Lucato, A. S., Vedovello, S. A. S., Valdrighi, H. C., Filho, M. V. 2015. Influence of elastic chain in the degradation of orthodontic forces – in vitro study. *Rev odontol UNESP.* 44(6): p.320-25.
- Renita, D., Rajendran, S., Chattree, A. 2016. Influence of artificial saliva on the corrosion behavior of dental alloys: A review. *Indian J Adv Chem Sci.* 4(4): p.478-83.
- Risnasari, I., Karolina, R., Fathurrahman, Pulungan, I.H., Handinata, O. 2022. Alat *Universal Testing Machine* (UTM) dan pengoperasiannya. Purwokerto: PT. Pena Persada Kerta Utama.
- Rosas, R. T., Gomez, N. T., Leal, J. A. C., Jurado, C., Ravelo, H. L., Figueroa, L. A. 2023. Force decay and elongation of orthodontic elastomeric chains exposed to different beverage common in the diet: An in vitro study. *Dent Med Probl.* 60(3): p.413-20.

- Singh, G. 2015. Textbook of orthodontic. *Jaypee Brothers Medical Publisher, New Delhi*, p.3.
- Sriamporn, T., Thamrongananskul, N., Na Ranong, N., and Swasdison, S. 2009. Physical and mechanical properties of commercial orthodontic elastomeric ligatures. *CU Dent J.* 32(1): p.11-22.
- Stroede, C. L., Sadek, H., Navalgund, A., Kim, D.-G., Johnston, W. M., Schrickler, S. R., Brantley, W. A. 2012. Viscoelastic properties of elastomeric chains: an investigation of pigment and manufacturing effects. *Am J Orthod Dentofacial Orthop.* 141(3): p.315–26.
- Subroto, M.I.A., Putri, A.P.H., Putri, L.S.D.A., Hidayati, L. 2021. Generation I and generation II elastomeric chain characteristics comparison in artificial saliva immersion. *Braz Dent Sci.* 24(1): p.1-9.
- Sulaiman, T.H., Eriwati, Y.K., Indrani, D.J. 2018. Effect of temperature on tensile force of orthodontics power chain in artificial saliva solution. *J Phys Conf Ser.* 1073(6):p.1-5.
- Sulandjari, J.H. 2008. Buku ajar Ortodonsia I. Yogyakarta. Fakultas Kedokteran Gigi UGM. p 6-19.
- Virdi, G.K., Prashar, A., Kaur, G., Jabbal, R.S., Aggarwal, P., Budh, S., Singh, D. 2024. Force decay behavior of orthodontic elastomeric chains in simulated oral conditions. *Cureus.* 16(9):p.1-16.
- Weissheimer, A., Locks, A., Menezes, L.M., de Borgatto, A.F., and Derech, C.D. 2013. In vitro evaluation of force degradation of elastomeric chains used in Orthodontics. *Dent Press J Orthod.* 18(1):p.55–62.
- Winarno. 2017. Analisa kekuatan tarik sampel plastik daur ulang jenis high density polyethylene (HDPE) dan low density polyethylene (LDPE). *Skripsi.* Program Studi Teknik Mesin, Fakultas Teknik Universitas Muhammadiyah Ponorogo.
- Yanez, EER. 2019. *1001 Tips for Orthodontics and Its Secrets.* 2<sup>nd</sup> ed. AMOLCA
- Zheng, B., Al-Somairi, M.A.A., Li, Z., Zhao, Y., Liu, Y. 2023. Effect of filament types and loops number on the force degradation of elastomeric chains used for orthodontic treatment: an in-vitro study. *BMC Oral Health.* 23(113):p.1-7.