

DAFTAR PUSTAKA

- Ammar, Y. A., El-Hafez, S. M. A. A., Hessein, S. A., Ali, A. M., Askar, A. A., & Ragab, A. (2021). One-pot strategy for thiazole tethered 7-ethoxy quinoline hybrids: Synthesis and potential antimicrobial agents as dihydrofolate reductase (DHFR) inhibitors with molecular docking study. *Journal of Molecular Structure*, 1242, 130748. <https://doi.org/10.1016/j.molstruc.2021.130748>
- Anastas, P. T., Warner, J. C., & Warner, J. C. (2000). *Green chemistry: Theory and practice* (1. paperback). Oxford University Press.
- Anonim. (2025). *Melting Point and Thermometer Calibration* [..Ca]. <https://www.chem.ualberta.ca/~orglabtutorials/Techniques%20Extra%20Info/ab05b672#:~:text=The%20melting%20point%20provides%20reliable,with%20a%20wide%20melting%20range.>
- Argyrou, A., Vetting, M. W., Aladegbami, B., & Blanchard, J. S. (2006). Mycobacterium tuberculosis dihydrofolate reductase is a target for isoniazid. *Nature Structural & Molecular Biology*, 13(5), 408–413. <https://doi.org/10.1038/nsmb1089>
- Baldwin, P. R., Reeves, A. Z., Powell, K. R., Napier, R. J., Swimm, A. I., Sun, A., Giesler, K., Bommarius, B., Shinnick, T. M., Snyder, J. P., Liotta, D. C., & Kalman, D. (2015). Monocarbonyl analogs of curcumin inhibit growth of antibiotic sensitive and resistant strains of Mycobacterium tuberculosis. *European Journal of Medicinal Chemistry*, 92, 693–699. <https://doi.org/10.1016/j.ejmech.2015.01.020>
- Bastos, M. L., Hussain, H., Weyer, K., Garcia-Garcia, L., Leimane, V., Leung, C. C., Narita, M., Pena, J. M., Ponce-de-Leon, A., Seung, K. J., Shean, K., Sifuentes-Osornio, J., Van Der Walt, M., Van Der Werf, T. S., Yew, W. W., Menzies, D., for the Collaborative Group for Meta-analysis of Individual Patient Data in MDR-TB, Ahuja, S., Ashkin, D., ... Yim, J. J. (2014). Treatment Outcomes of Patients With Multidrug-Resistant and Extensively Drug-Resistant Tuberculosis According to Drug Susceptibility Testing to

- First- and Second-line Drugs: An Individual Patient Data Meta-analysis. *Clinical Infectious Diseases*, 59(10), 1364–1374. <https://doi.org/10.1093/cid/ciu619>
- Berman, P. (1995). Health sector reform: Making health development sustainable. *Health Policy*, 32(1–3), 13–28. [https://doi.org/10.1016/0168-8510\(95\)00726-9](https://doi.org/10.1016/0168-8510(95)00726-9)
- Bermingham, A., & Derrick, J. P. (2002). The folic acid biosynthesis pathway in bacteria: Evaluation of potential for antibacterial drug discovery. *BioEssays*, 24(7), 637–648. <https://doi.org/10.1002/bies.10114>
- Bertacine Dias, M. V., Santos, J. C., Libreros-Zúñiga, G. A., Ribeiro, J. A., & Chavez-Pacheco, S. M. (2018). Folate Biosynthesis Pathway: Mechanisms and Insights into Drug Design for Infectious Diseases. *Future Medicinal Chemistry*, 10(8), 935–959. <https://doi.org/10.4155/fmc-2017-0168>
- Blair, H. A., & Scott, L. J. (2015). Delamanid: A Review of Its Use in Patients with Multidrug-Resistant Tuberculosis. *Drugs*, 75(1), 91–100. <https://doi.org/10.1007/s40265-014-0331-4>
- Du, X., Li, Y., Xia, Y.-L., Ai, S.-M., Liang, J., Sang, P., Ji, X.-L., & Liu, S.-Q. (2016). Insights into Protein–Ligand Interactions: Mechanisms, Models, and Methods. *International Journal of Molecular Sciences*, 17(2), 144. <https://doi.org/10.3390/ijms17020144>
- Elavarasan, S., Bhakiaraj, D., Chellakili, B., Elavarasan, T., & Gopalakrishnan, M. (2012). One pot synthesis, structural and spectral analysis of some symmetrical curcumin analogues catalyzed by calcium oxide under microwave irradiation. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 97, 717–721. <https://doi.org/10.1016/j.saa.2012.07.026>
- Frimayanti, N., Mora, E., & Anugrah, R. (2018). Study of Molecular Docking of Chalcone Analogue Compound as Inhibitors for Liver Cancer Cells HepG2. *Computer Engineering and Applications Journal*, 7(2), 137–147. <https://doi.org/10.18495/comengapp.v7i2.260>

- Gomha, S. M., Riyadh, S. M., El-Sayed, A.-A. A. A., Abdallah, A. M., Zaki, M. E. A., Alrehaily, A., Elbadawy, H. M., Al-Shahri, A. A., Alsenani, S. R., & Hussein, A. M. (2024). Grinding-assisted synthesis of novel arylhydrazono curcumin analogues and bis-pyrazolines as cyclin-dependent kinases (CDKs) inhibitors. *Inorganic Chemistry Communications*, 169, 113128. <https://doi.org/10.1016/j.inoche.2024.113128>
- Hanson, A. D., & Gregory, J. F. (2011). Folate Biosynthesis, Turnover, and Transport in Plants. *Annual Review of Plant Biology*, 62(1), 105–125. <https://doi.org/10.1146/annurev-arplant-042110-103819>
- Hayes, B. L. (2002). *Microwave synthesis: Chemistry at the speed of light*. CEM Pub.
- Heathcock, C. H. (Ed.). (1993). *Comprehensive organic synthesis. 2: Additions to C-X pi-bonds, part 2 / vol. ed.: Clayton H. Heathcock* (Repr). Pergamon Pr.
- Hussain, Y., Alam, W., Ullah, H., Dacrema, M., Daglia, M., Khan, H., & Arciola, C. R. (2022). Antimicrobial Potential of Curcumin: Therapeutic Potential and Challenges to Clinical Applications. *Antibiotics*, 11(3), 322. <https://doi.org/10.3390/antibiotics11030322>
- Jasril, J., Teruna, H. Y., Aisyah, A., Nurlaili, N., & Hendra, R. (2019). Microwave Assisted Synthesis and Evaluation of Toxicity and Antioxidant Activity of Pyrazoline Derivatives. *Indonesian Journal of Chemistry*, 19(3), 583. <https://doi.org/10.22146/ijc.34285>
- Jena, L., Deshmukh, S., Waghmare, P., Kumar, S., & Harinath, B. C. (2015). Study of mechanism of interaction of truncated isoniazid–nicotinamide adenine dinucleotide adduct against multiple enzymes of Mycobacterium tuberculosis by a computational approach. *International Journal of Mycobacteriology*, 4(4), 276–283. <https://doi.org/10.1016/j.ijmyco.2015.06.006>
- Jenie, U. A. (2015). *Spektroskopi Massa: Prinsip – Prinsip Reaksi Fragmentasi pada Spektrometer Massa*. Program Pasca Sarjana, Fakultas Farmasi, Universitas Gadjah Mada.

- Kapelle, I. B. D., Irawadi, T. T., Rusli, M. S., Mangunwidjaja, D., & Mas'ud, Z. A. (2015). Synthesis of Asymmetric Curcumin Analogues from CullilawanOil using Conventional and Microwave Method. *Procedia Chemistry*, 16, 480–488. <https://doi.org/10.1016/j.proche.2015.12.082>
- Keam, S. J. (2019). Pretomanid: First Approval. *Drugs*, 79(16), 1797–1803. <https://doi.org/10.1007/s40265-019-01207-9>
- Khudhayer Oglah, M., & Fakri Mustafa, Y. (2020). Curcumin analogs: Synthesis and biological activities. *Medicinal Chemistry Research*, 29(3), 479–486. <https://doi.org/10.1007/s00044-019-02497-0>
- Kim, B. R., Park, J.-Y., Jeong, H. J., Kwon, H.-J., Park, S.-J., Lee, I.-C., Ryu, Y. B., & Lee, W. S. (2018). Design, synthesis, and evaluation of curcumin analogues as potential inhibitors of bacterial sialidase. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 33(1), 1256–1265. <https://doi.org/10.1080/14756366.2018.1488695>
- Lakshmanan, M., & Xavier, A. S. (2013). Bedaquiline – The first ATP synthase inhibitor against multi drug resistant tuberculosis. *Journal of Young Pharmacists*, 5(4), 112–115. <https://doi.org/10.1016/j.jyp.2013.12.002>
- Lewandowski, T. A. (2014). Green Chemistry. Dalam *Encyclopedia of Toxicology* (hlm. 798–799). Elsevier. <https://doi.org/10.1016/B978-0-12-386454-3.01020-4>
- Li, M. Y., H.L., W., J., H., G.C., S., Y.G., W., J.X., W., & X.E., X. (2014). Curcumin inhibits 19-kDa lipoprotein of Mycobacterium tuberculosis induced macrophage apoptosis via regulation of the JNK pathway. *Biochemical and Biophysical Research Communications*, 446(2), 626–632. <https://doi.org/10.1016/j.bbrc.2014.03.023>
- Lienhardt, C. (2001). From Exposure to Disease: The Role of Environmental Factors in Susceptibility to and Development of Tuberculosis. *Epidemiologic Reviews*, 23(2), 288–301. <https://doi.org/10.1093/oxfordjournals.epirev.a000807>
- Lienhardt, C., Glaziou, P., Uplekar, M., Lönnroth, K., Getahun, H., & Raviglione, M. (2012). Global tuberculosis control: Lessons learnt and future prospects.

- Nature Reviews Microbiology*, 10(6), 407–416.
<https://doi.org/10.1038/nrmicro2797>
- Lienhardt, C., Zumla, A., Gebreselassie, N., Frick, M., Gray, G., Kasaeva, T., & Raviglione, M. (2018). Tuberculosis research and development: Seeding the future. *The Lancet Respiratory Medicine*, 6(4), 242–244.
[https://doi.org/10.1016/s2213-2600\(18\)30050-x](https://doi.org/10.1016/s2213-2600(18)30050-x)
- Liu, T., Meng, J., Wang, B., Li, X., Wang, Q., Liu, S., Guan, Y., Wang, X., & Liu, Y. (2024). Identification of BMVC-8C3O as a novel Pks13 inhibitor with anti-tuberculosis activity. *Tuberculosis*, 102579.
<https://doi.org/10.1016/j.tube.2024.102579>
- Maity, S. K., Gayen, K., & Bhowmick, T. K. (Ed.). (2022). *Hydrocarbon biorefinery: Sustainable processing of biomass for hydrocarbon biofuels*. Elsevier.
- Malahayati, N., Widowati, T. W., & Febrianti, A. (2021). Karakterisasi Ekstrak Kurkumin dari Kunyit Putih (*Kaemferia rotunda* L.) dan Kunyit Kuning (*Curcuma domestica* Val.). *agriTECH*, 41(2), 134.
<https://doi.org/10.22146/agritech.41345>
- Motiejunas, D., & Wade, R. C. (2007). Structural, Energetic, and Dynamic Aspects of Ligand–Receptor Interactions. Dalam *Comprehensive Medicinal Chemistry II* (hlm. 193–213). Elsevier. <https://doi.org/10.1016/B0-08-045044-X/00250-9>
- Mullaicharam, A., & Amaresh, N. (2014). *Research and Reviews: Journal of Pharmaceutical Analysis*.
- Nichols, C. E., Youssef, D., Harris, R. G., & Jha, A. (2006). Microwave-assisted synthesis of curcumin analogs. *Arkivoc*, 2006(13), 64–72.
<https://doi.org/10.3998/ark.5550190.0007.d07>
- Pabon, H. J. J. (1964). A synthesis of curcumin and related compounds. *Recueil Des Travaux Chimiques Des Pays-Bas*, 83(4), 379–386.
<https://doi.org/10.1002/recl.19640830407>
- Paglia, S. R. L., & Roquette, B. C. (1963). FLUORESCENCE EFFICIENCY OF CYCLOPENTANONE VAPOR AND ITS RELATION TO PHOTOLYSIS.

- Canadian Journal of Chemistry*, 41(2), 287–292.
<https://doi.org/10.1139/v63-044>
- Pai, M., Behr, M. A., Dowdy, D., Dheda, K., Divangahi, M., Boehme, C. C., Ginsberg, A., Swaminathan, S., Spigelman, M., Getahun, H., Menzies, D., & Ravigliione, M. (2016). Tuberculosis. *Nature Reviews Disease Primers*, 2(1). <https://doi.org/10.1038/nrdp.2016.76>
- Pavia, D. L., Lampman, G. M., & Kriz, G. S. (2001). *Introduction to spectroscopy: A guide for students of organic chemistry* (3. ed). Harcourt College Publishers.
- Perrin, C. L., & Chang, K.-L. (2016). The Complete Mechanism of an Aldol Condensation. *The Journal of Organic Chemistry*, 81(13), 5631–5635. <https://doi.org/10.1021/acs.joc.6b00959>
- Pintilie, L., Tanase, C., & Mohapatra, R. K. (2020). Molecular Docking Studies on Synthetic Therapeutic Agents for COVID-19. *The 24th International Electronic Conference on Synthetic Organic Chemistry*, 46. <https://doi.org/10.3390/ecsoc-24-08352>
- Polsfuss, S., Hofmann-Thiel, S., Merker, M., Krieger, D., Niemann, S., Rüssmann, H., Schönfeld, N., Hoffmann, H., & Kranzer, K. (2019). Emergence of Low-level Delamanid and Bedaquiline Resistance During Extremely Drug-resistant Tuberculosis Treatment. *Clinical Infectious Diseases*, 69(7), 1229–1231. <https://doi.org/10.1093/cid/ciz074>
- Raj, R., Tripathi, A. K., Saranya, P., Kaur, J., Pal, R. S., Singh, K., Jain, D., Chaitanya, M., & Kumar, S. (2024). A review of molecular investigations on traditional Chinese medicinal plant-based therapies in multidrug-resistant tuberculosis. *Pharmacological Research - Modern Chinese Medicine*, 13, 100521. <https://doi.org/10.1016/j.prmcm.2024.100521>
- Restanto, R. A. (2024). *Universitas Gadjah Mada Yogyakarta*.
- Ribeiro, J. A., Chavez-Pacheco, S. M., De Oliveira, G. S., Silva, C. D. S., Giudice, J. H. P., Libreros-Zúñiga, G. A., & Dias, M. V. B. (2019). Crystal structures of the closed form of *Mycobacterium tuberculosis* dihydrofolate reductase in complex with dihydrofolate and antifolates. *Acta Crystallographica Section*

- D Structural Biology*, 75(7), 682–693.
<https://doi.org/10.1107/s205979831900901x>
- Ritmaleni. (2016). Synthesis of Curcumin Analogs. *International Journal of Pharmaceutical Sciences Review and Research*, 42, 236–241.
- Roy, K., Kar, S., & Das, R. N. (Ed.). (2015). *Understanding the basics of QSAR for applications in pharmaceutical sciences and risk assessment*. Academic Press, an imprint of Elsevier.
- S. Askari, B., & Krajinovic, M. (2010). Dihydrofolate Reductase Gene Variations in Susceptibility to Disease and Treatment Outcomes. *Current Genomics*, 11(8), 578–583. <https://doi.org/10.2174/138920210793360925>
- Sardjiman. (2000). *Synthesis of Some New Series of Curcumin Analogues, Anti Oxidative, Anti-Inflammatory, Anti-Bacterial Activities and Qualitative Structure-Activity Relationship* [Disertation]. Gadjah Mada University.
- Senelle, G., Guyeux, C., Refrégier, G., & Sola, C. (2023). Towards a better understanding of the long-lasting evolutionary history of Mycobacterium tuberculosis. *Tuberculosis*, 143, 102374. <https://doi.org/10.1016/j.tube.2023.102374>
- Silverstein, R. M., Webster, F. X., & Kiemle, D. J. (2005). *Spectrometric Identification of Organic Compounds* (7 ed.). John Wiley & Sons, Inc.
- Sreelatha, S., Nagarajan, U., & Natarajan, S. (2023). Protein targets in Mycobacterium tuberculosis and their inhibitors for therapeutic implications: A narrative review. *International Journal of Biological Macromolecules*, 243, 125022. <https://doi.org/10.1016/j.ijbiomac.2023.125022>
- Subhedar, D. D., Shaikh, M. H., Nawale, L., Sarkar, D., Khedkar, V. M., & Shingate, B. B. (2017). Quinolidene based monocarbonyl curcumin analogues as promising antimycobacterial agents: Synthesis and molecular docking study. *Bioorganic & Medicinal Chemistry Letters*, 27(4), 922–928. <https://doi.org/10.1016/j.bmcl.2017.01.004>
- Tangkilisan, J. R. A. (2020). ANGKA PENEMUAN KASUS TUBERKULOSIS PARU DI INDONESIA TAHUN 2015- 2018. 9(5).

- Tonnesen, H. H., & Karlsen, J. (1985). Studies on curcumin and curcuminoids: VI. Kinetics of curcumin degradation in aqueous solution. *Zeitschrift for Lebensmittel-Untersuchung Und -Forschung*, 180(5), 402–404. <https://doi.org/10.1007/BF01027775>
- Trigo-Gutierrez, J. K., Vega-Chacón, Y., Soares, A. B., & Mima, E. G. D. O. (2021). Antimicrobial Activity of Curcumin in Nanoformulations: A Comprehensive Review. *International Journal of Molecular Sciences*, 22(13), 7130. <https://doi.org/10.3390/ijms22137130>
- Wakte, P. S., Sachin, B. S., Patil, A. A., Mohato, D. M., Band, T. H., & Shinde, D. B. (2011). Optimization of microwave, ultra-sonic and supercritical carbon dioxide assisted extraction techniques for curcumin from *Curcuma longa*. *Separation and Purification Technology*, 79(1), 50–55. <https://doi.org/10.1016/j.seppur.2011.03.010>
- WHO. (2023). *Global Tuberculosis Report 2023* (1st ed). World Health Organization.
- Xochicale-Santana, L., Vidyasagar, C. C., Muñoz-Flores, B. M., & Pérez, V. M. J. (2021). Microwave assisted organic syntheses (MAOS): The green synthetic method. Dalam *Handbook of Greener Synthesis of Nanomaterials and Compounds* (hlm. 491–542). Elsevier. <https://doi.org/10.1016/B978-0-12-821938-6.00015-3>
- Zhou, S., Yang, S., & Huang, G. (2017). Design, synthesis and biological activity of pyrazinamide derivatives for anti- *Mycobacterium tuberculosis*. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 32(1), 1183–1186. <https://doi.org/10.1080/14756366.2017.1367774>