

DAFTAR PUSTAKA

- Afgani, C. A., Nairfana, I., Sari, N. R., & Komarudin, N. A. (2023). Pelatihan Pembuatan Tepung Beras di Desa Parate Kecamatan Samapun Kabupaten Sumbawa. *Jurnal Agro Dedikasi Masyarakat*, 4(1), 23–28.
- Afni, S. E., Fardiaz, D., & Andarwulan, N. (2023). Karakteristik Kimia Fisik Sensori Instant Mashed Sweet Potato. *Jurnal Teknologi Pangan Kesehatan*, 5(1), 33–41.
- Afriliyanti, P., Hendrawan, H., & Hodijat, A. (2023). Pengaruh Substitusi Tepung Mocaf pada Tepung Terigu terhadap Karakteristik Mie Basah. *Jurnal Dimamu*, 3(1), 1–7. <https://doi.org/10.32627/dimamu.v3i1.834>
- Aghajanzadeh, S., Sultana, A., Mohammad Ziaifar, A., & Khalloufi, S. (2024). Formation of pores and bubbles and their impacts on the quality attributes of processed foods: A review. *Food Research International*, 188, 114494. <https://doi.org/10.1016/J.FOODRES.2024.114494>
- Akbar, Winarti, S., & Rosida. (2023). Pengaruh Proporsi Tepung Sagu (*Metroxylon* spp.) dan Tepung Gembili (*Discorea esculentra*) dengan Penambahan Gliserol Monostearat Terhadap Karakteristik Mi Basah. *G-Tech: Jurnal Teknologi Terapan*, 7(3), 778–787. <https://doi.org/10.33379/gtech.v7i3.2516>
- An, D., Li, Q., Li, E., Obadi, M., Li, C., Li, H., Zhang, J., Du, J., Zhou, X., Li, N., & Xu, B. (2021). Structural basis of wheat starch determines the adhesiveness of cooked noodles by affecting the fine structure of leached starch. *Food Chemistry*, 341, 128222. <https://doi.org/10.1016/J.FOODCHEM.2020.128222>
- Anugrahati, N. A., & Yudianto, C. M. (2022). Pengaruh Rasio Tepung Garut Hasil HMT dan Xanthan Gum terhadap Daya Serap Air dan Cooking Loss Mi Laksa. *Agrointek: Jurnal Teknologi Industri Pertanian*, 16(3), 396–402. <https://doi.org/10.21107/agrointek.v16i3.13350>
- AOAC. (2012). *Official Methods of Analysis, 19th ed. Association of Official Analytical Chemist.*
- Asmoro, N. W. (2021). Karakteristik dan Sifat Tepung Singkong Termodifikasi (Mocaf) dan Manfaatnya pada Produk Pangan. *Journal of Food and Agricultural Product*, 1(1), 34. <https://doi.org/10.32585/jfap.v1i1.1755>
- Bae, I. Y., Kim, H. J., Inglett, G. E., & Lee, S. (2016). Effect of whole grain wheat flour on the mixing properties, oil uptake, and in vitro starch digestibility of instant fried noodles. *Cereal Chemistry*, 93(1), 100–103. <https://doi.org/10.1094/CCHEM-04-15-0063-N;CTYPE:STRING:JOURNAL>
- Baiano, A., Conte, A., & Del Nobile, M. A. (2006). Influence of drying temperature on the spaghetti cooking quality. *Journal of Food Engineering*, 76(3), 341–347. <https://doi.org/10.1016/J.JFOODENG.2005.05.030>
- Berggren, J., & Alderborn, G. (2001). Drying behaviour of two sets of microcrystalline cellulose pellets. *International Journal of Pharmaceutics*,

219(1–2), 113–126. [https://doi.org/10.1016/S0378-5173\(01\)00636-6](https://doi.org/10.1016/S0378-5173(01)00636-6),

- Buggenhout, J., Brijs, K., Celus, I., & Delcour, J. A. (2013). The breakage susceptibility of raw and parboiled rice: A review. *Journal of Food Engineering*, 117(3), 304–315. <https://doi.org/10.1016/J.JFOODENG.2013.03.009>
- Cao, X., Zhou, S., Yi, C., Wang, L., Qian, H., Zhang, H., & Qi, X. (2017). Effect of whole wheat flour on the quality, texture profile, and oxidation stability of instant fried noodles. *Journal of Texture Studies*, 48(6), 607–615. <https://doi.org/10.1111/jtxs.12274>
- Chang, Y. K., & Martínez Flores, H. E. (2004). Qualidade tecnológica de massas alimentícias frescas elaboradas de semolina de trigo durum (T. durum L.) e farinha de trigo (T. aestivum L.). *Ciência e Tecnologia de Alimentos*, 24(4), 487–493. <https://doi.org/10.1590/S0101-20612004000400002>
- Chillo, S., J. L., PM, F., A, P., & MA, D. N. (2008). Pengaruh dari Penambahan Tepung Soba dan Gandum Durum Dedak pada Kualitas Spagheti. *Jurnal Cereal Sci*, 47(2), 144–152.
- Choy, A. L., Morrison, P. D., Hughes, J. G., Marriott, P. J., & Small, D. M. (2013). Quality and antioxidant properties of instant noodles enhanced with common buckwheat flour. *Journal of Cereal Science*, 57(3), 281–287. <https://doi.org/10.1016/J.JCS.2012.11.007>
- Copeland, L., Blazek, J., Salman, H., & Tang, M. . (2009). Food Hydrocolloids Form and Functionality of Starch. *Food Hydrocolloids*, 23(6), 1527–1534.
- Cubadda, R. E., Carcea, M., Marconi, E., & Trivisonno, M. C. (2007). Influence of gluten proteins and drying temperature on the cooking quality of durum wheat pasta. *Cereal Chemistry*, 84(1), 48–55. <https://doi.org/10.1094/CCHEM-84-1-0048>
- Cuomo, F., Quiquero, M., Trivisonno, M. C., Angelicola, M., Messia, M. C., & Marconi, E. (2023). Mitigation of Maillard reaction in spaghetti by optimization of the drying conditions. *LWT*, 184, 114990. <https://doi.org/10.1016/J.LWT.2023.114990>
- Dhijas, A., & Rustanti, N. (2016). Pengaruh Perbandingan Tepung Labu Kuning (Cucurbita Moschata) dan Tepung Mocaf Terhadap Serat Pangan, Aktivitas Antioksidan, dan Total Energi pada Flakes “Kumo.” *Journal of Nutrition College*, 5(4), 499.
- Ding, S., & Yang, J. (2013). The influence of emulsifiers on the rheological properties of wheat flour dough and quality of fried instant noodles. *LWT - Food Science and Technology*, 53(1), 61–69. <https://doi.org/10.1016/J.LWT.2013.01.031>
- Diniyah, N., Subagio, A., Nur Lutfian Sari, R., Gita Vindy, P., & Ainur Rofiah, A. (2018). Effect of Fermentation Time and Cassava Varieties on Water Content and the Yield of Starch from Modified Cassava Flour (MOCAF). *Indonesian Journal of Pharmaceutical Science and Technology*, 5(2), 71. <https://doi.org/10.24198/ijpst.v5i2.15094>

- Du, X., & Wu, E. (2007). Porosity of microporous zeolites A, X and ZSM-5 studied by small angle X-ray scattering and nitrogen adsorption. *Journal of Physics and Chemistry of Solids*, 68(9), 1692–1699. <https://doi.org/10.1016/J.JPCS.2007.04.013>
- Dwi, E., Faridah, A., & Ernawati, E. (2019). Pengembangan Produk Sala Lauakdengan Teknik Gelatinisasi. *Jurnal Ilmu Sosial Dan Humaniora*, 8(2), 259–267. <https://doi.org/10.23887/jish-undiksha.v8i2.22626>
- Dwipayanti, H., Agustini, N. P., & Antarini, A. A. N. (2022). Pengaruh Rasio Tepung Mocaf dan Tepung Tempe terhadap Karakteristik Brownies Kukus. *Journal of Nutrition Science*, 11(2), 96–104.
- Ekafitri, R. (2010). Teknologi Pengolahan Mie Jagung: Upaya Menunjang Ketahanan Pangan Indoneisa. *Pangan*, 19(3), 283–293.
- Fadhilatunnur, H., Subarna, S., Murtadho, Z., & Muhandri, T. (2022). Pengeringan Cabai Merah (*Capsicum annum L.*) dengan Kombinasi Oven Microwave dan Kipas Angin. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, 9(1), 26–35. <https://doi.org/10.29244/JMPI.2022.9.1.26>
- Fellows, P. (2000). Food Processing Technology, principles and Practices, 2nd Edition. In *Boca Raton: CRC Press*. <https://doi.org/10.4324/9781003115656-7>
- Fizriani, A., Putri, N. E., & Triandita, N. (2019). Sifat Kimia dan Sensoris Brownies Berbahan Baku Tepung Mocaf, Jagung, dan Kedelai Hitam. *Jurnal Teknologi Pangan*, 2(2), 29–39.
- Ginting, M., Hutapea, Y., & Simanjuntak, S. (2017). Pengaruh Penambahan Tepung Sagu dan Tepung Tapioka terhadap Sifat Fisik Mie Berbasis Tepung Non-Terigu. *Jurnal Pangan Dan Agroindustri*, 5(3), 201–208.
- Gouyo, T., Rondet, É., Mestres, C., Hofleitner, C., & Bohuon, P. (2021). Microstructure analysis of crust during deep-fat or hot-air frying to understand French fry texture. *Journal of Food Engineering*, 298. <https://doi.org/10.1016/j.jfoodeng.2021.110484>
- Gulia, N., Dhaka, V., & Khatkar, B. S. (2014). Instant Noodles: Processing, Quality, and Nutritional Aspects. *Critical Reviews in Food Science and Nutrition*, 54(10), 1386–1399. <https://doi.org/10.1080/10408398.2011.638227>,
- Guo, G., Jackson, D. S., Graybosch, R. ., & Parkhurst, A. . (2003). Asian Salted Noodle Quality: Impact of Amylose Content Adjustments Using Waxy Wheat Flour. *J Cereal Chem*, 80(1), 437–445.
- Hidayat, F. R. (2017). *Karakteristik Pati Mocaf (Modified Cassava Flour) dari Jenis Singkong Cimanggu dan Kaspro*.
- Hou, G. (2001). Oriental noodles. *Advances in Food and Nutrition Research*, 43(C), 141–193. [https://doi.org/10.1016/S1043-4526\(01\)43004-X](https://doi.org/10.1016/S1043-4526(01)43004-X)
- Hou, G. G. (2010). Asian Noodles (Science, Technology, and Processing). In *Canada. John Wiley amd Sons*. <https://doi.org/10.1016/B978-0-323-95295-8.00024-1>

- Ihromi, S., Marianah, M., & Susandi, Y. A. (2018). Substitusi Tepung Terigu Dengan Tepung Mocaf Dalam Pembuatan Kue Kering. *Jurnal Agrotek UMMAT*, 5(1), 73–77. <https://doi.org/10.31764/agrotek.v5i1.271>
- Indrianti, N, Sholichah, E., & Afifah, N. (2021). Pumpkin Flour Effects on Antioxidant Activity, Texture, and Sensory Attributes of Flat Tubers Noodle. *IOP Conference Series: Materials Science and Engineering*, 1011(1), 2–6. <https://doi.org/10.1088/1757-899X/1011/1/012007>
- Indrianti, Novita, Kumalasari, R., Ekafitri, R., & Darmajana, D. A. (2016). The Effect of Canna Starch, Tapioca, and MoCaf as Substitution Ingredients on Physical Characteristics of Corn Instant Noodle. *Agritech*, 33(4), 391–398.
- Jan, R., Saxena, D. C., & Singh, S. (2017). Effect of extrusion variables on antioxidant activity, total phenolic content and dietary fibre content of gluten-free extrudate from germinated *Chenopodium* (*Chenopodium album*) flour. *International Journal of Food Science and Technology*, 52(12), 2623–2630. <https://doi.org/10.1111/IJFS.13549>
- Jang, A., Kim, H., Shim, J. Y., Lee, S. K., & Lee, S. (2016). Correlation of Thermal Conductivity of Instant Noodles with their Textural Property for Rehydration Study. *Journal of Texture Studies*, 47(2), 87–91. <https://doi.org/10.1111/JTXS.12162>
- Jang, A., Kim, J. Y., & Lee, S. (2016). Rheological, thermal conductivity, and microscopic studies on porous-structured noodles for shortened cooking time. *LWT - Food Science and Technology*, 74, 1–6. <https://doi.org/10.1016/J.LWT.2016.07.015>
- Javaid, A. B., Xiong, H., Xiong, Z., Soomro, A. H., Zia-ud-Din, Ahmad, I., Nawaz, A., & Ullah, I. (2018). Effects of xanthan gum on cooking qualities, texture and microstructures of fresh potato instant noodles. *Journal of Food Measurement and Characterization*, 12(4), 2453–2460. <https://doi.org/10.1007/s11694-018-9862-9>
- Jirukkakul, N. (2021). Improvement of physical properties and phenolic compounds of egg noodles by banana pulp and peel flour fortification. *Food Research*, 5(4), 14–20. [https://doi.org/10.26656/FR.2017.5\(4\).671](https://doi.org/10.26656/FR.2017.5(4).671)
- Joardder, M. U. H., Kumar, C., & Karim, M. A. (2017). Food structure: Its formation and relationships with other properties. *Critical Reviews in Food Science and Nutrition*, 57(6), 1190–1205. <https://doi.org/10.1080/10408398.2014.971354>
- Kongkiattisak, P., & Songsermpong, S. (2012). Effect of Temperature and Velocity of Drying Air on Kinetics, Quality and Energy Consumption in Drying Process of Rice Noodles. *Agriculture and Natural Resources*, 46(4), 603–619. <https://li01.tci-thaijo.org/index.php/anres/article/view/242915>
- Kumalasari, R., Sholichah, E., Haryanto, A., Hanifah, U., Mayasti, N. K. I., & Yuniar, A. D. (2022). Evaluation of uniformity of physical and texture quality in manufacture of gluten-free noodles using single-screw extruders: a case study on local SMEs in Subang district-Indonesia. *Food Science and Technology*, 42, e82421. <https://doi.org/10.1590/FST.82421>

- Lerner, A., Jeremias, P., & Matthias, T. (2015). The World Incidence of Celiac Disease Is Increasing: A review. *International Journal of Recent Scientific Research*, 6(7), 5491–5496.
- Li, M., Zhu, K. X., Guo, X. N., Brijs, K., & Zhou, H. M. (2014). Natural Additives in Wheat-Based Pasta and Noodle Products: Opportunities for Enhanced Nutritional and Functional Properties. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 347–357. <https://doi.org/10.1111/1541-4337.12066>
- Li, Q., Li, C., Li, E., Gilbert, R. G., & Xu, B. (2020). A molecular explanation of wheat starch physicochemical properties related to noodle eating quality. *Food Hydrocolloids*, 108. <https://doi.org/10.1016/J.FOODHYD.2020.106035>
- Litaay, C. (2012). *Fortifikasi Tepung Ikan Cakalang (Katsuwonus pelamis) terhadap Karakteristik Mie Sagu*. Tesis, Institut Pertanian Bogor.
- Liu, C., Liu, J., Li, D., Liu, C., Zhang, Z., Jiang, N., Niu, L., Zhang, M., & Cheng, J. (2020). Cell wall components, cell morphology, and mechanical properties of peach slices submitted to drying. *Drying Technology*, 38(13), 1776–1789. <https://doi.org/10.1080/07373937.2019.1662799>;PAGE:STRING:ARTICLE/CHAPTER
- Liu, J., Qi, Y., Hassane Hamadou, A., Ahmed, Z., Guo, Q., Zhang, J., & Xu, B. (2024). Effect of high-temperature drying at different moisture levels on texture of dried noodles: Insights into gluten aggregation and pore distribution. *Journal of Cereal Science*, 115, 103817. <https://doi.org/10.1016/J.JCS.2023.103817>
- Lu, Q., Guo, S., & Zhang, S. (2009). Effects of flour free lipids on textural and cooking qualities of Chinese noodles. *Food Research International*, 42(2), 226–230. <https://doi.org/10.1016/J.FOODRES.2008.11.007>
- Madiouli, J., Sghaier, J., Lecomte, D., & Sammouda, H. (2012). Determination of porosity change from shrinkage curves during drying of food material. *Food and Bioprocess Processing*, 90(1), 43–51. <https://doi.org/10.1016/j.fbp.2010.12.002>
- Marabi, A., & Saguy, I. S. (2004). Effect of porosity on rehydration of dry food particulates. *Journal of the Science of Food and Agriculture*, 84(10), 1105–1110. <https://doi.org/10.1002/JSFA.1793>;REQUESTEDJOURNAL:JOURNAL:10970010;WGROU:STRING:PUBLICATION
- Marti, A., Pagani, M. A., & Seetharaman, K. (2011). Understanding Starch Organisation in Gluten-Free Pasta from Rice Flour. *Carbohydrate Polymers*, 84(3), 1069–1074. <https://doi.org/10.1016/j.carbpol.2010.12.070>
- Masniah, & Yusuf. (2013). Potensi Ubi Kayu sebagai Pangan Fungsional: *Balitlabi Litbang Pertanian*, 3(1), 580–587.
- Mauri, R. (2023). Radiant Heat Transfer. *Fluid Mechanics and Its Applications*, 112, 333–346. https://doi.org/10.1007/978-3-031-28920-0_20
- Meng, L., Sun, X., Zhang, Y., & Tang, X. (2024). Effects of high temperature and

- high relative humidity drying on moisture distribution, starch microstructure and cooking characteristics of extruded whole buckwheat noodles. *Journal of Future Foods*, 4(2), 159–166. <https://doi.org/10.1016/J.JFUTFO.2023.06.007>
- Mojiono, M., Nurtama, B., & Budijanto, S. (2016). Development of Gluten-Free Noodles Using Extrusion Technology. *Jurnal Pangan*, 25(5), 125–136. <https://doi.org/10.33964/jp.v25i2.328>
- Muhandri, T. (2012). Mekanisme Proses Pembuatan Mi Berbahan Baku Jagung. *Buletin Teknologi Pascapanen Pertanian*, 8(2), 71–79.
- Muhandri, T., Basuki Ahza, A., Syarief, R., & Sutrisno. (2015). Optimasi Prose Ekstrusi Mi Jagung Dengan Metode Permukaan Respon. *Jurnal Teknologi Dan Industri Pangan*, 22(2), 97–104.
- Nadhira, R., & Cahyana, Y. (2023). Kajian Sifat Fungsional Dan Amilografi Pati Dengan Penambahan Senyawa Fenolik: Kajian Pustaka. *Jurnal Penelitian Pangan (Indonesian Journal of Food Research)*, 3(1), 14–19. <https://doi.org/10.24198/jp2.2023.vol1.1.03>
- Nugroho, R., Hartono, A., & Widodo, W. (2020). Efek Penambahan Tepung Beras pada Kualitas Mie Instan Berbasis Tepung Mocaf. *Indonesian Journal of Food Science and Technology*, 8(2), 142–152.
- Park, J., Lee, J. S., Jang, Y. A., Chung, H. R., & Kim, J. (2011). A comparison of food and nutrient intake between instant noodle consumers and non-instant noodle consumers in Korean adults. *Nutrition Research and Practice*, 5(5), 443–449. <https://doi.org/10.4162/NRP.2011.5.5.443>,
- Pitre, U., & Badiozamani, G. (2018). *Every day easy air fryer : 100 recipes bursting with flavor*. Houghton Mifflin Harcourt. https://books.google.com/books/about/Every_Day_Easy_Air_Fryer.html?id=RVNyDwAAQBAJ
- Pongpichaiudom, A., & Songsermpong, S. (2018). Characterization of frying, microwave-drying, infrared-drying, and hot-air drying on protein-enriched, instant noodle microstructure, and qualities. *Journal of Food Processing and Preservation*, 42(3), e13560. <https://doi.org/10.1111/JFPP.13560>;REQUESTEDJOURNAL:JOURNAL:174 54549;PAGE:STRING:ARTICLE/CHAPTER
- Prabowo, S. D., Seno, B. A., & Rokhmah, L. N. (2024). Chemical and Sensory Characteristics of Gluten Free Wet Noodles Made from Oats, Rice Flour and Tapiocca Flour. *Jurnal Teknologi Pangan*, 18(1), 112.
- Pronyk, C., Cenkowski, S., Muir, W. E., & Lukow, O. M. (2008). Effects of superheated steam processing on the textural and physical properties of Asian noodles. *Drying Technology*, 26(2), 192–203. <https://doi.org/10.1080/07373930701831382>,AND'
- Pudjihastuti, I., Sumardiono, S., Nurhayati, O. D., & Yudianto, Y. A. (2019). Perbedaan Metode Penggorengan Terhadap Kualitas Fisik dan Organoleptik Aneka Camilan Sehat. *Prosiding Seminar Nasional Unimus*, 2, 450–454.
- Putra, S. . (2009). *Optimalisasi Formula dan Proses Pembuatan Mi Jagung dengan*

Metode Kalendering.

- Rachma Sari, A., & Siqhny, Z. D. (2022). PROFIL TEKSTUR, DAYA REHIDRASI, COOKING LOSS MIE KERING SUBSTITUSI PASTA LABU KUNING DAN PEWARNA ALAMI. *Jurnal Agritechno*, 92–102. <https://doi.org/10.20956/AT.VI.710>
- Riansyah, A., Supriadi, A., Program, R. N., Teknologi, S., & Perikanan, H. (2013). Pengaruh Perbedaan Suhu Dan Waktu Pengeringan Terhadap Karakteristik Ikan Asin Sepat Siam (*Trichogaster Pectoralis*) Dengan Menggunakan Oven. *Fishtech*, 2(1), 53–68. <https://www.neliti.com/publications/61073/>
- Rohaya, M. S., Maskat, M. Y., & Ma'Aruf, A. G. (2013). Rheological Properties of Different Degree of Pregelatinized Rice Flour Batter. *Sains Malaysiana*, 42(12), 1707–1714.
- Rosmeri, V. I., & Monica, B. N. (2013). Pemanfaatan Tepung Umbi Gadung (*Dioscorea hispida* Dennst) dan Tepung MOCAF (Modified Cassava Flour) sebagai Bahan Substitusi dalam Pembuatan Mie Basah, Mie Kering, dan Mie Instan. *Jurnal Teknologi Kimia Dan Industri*, 2(2), 246–256.
- Sablani, S. S., Rahman, M. S., Al-Kuseibi, M. K., Al-Habsi, N. A., Al-Belushi, R. H., Al-Marhubi, I., & Al-Amri, I. S. (2007). Influence of shelf temperature on pore formation in garlic during freeze-drying. *Journal of Food Engineering*, 80(1), 68–79. <https://doi.org/10.1016/J.JFOODENG.2006.05.010>
- Setyanto, N. W., Himawan, R., Arifianto, E. Y., & Rina, P. M. (2012). Rekayasa Alat Pengering Mie Ramah Lingkungan. *Jurnal Rekayasa Mesin*, 3(3), 411–420.
- Sozer, N., Dalgiç, A. C., & Kaya, A. (2007). Thermal, textural and cooking properties of spaghetti enriched with resistant starch. *Journal of Food Engineering*, 81(2), 476–484. <https://doi.org/10.1016/J.JFOODENG.2006.11.026>
- Stetzel, S., & Nykel, T. (2021). *What Is an Air Fryer? Here's What It Really Does to Your Food*. Taste of Home.
- Sufiyeni, S., Enardi, O. P., & Sutyawan, S. (2017). Modification Cassava Flour (Mocaf) 75% Meningkatkan Kesukaan dan Kadar Serat Terhadap Ayam Goreng Crispy. *Jurnal Kesehatan Poltekkes Kemenkes Ri Pangkalpinang*, 5(2), 1. <https://doi.org/10.32922/jkp.v5i2.1>
- Sulistyo, J., & Nakahara, K. (2014). Cassava Flour Modification by Microorganism. *Japan International Research Center for Agricultural Sciences*, 10(2.1), 3702–4966.
- Sumardiono, S., Jos, B., Aryanti, N., suherman, S., Wardani, D. H., & Pudjihastuti, I. (2020). PENGARUH METODE PENGGORENGAN TERHADAP KUALITAS FISIK JAJANAN MIE KRIUK. *Seminar Nasional Pengabdian Kepada Masyarakat UNDIP 2020*, 1(1). <https://proceedings.undip.ac.id/index.php/semnasppm2019/article/view/82>
- Sun, Q., Zhang, Z., Xiong, L., & Dai, L. (2013). Studies of Rice Flour Gelation in The Processing of Rice Noodles. *Advanced Materials Research*, 634–638(1),

1518–1522. <https://doi.org/10.4028/www.scientific.net/AMR.634-638.1518>

- Tam, L. ., Corke, H., Tan, W. ., Li, J., & Collado, L. . (2004). Production of Bihon-Type Noodle from Maize Starch Differing in Amylose Content. *J Cereal Chem*, 80(4), 475–480.
- Tan, F. J., Dai, W. T., & Hsu, K. C. (2009). Changes in gelatinization and rheological characteristics of japonica rice starch induced by pressure/heat combinations. *Journal of Cereal Science*, 49(2), 285–289. <https://doi.org/10.1016/j.jcs.2008.11.006>
- Tan, H. Z., Li, Z. G., & Tan, B. (2009). Starch noodles: History, classification, materials, processing, structure, nutrition, quality evaluating and improving. *Food Research International*, 42(5–6), 551–576. <https://doi.org/10.1016/J.FOODRES.2009.02.015>
- Thibault, B., Aghajanzadeh, S., Sultana, A., Ratti, C., & Khalloufi, S. (2024). Characteristics of Open and Closed Pores, Their Measurement Techniques and Exploitation in Dehydrated Food Products. *Food Engineering Reviews* 2024 16:3, 16(3), 323–355. <https://doi.org/10.1007/S12393-024-09376-4>
- Utomo, D., Wahyuni, R., & Wiyono, R. (2011). Pemanfaatan Ikan Gabus (*Ophiocephalus Striatus*) menjadi Bakso dalam Rangka Perbaikan Gizi Masyarakat dan Upaya Meningkatkan Nilai Ekonomisnya. *Teknologi Pangan : Media Informasi Dan Komunikasi Ilmiah Teknologi Pertanian*, 1(1), 38–55. <https://doi.org/10.35891/tp.v1i1.476>
- Vu, L. T. K., Nguyen, D. Q., Phan, D. T. A., & Nguyen, D. T. (2021). BUILDING AND SOLVING THE HEAT TRANSFER MODELS TO DETERMINE SUITABLE FRYING CONDITIONS FOR INSTANT NOODLES. *Carpathian Journal of Food Science and Technology*, 13(4), 105–115. <https://doi.org/10.34302/CRPJFST/2021.13.4.9>
- Wahyuni, P., Sumarni, N. K., Prismawiryanti, & Hardi, J. (2020). Retensi Ekstrak Karoten pada Olahan Mie Wortel (*Daucus carrota* L.). *KOVALEN: Jurnal Riset Kimia*, 6(2), 99–105. <https://doi.org/10.22487/kovalen.2020.v6.i2.12794>
- Wang, J., Li, A., Hu, J., Zhang, B., Liu, J., Zhang, Y., & Wang, S. (2022a). Effect of Frying Process on Nutritional Property, Physicochemical Quality, and in vitro Digestibility of Commercial Instant Noodles. *Frontiers in Nutrition*, 9(February), 1–14. <https://doi.org/10.3389/fnut.2022.823432>
- Wang, J., Li, A., Hu, J., Zhang, B., Liu, J., Zhang, Y., & Wang, S. (2022b). Effect of Frying Process on Nutritional Property, Physicochemical Quality, and in vitro Digestibility of Commercial Instant Noodles. *Frontiers in Nutrition*, 9, 823432. <https://doi.org/10.3389/FNUT.2022.823432/BIBTEX>
- Wang, J. P., An, H. Z., Jin, Z. Y., Xie, Z. J., Zhuang, H. N., & Kim, J. M. (2013). Emulsifiers and thickeners on extrusion-cooked instant rice product. *Journal of Food Science and Technology*, 50(4), 655–666. <https://doi.org/10.1007/S13197-011-0400-6/TABLES/6>
- Wang, W., Zhao, W., Hu, X., & Tian, Y. (2024). *Study on Drying Characteristics and Quality Changes of Oat Noodles in Different Drying Processes*.

<https://doi.org/10.2139/SSRN.4954954>

- Wanita, Y. P., & Endang, W. (2013). Pengaruh Cara Pembuatan Mocaf Terhadap Kandungan Amilosa dan Derajat Putih Tepung. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi*, 22, 588–596.
- WINA, W. I. N. A. (2022). Global Demand for Instant Noodles. *Shinjuku (JP): WINA*.
- Xu, J., Bietz, J. A., & Carriere, C. J. (2007). Viscoelastic Properties of Wheat Gliadin and Glutenin Suspensions. *Food Chemistry*, 101(3), 1025–1030. <https://doi.org/10.1016/j.foodchem.2006.02.057>
- Yan, X., Xiao, H., Ye, J., Luo, S., & Liu, C. (2025). Reduction of Rice Noodle Rehydration Time by High-Temperature Short-Time Treatment. *Foods* 2025, Vol. 14, Page 1079, 14(7), 1079. <https://doi.org/10.3390/FOODS14071079>
- Yang, Y., Wang, L., Li, Y., Qian, H. F., Zhang, H., Cheng Wu, G., & Qi, X. G. (2019). Investigation the molecular degradation, starch-lipid complexes formation and pasting properties of wheat starch in instant noodles during deep-frying treatment. *Food Chemistry*, 283, 287–293. <https://doi.org/10.1016/J.FOODCHEM.2019.01.034>
- Yu, K., Zhou, H. M., Zhu, K. X., Guo, X. N., & Peng, W. (2020). Water cooking stability of dried noodles enriched with different particle size and concentration green tea powders. *Foods*, 9(3), 1–34. <https://doi.org/10.3390/foods9030298>
- Zdravkov, B. D., Čermák, J. J., Šefara, M., & Janků, J. (2007). Pore classification in the characterization of porous materials: A perspective. *Central European Journal of Chemistry*, 5(2), 385–395. <https://doi.org/10.2478/S11532-007-0017-9>
- Zhang, X., Zhang, M., & Adhikari, B. (2020). Recent developments in frying technologies applied to fresh foods. *Trends in Food Science and Technology*, 98(December 2019), 68–81. <https://doi.org/10.1016/j.tifs.2020.02.007>
- Zhang, Y., Yang, T., Chen, C., Wang, J., Qiang, S., Zhou, J., Li, S., & Chen, Y. (2023). Effects of high temperature, high humidity, and cold storage on structure and qualities of whole oat flour noodles during processing. *Journal of Food Science*, 88(1), 83–93. <https://doi.org/10.1111/1750-3841.16405>,
- Zhou, M., Xiong, Z., Cai, J., & Xiong, H. (2015). Convective air drying characteristics and qualities of non-fried instant noodles. *International Journal of Food Engineering*, 11(6), 851–860. <https://doi.org/10.1515/IJFE-2015-0108>