

## DAFTAR PUSTAKA

- Adhinata, A. R., Khairiah, A., M, D., Rahmah, F. A., Septiani, N., Priyanti, & Akbar, Y. R. (2023). Potensi etnobotani tanaman bambu pada masyarakat sekitar hutan kota sangga buana jakarta selatan. *SEMNAS BIO* (pp. 20-31). Palembang: UIN Raden Fatah Palembang.
- Akao, Y. (1990). *Quality Function Deployment: Integrating Customer Requirements into Product Design*. New York: Productivity Press.
- Arthur H. Lefebvre, V. G. (2017). *Atomization and Sprays*. New York: Taylor & Francis, CRC Press.
- Azevedo, C. G., Andrade, J. C., & Costa, F. d. (2013). Effects of nozzle exit geometry on spray characteristics of a blurry injector . *Atomization and Sprays*, 193-209.
- Bala, A., & Gupta, S. (2023). Engineered bamboo and bamboo-reinforced concrete elements as sustainable building materials: A review. *Construction and Building Materials*, 1-23.
- Boothroyd, G., Dewhurst, P., & Knight, W. A. (2001). *Product Design for Manufacture and Assembly*. New York: CRC Press.
- Bridgestone. (n.d.). *Conveyor Belt Design Manual*. Tokyo, Japan.
- Brown, B. (2023, 10 06). *Nozzle Technology*. Retrieved from Lorric: <https://www.lorric.com/id/Articles/nozzle/all/various-spray-principle>
- Cai, L., Chen, Y., Lu, Z., Wei, M., Zhao, X., Xie, Y., . . . Xiao, S. (2024). Citric acid/chitosan adhesive with viscosity-controlled for wood bonding through supramolecular self-assembly. *Carbohydrate Polymers*, 1-11.
- Carrasco, E. V., Smits, M. A., Alves, R. C., Pizzol, V. D., Oliveira, A. L., & Mantilla, J. N. (2021). GluBam beams: Influence of the roughness of the bamboo laminas on the shear stress and the sliding modulus of bonded joint. *Biosystems Engineering*, 98-108.
- Cen, E. C. (2023). *EN 15425:2023 - Adhesives - One component polyurethane (PUR) for load-bearing timber structures - Classification and performance requirements*. Brussels: Belgium: CEN.
- Cognard, P. (2006). *Handbook of Adhesives and Sealants, Volume 2: Adhesives and Sealants - General Knowledge, Application Techniques, New Curing Techniques*. Versailles, France: Elsevier B.V.
- Colic, A., Wiesner, F., Hopkin, D., Spearpoint, M., Wu, W., & Bisby, L. (2024). Application of microscale methods to study the heat-induced delamination in engineered wood products bonded with one-component polyurethane adhesives. *International Journal of Adhesion and Adhesives*, 1-15.
- Dzakariansyah, M. F. (2017). *Analisa pengaruh jarak nozzle dan tekanan udara pada pelapisan dengan metode air spray terhadap sifat magnetik komposit barium heksaferrit/polianilin*. Undergraduate thesis: Institut Teknologi Sepuluh Nopember.
- Fraser, R. P., Eisenklam, P., Dombrowski, N., & Hasson, D. (1962). Drop formation from rapidly moving liquid sheets. *AIChE Journal*, 672-680.
- Han, S., Hu, X., Tao, Y., Li, S., Xia, C., & Wang, G. (2025). Construction relationship between a functionally graded structure of bamboo and its recombinant composite materials strength and toughness: Underlying mechanisms. *Construction and Building Materials*, 1-11.
- Han, X., Li, D., Sun, L., Wang, D., Xu, J., & Zhang, W. (2024). Effect of bondline thickness on the mechanical performance of CFRP laminate with asymmetric

- damage repaired by double-sided adhesive patch. *Thin-Walled Structures*, 1-12.
- Hanif, L., & Rozalina. (2020). Perekat poluvinyl acetate (PVAc). *Jurnal Akar*, 26-55.
- Hoffman, E. G. (1996). *Jig and Fixture Design*. Albany: Delmar Publishers Inc.
- Husted, B. P., Holmstedt, G., & Hertzberg, T. (2004). The Physics Behind Water Mist Systems. *International Water Mist Association (IWMA) Conference*, (pp. 1-15).
- Irawati, I. S., Wusqo, U., & Arifin, H. Z. (2021, December). Peluang Aplikasi Produk Bambu Rekayasa dalam Pembangunan Infrastruktur Berkelanjutan. In *Proceedings* (Vol. 9, No. 1, pp. 369-383).
- Jones, J. C. (1992). *Design Methods*. New York: John Wiley & Sons.
- Kadirun, Hasanuddin, & Aryanto. (2016). Penerapan sistem stop sign pada pertigaan jalan berbasis sensor photoelectric studi kasus pada pt.chevron pacific indonesia . *Journal Fasilkom* 5 (2), 1-9.
- Kano, N., Seraku, N., Takahashi, F., & Tsuji, S. (1984). Attractive quality and must-be quality. *Hinshitsu, The Journal of the Japanese Society for Quality Control*, 39 – 48.
- Karassik, I. J., Messina, J. P., Cooper, P., & Heald, C. C. (2001). *Pump Handbook Third Edition*. New York: McGraw-Hill.
- Kaya, T., & Karagüle, M. E. (2024). The effects of wood fiber directions on bonding performance . *Construction and Building Materials*, 1-8.
- Kelkar, B., Shukla, S., Nagraik, P., & Paul, B. (2023). Structural bamboo composites: A review of processing, factors affecting properties and recent advances. *Advances in Bamboo Science*, 1-16.
- Kelkar, B., Shukla, S., Yadav, S., & Bansal, R. (2023). Performance of laminated bamboo lumber and bamboo strand lumber coated with solvent and water-based polyurethane against accelerated UV and natural weathering. *Industrial Crops & Products*, 1-12.
- Khatavkar, V. V. (2005). *Capillary and low inertia spreading of a microdroplet on a solid surface*. Eindhoven: Technische Universiteit Eindhoven.
- Kim, M. G. (2023). *Adhesives and finishes for wood: for practitioners and students*. Mississippi : Wiley-VCH.
- Kumar, D., & Mandal, A. (2022). Review on manufacturing and fundamental aspects of laminated bamboo products for structural applications. *Construction and Building Materials*, 1-22.
- Lefebvre, H., & McDonell, V. G. (2017). *Atomization and Sprays*. New York: CRC Press.
- Li, H., Xue, X., Xiong, Z., Ashraf, M., Lorenzo, R., & Shuchi, S. (2024). Application case of laminated bamboo lumber structure – building of sentai bamboo research center. *Sustainable Structures*, 1-12.
- Liu, L. S., & Chen, J. M. (2022). Experimental characterization of the effect of liquid viscosity on collisions between a multi-component droplet and a heated particle. *Chemical Engineering Science*, 1-13.
- Liu, W., & Tan, S. (2025). Carbon nanotubes (CNTs) and short-aramid-fiber epoxy (SAFE) toughened adhesive joints between bamboo scrimber and steel substrates treated with resin pre-coating (RPC) method. *International Journal of Adhesion and Adhesives*, 1-10.
- Müller, M., Tong, Y., Fricke, H., & Vallée, T. (2018). An efficient numerical model for the evaluation of compression flow of high viscosity adhesives. *International Journal of Adhesion and Adhesives*, 251-162.

- Munson, B. R., Young, D. F., Okiishi, T. H., & Huebsch, W. W. (2009). *Fundamentals of Fluid Mechanics 6th*. Hoboken, New Jersey, USA.: John Wiley & Sons, Inc.
- Nielson, K. A. (1993). *French Patent No. 4,923,720*.
- Nurakhmayani. (2023, September 29). *Indonesia banyak hutan bambu, alternatif bahan baku industri ditengah krisis kayu*. Retrieved from ruangkota.com: <https://www.ruangkota.com/lingkungan/>
- Omairey, S., Jayasree, N., & Kazilas, M. (2021). Defects and uncertainties of adhesively bonded composite joints. *Spinger Nature*, 1-14.
- Pan, C., Wang, G., Xu, L., Li, C., Shrestha, A., Ying, M., . . . Zhou, G. (2025). Bamboo forests in Anji, China: An emerging nature-based solution to tackle climate change. *Advances in Bamboo Science*, 1-4.
- Priyanto, A., & Yasin, I. (2019). Pemanfaatan laminasi bambu petung untuk bahan bangunan. *Jurnal Science Tech 5 (2)*, 23-39.
- Rao, D. S. (2020). *The Belt Conveyor: A Concise Basic Course*. London: CRC Press.
- Saidur, R. (2010). A review on electrical motors energy use and energy savings. *Elsevier*, 877-898.
- Saidura, R., Mekhilefb, S., Ali, M. B., Safarib, A., & Mohammed, H. A. (2011). Applications of variable speed drive (VSD) in electrical motors energy savings. *Elsevier*, 543-550.
- Sangana, V. R. (2018). Design and optimisation of roller conveyor system. *IJMET*, 116-125.
- Sciomenta, M., Paoletti, A., & Stamopoulos, A. G. (2024). Experimental investigation of the mode I fracture toughness behaviour of timber adhesive joints: The synergistic effect of the adhesive type and the bondline thickness. *International Journal of Adhesion and Adhesives*, 1-14.
- Shigley, J. E., & Mischke, C. R. (2004). *Shigley's Mechanical Engineering Design (7th Edition)*. New York: McGraw-Hill.
- Shukla, S., Kelkar, B., Yadav, S., & Bijila, A. (2022). Studies on laminated and scrimber composites produced from thermally modified *D. strictus* bamboo bonded with melamine-based adhesive. *Industrial Crops and Products*, 1-11.
- Silva, R. J., Resende, B. L., Garcia, S. D., Scarpa, F., & Panzera, T. H. (2025). Natural composite rods extracted from the proximal section of the giant bamboo: Statistical assessment of physical and mechanical properties. *Composites Part B: Engineering*, 1-26.
- Su, N., Fang, C., Yu, Z., Zhou, H., Wang, X., Tang, T., . . . Fei, B. (2021). Effects of rosin treatment on hygroscopicity, dimensional stability, and pore structure of round bamboo culm. *Construction and Building Materials*, 1-9.
- Sudarmanta, B., & Sungkono, D. (2005). Transesterifikasi crude palm oil dan uji karakteristik semprotan menggunakan injektor motor diesel . *Jurnal Teknik Mesin 5 (2)*, 62-68.
- Sularso, & Tahara, H. (1991). *Pompa dan Kompresor: Pemilihan, Pemakaian, dan Pemeliharaan*. Jakarta: Pradnya Paramita.
- Sularso, K. S. (2004). *Dasar Perencanaan dan Pemilihan Elemen Mesin*. Jakarta: Pradnya Paramita.
- Takegawa, Y., Tsutsumi, N., Yamanaka, K., & Koga, Y. (2024). Impact of different fibrin glue application methods on inguinal hernia mesh fixation capability. *Scientific Reports*, 1-6.
- Wang, J., Wang, R., Ji, X., Jin, C., & Yan, Y. (2023). Enhancing and toughening bamboo interfacial bonding strength by reactive hyperbranched



- polyethyleneimine modified phenol formaldehyde resin adhesive. *Journal of materials research and technology*, 8213-8228.
- White, F. M. (2011). *Fluid Mechanics (7th ed.)*. New York: McGraw-Hill.
- Wibowo, S. S., Manaf, A., & Umar, T. (2020). Analisis pembebanan belt conveyor menggunakan motor induksi 3 fase 1,5 kw dan vsd sebagai speed controller. *Jurnal Teknik: Ilmu dan Aplikasi* 8 (1), 91-96.
- Yasin, I. (2016, Juli 27). *Universitas Gadjah Mada*. Retrieved from Meneliti efektifitas balok bambu laminasi: <https://ugm.ac.id/id/berita/12146-meneliti-efektifitas-balok-bambu-laminasi/>
- Zainuri, S.T. Muhib, (2010). *Mesin Pemindah Bahan (Material Handling Equipment)*. Yogyakarta: Penerbit Andi
- Zhang, Z., Wei, Y., Yuan, Z., Yi, J., Chen, S., & Chen, J. (2024). Flexural modeling and failure criteria of thermal modified laminated bamboo beams. *Construction and Building Materials*, 1-12.