

DAFTAR PUSTAKA

- [1] J. Fombona, J.-M. Sáez, and S. Sánchez, “Artificial intelligence and robotics in education: Advances, challenges, and future perspectives,” *Social Sciences & Humanities Open*, vol. 11, p. 101533, 2025, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S259029112500261X>
- [2] “Growth in AI and robotics research accelerates,” *Nature*, vol. 610, no. 7931, pp. S9–S9, Oct. 2022, publisher: Springer Science and Business Media LLC. [Online]. Available: <https://www.nature.com/articles/d41586-022-03210-9>
- [3] O. Michalec, C. O’Donovan, and M. Sobhani, “What is robotics made of? The interdisciplinary politics of robotics research,” *Humanities and Social Sciences Communications*, vol. 8, no. 1, Mar. 2021, publisher: Springer Science and Business Media LLC. [Online]. Available: <https://www.nature.com/articles/s41599-021-00737-6>
- [4] J. C. Brinkman, Z. K. Christopher, M. L. Moore, J. R. Pollock, J. M. Haglin, and J. S. Bingham, “Patient Interest in Robotic Total Joint Arthroplasty Is Exponential: A 10-Year Google Trends Analysis,” *Arthroplasty Today*, vol. 15, pp. 13–18, Jun. 2022, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S235234412200053X>
- [5] Z. Liu, Q. Liu, W. Xu, L. Wang, and Z. Zhou, “Robot learning towards smart robotic manufacturing: A review,” *Robotics and Computer-Integrated Manufacturing*, vol. 77, p. 102360, Oct. 2022, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0736584522000485>
- [6] Bum-Joo Lee, D. Stonier, Yong-Duk Kim, Jeong-Ki Yoo, and Jong-Hwan Kim, “Modifiable Walking Pattern of a Humanoid Robot by Using Allowable ZMP Variation,” *IEEE Transactions on Robotics*, vol. 24, no. 4, pp. 917–925, Aug. 2008, publisher: Institute

- of Electrical and Electronics Engineers (IEEE). [Online]. Available: <http://ieeexplore.ieee.org/document/4567147/>
- [7] C.-C. Wong, C.-C. Liu, S.-R. Xiao, H.-Y. Yang, and M.-C. Lau, "Q-Learning of Straightforward Gait Pattern for Humanoid Robot Based on Automatic Training Platform," *Electronics*, vol. 8, no. 6, p. 615, May 2019, publisher: MDPI AG. [Online]. Available: <https://www.mdpi.com/2079-9292/8/6/615>
 - [8] M. Vukobratović and B. Borovac, "ZERO-MOMENT POINT — THIRTY FIVE YEARS OF ITS LIFE," *International Journal of Humanoid Robotics*, vol. 01, no. 01, pp. 157–173, Mar. 2004, publisher: World Scientific Pub Co Pte Ltd. [Online]. Available: <https://www.worldscientific.com/doi/abs/10.1142/S0219843604000083>
 - [9] L. Lanari and S. Hutchinson, "Inversion-based gait generation for humanoid robots," in *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 2015, pp. 1592–1598.
 - [10] T.-H. S. Li, Y.-T. Su, S.-W. Lai, and J.-J. Hu, "Walking motion generation, synthesis, and control for biped robot by using pgrl, lpi, and fuzzy logic," *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, vol. 41, no. 3, pp. 736–748, 2010.
 - [11] L. Han, X. Chen, Z. Yu, Z. Gao, G. Huang, J. Zhang, K. Hashimoto, and Q. Huang, "A heuristic gait template planning and dynamic motion control for biped robots," *Robotica*, vol. 41, no. 2, pp. 789–805, 2023.
 - [12] N. Scianca, D. De Simone, L. Lanari, and G. Oriolo, "Mpc for humanoid gait generation: Stability and feasibility," *IEEE Transactions on Robotics*, vol. 36, no. 4, pp. 1171–1188, 2020.
 - [13] G. Capi, Y. Nasu, L. Barolli, and K. Mitobe, "Real time gait generation for autonomous humanoid robots: A case study for walking," *Robotics and Autonomous Systems*, vol. 42, no. 2, pp. 107–116, 2003.
 - [14] J. Morimoto, G. Endo, J. Nakanishi, and G. Cheng, "A Biologically Inspired Biped Locomotion Strategy for Humanoid Robots: Modulation of Sinusoidal Patterns by a Coupled Oscillator Model," *IEEE Transactions on Robotics*, vol. 24, no. 1, pp. 185–191, Feb. 2008,

- publisher: Institute of Electrical and Electronics Engineers (IEEE).
[Online]. Available: <http://ieeexplore.ieee.org/document/4456756/>
- [15] B. Li, L. Zhu, and J. Huang, “Stable Locomotion of Biped Robot With Gaits of Sinusoidal Harmonics,” *IEEE Transactions on Control Systems Technology*, vol. 32, no. 3, pp. 805–817, May 2024, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/10335933/>
- [16] T. T. Huan and H. P. H. Anh, “Robust humanoid robot walking using hybrid flywheel evolutionary neural control,” *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, vol. 45, no. 12, p. 615, 2023.
- [17] M. F. Mustofa, “Sistem pengaturan keseimbangan robot humanoid untuk berdiri dan berjalan pada bidang miring,” *Repository ITS*, 2016.
- [18] D. Clever, Y. Hu, and K. Mombaur, “Humanoid gait generation in complex environments based on template models and optimality principles learned from human beings,” *The International Journal of Robotics Research*, vol. 37, no. 10, pp. 1184–1204, 2018.
- [19] A. D’Angelo and E. Pagello, “How to tune humanoid walking,” in *Intelligent Autonomous Systems 16: Proceedings of the 16th International Conference IAS-16*, vol. 412. Springer Nature, 2022, p. 386.
- [20] X. Wang, W. Guo, S. Yin, S. Zhang, F. Zha, M. Li, P. Wang, X. Li, and L. Sun, “Walking control of humanoid robots based on improved footstep planner and whole-body coordination controller,” *Frontiers in Neurorobotics*, vol. 19, Feb. 2025, publisher: Frontiers Media SA. [Online]. Available: <https://www.frontiersin.org/articles/10.3389/fnbot.2025.1538979/full>
- [21] V. Bijalwan, V. B. Semwal, and T. K. Mandal, “Fusion of Multi-Sensor-Based Biomechanical Gait Analysis Using Vision and Wearable Sensor,” *IEEE Sensors Journal*, vol. 21, no. 13, pp. 14 213–14 220, Jul. 2021, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/9380385/>

- [22] C. Liu, W. Geng, M. Liu, and Q. Chen, "Workspace Trajectory Generation Method for Humanoid Adaptive Walking With Dynamic Motion Primitives," *IEEE Access*, vol. 8, pp. 54 652–54 662, 2020, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/9007745/>
- [23] J. García and D. Shafie, "Teaching a humanoid robot to walk faster through Safe Reinforcement Learning," *Engineering Applications of Artificial Intelligence*, vol. 88, p. 103360, Feb. 2020, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0952197619302921>
- [24] G. K. Yadav, S. Jaiswal, and G. Nandi, "Generic Walking Trajectory Generation of Biped using Sinusoidal Function and Cubic Spline," in *2020 7th International Conference on Signal Processing and Integrated Networks (SPIN)*. Noida, India: IEEE, Feb. 2020, pp. 745–750. [Online]. Available: <https://ieeexplore.ieee.org/document/9071083/>
- [25] Y. Tong, H. Liu, and Z. Zhang, "Advancements in Humanoid Robots: A Comprehensive Review and Future Prospects," *IEEE/CAA Journal of Automatica Sinica*, vol. 11, no. 2, pp. 301–328, Feb. 2024, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/10415857/>
- [26] R. L. Williams, "DARwIn-OP Humanoid Robot Kinematics," in *Volume 4: 36th Mechanisms and Robotics Conference, Parts A and B*. Chicago, Illinois, USA: American Society of Mechanical Engineers, Aug. 2012, pp. 1187–1196. [Online]. Available: <https://asmedigitalcollection.asme.org/IDETC-CIE/proceedings/IDETC-CIE2012/45035/1187/255755>
- [27] M. Farhat, B. Brahmi, M. Saad, and M. H. Rahman, "Novel adaptive balanced control of humanoid robot type NAO robot," *International Journal of Modelling, Identification and Control*, vol. 39, no. 3, p. 211, 2021, publisher: Inderscience Publishers. [Online]. Available: <http://www.inderscience.com/link.php?id=123487>
- [28] Ill-Woo Park, Jung-Yup Kim, Jungho Lee, and Jun-Ho Oh, "Mechanical design of humanoid robot platform KHR-3 (KAIST humanoid robot - 3: HUBO)," in *5th IEEE-RAS International Conference on Humanoid*

- Robots*, 2005. San Diego, Cali, USA: IEEE, pp. 321–326. [Online]. Available: <http://ieeexplore.ieee.org/document/1573587/>
- [29] B. Pierce and G. Cheng, “Herbert: Design and Realization of a Full-Sized Anthropometrically Correct Humanoid Robot,” *Frontiers in Robotics and AI*, vol. 2, Jun. 2015, publisher: Frontiers Media SA. [Online]. Available: <http://journal.frontiersin.org/Article/10.3389/frobt.2015.00014/abstract>
- [30] G. Ficht and S. Behnke, “Bipedal Humanoid Hardware Design: a Technology Review,” *Current Robotics Reports*, vol. 2, no. 2, pp. 201–210, Jun. 2021, publisher: Springer Science and Business Media LLC. [Online]. Available: <https://link.springer.com/10.1007/s43154-021-00050-9>
- [31] K. Dholariya and A. Arockia Selvakumar, “Conceptual Design and Kinematic Analysis of Humanoid Robot,” *Indian Journal of Science and Technology*, vol. 9, no. 34, Sep. 2016, publisher: Indian Society for Education and Environment. [Online]. Available: <https://indjst.org/articles/conceptual-design-and-kinematic-analysis-of-humanoid-robot>
- [32] C. Semasinghe, D. Taylor, and S. Rezazadeh, “Design of Actuators for a Humanoid Robot with Anthropomorphic Characteristics and Running Capability,” *Actuators*, vol. 14, no. 5, p. 243, May 2025, publisher: MDPI AG. [Online]. Available: <https://www.mdpi.com/2076-0825/14/5/243>
- [33] H. Yussof, “Biped Locomotion of a 21-DOF Humanoid Robot for Application in Real Environment,” *Procedia Engineering*, vol. 41, pp. 1566–1572, 2012, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1877705812027518>
- [34] S. Yessirkepov, M. Folgheraiter, A. Abakov, and T. Umurzakov, “Development of a Reduced-Degree-of-Freedom (DOF) Bipedal Robot with Elastic Ankles,” *Robotics*, vol. 13, no. 12, p. 172, Dec. 2024, publisher: MDPI AG. [Online]. Available: <https://www.mdpi.com/2218-6581/13/12/172>
- [35] “Human lower limb operation tracking via motion capture systems,” in *Design and Operation of Human Locomotion Systems*. Elsevier, 2020, pp. 83–107. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/B9780128156599000044>

- [36] H. A. Poonja, M. S. A. Shah, R. Uddin, S. M. H. Kazmi, H. Khan, A. H. Ali, and M. A. Shirazi, "Walking Algorithm Using Gait Analysis for Humanoid Robot," in *The 7th International Electrical Engineering Conference*. Basel Switzerland: MDPI, Aug. 2022, p. 35. [Online]. Available: <https://www.mdpi.com/2673-4591/20/1/35>
- [37] Z. Zhang, L. Zhang, S. Xin, N. Xiao, and X. Wen, "Robust Walking for Humanoid Robot Based on Divergent Component of Motion," *Micromachines*, vol. 13, no. 7, p. 1095, Jul. 2022, publisher: MDPI AG. [Online]. Available: <https://www.mdpi.com/2072-666X/13/7/1095>
- [38] P. P. V. Zutven, "Control and identification of bipedal humanoid robots : stability analysis and experiments," 2014.
- [39] J. Ding, C. Zhou, S. Xin, X. Xiao, and N. Tsagarakis, "Nonlinear Model Predictive Control for Robust Bipedal Locomotion: Exploring Angular Momentum and CoM Height Changes," 2019, publisher: arXiv Version Number: 2. [Online]. Available: <https://arxiv.org/abs/1902.06770>
- [40] "A Review on Forward and Inverse Kinematics of Classical Serial Manipulators," in *Lecture Notes in Mechanical Engineering*. Singapore: Springer Singapore, 2021, pp. 417–428, iSSN: 2195-4356, 2195-4364. [Online]. Available: http://link.springer.com/10.1007/978-981-33-4018-3_39
- [41] H. Dong, J. Zhang, T. Wang, and C. Zhang, "Symmetry-Aware Robot Design with Structured Subgroups," May 2023, arXiv:2306.00036 [cs]. [Online]. Available: <http://arxiv.org/abs/2306.00036>
- [42] L. C. Melo, D. C. Melo, and M. R. O. A. Maximo, "Learning Humanoid Robot Running Motions with Symmetry Incentive through Proximal Policy Optimization," *Journal of Intelligent & Robotic Systems*, vol. 102, no. 3, Jul. 2021, publisher: Springer Science and Business Media LLC. [Online]. Available: <https://link.springer.com/10.1007/s10846-021-01355-9>
- [43] C. Gaspard, M. Duclausaud, G. Passault, M. Daniel, and O. Ly, "FRASA: An End-to-End Reinforcement Learning Agent for Fall Recovery and

Stand Up of Humanoid Robots,” 2024, version Number: 2. [Online]. Available: <https://arxiv.org/abs/2410.08655>

- [44] E. Aslan, M. A. Arserim, and A. Uçar, “Development of Push-Recovery control system for humanoid robots using deep reinforcement learning,” *Ain Shams Engineering Journal*, vol. 14, no. 10, p. 102167, Oct. 2023, publisher: Elsevier BV. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2090447923000564>
- [45] C. Tao, J. Xue, Z. Zhang, F. Cao, C. Li, and H. Gao, “Gait Optimization Method for Humanoid Robots Based on Parallel Comprehensive Learning Particle Swarm Optimizer Algorithm,” *Frontiers in Neurorobotics*, vol. 14, Jan. 2021, publisher: Frontiers Media SA. [Online]. Available: <https://www.frontiersin.org/articles/10.3389/fnbot.2020.600885/full>
- [46] *2018 IEEE-RAS 18th International Conference on Humanoid Robots: November 6-9, 2018, Beijing, China*. Piscataway, New Jersey: IEEE, 2018, oCLC: 1086533421.
- [47] B. Park and J. Park, “Optimization of Pelvic Rotation Walking Pattern Considering Future States Using Model Predictive Control to Increase the Step Length,” *IEEE Access*, vol. 10, pp. 44 471–44 482, 2022, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/9762273/>
- [48] M.-J. Kim, D. Lim, G. Park, K. Lee, and J. Park, “A Model Predictive Capture Point Control Framework for Robust Humanoid Balancing Via Ankle, Hip, and Stepping Strategies,” *IEEE Transactions on Robotics*, vol. 41, pp. 3297–3316, 2025, publisher: Institute of Electrical and Electronics Engineers (IEEE). [Online]. Available: <https://ieeexplore.ieee.org/document/10989514/>