SINTESIS SENYAWA ANTOSIANIDIN SEBAGAI KEMOSENSOR ANION SULFIDA DAN APLIKASI TEST KIT KESEGARAN UDANG
Alberto Loin, Prof. Drs Bambang Purwono, M.Sc, Ph.D ; Prof. Dr Winarto Haryadi, M.Si
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ahmadiani, N., Robbins, R.J., Collins, T.M., and Giusti, M.M., 2016, Molar absorptivity (ε) and spectral characteristics of cyanidin-based anthocyanins from red cabbage, *Food Chem.*, 197, 900–906.

Ali, H.M., Almagribi, W., and Al-Rashidi, M.N., 2016, Antiradical and reductant activities of anthocyanidins and anthocyanins, structure-activity relationship and synthesis, *Food Chem.*, 194, 1275–1282.

Barcena, H.S., Chen, P., and Tuachi, A., 2015, Synthetic anthocyanidins and their antioxidant properties, *Springerplus.*, 4, 499.

Baruah, M., Kwon, H.Y., Cho, H., Chang, Y.T., and Samanta, A., 2023, A Photoinduced Electron Transfer-Based Hypochlorite-Specific Fluorescent Probe for Selective Imaging of Proinflammatory M1 in a Rheumatoid Arthritis Model, *Anal Chem.*, 95, 4147–4154.

Basavaraja, D., Dey, D., Varsha, T.L., Thodi F. Salfeena, C., Panda, M.K., and Somappa, S.B., 2020, Rapid Visual Detection of Amines by Pyrylium Salts for Food Spoilage Taggant, *ACS Appl. Bio Mater.*, 3, 772–778.

Berhe Gebreegziabher, T., Wang, S., and Nam, H., 2019, Adsorption of H2S, NH3 and TMA from indoor air using porous corncob activated carbon: Isotherm and kinetics study, *J. Environ. Chem. Eng.*, 7, 2213–3437.

Bouali, W., Yaman, M., Seferoğlu, N., and Seferoğlu, Z., 2024, Colorimetric and fluorimetric detection of CN– ion using a highly selective and sensitive chemosensor derived from coumarin-hydrazone, *J. Photochem. Photobiol. A: Chem.*, 448, 1010–6030.

Bub, A., Bernhard Watzl, Daniel Heeb, Gerhard Rechkemmer, and Karlis Briviba, 2001, Malvidin-3-glucoside bioavailability, *Eur. J. Nutr.*, 40, 113–120.

Calogero, G., Sinopoli, A., Citro, I., Di Marco, G., Petrov, V., Diniz, A.M., Parola, A.J., and Pina, F., 2013, Synthetic analogues of anthocyanins as sensitizers for dye-sensitized solar cells, *Photochem. Photobiol. Sci.*, 12, 883–894.

Castañeda-Ovando, A., Pacheco-Hernández, M. de L., Páez-Hernández, M.E., Rodríguez, J.A., and Galán-Vidal, C.A., 2009, Chemical studies of anthocyanins: A review, *Food Chem.*, 113, 859–871.

Cevallos-Casals, B.A. and Cisneros-Zevallos, L., 2003, Stoichiometric and kinetic studies of phenolic antioxidants from Andean purple corn and red-fleshed sweetpotato, *J. Agric. Food Chem.*, 51, 3313–3319.

Chen, L., Berry, S.N., Wu, X., Howe, E.N.W., and Gale, P.A., 2020, Advances in Anion Receptor Chemistry, *Cell.*, 6, 61–141.

Devi, B., Guha, A.K., and Devi, A., 2024, Fluoride ion detection in aqueous medium: Colorimetric and turn-off fluorescent Schiff base chemosensor, *Spectrochim. Acta – A: Mol. Biomol. Spectrosc.*, 305, 1386–1425.

Guenther, E.A., Johnson, K.S., and Coale, K.H., 2001, Direct ultraviolet spectrophotometric determination of total sulfide and iodide in natural waters, *Anal. Chem.*, 73, 3481–3487.

UNIVERSITAS
GADJAH MADA
SINTESIS SENYAWA ANTOSIANIDIN SEBAGAI KEMOSENSOR ANION SULFIDA DAN APLIKASI TEST KIT KESEGARAN UDANG
Alberto Loin, Prof. Drs Bambang Purwono, M.Sc, Ph.D ; Prof. Dr Winarto Haryadi, M.Si
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Immanuel David, C., Prabakaran, G., and Nandhakumar, R., 2021, Recent approaches of 2HN derived fluorophores on recognition of Al3+ ions: A review for future outlook, *Microchem. J.*, 169, 1–14.

Jaakola, L., 2013, New insights into the regulation of anthocyanin biosynthesis in fruits, *Trends. Plant. Sci.*, 18, 477–483.

Jung, S., Lee, Y.S., Jin, H., Kim, K.T., and Kim, C., 2024, Highly selective dual-responsive chemosensor for S2- in pure water and its application to environmental samples such as beverage, zebrafish and food spoilage, *J. Environ. Chem. Eng*., 12, 2213–3437.

Katsumoto, Y., Fukuchi-Mizutani, M., Fukui, Y., Brugliera, F., Holton, T.A., Karan, M., Nakamura, N., Yonekura-Sakakibara, K., Togami, J., Pigeaire, A., Tao, G.Q., Nehra, N.S., Lu, C.Y., Dyson, B.K., Tsuda, S., Ashikari, T., Kusumi, T., Mason, J.G., and Tanaka, Y., 2007, Engineering of the rose flavonoid biosynthetic pathway successfully generated blue-hued flowers accumulating delphinidin, *Plant. Cell. Physiol*., 48, 1589–1600.

Khoo, H.E., Azlan, A., Tang, S.T., and Lim, S.M., 2017, Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits, *Food. Nutr. Res*., 61, 654–661.

Kondekar, U.R., Walekar, L.S., Gore, A.H., Anbhule, P. V., Han, S.H., Patil, S.R., and Kolekar, G.B., 2015, Ultrasensitive, highly specific, colorimetric recognition of sulfide ions [S2-] in aqueous media: Applications to environmental analysis, *Anal. Methods*., 7, 2547–2553.

Kong, X. yu, Shuang, S.M., Wang, Y., and Dong, C., 2022, A novel phenolphthalein-based fluorescent chemosensor for pyrophosphate detection via an Al3+ displacement approach in real samples and living cells, *Spectrochim. Acta - A: Mol. Biomol. Spectrosc*., 276, 1386–1425.

Kumar, J., Sarma, M.J., Phukan, P., and Das, D.K., 2015, A new simple Schiff base fluorescence “on” sensor for Al3+ and its living cell imaging, *Dalton Trans*., 44, 4576–4581.

Lestari, D., Wahyuningsih, T.D., and Purwono, B., 2023, Colorimetric Chemosensor for Sulfide Anion Detection Based on Symmetrical Nitrovanillin Azine, *Indones. J. Chemi*., 23, 12–20.

Liu, Z., Wang, X., Yang, Z., and He, W., 2011, Rational design of a dual chemosensor for cyanide anion sensing based on dicyanovinyl-substituted benzofurazan, *J. Org. Chem.*, 76, 10286–10290.

Mazza, G., 1995, Anthocyanins in Grapes and Grape Products, *Crit. Rev. Food Sci. Nutr*., 35, 341–371.

Mithra and Sarveswari, 2024, A simple and efficient pyrazole based colorimetric chemosensor for sensing Hg2+, Zn2+, Cu2+ ions and a selective sensing of Hg2+ ions in the presence of Zn2+and Cu2+ ions and its application in real samples, *Inorg. Chem. Commun.*, 163, 1–9.

Mohan, B., Sarkar, D., Raja Lakshmi, P., Umadevi, D., and Shanmugaraju, S., 2023, N-aryl-4-amino-1,8-naphthalimide Tröger’s bases-based internal charge transfer (ICT)

UNIVERSITAS
GADJAH MADA
SINTESIS SENYAWA ANTOSIANIDIN SEBAGAI KEMOSENSOR ANION SULFIDA DAN APLIKASI TEST KIT KESEGARAN UDANG
Alberto Loin, Prof. Drs Bambang Purwono, M.Sc, Ph.D ; Prof. Dr Winarto Haryadi, M.Si
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

fluorescence 'turn-on' chemosensors for volatile organic amines, *J. Photochem. Photobiol. A: Chem.*, 441, 1–6.

Moncada, M.C., Moura, S., Melo, M.J., Roque, A., Lodeiro, C., and Pina, F., 2003, Complexation of aluminum(III) by anthocyanins and synthetic flavylium salts: A source for blue and purple color, *Inorg. Chim. Acta.*, 356, 51–61.

Moncada, M.C., Pina, F., Roque, A., Parola, A.J., Maestri, M., and Balzani, V., 2004, Tuning the Photochromic Properties of a Flavylium Compound by pH, *Eur. J. Org. Chem.*, 304–312.

Mori, K., Goto-Yamamoto, N., Kitayama, M., and Hashizume, K., 2007, Loss of anthocyanins in red-wine grape under high temperature, *J. Exp. Bot.*, 58, 1935–1945.

Nakajima, J.I., Tanaka, Y., Yamazaki, M., and Saito, K., 2001, Reaction Mechanism from Leucoanthocyanidin to Anthocyanidin 3-Glucoside, a Key Reaction for Coloring in Anthocyanin Biosynthesis, *J. Bio. Chem.*, 276, 25797–25803.

Oláh, G., Módis, K., Törö, G., Hellmich, M.R., Szczesny, B., and Szabo, C., 2018, Role of endogenous and exogenous nitric oxide, carbon monoxide and hydrogen sulfide in HCT116 colon cancer cell proliferation, *Biochem. Pharmacol.*, 149, 186–204.

Padalkar, V., Ramasami, P., and Sekar, N., 2013, TD-DFT Study of excited-state intramolecular proton transfer (ESIPT) of 2-(1,3-benzothiazol-2-yl)-5-(N,N-diethylamino)phenol with benzoxazole and benzimidazole analogues, *Procedia Comput. Sci.*, 18, 797–805.

Patras, A., Brunton, N.P., O'Donnell, C., and Tiwari, B.K., 2010, Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation, *Trends Food Sci. Technol.*, 21, 3–11.

Petrov, V., Laia, C.A.T., and Pina, F., 2009, Photochromism of 7,4'-dihydroxyflavylium in an AOT reversed micelle system, *Langmuir.*, 25, 594–601.

Popova, O.S., Podshibyakin, V., Shepelenko, E.N., Kuzmina, L.G., Zaitsev, S.A., Dubonosov, A.D., Bren, V.A., and Minkin, V.I., 2023, Novel "naked eye" chromofluorogenic azomethine imine chemosensors for the detection of F−, CN−, AcO− and H2PO4− anions, *J. Mol. Struct.*, 1272, 1–12.

Purwono, B., Nurohmah, B.A., and Suharman, 2021, Colorimetric amine detection by vanillin-hydrazone derivatives during chicken meat spoilage, *Sains Malays.*, 50, 989–996.

Rembisz, Z., Zakrzewski, R., Ciesielski, W., Skowron, M., and Martínez-Máñez, R., 2014, Thin-layer chromatographic image analysis for the determination of sulfide ions using pyrylium cations, *J. Planar Chromatogr. – Mod. TLC.*, 27, 240–244.

Salinas, Y., Mañez, R.M., Marcos, M.D., Sancenón, F., Costero, A.M., Parra, M., and Gil, S., 2012, Optical chemosensors and reagents to detect explosives, *Chem. Soc. Rev.*, 41, 1261–1296.

Saravana Kumar, M., Ashok Kumar, S.L., and Sreekanth, A., 2013, Highly selective fluorogenic anion chemosensors: Naked-eye detection of F- and AcO- ions in natural water using a test strip, *Anal. Methods.*, 5, 6401–6410.

SINTESIS SENYAWA ANTOSIANIDIN SEBAGAI KEMOSENSOR ANION SULFIDA DAN APLIKASI TEST KIT KESEGARAN UDANG
Alberto Loin, Prof. Drs Bambang Purwono, M.Sc, Ph.D ; Prof. Dr Winarto Haryadi, M.Si
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Seeram, N.P., Momin, R.A., Nair, M.G., and Bourquin, L.D., 2001, Cyclooxygenase inhibitory and antioxidant cyanidin, *Phytomedicine*., 8, 362–369.

Shamsipur, M., Rajabi, H.R., Pourmortazavi, S.M., and Roushani, M., 2014, Ion imprinted polymeric nanoparticles for selective separation and sensitive determination of zinc ions in different matrices, *Spectrochim. Acta – A: Mol. Biomol. Spectrosc.*, 117, 24–33.

Shang, Z., Meng, Q., Tian, D., Wang, Y., Zhang, Zexi, Zhang, Zhiqiang, and Zhang, R., 2023, Red-emitting fluorescent probe for hydrogen sulfide detection and its applications in food freshness determination and in vivo bioimaging, *Food Chem.*, 427, 308–8146.

Sun, X.Y., Liu, T., Sun, J., and Wang, X.J., 2020, Synthesis and application of coumarin fluorescence probes, *RSC Adv*., 10, 10826–10847.

Sweeny, J.G. and Iacobucci, G.A., 1977, Synthesis of anthocyanidins-i the oxidative generation of flavylium cations using benzoquinones, *Tetrahedron*., 33, 2927–2932.

Trouillas, P., Sancho-García, J.C., De Freitas, V., Gierschner, J., Otyepka, M., and Dangles, O., 2016, Stabilizing and Modulating Color by Copigmentation: Insights from Theory and Experiment, *Chem Rev*., 116, 4937–4982.

Udhayakumari, D., 2018, Chromogenic and fluorogenic chemosensors for lethal cyanide ion. A comprehensive review of the year 2016, *Sens. Actuators B: Chem*., 259, 1022–1057.

Unciti-Broceta, A., Rahimi Yusop, M., Richardson, P.R., Walton, J.G.A., and Bradley, M., 2009, A fluorescein-derived anthocyanidin-inspired pH sensor, Tetrahedron *Lett*., 50, 3713–3715.

Upadhyay, S., Singh, A., Sinha, R., Omer, S., and Negi, K., 2019, Colorimetric chemosensors for d-metal ions: A review in the past, present and future prospect, *J. Mol. Struct*., 1193, 89–102.

Wang, D. and Tang, B.Z., 2019, Aggregation-Induced Emission Luminogens for Activity-Based Sensing, *Acc. Chem. Res.*, 52, 2559–2570.

West, M.E. and Mauer, L.J., 2013, Color and chemical stability of a variety of anthocyanins and ascorbic acid in solution and powder forms, *J. Agric. Food Chem.*, 61, 4169–4179.

Wu, G., Li, N., Mao, Y., Zhou, G., and Gao, H., 2015, Endogenous generation of hydrogen sulfide and its regulation in Shewanella oneidensis, *Front. Microbiol*., 6, 1–12.

Wu, J., Kwon, B., Liu, W., Anslyn, E. V., Wang, P., and Kim, J.S., 2015, Chromogenic/Fluorogenic Ensemble Chemosensing Systems, *Chem Rev*., 115, 7893–7943.

Wu, W., He, H., Lv, J., Yang, Y., Li, Y., and Huang, W., 2025, Facile quantification of free and total sulphur dioxide in beer using a flavylium-based fluorescent probe, *Spectrochim. Acta – A: Mol Biomol Spectrosc.*, 339, 1386–1425.

Xu, Z., Chen, X., Kim, H.N., and Yoon, J., 2010, Sensors for the optical detection of cyanide ion, *Chem. Soc. Rev.*, 39, 127–137.

UNIVERSITAS
GADJAH MADA
SINTESIS SENYAWA ANTOSIANIDIN SEBAGAI KEMOSENSOR ANION SULFIDA DAN APLIKASI TEST KIT KESEGARAN UDANG
Alberto Loin, Prof. Drs Bambang Purwono, M.Sc, Ph.D ; Prof. Dr Winarto Haryadi, M.Si
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, L., Liu, Y.L., Liu, C.G., Fu, Y., and Ye, F., 2021, A naked-eye visible colorimetric and ratiometric chemosensor based on Schiff base for fluoride anion detection, *J. Mol. Struct.*, 1236, .

Yang, X., Lu, X., Wang, Jiamin, Zhang, Z., Du, X., Zhang, J., and Wang, Jianhong, 2022, Near-Infrared Fluorescent Probe with a Large Stokes Shift for Detection of Hydrogen Sulfide in Food Spoilage, Living Cells, and Zebrafish, *J. Agric. Food Chem.*, 70, 3047–3055.

Yin, W., Wang, Hongjin, Deng, B., Ma, F., Zhang, J., Zhou, M., Wang, Haiyang, and Lu, Y., 2022, A pyrylium salt-based fluorescent probe for the highly sensitive detection of methylamine vapour, *Analyst*., 147, 3451–3455.

Zaffino, C., Russo, B., and Bruni, S., 2015, Surface-enhanced Raman scattering (SERS) study of anthocyanidins, *Spectrochim. Acta – A: Mol Biomol. Spectrosc*., 149, 41–47.

Zhang, L., Wang, W., Yue, X., Wu, G.S., Yue, P., and Gao, X., 2020, Gallic acid as a copigment enhance anthocyanin stabilities and color characteristics in blueberry juice, *J. Food Sci. Technol.*, 57, 1405–1414.

Zhang, Z., Zhang, D., Shi, C., Liu, W., Chen, L., Miao, Y., Diwu, J., Li, J., and Wang, S., 2019, 3,4-Hydroxypyridinone-modified carbon quantum dot as a highly sensitive and selective fluorescent probe for the rapid detection of uranyl ions, *Environ. Sci. Nano.*, 6, 1457–1465.

Zhao, Q., Li, F., and Huang, C., 2010, Phosphorescent chemosensors based on heavy-metal complexes, *Chem. Soc. Rev.*, 39, 3007–3030.