

DAFTAR PUSTAKA

- Ahmed, I., Inal, F., Riaz, R., Ahsan, U., Kuter, E., & Ali, U. (2023). A Review of Black Soldier Fly (*Hermetia illucens*) as a Potential Alternative Protein Source in Broiler Diets. *Annals of Animal Science*, 23(4), 939–949. <https://doi.org/10.2478/aoas-2022-0094>.
- Amrul, N. F., Ahmad, I. K., Basri, N. E. A., Suja, F., Jalil, N. A. A., & Azman, N. A. (2022). A Review of Organic Waste Treatment Using Black Soldier Fly (*Hermetia illucens*). *Sustainability*, 14(8). <https://doi.org/10.3390/su14084565>.
- Badan Pusat Statistik Indonesia. (14 Februari 2025a). *Populasi Ternak Menurut Provinsi dan Jenis Ternak (ekor)*, 2024. Diakses pada 14 Juli 2025, dari <https://www.bps.go.id/id/statistics-table/3/UzJWaVUxZHdWVGxwU1hSd1UxTXZlbnRITjA1Q2R6MDkjMw==/populasi-ternak-menurut-provinsi-dan-jenis-ternak--ekor---2024.html?year=2024>.
- Badan Pusat Statistik Indonesia. (28 Februari 2025b). *Populasi Ayam Ras Pedaging menurut Provinsi*, 2024. Diakses pada 14 Juli 2025, dari <https://www.bps.go.id/id/statistics-table/2/NDc4IzI=/populasi-ayam-ras-pedaging-menurut-provinsi--ekor-.html>.
- Black, J.G. & L.J. Black. (2015). *Microbiology: Principles and Explorations* (9th Edition). John Wiley & Sons, Inc.
- Bonelli, M., Bruno, D., Caccia, S., Sgambetterra, G., Cappelozza, S., Jucker, C., Tettamanti, G., & Casartelli, M. (2019). Structural and functional characterization of *Hermetia illucens* larval midgut. *Frontiers in Physiology*, 10. <https://doi.org/10.3389/fphys.2019.00204>.
- Bruno, D., Bonelli, M., Cadamuro, A. G., Reguzzoni, M., Grimaldi, A., Casartelli, M., & Tettamanti, G. (2019). The digestive system of the adult *Hermetia illucens* (Diptera: Stratiomyidae): morphological features and functional properties. *Cell and Tissue Research*, 378(2), 221–238. <https://doi.org/10.1007/s00441-019-03025-7>.
- Bulak, P., Polakowski, C., Nowak, K., Waśko, A., Wiącek, D., & Bieganowski, A. (2018). *Hermetia illucens* as a new and promising species for use in

- entomoremediation. *Science of the Total Environment*, 633, 912–919. <https://doi.org/10.1016/j.scitotenv.2018.03.252>.
- Callegari, M., Jucker, C., Fusi, M., Leonardi, M. G., Daffonchio, D., Borin, S., Savoldelli, S., & Crotti, E. (2020). Hydrolytic profile of the culturable gut bacterial community associated with *Hermetia illucens*. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.01965>.
- Camperio, J., Suarez, J. A., Simonton, J., Paresky, E., Parodi, J., & Benetti, D. D. (2025). Valorizing Organic Waste Through Black Soldier Fly Larvae (*Hermetia illucens*): A Sustainable Solution for Aquafeeds with Key Nutrients and Natural Bioactive Polyphenols. *Sustainability*, 17(5). <https://doi.org/10.3390/su17051788>.
- Cappucino, J. G., & Welsh, C. (2018). *Microbiology: A Laboratory Manual* (11th Edition). Pearson Education Limited.
- Čičková, H., Newton, G. L., Lacy, R. C., & Kozánek, M. (2015). The use of fly larvae for organic waste treatment. In *Waste Management* (Vol. 35, pp. 68–80). Elsevier Ltd. <https://doi.org/10.1016/j.wasman.2014.09.026>.
- Cifuentes, Y., Vilcinskas, A., Kämpfer, P., & Glaeser, S. P. (2022). Isolation of *Hermetia illucens* larvae core gut microbiota by two different cultivation strategies. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 115(6), 821–837. <https://doi.org/10.1007/s10482-022-01735-7>.
- Cowan, M. Kelly., & Smith, Heidi. (2018). *Microbiology: A Systems Approach*. McGraw-Hill Education.
- Diener, S., Studt Solano, N. M., Roa Gutiérrez, F., Zurbrügg, C., & Tockner, K. (2011). Biological treatment of municipal organic waste using black soldier fly larvae. *Waste and Biomass Valorization*, 2(4), 357–363. <https://doi.org/10.1007/s12649-011-9079-1>.
- Dixon, N., Gazzola, C., Blakeley, R., & Zerner, B. (1975). Jack Bean Urease (EC 3.5.1.5). A Metalloenzyme. A Simple Biological Role for Nickel. *Journal of the American Chemical*, 97(14), 4131–4132. <https://doi.org/10.1021/ja00847a045>.
- Drózdź, D., Wystalska, K., Malińska, K., Grosser, A., Grobelak, A., & Kacprzak, M. (2020). Management of poultry manure in Poland – Current state and future

- perspectives. *Journal of Environmental Management*, 264. <https://doi.org/10.1016/j.jenvman.2020.110327>.
- Fitri, L., Aulia, T. B., Fauzi, A., & Kamil, G. A. (2023). Characterization and screening of urease activity of ureolytic bacteria from landfills soil in Banda Aceh, Indonesia. *Biodiversitas*, 24(2), 910–915. <https://doi.org/10.13057/biodiv/d240229>.
- Hammes, F., & Verstraete, W. (2002). Key roles of pH and calcium metabolism in microbial carbonate precipitation. In *Re/Views in Environmental Science & Bio/Technology* (Vol. 1). <http://welcome.to/labmet>.
- He, Z., Pagliari, P. H., & Waldrip, H. M. (2016). Applied and Environmental Chemistry of Animal Manure: A Review. In *Pedosphere* (Vol. 26, Issue 6, pp. 779–816). Institute of Soil Science. [https://doi.org/10.1016/S1002-0160\(15\)60087-X](https://doi.org/10.1016/S1002-0160(15)60087-X).
- Hussain, A., Rafeeq, H., Afsheen, N., Jabeen, Z., Bilal, M., & Iqbal, H. M. N. (2022). Urease-Based Biocatalytic Platforms—A Modern View of a Classic Enzyme with Applied Perspectives. *Catalysis Letters*, 152(2), 414–437. <https://doi.org/10.1007/s10562-021-03647-z>.
- Jeon, H., Park, S., Choi, J., Jeong, G., Lee, S. B., Choi, Y., & Lee, S. J. (2011). The intestinal bacterial community in the food waste-reducing larvae of *Hermetia illucens*. *Current Microbiology*, 62(5), 1390–1399. <https://doi.org/10.1007/s00284-011-9874-8>.
- Jiang, N. J., Yoshioka, H., Yamamoto, K., & Soga, K. (2016). Ureolytic activities of a urease-producing bacterium and purified urease enzyme in the anoxic condition: Implication for subseafloor sand production control by microbially induced carbonate precipitation (MICP). *Ecological Engineering*, 90, 96–104. <https://doi.org/10.1016/j.ecoleng.2016.01.073>.
- Jucker, C., Lupi, D., Moore, C. D., Leonardi, M. G., & Savoldelli, S. (2020). Nutrient recapture from insect farm waste: Bioconversion with *Hermetia illucens* (L.) (Diptera: Stratiomyidae). *Sustainability*, 12(1). <https://doi.org/10.3390/su12010362>.
- Kaczor, M., Bulak, P., Proc-Pietrycha, K., Kirichenko-Babko, M., & Bieganski, A. (2023). The Variety of Applications of *Hermetia illucens* in Industrial and

- Agricultural Areas—Review. In *Biology*, 12(1).
<https://doi.org/10.3390/biology12010025>.
- Kafe, F. N., Abdullah, E. M., & Selman, I. A. (2023). Isolation and Detection of UreC and UreR of *Proteus mirabilis* in Gastrointestinal Samples from Patients with Crohn's Disease in Iraq. *Journal of Pioneering Medical Science*, 12(4), 37–42.
<https://doi.org/10.61091/jpms20231249>.
- Kresnawaty, I., Wahyu, R., & Sasongko, A. (2019). Aktivitas amilase bakteri amilolitik asal larva black soldier fly (*Hermetia illucens*). *Menara Perkebunan*, 87(2). <https://doi.org/10.22302/iribb.jur.mp.v87i2.342>.
- Krishnan, V., Khodadadi Tirkolaei, H., & Kavazanjian, E. (2023). An Improved Method for Determining Urease Activity from Electrical Conductivity Measurements. *ACS Omega*, 8(15), 13791–13798.
<https://doi.org/10.1021/acsomega.2c08152>.
- Kumar, R. R., Park, B. J., & Cho, J. Y. (2013). Application and environmental risks of livestock manure. In *Journal of the Korean Society for Applied Biological Chemistry* (Vol. 56, Issue 5, pp. 497–503). <https://doi.org/10.1007/s13765-013-3184-8>.
- Liu, S., Zheng, N., Wang, J., & Zhao, S. (2025). Nitrogen metabolism of the highly ureolytic bacterium *Proteus penneri* S99 isolated from the rumen. *BMC Microbiology*, 25(1). <https://doi.org/10.1186/s12866-025-03808-9>.
- Loyon, L. (2018). Overview of Animal Manure Management for Beef, Pig, and Poultry Farms in France. *Frontiers in Sustainable Food Systems*, 2. <https://doi.org/10.3389/fsufs.2018.00036>.
- Maulas, K. M., Paredes, C. S., Tabelin, C. B., Jose, M. A., Opiso, E. M., Arima, T., Park, I., Mufalo, W., Ito, M., Igarashi, T., Phengsaart, T., Villas, E., Dagondon, S. L., Metillo, E. B., Uy, M. M., Manua, A. J. A., & Villacorte-Tabelin, M. (2024). Isolation and Characterization of Indigenous Ureolytic Bacteria from Mindanao, Philippines: Prospects for Microbially Induced Carbonate Precipitation (MICP). *Minerals*, 14(4). <https://doi.org/10.3390/min14040339>.
- Mazzei, L., Cianci, M., Benini, S., & Ciurli, S. (2019). The Structure of the Elusive Urease–Urea Complex Unveils the Mechanism of a Paradigmatic Nickel-

- Dependent Enzyme. *Angewandte Chemie - International Edition*, 58(22), 7415–7419. <https://doi.org/10.1002/anie.201903565>.
- Mazzei, L., Musiani, F., & Ciurli, S. (2020). The structure-based reaction mechanism of urease, a nickel dependent enzyme: tale of a long debate. In *Journal of Biological Inorganic Chemistry* (Vol. 25, Issue 6, pp. 829–845). <https://doi.org/10.1007/s00775-020-01808-w>.
- Mekonnen, E., Kebede, A., Nigussie, A., Kebede, G., & Tafesse, M. (2021). Isolation and Characterization of Urease-Producing Soil Bacteria. *International Journal of Microbiology*, 2021. <https://doi.org/10.1155/2021/8888641>.
- Mekonnen, E., Kebede, A., Tafesse, T., & Tafesse, M. (2019). Investigation of carbon substrate utilization patterns of three ureolytic bacteria. *Biocatalysis and Agricultural Biotechnology*, 22. <https://doi.org/10.1016/j.bcab.2019.101429>.
- Nasution, M. Y., Ahmad Shafwan, S., Pulungan, Prasetya, E., & Rezeqi, S. (2021). Isolation and Characterization of Bacteria from River Origin in Mandailing Natal North Sumatera. *Journal of Physics: Conference Series*, 1819(1). <https://doi.org/10.1088/1742-6596/1819/1/012044>.
- Nayak, A., Rühl, M., & Klüber, P. (2024). *Hermetia illucens* (Diptera: Stratiomyidae): Need, Potentiality, and Performance Measures. *Agriculture*, 14(1). <https://doi.org/10.3390/agriculture14010008>.
- Ningsih, M., Linda, M., & Fibriarti, B. L. (2018). Isolation and diversity of local ureolytic bacteria from riau that potentially use as concrete mixture. *Journal of Biology*, 11(1). <https://doi.org/10.15408/kauniyah.v11i1>.
- Oliveira, F. R., Doelle, K., & Smith, R. P. (2016). External morphology of *Hermetia illucens* stratiomyidae: Diptera (L.1758) based on electron microscopy. *Annual Research and Review in Biology*, 9(5). <https://doi.org/10.9734/ARRB/2016/22973>.
- Pillai, K. G., Aswathi, P. G., & Bijoy, C. (2023). A Study on the role of *Hermetia illucens* (Diptera: Stratiomyidae) as a bioconversion agent. *International Journal of Entomology Research*, 8(4), 32–36. www.entomologyjournals.com.
- Qin, Y., & Cabral, J. M. S. (2002). Review Properties and Applications of Urease. *Biocatalysis Dan Biotransformation*, 20(1), 1–14. <https://doi.org/10.1080/10242420290003236>.

- Retnaningrum, E., S. Darmasiwi & A.R. Siregar. (2017). *Bahan Ajar Mikrobiologi*. Gadjah Mada University Press.
- Rohmah, E., Febria, F. A., & Tjong, D. H. (2021). Isolation, screening and characterization of ureolytic bacteria from cave ornament. *Pakistan Journal of Biological Sciences*, 24(9), 939–943. <https://doi.org/10.3923/pjbs.2021.939.943>.
- Sanders, E. R. (2012). Aseptic laboratory techniques: Plating methods. *Journal of Visualized Experiments*, 63, 1–18. <https://doi.org/10.3791/3064>.
- Setiawan, F., Harlia, E., & Hidayati, Y. A. (2023). Peran maggot sebagai detritivor dalam pengolahan limbah ternak unggas. *Jurnal Teknologi Hasil Peternakan*, 4(2), 213–221. <https://doi.org/10.24198/jthp.v4i2.50819>.
- Shao, M., Zhao, X., Rehman, K. U., Cai, M., Zheng, L., Huang, F., & Zhang, J. (2023). Synergistic bioconversion of organic waste by black soldier fly (*Hermetia illucens*) larvae and thermophilic cellulose-degrading bacteria. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1288227>.
- Šovljanski, O., Pezo, L., Tomić, A., Ranitović, A., Cvetković, D., & Markov, S. (2021). Contribution of bacterial cells as nucleation centers in microbiologically induced CaCO₃ precipitation—A mathematical modeling approach. *Journal of Basic Microbiology*, 61(9), 835–848. <https://doi.org/10.1002/jobm.202100275>.
- Tortora, G.J., B.R. Funke & C.L. Case. (2019). *Microbiology: an introduction* (13th Edition). Pearson Education, Inc.
- Vandeweyer, D., Bruno, D., Bonelli, M., Ijdema, F., Lievens, B., Crauwels, S., Casartelli, M., Tettamanti, G., & De Smet, J. (2023). Bacterial biota composition in gut regions of black soldier fly larvae reared on industrial residual streams: revealing community dynamics along its intestinal tract. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1276187>.
- Vecherskii, M. V., Kuznetsova, T. A., Khairullin, D. R., Chaporov, I. A., Bastrakov, A. I., & Ushakova, N. A. (2025). Feeding Impact on the Gut Microbiome of *Hermetia illucens* Larvae. *Applied Biochemistry and Microbiology*, 61(1), 200–210. <https://doi.org/10.1134/S0003683824606851>.
- Vitolo, M. (2022). Notes on urea hydrolysis by urease. *Article in World Journal of Pharmacy and Pharmaceutical Sciences*, 11, 96. <https://doi.org/10.20959/wjpps20223-21380>.

- Wang, Y. S., & Shelomi, M. (2017). Review of black soldier fly (*Hermetia illucens*) as animal feed and human food. In *Foods* (Vol. 6, Issue 10). MDPI AG. <https://doi.org/10.3390/foods6100091>.
- Willey, J.M., L.M. Sherwood & C.J. Woolverton. 2017. *Prescott's Microbiology* (10th Edition). McGraw-Hill Education.
- Woodley, Norman E. (2001). A world catalog of the Stratiomyidae (Insecta: Diptera). 475.
- Yuan, Z., Ma, Y., Tang, B., Zeng, R., & Zhou, Q. (2021). Intestinal microbiota and functional characteristics of black soldier fly larvae (*Hermetia illucens*). *Annals of Microbiology*, 71(1). <https://doi.org/10.1186/s13213-021-01626-8>.
- Zhang, X., Zhang, J., Jiang, L., Yu, X., Zhu, H., Zhang, J., Feng, Z., Zhang, X., Chen, G., & Zhang, Z. (2021). Black Soldier Fly (*Hermetia illucens*) Larvae Significantly Change the Microbial Community in Chicken Manure. *Current Microbiology*, 78(1), 303–315. <https://doi.org/10.1007/s00284-020-02276-w>.