UNIVERSITAS
GADJAH MADA
Tert-Butyl Hydroperoxide-Assisted-Multicomponent Reaction towards the Synthesis of Quinazolin-4(3H)-ones
Bina Agustin Aulia, Dr. M. Idham Darussalam Mardjan, S.Si., M.Sc., Prof. Dr. Laurent Commeiras
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

BIBLIOGRAPHY

Alagarsamy, V., Chitra, K., Saravanan, G., Solomon, V.R., Sulthana, M.T., and Narendhar, B., 2018, An Overview of Quinazolines: Pharmacological Significance and Recent Developments, *Eur. J. Med. Chem.*, 151, 628–685.

Alharthi, A.A., Alotaibi, M., Shalwi, M.N., Qahtan, T.F., Ali, I., Alshehri, F., and Afroz Bakht, M., 2023, Photocatalytic-Driven Three-Component Synthesis of 1,2,3,4-Tetrahydropyrimidine-5-Carbonitrile Derivatives: A Comparative Study of Organocatalysts and Photocatalysts, *J. Photochem. Photobiol. A.*, 436, 114358.

Alvi, S., Alam, M., and Ali, R., 2023, A Facile Catalyst-Free One-Pot Three Component Synthesis of Pharmacologically Important Indole-Centered 4*H*-Chromenes in a Deep Eutectic Solvent (DES), *J. Mol. Liq.*, 390, 122951.

Arslan, M., 2021, Multicomponent Approach for the Synthesis of Functional Copolymers via Tandem Polycondensations of Isatoic Anhydride, Bisaldehydes, and Bisprimary Amines in Trifluoroethanol, *Eur. Polym. J.*, 161, 110842.

Ballerat-Busserolles, K., Sedlbauer, J., and Majer, V., 2007, Standard Thermodynamic Properties of $H_3PO_{4(aq)}$ over a Wide Range of Temperatures and Pressures, *J. Phys. Chem. B*, 111, 181–190.

Banert, K. and Seifert, J., 2019, Steric Hindrance Classified: Treatment of Isothiocyanatoallene with Secondary Amines Bearing Bulky Substituents to Generate 2-Aminothiazoles, *Org. Chem. Front.*, 6, 3517–3522.

Carey, F.A. and Giuliano, R.M., 2018, *Organic Chemistry*, 9th ed., McGraw-Hill, New York.

Chauhan, S.M. and Bhanage, B.M., 2023, Metal-Free Synthesis of Quinazolinone from 2-Amino Benzonitrile in the Presence of Formic Acid as a C1 Source, *Tetrahedron Lett.*, 121, 154482.

Clayden, J., Greeves, N., and Warren, S., 2012, *Organic Chemistry*, 2nd ed., Oxford University Press, New York.

Hadisaputra, S., Dwi Pranowo, H., and Armunanto, R., 2012, Extraction of Strontium(II) by Crown Ether: Insights from Density Functional Calculation, *Indo. J. Chem*, 12, 207–216.

He, L., Li, H., Chen, J., and Wu, X.F., 2014, Recent Advances in 4(3*H*)-Quinazolinone Syntheses, *RSC Adv.*, 4, 12065–12077.

Hoogenboom, R., Fijten, M.W.M., Kickelbick, G., and Schubert, U.S., 2010, Synthesis and Crystal Structures of Multifunctional Tosylates as Basis for Star-Shaped Poly(2-ethyl-2-oxazoline)s, *Beilstein J. Org. Chem.*, 6, 773–783.

Hu, Y., Li, S., Li, H., Li, Y., Li, J., Duanmu, C., and Li, B., 2019, Copper-Catalyzed Tandem Oxidative Synthesis of Quinazolinones from 2-Aminobenzonitriles and Benzyl Alcohols, *Org. Chem. Front.*, 6, 2744–2748.

UNIVERSITAS
GADJAH MADA
Tert-Butyl Hydroperoxide-Assisted-Multicomponent Reaction towards the Synthesis of Quinazolin-4(3H)-ones
Bina Agustin Aulia, Dr. M. Idham Darussalam Mardjan, S.Si., M.Sc., Prof. Dr. Laurent Commeiras
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Huh, J., Mahroof, A., Elawad, M., Abulhassan, A., and Albraiki, R., 2025, Performance of Hydrogen Peroxide Decomposition in a Preheated Monopropellant Thruster Catalyst Chamber, *Aerosp. Sci. Technol.*, 165, 110484.

Javahershenas, R. and Nikzat, S., 2024, Recent Developments Using Malononitrile in Ultrasound-Assisted Multicomponent Synthesis of Heterocycles, *Ultrason. Sonochem.*, 102, 106741.

Jia, F.C., Chen, T.Z., and Hu, X.Q., 2020, TFA/TBHP-Promoted Oxidative Cyclisation for The Construction of Tetracyclic Quinazolinones and Rutaecarpine, *Org. Chem. Front.*, 7, 1635–1639.

Jin, L., Chen, X., Huang, S., Wang, A., Chen, Z., Le, Z., and Xie, Z., 2023, Selective Synthesis of Quinazolinones by Using Fluorescein Catalyst under Mild Conditions, *Mol. Catal.*, 547, 113305.

Johnson, W., Bergfeld, W.F., Belsito, D. V., Hill, R.A., Klaassen, C.D., Liebler, D.C., Marks, J.G., Shank, R.C., Slaga, T.J., Snyder, P.W., and Heldreth, B., 2022, Amended Safety Assessment of Persulfates as Used in Cosmetics, *Int. J. Toxicol.*, 41, 5–21.

Khaksar, S. and Talesh, S.M., 2012, Three-Component One-Pot Synthesis of 2,3-Dihydroquinazolin-4(1*H*)-one Derivatives in 2,2,2-Trifluoroethanol, *C. R. Chim.*, 15, 779–783.

Kotipalli, T., Kavala, V., Janreddy, D., Bandi, V., Kuo, C.W., and Yao, C.F., 2016, Synthesis of 2,3-Disubstituted Quinazolinone Derivatives through Copper Catalyzed C-H Amidation Reactions, *Eur. J. Org. Chem.*, 2016, 1182–1193.

Kumar, S., Padala, K., and Maiti, B., 2023, H_2O_2-Mediated Synthesis of a Quinazolin-4(3*H*)-one Scaffold: A Sustainable Approach, *ACS Omega*, 8, 33058–33068.

Li, H., He, L., Neumann, H., Beller, M., and Wu, X.F., 2014, Cascade Synthesis of Quinazolinones from 2-Aminobenzonitriles and Aryl Bromides via Palladium-Catalyzed Carbonylation Reaction, *Green Chem.*, 16, 1336–1343.

Liang, Y., Tan, Z., Jiang, H., Zhu, Z., and Zhang, M., 2019, Copper-Catalyzed Oxidative Multicomponent Annulation Reaction for Direct Synthesis of Quinazolinones via an Imine-Protection Strategy, *Org. Lett.*, 21, 4725–4728.

Lodhi, A. and Maheria, K.C., 2023, Solid Acid Catalysed Synthesis of Biologically Potent Quinazolinones: Environmentally Benign Approaches, *Sustain. Chem. Pharm.*, 36, 101265.

Luo, Q., Tian, S., Qiang, Q., An, Q., and Li, C., 2025, Sustainable One-pot Production of Lignin-Based Bioactive Quinazolinone Derivatives, *Sustain. Chem. and Pharm.*, 45, 102017.

McMurry, J., 2016, Organic Chemistry, 9th ed. Cengage Learning, Boston.

Modi, A., Ali, W., Mohanta, P.R., Khatun, N., and Patel, B.K., 2015, CuO Nanoparticle Catalyzed Synthesis of 2,3-Disubstituted Quinazolinones via Sequential N-Arylation and Oxidative C-H Amidation, *ACS Sustainable Chem. Eng.*, 3, 2582–2590.

UNIVERSITAS
GADJAH MADA
Tert-Butyl Hydroperoxide-Assisted-Multicomponent Reaction towards the Synthesis of Quinazolin-4(3H)-ones
Bina Agustin Aulia, Dr. M. Idham Darussalam Mardjan, S.Si., M.Sc., Prof. Dr. Laurent Commeiras
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pal, S., Das, D., and Bhunia, S., 2024, *p*-Toluenesulfonic Acid-Promoted Organic Transformations for the Generation of Molecular Complexity, *Org. Biomol. Chem.*, 22, 1527–1579.

Peirow, R., Adib, M., and Mahdavi, M., 2021, A Synthesis of Pyrazino[1,2-a]indoles via One-pot Cascade Ugi Condensation and N-Annulation under Mild Conditions, *Tetrahedron Lett.*, 87, 153547.

Priyanka, Yadav, S., Dutta, S., Rana, P., Arora, B., Sharma, Ravindra Kumar, Srivastava, A., and Sharma, Rakesh Kumar, 2023, Unleashing the Catalytic Potency of Nanoporous Copper Oxide Particles Derived from Copper 5-Nitroisophthalate MOF towards The Multicomponent Synthesis of 2,3-Dihydroquinazolinones, *Colloids and Surfaces A: Physicochem. Eng. Asp.*, 661, 130847.

Qi, X.X., Song, Z.Z., Gong, J.L., Fang, Z.Y., and Wu, X.F., 2016, Synthesis of Quinazolinones from *o*-Aminobenzamides and Benzyl Amines under Metal-Free Conditions, *Chin. Chem. Lett.*, 27, 21–24.

Qian, C., Liu, K., Tao, S.W., Zhang, F.L., Zhu, Y.M., and Yang, S.L., 2018, Palladium-Catalyzed Oxidative Three-Component Coupling of Anthranilamides with Isocyanides and Arylboronic Acids: Access to 2,3-Disubstituted Quinazolinones, *J. Org. Chem.*, 83, 9201–9209.

Rahimi, S., Nezhad, S.M., Zare, E.N., Pourmousavi, S.A., Boroujerdian, M., and Hosseini, S., 2023, Synthesis of Antioxidant and Antibacterial Active Quinazolinones by Carboxymethyl Cellulose@$MnFe_2O_4$ Biocatalyst, *Inorg. Chem. Commun.*, 158, 111556.

Rao, K.R., Raghunadh, A., Mekala, R., Meruva, S.B., Pratap, T. V., Krishna, T., Kalita, D., Laxminarayana, E., Prasad, B., and Pal, M., 2014, Glyoxylic Acid in the Reaction of Isatoic Anhydride with Amines: A Rapid Synthesis of 3-(Un)substituted Quinazolin-4(3*H*)-ones Leading to Rutaecarpine and Evodiamine, *Tetrahedron Lett.*, 55, 6004–6006.

Sun, J., Tao, T., Xu, D., Cao, H., Kong, Q., Wang, X., Liu, Y., Zhao, J., Wang, Y., and Pan, Y., 2018, Metal-Free Oxidative Cyclization of 2-Aminobenzamides, 2-Aminobenzenesulfonamide or 2-(Aminomethyl)anilines with Primary Alcohols for the Synthesis of Quinazolinones and Their Analogues, *Tetrahedron Lett.*, 59, 2099–2102.

Tayebeea, R. and Gohari, A., 2020, The Dual Role of Ammonium Acetate as Reagent and Catalyst in the Synthesis of 2, 4, 5-triaryl-1*H*-imidazoles, *Eurasian Chem. Commun.*, 2, 581–586.

Tivari, S., Zaheeruddin Beg, M., Kashyap, A., Singh, P.K., Singh, P.P., Gahtori, P., and Srivastava, V., 2024, Visible Light Mediated Metal Free Photocatalytic Synthesis of 2,4- Disubstituted Quinoline, *Results Chem.*, 7, 101249.

To, T.A., Vo, Y.H., Nguyen, H.T.T., Ha, P.T.M., Doan, S.H., Doan, T.L.H., Li, S., Le, H. V., Tu, T.N., and Phan, N.T.S., 2019, Iron-Catalyzed One-Pot Sequential Transformations: Synthesis of Quinazolinones via Oxidative Csp^3–H Bond Activation Using a New Metal–Organic Framework as Catalyst, *J. Catal.*, 370, 11–20.

UNIVERSITAS
GADJAH MADA
Tert-Butyl Hydroperoxide-Assisted-Multicomponent Reaction towards the Synthesis of Quinazolin-4(3H)-ones
Bina Agustin Aulia, Dr. M. Idham Darussalam Mardjan, S.Si., M.Sc., Prof. Dr. Laurent Commeiras
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Upadhyaya, K., Thakur, R.K., Shukla, S.K., and Tripathi, R.P., 2016, One-Pot Copper(I)-Catalyzed Ligand/Base-Free Tandem Cyclooxidative Synthesis of Quinazolinones, *J. Org. Chem.*, 81, 5046–5055.

Wang, Y., Meng, X., Chen, G., and Zhao, P., 2018, Direct Synthesis of Quinazolinones by Heterogeneous Cu(OH)X/OMS-2 Catalyst Under Oxygen, *Catal. Commun.*, 104, 106–111.

Woo, D., Kang, N., Park, H., Myoung, S., Lee, G., Kon Kim, J., and Choi, C., 2024, Biomass-Derived Closed-Loop Recyclable Chemically Crosslinked Polymer Composites for Green Soft Electronics, *Chem. Eng. J.*, 488, 150818.

Wu, B., Duan, Q., Chen, F., Xu, Y., Zhang, Q., Xu, X., and Lin, J., 2023, One-Pot Electrochemical Synthesis of Quinazolinones by Fe(III)-Catalyzed Indirect Anodic Oxidation, *Tetrahedron*, 143, 133563.

Wu, J.H., Yang, T.H., Chen, F., and Yu, H.Q., 2024, Unexpected Side Reactions Dominate the Oxidative Transformation of Aromatic Amines in the Co(II)/Peracetic Acid System, *PNAS Nexus*, 3, 1–10.

Wu, X.F., Gong, J.L., and Qi, X., 2014, A Powerful Combination: Recent Achievements on Using TBAI and TBHP as Oxidation System, *Org. Biomol. Chem.*, 12, 5807–5817.

Xie, L., Lu, C., Jing, D., Ou, X., and Zheng, K., 2019, Metal-Free Synthesis of Polycyclic Quinazolinones Enabled by a $(NH_4)_2S_2O_8$-Promoted Intramolecular Oxidative Cyclization, *Eur. J. Org. Chem.*, 2019, 3649–3653.

Xu, C. and Xu, J., 2020, $BF_3{\cdot}OEt_2$-Promoted Tandem Meinwald Rearrangement and Nucleophilic Substitution of Oxiranecarbonitriles, *Org. Biomol. Chem.*, 18, 127–134.

Zhang, L., Jiang, J., Li, L., Chen, Q., Zhang, Ling, Sun, H., and Li, C., 2022, Sustainable Synthesis of Amides from Carboxylic Acids and Equivalent Amounts of Amines Using a Reusable Brønsted Acidic Ionic Liquid as a Catalyst and a Solvent, *ACS Sustain. Chem. and Eng.*, 10, 8433–8442.

Zhang, L.Y., Wang, N.X., Wu, Y.H., Yan, Z., Gao, X.W., Feng, K., Xu, B.C., Xing, Y., Wang, P.J., Zhang, Y., and Gao, L. Le, 2022, Copper-Catalyzed Aldehyde Exchanged Amidation, *Org. Lett.*, 24, 658–662.

Zhang, X., Luo, C., Chen, Xiaoyong, Ma, W., Li, B., Lin, Z., Chen, Xiuwen, Li, Y., and Xie, F., 2021, Direct Synthesis of Quinazolinones via the Carbon-Supported Acid-Catalyzed Cascade Reaction of Isatoic Anhydrides with Amides and Aldehydes, *Tetrahedron Lett.*, 66, 152835.

Zhang, Y., Song, T., Zhou, X., and Yang, Y., 2022, Oxygen-Vacancy-Boosted Visible Light Driven Photocatalytic Oxidative Dehydrogenation of Saturated N-Heterocycles over Nb_2O_5 Nanorods, *Appl. Catal. B: Environ.*, 316, 121622.

Zhao, W., Liu, P., and Li, F., 2016, Quinazolinones from *o*-Aminobenzonitriles by One-Pot Sequential Selective Hydration/Condensation/Acceptorless Dehydrogenation Catalyzed by an Iridium Complex, *ChemCatChem*, 8, 1523–1530.

UNIVERSITAS
GADJAH MADA
Tert-Butyl Hydroperoxide-Assisted-Multicomponent Reaction towards the Synthesis of Quinazolin-4(3H)-ones
Bina Agustin Aulia, Dr. M. Idham Darussalam Mardjan, S.Si., M.Sc., Prof. Dr. Laurent Commeiras
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zheng, Z. and Alper, H., 2008, Palladium-Catalyzed Cyclocarbonylation of *o*-Iodoanilines with Imidoyl Chlorides to Produce Quinazolin-4(3*H*)-ones, *Org. Lett.*, 10, 829–832.

Zhou, C., Feng, K., Wang, L.F., Chen, N.Y., Wang, J.W., Wang, C.Y., Zhang, X.Y., Su, J.C., Wang, G.X., and Kong, X.F., 2024, Synthesis of Quinazolinone Derivatives with a Seven-Membered Ring Using Borrowing Hydrogen Methodology, *Tetrahedron Lett.*, 145, 155156.