

BIBLIOGRAPHY

- Agarwal, A. *et al.* (2009) 'Potential biological role of poly (ADP-ribose) polymerase (PARP) in male gametes', *Reproductive Biology and Endocrinology*. Available at: <https://doi.org/10.1186/1477-7827-7-143>.
- Ahmad Muhamud, N.A.S. and Amran, S. (2018) 'Screening of Epigallocatechin-3-Gallate (EGCG) Content in Camellia sinensis Products', *Natural Products Chemistry & Research*, 06(05). Available at: <https://doi.org/10.4172/2329-6836.1000339>.
- Ahmed, S. and Stepp, J.R. (2013) 'Green Tea: The Plants, Processing, Manufacturing and Production', in *Tea in Health and Disease Prevention*. Elsevier, pp. 19–31. Available at: <https://doi.org/10.1016/B978-0-12-384937-3.00002-1>.
- Almatroodi, S.A. *et al.* (2020) 'Potential therapeutic targets of epigallocatechin gallate (EGCG), the most abundant catechin in green tea, and its role in the therapy of various types of cancer', *Molecules*, 25(14). Available at: <https://doi.org/10.3390/molecules25143146>.
- Annunziata, C.M. and O'Shaughnessy, J. (2010) 'Poly (ADP-ribose) polymerase as a novel therapeutic target in cancer', *Clinical Cancer Research*, pp. 4517–4526. Available at: <https://doi.org/10.1158/1078-0432.CCR-10-0526>.
- AnyGenes (no date) *Apoptosis pathway*, <https://www.anygenes.com/home/products/signaling-pathways/apoptosis-pathway/>.
- Attafi, I.M., Bakheet, S.A. and Korashy, H.M. (2020) 'The role of NF- κ B and AhR transcription factors in lead-induced lung toxicity in human lung cancer A549 cells', *Toxicology Mechanisms and Methods*, 30(3), pp. 197–207. Available at: <https://doi.org/10.1080/15376516.2019.1687629>.
- Babich, H. *et al.* (2005) 'Differential *in vitro* cytotoxicity of (-)-epicatechin gallate (ECG) to cancer and normal cells from the human oral cavity', *Toxicology in Vitro*, 19(2), pp. 231–242. Available at: <https://doi.org/10.1016/j.tiv.2004.09.001>.
- Badan Pengawas Obat dan Makanan (2023) *Peraturan Kepala Badan Pengawas Obat dan Makanan Nomor 28 Tahun 2023 tentang Perubahan atas Peraturan Badan Pengawas Obat dan Makanan Nomor 27 Tahun 2022 Tentang Pengawasan Pemasukan Obat dan Makanan ke Dalam Wilayah Indonesia*. Badan Pengawas Obat dan Makanan.

- Bedrood, Z., Rameshrad, M. and Hosseinzadeh, H. (2018) 'Toxicological effects of *Camellia sinensis* (green tea): A review', *Phytotherapy Research*. John Wiley and Sons Ltd, pp. 1163–1180. Available at: <https://doi.org/10.1002/ptr.6063>.
- Blake, K. (2023) *The power of functional foods in cancer prevention*, <https://www.rupahealth.com/post/the-power-of-functional-foods-in-cancer-prevention>.
- Botten, D. *et al.* (2015) 'Structural Properties of Green Tea Catechins', *Journal of Physical Chemistry B*, 119(40), pp. 12860–12867. Available at: <https://doi.org/10.1021/acs.jpcc.5b08737>.
- Bray, F. *et al.* (2024) 'Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries', *CA Cancer J Clin*, 74(3), pp. 229–263. Available at: <https://doi.org/10.3322/caac.21834>.
- Cabrera, C., Artacho, R. and Giménez, R. (2006) 'Beneficial effects of green tea—A review', *J. Am. Coll. Nutr.*, 25(2), pp. 79–99.
- Cai, Z.Y. *et al.* (2018) 'Bioavailability of tea catechins and its improvement', *Molecules*. MDPI AG. Available at: <https://doi.org/10.3390/molecules23092346>.
- Capasso, L. *et al.* (2025) 'Epigallocatechin Gallate (EGCG): Pharmacological Properties, Biological Activities and Therapeutic Potential', *Molecules*. Multidisciplinary Digital Publishing Institute (MDPI). Available at: <https://doi.org/10.3390/molecules30030654>.
- Carneiro, B.A. and El-Deiry, W.S. (2020) 'Targeting apoptosis in cancer therapy', *Nature Reviews Clinical Oncology*. Nature Research, pp. 395–417. Available at: <https://doi.org/10.1038/s41571-020-0341-y>.
- Cerbin-Koczorowska, M. *et al.* (2021) 'Current view on green tea catechins formulations, their interactions with selected drugs, and prospective applications for various health conditions', *Applied Sciences (Switzerland)*. MDPI AG. Available at: <https://doi.org/10.3390/app11114905>.
- Chacko, S.M. *et al.* (2010) 'Beneficial effects of green tea: A literature review', *Chinese Medicine*, 5(1–9). Available at: <http://www.cmjournal.org/content/5/1/13>.
- Chaitanya, G.V., Alexander, J.S. and Babu, P.P. (2010) 'PARP-1 cleavage fragments: Signatures of cell-death proteases in neurodegeneration', *Cell Communication and Signaling*. Available at: <https://doi.org/10.1186/1478-811X-8-31>.
- Chen, J. *et al.* (2018) 'Inhibition of autophagy promotes cisplatin-induced apoptotic cell death through Atg5 and Beclin 1 in A549 human lung cancer cells',

Molecular Medicine Reports, 17(5), pp. 6859–6865. Available at: <https://doi.org/10.3892/mmr.2018.8686>.

Dela Cruz, C.S., Tanoue, L.T. and Matthay, R.A. (2011) ‘Lung Cancer: Epidemiology, Etiology, and Prevention’, *Clinics in Chest Medicine*, pp. 605–644. Available at: <https://doi.org/10.1016/j.ccm.2011.09.001>.

D’Amours, D. *et al.* (2001) ‘Gain-of-function of PARP-1 upon cleavage by apoptotic protease: implications for apoptosis’, *Journal of Cell Science*, 20(114), pp. 3771–3778. Available at: <https://doi.org/https://doi.org/10.1242/jcs.114.20.3771>.

Dietz, C. and Dekker, M. (2017) ‘Effect of Green Tea Phytochemicals on Mood and Cognition’, *Current Pharmaceutical Design*, 23(19), pp. 2876–2905. Available at: <https://doi.org/10.2174/1381612823666170105151800>.

Evan, G. and Vousden, K. (2001) ‘Proliferation, cell cycle and apoptosis in cancer.’, *Nature*, (411), pp. 342–348. Available at: <https://doi.org/https://doi.org/10.1038/35077213>.

Farhan, M. (2022) ‘Green Tea Catechins: Nature’s Way of Preventing and Treating Cancer’, *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms231810713>.

Farhud, D.D. (2015) *Impact of Lifestyle on Health, Iran J Public Health*. Available at: <http://ijph.tums.ac.ir>.

Fernández, V.A. *et al.* (2020) ‘Bioavailability of epigallocatechin gallate administered with different nutritional strategies in healthy volunteers’, *Antioxidants*, 9(5). Available at: <https://doi.org/10.3390/antiox9050440>.

Flores-Pérez, A. *et al.* (2016) ‘Differential proteomic analysis reveals that EGCG inhibits HDGF and activates apoptosis to increase the sensitivity of non-small cells lung cancer to chemotherapy’, *Proteomics - Clinical Applications*, 10(2), pp. 172–182. Available at: <https://doi.org/10.1002/prca.201500008>.

Gan, R.Y. *et al.* (2017) ‘Absorption, Metabolism, Anti-Cancer Effect and Molecular Targets of Epigallocatechin Gallate (EGCG): An Updated Review’, *Critical Reviews in Food Science and Nutrition*, (58), p. 924. Available at: <https://doi.org/https://doi.org/10.1080/10408398.2016.1231168>.

Giard, D.J. *et al.* (1973) ‘*In Vitro* Cultivation of Human Tumors: Establishment of Cell Lines Derived From a Series of Solid Tumors’, *Journal of The National Cancer Institute*, 51. Available at: <http://jnci.oxfordjournals.org/>.

Global Action to End Smoking (2023) *Tobacco Around the World: Indonesia*, <https://globalactiontoendsmoking.org/research/tobacco-around-the-world/indonesia/>.

- González-Marrón, A., Martín-Sánchez, J.C. and Martínez-Sánchez, J.M. (2020) 'Current and future perspectives in lung cancer prevention', *Precision Cancer Medicine*, 3, p. 18. Available at: <https://doi.org/10.21037/pcm-20-31>.
- Graham, H.N. (1992) *Green Tea Composition, Consumption, and Polyphenol Chemistry*, *PREVENTIVE MEDICINE*.
- Grasso, S. *et al.* (2012) 'Cell Death and Cancer, Novel Therapeutic Strategies', in *Apoptosis and Medicine*. InTech. Available at: <https://doi.org/10.5772/51285>.
- Häcker, G. (2018) 'Apoptosis in infection', *Microbes and Infection*, 20(9–10), pp. 552–559. Available at: <https://doi.org/10.1016/j.micinf.2017.10.006>.
- Hanahan, D. (2022) 'Hallmarks of Cancer: New Dimensions', *Cancer Discovery*. American Association for Cancer Research Inc., pp. 31–46. Available at: <https://doi.org/10.1158/2159-8290.CD-21-1059>.
- Henning, S.M. *et al.* (2003) 'Catechin content of 18 teas and a green tea extract supplement correlates with the antioxidant capacity', *Nutrition and Cancer*, pp. 226–235. Available at: https://doi.org/10.1207/S15327914NC4502_13.
- Horie, H. *et al.* (2018) 'Comparison of the Chemical Components of Powdered Green Tea Sold in the US', *JARQ*, 52(2), pp. 143–147. Available at: <https://doi.org/10.6090/jarq.52.143>.
- Hu, J. *et al.* (2018) 'The safety of green tea and green tea extract consumption in adults – Results of a systematic review', *Regulatory Toxicology and Pharmacology*. Academic Press Inc., pp. 412–433. Available at: <https://doi.org/10.1016/j.yrtph.2018.03.019>.
- Huang, H. *et al.* (2018) 'LC-MS based sphingolipidomic study on A549 human lung adenocarcinoma cell line and its taxol-resistant strain', *BMC Cancer*, 18(1). Available at: <https://doi.org/10.1186/s12885-018-4714-x>.
- Huang, S.F. *et al.* (2016) 'Epicatechin-3-gallate reverses TGF- β 1-induced epithelial-to-mesenchymal transition and inhibits cell invasion and protease activities in human lung cancer cells', *Food and Chemical Toxicology*, 94, pp. 1–10. Available at: <https://doi.org/10.1016/j.fct.2016.05.009>.
- International Agency for Research on Cancer (2024) *GLOBOCAN 2022: 360 Indonesia Fact Sheet*. Lyon, France: Global Cancer Observatory.
- Jan, R. and Chaudhry, G. (2019) 'Understanding apoptosis and apoptotic pathways targeted cancer therapeutics', *Advanced Pharmaceutical Bulletin*, 9(2), pp. 205–218. Available at: <https://doi.org/10.15171/apb.2019.024>.
- Jubin, T. *et al.* (2016) 'The PARP family: insights into functional aspects of poly (ADP-ribose) polymerase-1 in cell growth and survival', *Cell Proliferation*.

Blackwell Publishing Ltd, pp. 421–437. Available at:
<https://doi.org/10.1111/cpr.12268>.

Kandouz, M. (2024) ‘Cell Death, by Any Other Name...’, *Cells*. Multidisciplinary Digital Publishing Institute (MDPI). Available at:
<https://doi.org/10.3390/cells13040325>.

Khan, N. and Mukhtar, H. (2010) ‘Cancer and metastasis: Prevention and treatment by green tea’, *Cancer and Metastasis Reviews*, pp. 435–445. Available at:
<https://doi.org/10.1007/s10555-010-9236-1>.

Khan, N. and Mukhtar, H. (2019) ‘Tea polyphenols in promotion of human health’, *Nutrients*, 11(1), p. 1. Available at: <https://doi.org/10.3390/nu11010039>.

Kochubei, E. *et al.* (2025) ‘Optimization of microencapsulation of green tea extract for functional beverage development’, *Applied Food Research*, 5(1), p. 100790. Available at: <https://doi.org/10.1016/j.afres.2025.100790>.

Korrodi-Gregório, L. *et al.* (2016) ‘From proteomic analysis to potential therapeutic targets: Functional profile of two lung cancer cell lines, A549 and SW900, widely studied in pre-clinical research’, *PLoS ONE*, 11(11). Available at:
<https://doi.org/10.1371/journal.pone.0165973>.

Lambert, J.D. *et al.* (2010) ‘Hepatotoxicity of high oral dose (-)-epigallocatechin-3-gallate in mice’, *Food and Chemical Toxicology*, 48(1), pp. 409–416. Available at: <https://doi.org/10.1016/j.fct.2009.10.030>.

Lawen, A. (2003) ‘Apoptosis - An introduction’, *BioEssays*. John Wiley and Sons Inc., pp. 888–896. Available at: <https://doi.org/10.1002/bies.10329>.

Lee, M. *et al.* (2001) ‘Pharmacokinetics of Tea Catechins after Ingestion of Green Tea and (-)-Epigallocatechin-3-gallate by Humans: Formation of Different Metabolites and Individual Variability 1’, *Cancer epidemiology, biomarkers & prevention: a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 11(10), pp. 1025–1032. Available at: <http://aacrjournals.org/cebp/article-pdf/11/10/1025/2262230/ce1002001025.pdf>.

Letai, A. (2017) ‘Apoptosis and cancer’, *Annual Review of Cancer Biology*, 1, pp. 275–294. Available at: <https://doi.org/10.1146/annurev-cancerbio-050216-121933>.

Lieber, M. *et al.* (1976) *A CONTINUOUS TUMOR-CELL LINE FROM A HUMAN LUNG CARCINOMA WITH PROPERTIES OF TYPE TI ALVEOLAR EPITHELIAL CELLS*, *Int. J. Cancer*.

- Lopez, J. and Tait, S.W.G. (2015) 'Mitochondrial apoptosis: Killing cancer using the enemy within', *British Journal of Cancer*. Nature Publishing Group, pp. 957–962. Available at: <https://doi.org/10.1038/bjc.2015.85>.
- Lu, L.Y., Ou, N. and Lu, Q. Bin (2013) 'Antioxidant Induces DNA damage, cell death and mutagenicity in human lung and skin normal cells', *Scientific Reports*, 3. Available at: <https://doi.org/10.1038/srep03169>.
- Luo, X. and Lee Kraus, W. (2012) 'On par with PARP: Cellular stress signaling through poly(ADP-ribose) and PARP-1', *Genes and Development*, 26(5), pp. 417–432. Available at: <https://doi.org/10.1101/gad.183509.111>.
- Maslov, O.Yu. *et al.* (2021) 'Determination of catechins in green tea leaves by HPLC compared to spectrophotometry', *Journal of Organic and Pharmaceutical Chemistry*, 19(3(75)), pp. 28–33. Available at: <https://doi.org/10.24959/ophcj.21.238177>.
- Meyer, B.R. *et al.* (2023) 'Catechin Composition, Phenolic Content, and Antioxidant Properties of Commercially-Available Bagged, Gunpowder, and Matcha Green Teas', *Plant Foods for Human Nutrition*, 78(4), pp. 662–669. Available at: <https://doi.org/10.1007/s11130-023-01121-2>.
- Mirabelli, P., Coppola, L. and Salvatore, M. (2019) 'Cancer cell lines are useful model systems for medical research', *Cancers*. MDPI AG. Available at: <https://doi.org/10.3390/cancers11081098>.
- Mokra, D., Adamcakova, J. and Mokry, J. (2022) 'Green Tea Polyphenol (-)-Epigallocatechin-3-Gallate (EGCG): A Time for a New Player in the Treatment of Respiratory Diseases?', *Antioxidants*. MDPI. Available at: <https://doi.org/10.3390/antiox11081566>.
- Mokra, D., Joskova, M. and Mokry, J. (2023) 'Therapeutic Effects of Green Tea Polyphenol (-)-Epigallocatechin-3-Gallate (EGCG) in Relation to Molecular Pathways Controlling Inflammation, Oxidative Stress, and Apoptosis', *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms24010340>.
- Moon, J. *et al.* (2023) 'DNA Damage and Its Role in Cancer Therapeutics', *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms24054741>.
- Morales, J.C. *et al.* (2014) 'Review of Poly (ADP-ribose) Polymerase (PARP) Mechanisms of Action and Rationale for Targeting in Cancer and Other Diseases', *Crit. Rev. Eukaryot. Gene. Expr.*, 1(24), p. 15.

- Morris, S. (2024) *EGCG: Benefits, side effects, and dosage*, <https://www.verywellhealth.com/egcg-supplement-benefits-and-safety-8404078>.
- Musial, C., Kuban-Jankowska, A. and Gorska-Ponikowska, M. (2020) 'Beneficial properties of green tea catechins', *International Journal of Molecular Sciences*, 21(5). Available at: <https://doi.org/10.3390/ijms21051744>.
- Nagle, D.G., Ferreira, D. and Zhou, Y.D. (2006) 'Epigallocatechin-3-gallate (EGCG): Chemical and biomedical perspectives', *Phytochemistry*, pp. 1849–1855. Available at: <https://doi.org/10.1016/j.phytochem.2006.06.020>.
- Naldi, M. *et al.* (2014) 'UHPLC determination of catechins for the quality control of green tea', *Journal of Pharmaceutical and Biomedical Analysis*, 88, pp. 307–314. Available at: <https://doi.org/10.1016/j.jpba.2013.08.054>.
- Ni, J. *et al.* (2018) 'Differences in the effects of egcg on chromosomal stability and cell growth between normal and colon cancer cells', *Molecules*, 23(4). Available at: <https://doi.org/10.3390/molecules23040788>.
- Nishitani, E. and Sagesaka, Y.M. (2004) 'Simultaneous determination of catechins, caffeine and other phenolic compounds in tea using new HPLC method', *Journal of Food Composition and Analysis*, 17(5), pp. 675–685. Available at: <https://doi.org/10.1016/j.jfca.2003.09.009>.
- Nuryana, I. *et al.* (2020) 'Catechin Contents, Antioxidant and Antibacterial Activities of Different Types of Indonesian Tea (*Camellia sinensis*)', *Annales Bogorienses*, 24(2), pp. 106–113. Available at: <https://doi.org/10.14203/ann.bogor.2020.v24.n2.106-113>.
- Obeng, E. (2021) 'Apoptosis (programmed cell death) and its signals - A review', *Braz. J. Biol.*, 81(4), pp. 1133–1143.
- Paiva, L. *et al.* (2021) 'Comparative analysis of the polyphenols, caffeine, and antioxidant activities of green tea, white tea, and flowers from azorean *camellia sinensis* varieties affected by different harvested and processing conditions', *Antioxidants*, 10(2), pp. 1–16. Available at: <https://doi.org/10.3390/antiox10020183>.
- Pan, T. *et al.* (2021) 'LC–MS Based Metabolomics Study of the Effects of EGCG on A549 Cells', *Frontiers in Pharmacology*, 12. Available at: <https://doi.org/10.3389/fphar.2021.732716>.
- Panda, R. and Garber, E.A.E. (2019) 'Western blot analysis of fermented-hydrolyzed foods utilizing gluten-specific antibodies employed in a novel multiplex competitive ELISA', *Analytical and Bioanalytical Chemistry*,

411(20), pp. 5159–5174. Available at: <https://doi.org/10.1007/s00216-019-01893-0>.

Parvez, S. and Wani, I.A. (2025) ‘Comparative Study of Composition and Antioxidant Properties of Green Tea Extracts from Different Commercial Grades’, *ACS Food Science and Technology*, 5(4), pp. 1678–1686. Available at: <https://doi.org/10.1021/acscfoodscitech.5c00068>.

Patel, N. *et al.* (2025) ‘Investigating the role of natural flavonoids in VEGFR inhibition: Molecular modelling and biological activity in A549 lung cancer cells’, *Journal of Molecular Structure*, 1322. Available at: <https://doi.org/10.1016/j.molstruc.2024.140392>.

Rajendran, P. *et al.* (2022) ‘Polyphenols as Potent Epigenetics Agents for Cancer’, *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms231911712>.

Rawangkan, A. *et al.* (2018) ‘Green tea catechin is an alternative immune checkpoint inhibitor that inhibits PD-11 expression and lung tumor growth’, *Molecules*, 23(8). Available at: <https://doi.org/10.3390/molecules23082071>.

Reto, M. *et al.* (2007) ‘Chemical composition of green tea (*Camellia sinensis*) infusions commercialized in Portugal’, *Plant Foods for Human Nutrition*, 62(4), pp. 139–144. Available at: <https://doi.org/10.1007/s11130-007-0054-8>.

Sakamoto, Y. *et al.* (2013) ‘Effects of epigallocatechin-3-gallate (EGCG) on a549 lung cancer tumor growth and angiogenesis’, *Bioscience, Biotechnology and Biochemistry*, 77(9), pp. 1799–1803. Available at: <https://doi.org/10.1271/bbb.120882>.

Sang, S. *et al.* (2011) ‘The chemistry and biotransformation of tea constituents’, *Pharmacological Research*, 64(2), pp. 87–99. Available at: <https://doi.org/10.1016/j.phrs.2011.02.007>.

Santucci, K.L. *et al.* (2024) ‘Investigation of Lung Cancer Cell Response to Cryoablation and Adjunctive Gemcitabine-Based Cryo-Chemotherapy Using the A549 Cell Line’, *Biomedicines*, 12(6). Available at: <https://doi.org/10.3390/biomedicines12061239>.

Segawa, K. and Nagata, S. (2015) ‘An Apoptotic “Eat Me” Signal: Phosphatidylserine Exposure’, *Trends in Cell Biology*. Elsevier Ltd, pp. 639–650. Available at: <https://doi.org/10.1016/j.tcb.2015.08.003>.

Sharma, R. and Sharma, S. (2023) ‘Physiology, Blood Volume’, in *StatPearls*. StatPearls Publishing.

Shishikura, Y. and Khokhar, S. (2005) ‘Factors affecting the levels of catechins and caffeine in tea beverage: Estimated daily intakes and antioxidant activity’,

Journal of the Science of Food and Agriculture, 85(12), pp. 2125–2133.
Available at: <https://doi.org/10.1002/jsfa.2206>.

Sidorova, M. and Petrikaitė, V. (2022) ‘The Effect of Beta Adrenoreceptor Blockers on Viability and Cell Colony Formation of Non-Small Cell Lung Cancer Cell Lines A549 and H1299’, *Molecules*, 27(6). Available at: <https://doi.org/10.3390/molecules27061938>.

Sonoda, J.I. *et al.* (2014) ‘Green tea catechin, epigallocatechin-3-gallate, attenuates the cell viability of human non-small-cell lung cancer A549 cells via reducing Bcl-xL expression’, *Experimental and Therapeutic Medicine*, 8(1), pp. 59–63.
Available at: <https://doi.org/10.3892/etm.2014.1719>.

Spigel, D.R. (2012) ‘PARP Inhibitors in Lung Cancer’, *Santa Monica Supplement Journal of Thoracic Oncology* •, 7(12), pp. S392–S393. Available at: <https://doi.org/https://doi.org/10.1097/JTO.0b013e31826df1eb>.

Stillwell, A., Treml, J.F. and Logan, R. (2022) ‘Analysis of the Anticancer Potential of Green Tea’s EGCG Component to Inhibit Immortal Cells’, *Midwestern Journal of Undergraduate Sciences*, 4(1), pp. 23–26. Available at: <https://doi.org/10.4103/2225-4110.124326>.

Suskiewicz, M.J. *et al.* (2023) ‘Updated protein domain annotation of the PARP protein family sheds new light on biological function’, *Nucleic Acids Research*, 51(15), pp. 8217–8236. Available at: <https://doi.org/10.1093/nar/gkad514>.

Sutherland, K.D. and Berns, A. (2010) ‘Cell of origin of lung cancer’, *Molecular Oncology*. John Wiley and Sons Ltd, pp. 397–403. Available at: <https://doi.org/10.1016/j.molonc.2010.05.002>.

Tao, L., Forester, S.C. and Lambert, J.D. (2014) ‘The role of the mitochondrial oxidative stress in the cytotoxic effects of the green tea catechin, (-)-epigallocatechin-3-gallate, in oral cells’, *Molecular Nutrition and Food Research*, 58(4), pp. 665–676. Available at: <https://doi.org/10.1002/mnfr.201300427>.

Vayanaperumal, K. (2023) ‘Western Blotting a review: Principle, protocol and problem solving’, *GSC Advanced Research and Reviews*, 16(3), pp. 178–187.
Available at: <https://doi.org/10.30574/gscarr.2023.16.3.0324>.

Vermeulen, K., Van Bockstaele, D.R. and Berneman, Z.N. (2005) ‘Apoptosis: Mechanisms and relevance in cancer’, *Annals of Hematology*, pp. 627–639.
Available at: <https://doi.org/10.1007/s00277-005-1065-x>.

Vural, N. *et al.* (2020) ‘Determination of the various extraction solvent effects on polyphenolic profile and antioxidant activities of selected tea samples by chemometric approach’, *Journal of Food Measurement and Characterization*,

14(3), pp. 1286–1305. Available at: <https://doi.org/10.1007/s11694-020-00376-6>.

Wang, F. *et al.* (2022) ‘The guideline for western blotting assay’, *Food Frontiers*, 3(2), pp. 347–349. Available at: <https://doi.org/10.1002/fft2.151>.

Weisburg, J.H. *et al.* (2004) ‘*In vitro* Cytotoxicity of Epigallocatechin Gallate and Tea Extracts to Cancerous and Normal Cells from the Human Oral Cavity’, *Basic & Clinical Pharmacology & Toxicology*, 95, pp. 191–200.

Wong, R.S.Y. (2011) ‘Apoptosis in cancer: From pathogenesis to treatment’, *Journal of Experimental and Clinical Cancer Research*. Available at: <https://doi.org/10.1186/1756-9966-30-87>.

World Health Organization (2024) *Global cancer burden growing, amidst mounting need for services*, <https://www.who.int/news/item/01-02-2024-global-cancer-burden-growing--amidst-mounting-need-for-services>.

Wu, P.P. *et al.* (2009) ‘EGCG induced apoptosis in human adrenal cancer NCI-H295 cells through caspase-dependent and caspase-independent pathway’, *Anticancer research*, 4, p. 1435.

Xie, T. *et al.* (2018) ‘Identification of side population cells in human lung adenocarcinoma A549 cell line and elucidation of the underlying roles in lung cancer’, *Oncology Letters*, 15(4), pp. 4900–4906. Available at: <https://doi.org/10.3892/ol.2018.7956>.

Ye, Y. *et al.* (2018) ‘Dynamic changes in amino acids, catechins, caffeine and gallic acid in green tea during withering’, *Journal of Food Composition and Analysis*, 66, pp. 98–108. Available at: <https://doi.org/10.1016/j.jfca.2017.12.008>.

Younes, M. *et al.* (2018) ‘Scientific opinion on the safety of green tea catechins’, *EFSA Journal*, 16(4). Available at: <https://doi.org/10.2903/j.efsa.2018.5239>.

Zhao, C.N. *et al.* (2019) ‘Phenolic profiles and antioxidant activities of 30 tea infusions from green, black, oolong, white, yellow and dark teas’, *Antioxidants*, 8(7). Available at: <https://doi.org/10.3390/antiox8070215>.

Zhou, H. *et al.* (2014) ‘Gene regulation mediated by microRNAs in response to green tea polyphenol EGCG in mouse lung cancer’, *BMC Genomics*, 15. Available at: <https://doi.org/10.1186/1471-2164-15-S11-S3>.

Zimmermann, B.F. and Drees, L. (2025) ‘Let’s have another cup of green tea!’, *Heliyon*, 11(4), p. e42651. Available at: <https://doi.org/10.1016/j.heliyon.2025.e42651>.