DAFTAR PUSTAKA

Abdalla, M. M., & El-Khoshiban, N. H. (2007). The influence of water stress on growth, relative water content, photosynthetic pigments, some metabolic and hormonal contents of two *Triticum aestivum* cultivars. *Journal of Applied Sciences Research, 3*, 2062–2074.

Aisyah, D. N., Kendarini, N., & Ashari, S. (2018). Efektivitas PEG-6000 sebagai media *osmoconditioning* dalam peningkatan mutu benih dan produksi kedelai (*Glycine max* L. Merr.). *Jurnal Produksi Tanaman*, 6(7), 1344–1353.

Ali, A., Yu, X., & Li, Y. (2020). Seed priming as a promising technique to improve growth, chlorophyll, photosynthesis and nutrient contents in cucumber seedlings. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 48*(1), 116–127.

Anjum, S. A., Ashraf, U., Zohaib, A., Tanveer, M., Naeem, M., Ali, I., Tabassum, T., & Nazir, U. (2017). Growth and development Responses of crop plants under drought stress: A review. *Zemdirbyste-Agriculture, 104*(3), 267–276.

Ali, A., Yu, X., & Li, Y. (2020). Seed priming as a promising technique to improve growth, chlorophyll, photosynthesis and nutrient contents in cucumber seedlings. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 48*(1), 116–127.

Badole, S. L., & Bodhankar, S. L. (2012). *Glycine max* (Soybean) Treatment for Diabetes. Dalam *Bioactive Food as Dietary Interventions for Diabetes: Bioactive Foods in Chronic Disease States* (hlm. 77–82). Elsevier.

Biswas, S., Seal, P., Majumder, B., & Biswas, A. K. (2023). Efficacy of seed priming strategies for enhancing salinity tolerance in plants: An overview of the progress and achievements. Dalam *Plant Stress* (Vol. 9). Elsevier B.V.

BPS. (2022). *Analisis Produktivitas Jagung dan Kedelai di Indonesia (Hasil Survey Ubinan)*. Badan Pusat Statistik.

BPS. (2023). *Distribusi Perdagangan Komoditas Kedelai di Indonesia 2023 Volume 2*. Badan

Pusat Statistik.

Bates, L. S., Waldren, R. P., & Teare, I. D. (1973). Rapid determination of free proline for water-stress studies. *Plant Soil, 39*, 205–207.

Cahyadi, E, Ete, A., & Samudin, S. (2020). Hasil beberapa kultivar padi gogo lokal terhadap cekaman kekeringan. *Jurnal Mitra Sains 8*, 170–182.

Campbell, N. A., Reece, J. B., & Mitchell, L. G. (2008). *Biologi Jilid 1* (Edisi ke-8, diterjemahkan oleh A. Sartono). Jakarta: Erlangga.

Campbell, N. A., Reece, J. B., & Mitchell, L. G. (2008). *Biologi Jilid 2*. (Edisi ke-8, diterjemahkan oleh A. Sartono). Jakarta: Erlangga.

Chakraborty, A., & Bordolui, S. K. (2021). Impact of seed priming with Ag-nanoparticle and GA3 on germination and vigour in green gram. *International Journal of Current Microbiology Applied Sciences, 10*(3), and 941-950.

Chakraborti, S., Bera, K., Sadhukhan, S., & Dutta, P. (2022). Bio-priming of seeds: Plant stress management and its underlying cellular, biochemical and molecular mechanisms. *Plant Stress*, *3*.

Chen, T.H., & Murata, N. (2008). Glycinebetaine: An effective protectant against abiotic stress in plants. *Trends in Plant Science, 13*, 499-505.

Chianu, J. N., Zegeye, E. W., & Nkonya, E. M. (2010). Global Soybean Marketing and Trade: a Situation and Outlook Analysis. Dalam *The Soybean: Botany, Production and Uses* (hlm. 461-483). CABI.

Choudhury, A., & Bordolui, S. K. (2022). Inducement of seed priming with potassium nitrate on quality performance of chickpea (*Cicer arietinum* L.). *Biological Forum – An International Journal, 14*(4), 779-783.

Clark, C. B., & Ma, J. (2023). The genetic basis of shoot architecture in soybean. *Molecular Breeding*, *43*(7).

Conrath, U., Pieterse, C. M. J., & Mauch-Mani, B. (2002). Priming in Plant–Pathogen Interactions. *TRENDS in Plant Science*, *5*(5), 210–216.

Das, A., Anik, T. R., Rahman, M. M., Keya, S. S., Islam, R. M., Rahman, A. M., Sharmin, S., Ghosh, K. P., Khan, S., Ahamed, T., Ghosh, K. T., Tran, L. S.-P., & Mostofa, M. G. (2022). Ethanol Treatment Enhances Physiological and Biochemical Responses to Mitigate Saline Toxicity in Soybean. *Plants*, *11*(272), 1–16.

de Freitas, V. F., Cerezini, P., Hungria, M., & Nogueira, M. A. (2022). Strategies to deal with drought-stress in biological nitrogen fixation in soybean. Dalam *Applied Soil Ecology* (Vol. 172). Elsevier B.V.

Desmedt, W., Vanholme, B., & Kyndt, T. (2021). Plant Defense Priming in the Field: A Review. Dalam *Recent Highlights in the Discovery and Optimization of Crop Protection Products* (hlm. 87-124). Academic Press.

Dong, L., Fang, C., Cheng, Q., Su, T., Kou, K., Kong, L., Zhang, C., Li, H., Hou, Z., Zhang, Y., Chen, L., Yue, L., Wang, L., Wang, K., Li, Y., Gan, Z., Yuan, X., Weller, J. L., Lu, S., … Liu, B. (2021). Genetic basis and adaptation trajectory of soybean from its temperate origin to tropics. *Nature Communications*, *12*(1).

Elkoca, E., Haliloglu, K., Esitken, A., & Ercisli, S. (2007). Hydro- and osmopriming improve chickpea germination. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science, 57*(3), 193–200.

Farooq, M., Romdhane, L., Al Sulti, M. K. R. A., Rehman, A., Al-Busaidi, W. M., & Lee, D.J. (2020). Morphological, physiological and biochemical aspects of osmopriming-induced drought tolerance in lentil. *Journal of Agronomy and Crop Science, 206*(2), 176–186.

Gao, R., Li, Y., Wang, Y., Shan, X., Yang, S., Zhang, Y., Ma, S., Zhang, C., Qin, J., Wang, L., & Gao, X. (2024). Unraveling the regulatory network of flower coloration in soybean: Insights into roles of GmMYBA3 and GmMYBR1. *Crop Journal*.

Ghiyasi, M., Abbasi, S. E., Mehdi, T., Amirnia, R., & Hojat, S. (2008). Effect of osmopriming with polyethylene glycol (8000) on germination and seedling growth of wheat (*Triticum aestivum* L.) seeds under salt stress. *Research Journal of Biological Sciences, 3*, 91-94.

Haffani, S., Mezni, M., Slama, I., Ksontini, M., & Chaïbi, W. (2014). Plant growth, water relations and proline content of three vetch species under water-limited conditions. *Grass and Forage Science, 69*(2), 323–333.

Harborne, J. B. (1984). *Phytochemical methods A guide to modern techniques of plant analysis (2nd ed.)*. London Chapman and Hall.

Harris, J. M. (Ed.). (1992). Poly(ethylene glycol) chemistry: Biotechnical and biomedical applications. Springer.

Havlin, J.L., Beaton, J.D., Tisdale, S.L., Nelson, W.L. (2007). *Soil fertility and fertilizers. An introduction to nutrient management*. 7th ed. Pearson Education Inc. Singapore., 105 - 221.

ITIS. (2011). *Glycine max (L.) Merr*. Integrated Taxonomic Information System. Retrieved July 23, 2025, from https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26716#null

Jisha, K.C., Vijayakumari, K. & Puthur, J.T. (2013). Seed priming for abiotic stress tolerance: an overview. *Acta Physiol Plant 35*, 1381–1396.

Kartika, K., Laikatan, B., & Ria, R. P. (2021). Hydro- and osmo-priming effects on upland rice exposed to drought conditions at vegetative and reproductive stages. *Chiang Mai University Journal of Natural Sciences, 20*(1), 1–11.

Kartika Sari, E., & Hidayati, S. (2020). Penetapan Kadar Klorofil dan Karotenoid Daun Sawi (*Brassica*) Menggunakan Metode Spektrofotometri UV-Vis. *Fullerene Journal Of Chemistry*, *5*(1), 49–52.

Khan, M.B., Hussain, M., Raza, A., Farooq, S., & Jabran, K. (2015). Seed priming with CaCl2 and ridge planting for improved drought resistance in maize. *Turkish Journal of Agriculture and Forestry, 39*:193-203.

Krouma, A. (2010). Plant water relations and photosynthetic activity in three Tunisian chickpea (*Cicer arietinum* L.) genotypes subjected to drought. *Turkish Journal of Agriculture and Forestry 34*(3):257-264.

Kumudini, S. (2010). Soybean growth and development. Dalam *The Soybean: Botany, Production and Uses* (hlm. 48-73). CABI.

Kundu, E., & Bordolui, S. K. (2023). Silver nanoparticles-mediated seed priming improves germination and physiological performance in carrot. *Biological Forum – An International Journal, 15*(10), 1079-1085.

Kundu, E., & Bordolui, S. K. (2023). Osmopriming with Polyethylene Glycol (PEG-6000) Improves the Action of Seed Germination, Growth, and Physiology in Carrot. *International Journal of Plant & Soil Science, 37*(1), 525-535.

Latifa, A., & Rachmawati, D. (2020). Pengaruh Osmopriming Benih terhadap Pertumbuhan dan Morfofisiologi Tanaman Kangkung Darat (*Ipomoea reptans* Poir) pada Cekaman Kekeringan. *Jurnal Agronomi Indonesia, Indonesia 48*(2), 165-172.

Lawlor, D. (1970). Absorption of polyethylene glycols by plants and their effects on plant growth. New Phytologist, 69(3), 501-513.

Lei, C., Bagavathiannan, M., Wang, H., Sharpe, S. M., Meng, W., & Yu, J. (2021). Osmopriming with Polyethylene Glycol (PEG) for Abiotic Stress Tolerance in Germinating Crop Seeds: A Review. *Agronomy*, *11*(11), 2194.

Lemmens, E., Deleu, L. J., De Brier, N., De Man, W. L., De Proft, M., Prinsen, E., & Delcour, J. A. (2019). The impact of hydro-priming and osmo-priming on seedling characteristics, plant hormone concentrations, activity of selected hydrolytic enzymes, and cell wall and phytate hydrolysis in sprouted wheat (*Triticum aestivum* L.). *ACS Omega, 4*(26), 22089–22100.

Ma, L., Wei, J., Han, G., Sun, X., & Yang, X. (2024). Seed osmopriming with polyethylene glycol (PEG) enhances seed germination and seedling physiological traits of *Coronilla varia* L. under water stress. *PLOS ONE, 19*(5), e0303145.

Mahmoud, L. M., Dutt, M., Shalan, A. M., El-Kady, M. E., El-Boray, M. S., Shabana, Y. M., & Grosser, J. W. (2020). Silicon nanoparticles mitigate oxidative stress of in vitro-derived banana (*Musa acuminata* ‘Grand Nain’) under simulated water deficit or salinity stress. *South African Journal of Botany, 132*, 155–163.

Makhaye, G., Mofokeng, M. M., Tesfay, S., Aremu, A. O., Staden, J. V., & Amoo, S. O. (2021). *Biostimulants for Crops from Seed Germination to Plant Development*. Academic Press. p. 109-135.

Mawardi, C.N., Ichsan, & Syamsuddin. (2016). Pertumbuhan dan Hasil beberapa varietas tanaman padi (*Oryza sativa* L.) pada tingkat kondisi kekeringan. *Jurnal Ilmiah Mahasiswa Pertanian.* 1: 176–187.

Mendhulkar, V. D., & Nisha, K. (2015). Physiological and Biochemical Effects of Polyethylene Glycol (PEG) Induced Drought Stress Condition in Four Varieties of Indian Tomatoes (*Lycopersicon esculentum*). *International Journal of Pharma and Bio Sciences*, *6*(4), 971–980.

Miller, G., Suzuki, N., Ciftci-Yilmaz, S., & Mittler, R. (2010). Reactive oxygen species homeostasis and signalling during drought and salinity stresses. *Plant, Cell & Environment, 33*(4), 453–467.

Mishra, S. K., & Verma, V. D. (2010). Soybean Genetic Resources. Dalam *The Soybean: Botany, Production and Uses* (hlm. 74-91). CABI.

Moghanibashi, M., Karimmojeni, H., Nikneshan, P. (2013). Seed treatment to overcome drought and salt stress during germination of sunflower (*Helianthus annuus* L.). *J. Agrobiol*, *30*, 89–96.

Mouradi, M., Bouizgaren, A., Farissi, M., Makoudi, B., Kabbadj, A., Very, A. A., *et al.* (2016). Osmopriming improves seeds germination, growth, antioxidant Responses and membrane stability during early stage of *Moroccan alfalfa* populations under water deficit. *Chilean Journal of Agricultural Research, 76*(3), 265–272.

Mu, Q., Cai, H., Sun, S., Wen, S., Xu, J., Dong, M., *et al.* (2021). The physiological Response of winter wheat under short-term drought conditions and the sensitivity of different indices to soil water changes. *Agricultural Water Management, 243*, 106475.

Novanursandy, N., & Rachmawati, D. (2023). Pengaruh Osmopriming Benih terhadap Perkecambahan dan Pertumbuhan Tanaman Cabai Rawit (*Capsicum frutescens* L.) pada Cekaman Kekeringan. *Bioscientist: Jurnal Ilmiah Biologi, 11*, 1001.

Nur, M., & Miftahorrachman. (2012). Pengaruh pengupasan dan jenis mulsa terhadap kecepatan berkecambah dan daya kecambah benih pinang (*Arece catechu* L.). *Beletin Palma, 13*(2), 122–126.

Nurmauli, Nurmiaty, Y. (2010). Studi Metode Invigorasi pada Viabilitas Dua Lot Benih Kedelai yang Telah Disimpan Selama Sembilan Bulan. *Jurnal Ilmu Pertanian Indonesia, 15*(1), 20-24.

Prata, J. C., Patr, A. L., Mouneyrac, C., Walker, T. R., Duarte, A. C., & Rocha-santos, T. (2019). Solutions and Integrated Strategies for the Control and Mitigation of Plastic and Microplastic Pollution. *International Journal of Environmental Research and Public Health*, *16*(2411), 1–19.

Putra, A. A. B., Bogoriani, N. W., Diantariani, N. P., & Sumadewi, N. L. U. (2014). Ekstraksi zat warna alam dari bonggol tanaman pisang (*Musa paradisiaca* L.) dengan metode maserasi, refluks, dan sokletasi, *Jurnal Kimia, 8*, 113 – 119.

Qiu, L., & Chang, R.Z. (2010). The origin and history of soybean. Dalam *The Soybean: Botany, Production and Uses* (hlm. 1-23). CABI.

Rashid, A., Harris, D., Hollington, P., & Ali, S. (2004). On-farm seed priming reduces yield losses of mungbean (*Vigna radiata*) associated with mungbean yellow mosaic virus in the North West Frontier Province of Pakistan. *Crop Protection, 23*(12), 1119–1124.

Ranal, M.A., de Santana, D.G. (2006). "How and why to measure the germination process?". *Brazilian Journal of Botany*, 29(1), 1--11.

Rini, D. S., Budiarjo, B., Gunawan, I., Agung, R. H., & Munazar, R. (2020). Mekanisme Respons Tanaman terhadap Cekaman Kekeringan. *Berita Biologi*, *19*(3B).

Rouhi, H. R., Afshari, R. T., Moosavi, S., & Gharineh, M. H. (2010). Effects of osmopriming on germination and vigour traits bersim clover (*Trifolium alexandrinum* L.). *Notulae Scientia Biologicae, 2*(4), 59-63.

Sari, R. M., Maharani, A. I., Wulan, H., Kanaya, O. N., & Violita, V. (2021). Respons perkecambahan kedelai (*Glycine max* L.) terhadap kondisi cekaman kekeringan dengan menggunakan PEG (Polyethylene Glycol) 8000. *Prosiding SEMNAS BIO 2021, 423-431*.

Sattar, A., Cheema, M.A., Abbas, T. Sher, A., Ijaz, M., Wahid, M.A., & Hussain, M. (2017). Physiological Response of Late Sown Wheat to Exogenous Application of Silicon. *Cereal Research Communications,* 45, 202–213.

Setyawan, G., & Huda, S. (2022). Analisis pengaruh produksi kedelai, konsumsi kedelai, pendapatan per kapita, dan kurs terhadap impor kedelai di Indonesia. *Online) KINERJA: Jurnal Ekonomi dan Manajemen*, *19*(2), 215.

Shan, F., Sun, K., Gong, S., Wang, C., Ma, C., Zhang, R., & Yan, C. (2022). Effects of Shading on the Internode Critical for Soybean (*Glycine Max*) Lodging. *Agronomy, 12*(2), 492.

Shu, K., Meng, Y. J., Shuai, H. W., Liu, W. G., Du, J. B., Liu, J., *et al.* (2015). Dormancy and germination: How does the crop seed decide? In A. Weber (Ed.), *Plant Biology, 17*(6), 1104–1112.

Singh, H., Jassal, R. K., Kang, J. S., Sandhu, S. S., Kang, H., & Grewal, K. (2015). Seed priming techniques in field crops – A review. *Agricultural Reviews*, 36(4), 251 264.

Singh, R., Nelson, R., & Chung, G. (2007). Soybean [*Glycine max* (L.) Merr.]. Dalam *Genetic Resources, Chromosome Engineering, and Crop Improvement* (hlm. 13-49). Routledge Taylor and Francis Group.

Siswanti, D. U., Maryani, Rachmawati, F. Y., Niken, A., Agustin, R. V., Wulansari, N. (2021). Grain Quality of Rice (*Oryza sativa* L.) 'Menthik Wangi' of Organic Farming Yields. *HAYATI Journal of Biosciences*, *28*(2), 105-109.

Tefa A. (2017). Uji viabilitas dan vigor benih padi (*Oryza sativa* L.) selama penyimpanan pada tingkat kadar air yang berbeda. *Savana Cendana, 2*(3), 48–50.

Uddin, S., Ullah, S., & Nafees, M. (2021). Effect of seed priming on growth and performance of *Vigna radiata* L. under induced drought stress. *Journal of Agriculture and Food Research, 4,* 100140.

Umair, A., Ali, S., Hayat, R., Ansar, M., Tareen, M.J. (2011). Evaluation of seed priming in mung bean (*Vigna radiata*) for yield, nodulation and biological nitrogen fixation under rainfed conditions. *African Journal of Biotechnology, 10*(79), 18122-18129.

Wellburn, A. R. (1994). The spectral determination of chlorophylls a and b, as well as total carotenoids, using various solvents with spectrophotometers of different resolution. *Journal of Plant Physiology, 144*(3), 307–313

Yanglem, S. D., & Ram, V. (2021). Effects of seed priming on root-shoot behavior and stress tolerance of pea (*Pisum sativum* L.). *Bangladesh Journal of Botany*, 50(2), 199-208.

Zhang, C., He, P., Yu, Z., & Hu, S. (2010). Effect of zinc sulphate and PEG priming on ageing seed germination and antioxidase activities of *Perilla frutescens* seedlings. *China J. Chin. Mater. Med*, *35*, 2372–2377.

Zhang, F., Yu, J.; Johnston, C.R., Wang, Y., Zhu, K., Lu, F., Zhang, Z., & Zou, J. (2015). Seed priming with polyethylene glycol induces physiological changes in sorghum (*Sorghum bicolor* L. Moench) seedlings under suboptimal soil moisture environments. *PLoS ONE*, *10*, e0140620.

Zia, R., Nawaz, M. S., Siddique, M. J., Hakim, S., & Imran, A. (2021). Plant survival under drought stress: Implications, adaptive Responses, and integrated rhizosphere management strategy for stress mitigation. *Microbiological Research, 242*, 126626.