

DAFTAR PUSTAKA

- Aanen, D. K., van 't Padje, A., & Auxier, B. (2023). Longevity of Fungal Mycelia and Nuclear Quality Checks: a New Hypothesis for the Role of Clamp Connections in Dikaryons. *Microbiology and Molecular Biology Reviews*, 87(3). <https://doi.org/10.1128/membr.00022-21>
- Adotey, G., Alolga, R. N., Quarcoo, A., Yerenkyi, P., Otu, P., Anang, A. K., Okine, L. K. N., Gbewonyo, W. S. K., Holliday, J. C., & Lombardi, V. C. (2024). Molecular Identification and Characterization of Five *Ganoderma* Species from the Lower Volta River Basin of Ghana Based on Nuclear Ribosomal DNA (nrDNA) Sequences. *Journal of Fungi*, 10(1). <https://doi.org/10.3390/jof10010006>
- Akinsemolu, A. A., Helen, N. O. (2025). Mycoproteins as sustainable food sources: current applications and future prospects. *SN Applied Sciences*, 7(191). <https://doi.org/10.1007/s42452-025-06614-0>
- Ahmad, M. I., Farooq, S., Alhamoud, Y., Li, C., & Zhang, H. (2022a). A review on mycoprotein: History, nutritional composition, production methods, and health benefits. In *Trends in Food Science and Technology* (Vol. 121, pp. 14–29). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2022.01.027>
- Ahmad, M. I., Farooq, S., Alhamoud, Y., Li, C., & Zhang, H. (2022b). A review on mycoprotein: History, nutritional composition, production methods, and health benefits. In *Trends in Food Science and Technology* (Vol. 121, pp. 14–29). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2022.01.027>
- Alvarenga, R. L. M., Naves, L. R. R., & Xavier-Santos, S. (2015). The Genus *Auricularia* Bull. ex Juss. (Basidiomycota) in Cerrado (Brazilian Savanna) areas of Goiás state and the Federal District, Brazil. *Mycosphere*, 6(5), 532–541. <https://doi.org/10.5943/mycosphere/6/5/3>
- Animasaun, D. A., Nnamdi, C. D., Ipinmoroti, O. I., Oyedeji, S., Olonya, E. A., Krishnamurthy, R., Morakinyo, J. A. (2022). Molecular Identification and Phylogenetic Analysis of Fungi Contaminants Associated with In Vitro Cultured Banana Based on ITS Region Sequence. *HAYATI Journal of Biosciences*, 29(3), 288-300. <https://doi.org/10.4308/hjb.29.3.288-300>
- Azad, S., & Ping, V. C. (2021). Comparison of Protein and Amino Acids in the Extracts of Two Edible Mushroom, *Pleurotus sajor-caju* and *Schizophyllum*

commune. *Advances in Bioscience and Biotechnology*, 12(09), 286–296.
<https://doi.org/10.4236/abb.2021.129018>

Bakratsas, G., Polydera, A., Katapodis, P., & Stamatis, H. (2021). Recent trends in submerged cultivation of mushrooms and their application as a source of nutraceuticals and food additives. In *Future Foods* (Vol. 4). Elsevier B.V.
<https://doi.org/10.1016/j.fufo.2021.100086>

Bakratsas, G., Polydera, A., Nilson, O., Kossatz, L., Xiros, C., Katapodis, P., & Stamatis, H. (2023). Single-cell protein production by *Pleurotus ostreatus* in submerged fermentation. *Sustainable Food Technology*, 1.
<https://doi.org/10.1039/d2fo00058j>

Balajee, S.A., Borman, A.M., Brandt, M.E., Cano, J., Cuenca-Estrella, M., Dannaoui, E., Wickes, B. L. (2009). Sequence-based identification of *Aspergillus*, *Fusarium*, and *Mucorales* species in the clinical mycology laboratory: Where are we and where should we go from here?. *Journal of Clinical Microbiology*, 47(4), 877–884. <http://doi.org/10.1128/JCM.01685-08>.

Bandara, A. R., Rapior, S., Mortimer, P. E., Kakumyan, P., Hyde, K. D., & Xu, J. (2019). A review of the polysaccharide, protein and selected nutrient content of *Auricularia*, and their potential pharmacological value. *Mycosphere*, 10(1), 579–607. <https://doi.org/10.5943/mycosphere/10/1/10>

Beeck, M., Lievens, B., Busschaert, P., Declerck, S., Vangronsveld, J., & Colpaert, J. V. (2014). Comparison and validation of some ITS primer pairs useful for fungal metabarcoding studies. *PLoS ONE*, 9(6). <http://doi.org/10.1371/journal.pone.0097629>

Castañeda-Salazar, R., Pulido-Villamarín, A., Ángel-Rodríguez, G. L., Zafra-Alba, C. A., & Oliver-Espinosa, O. (2021). Isolation and identification of *Salmonella* spp. in raw milk from dairy herds in Colombia. *Brazilian Journal of Veterinary Research and Animal Science*, 58.
<https://doi.org/10.11606/issn.1678-4456.bjvras.2021.172805>

Chen, X. J., Deng, Z., Zhang, L. Le, Pan, Y., Fu, J., Zou, L., Bai, Z., Xiao, X., & Sheng, F. (2024). Therapeutic potential of the medicinal mushroom *Ganoderma lucidum* against Alzheimer's disease. In *Biomedicine and Pharmacotherapy* (Vol. 172). Elsevier Masson s.r.l.
<https://doi.org/10.1016/j.biopha.2024.116222>

- Chen, Y., Xie, M. Y., & Gong, X. F. (2007). Microwave-assisted extraction used for the isolation of total triterpenoid saponins from *Ganoderma atrum*. *Journal of Food Engineering*, 81(1), 162–170. <https://doi.org/10.1016/j.jfoodeng.2006.10.018>
- Chua, J. Y., & Liu, S. Q. (2019). Soy whey: More than just wastewater from tofu and soy protein isolate industry. *Trends in Food Science and Technology* (Vol. 91, pp. 24–32). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2019.06.016>
- Cui, L., Feng, G., Lu, J., & Li, C. (2021). The Content Analysis of Amino Acids in *Auricularia auricula* from Heilongjiang and Jilin. *Journal of Food Quality*, 2021. <https://doi.org/10.1155/2021/8886519>
- Dai, Y., Zhou, J., Wang, L., Dong, M., & Xia, X. (2021). Biotransformation of soy whey into a novel functional beverage by *Cordyceps militaris* SN-18. *Food Production, Processing and Nutrition*, 3(1). <https://doi.org/10.1186/s43014-021-00054-0>
- Darmasiwi, S., Aramsirirujwet, Y., & Kimkong, I. (2022). Evaluation of the nutritional value, mycochemicals, and antioxidant activities of *Hericium erinaceus* cultivated using jasmine rice. *Asian Journal of Agriculture and Biology*, 2022(4). <https://doi.org/10.35495/ajab.2021.08.309>
- Derbyshire, E. J., & Delange, J. (2021). Fungal Protein – What Is It and What Is the Health Evidence? A Systematic Review Focusing on Mycoprotein. In *Frontiers in Sustainable Food Systems* (Vol. 5). Frontiers Media S.A. <https://doi.org/10.3389/fsufs.2021.581682>
- Dörnte, B., & Kües, U. (2013). Fast Microwave-based DNA Extraction from Vegetative Mycelium and Fruiting Body Tissues of *Agaricomycetes* for PCR Amplification. In *Current Trends in Biotechnology and Pharmacy*. <https://www.researchgate.net/publication/262180081>
- Dunyach, C., Bertout, S., Phelipeau, C., Drakulovski, P., Reynes, J., & Mallié, M. (2008). Detection and identification of *Candida* spp. in human serum by LightCycler® real-time polymerase chain reaction. *Diagnostic Microbiology and Infectious Disease*, 60(3), 263–271. <https://doi.org/10.1016/j.diagmicrobio.2007.09.014>
- Edy, N., Anshary, A., Lakani, I., Zulfadli, & Walidi. (2022). Morphological diversity of *Ganoderma* along different land uses in Central and West Sulawesi. *IOP Conference Series: Earth and Environmental Science*, 1107(1). <https://doi.org/10.1088/1755-1315/1107/1/012021>

- Ekiz, E., Oz, E., Abd El-Aty, A. M., Proestos, C., Brennan, C., Zeng, M., Tomasevic, I., Elobeid, T., Çadircı, K., Bayrak, M., & Oz, F. (2023). Exploring the Potential Medicinal Benefits of *Ganoderma lucidum*: From Metabolic Disorders to Coronavirus Infections. In *Foods* (Vol. 12, Issue 7). MDPI. <https://doi.org/10.3390/foods12071512>
- El Mansy, S. M. (2019). *Ganoderma*: The mushroom of immortality. In *Microbial Biosystems* (Vol. 4, Issue 1, pp. 45–57). Arab Society for Fungal Conservation. <https://doi.org/10.21608/MB.2019.40239>
- Elkhateeb, W. A., & Daba, G. M. (2022). The wild non edible mushrooms, what should we know so far? *International Journal of Advanced Biochemistry Research*, 6(1), 43–50. <https://doi.org/10.33545/26174693.2022.v6.i1a.83>
- Fajarningsih, N. (2016). Internal Transcribed Spacer (ITS) as DNA Barcoding to Identify Fungal Species: a Review. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 11(2), 37-44. [doi://doi.org/10.15578/squalen.213](https://doi.org/10.15578/squalen.213)
- Finnigan, T. J., Wall, B. T., Wilde, P. J., Stephens, F. B., Taylor, S. L., & Freedman, M. R. (2019). A Mycoprotein: The Future of Nutritious Nonmeat Protein, a Symposium Review. *Current Developments in Nutrition*, 3(6). <https://doi.org/10.1093/cdn/nzz021>.
- Fletcher, I. (2019). Effect of Temperature and Growth Media on Mycelium Growth of *Pleurotus Ostreatus* and *Ganoderma Lucidum* Strains. *Cohesive Journal of Microbiology & Infectious Disease*, 2(5). <https://doi.org/10.31031/cjmi.2019.02.000549>
- Gautam, A. K., Verma, R. K., Avasthi, S., Sushma, Bohra, Y., Devadatha, B., Niranjana, M., & Suwannarach, N. (2022). Current Insight into Traditional and Modern Methods in Fungal Diversity Estimates. *Journal of Fungi*, 8(3), 226. <https://doi.org/10.3390/jof8030226>
- Gibbs, P. A., R. J. Seviour, F. Schmid. (2000). Growth of Filamentous Fungi in Submerged Culture: Problems and Possible Solutions. *Critical Reviews in Biotechnology*, 20(1): 17-48. <https://doi.org/10.1080/07388550091144177>
- Haider, N. (2011). Identification of Plant Species Using Traditional and Molecular-Based Methods. *Wild Plants: Identification, Uses and Conservation (Ed. RE Davis)*, Nova Science Publishers, Inc., New York, USA. pp. 1-62
- Hamrouni Z., S., Chaabouni, R. L., Srih, A., Dogan, H. H., Varıcioglu, E., Sbissi, I., Kües, U., Toumi, L., Tlili, A., Peron, G., Louhichi, N., Trigui, M., & Zouari

- Bouassida, K. (2024). Nutritional and pharmacological potentials of the medicinal mushroom *Ganoderma adspersum* (Schulz.) Donk. *South African Journal of Botany*, 166, 360–374. <https://doi.org/10.1016/j.sajb.2024.01.049>
- Hapuarachchi, K. K., Elkhateeb, W. A., Karunarathna, S. C., Cheng, C. R., Bandara, A. R., Kakumyan, P., Hyde, K. D., Daba, G. M., & Wen, T. C. (2018). Current status of global *Ganoderma* cultivation, products, industry and market. *Mycosphere*, 9(5), 1025–1052. <https://doi.org/10.5943/mycosphere/9/5/6>
- Hassan, F. R. H., & Medany, G. M. (2012). Studies on Submerged Culture Conditions for Mycelial Biomass Production of Wood Ears Mushroom (*Auricularia polytricha*). *Middle East Journal of Agriculture Research*, 1(1), 33–39.
- Hofstetter, V., Buyck, B., Eyssartier, G., Schnee, S., and Gindro, K. (2019). The unbearable lightness of sequenced-based identification. *Fungal Diversity*. 96: 243-284. <https://doi.org/10.1007/s13225-019-00428-3>
- Iskandar, N., Samsudin, P., & Abdullah, N. (2019). Edible mushrooms from Malaysia; a literature review on their nutritional and medicinal properties. *International Food Research Journal*. 26(1), 11-31. <http://www.ifrj.upm.edu.my>
- Irinyi, L., Serena, C., Garcia-Hermoso, D., Arabatzis, M., Desnos-Ollivier, M., Vu, D., Cardinali, G., Arthur, I., Normand, A. C., Giraldo, A., da Cunha, K. C., Sandoval-Denis, M., Hendrickx, M., Nishikaku, A. S., de Azevedo Melo, A. S., Merseguel, K. B., Khan, A., Parente Rocha, J. A., Sampaio, P., da Silva Briones, M. R., Meyer, W. (2015). International Society of Human and Animal Mycology (ISHAM)-ITS reference DNA barcoding database--the quality controlled standard tool for routine identification of human and animal pathogenic fungi. *Medical mycology*, 53(4), 313–337. <https://doi.org/10.1093/mmy/myv008>
- Jia, R. B., Guo, W. L., Zhou, W. Bin, Jiang, Y. J., Zhu, F. F., Chen, J. H., Li, Y., Liu, B., Chen, S. J., Chen, J. C., Ni, L., Rao, P. F., & Lv, X. C. (2017). Screening and identification of *Monascus* strain with high TMP production and statistical optimization of its culture medium composition and liquid state fermentation conditions using response surface methodology (RSM). *Biotechnology and Biotechnological Equipment*, 31(4), 828–838. <https://doi.org/10.1080/13102818.2017.1335176>

- Jo, W.-S., Kim, D.-G., Seok, S.-J., Jung, H.-Y., & Park, S.-C. (2014). The culture conditions for the mycelial growth of *Auricularia auricula-judae*. *Journal of Mushroom*, 12(2), 88–95. <https://doi.org/10.14480/jm.2014.12.2.88>
- Jonathan, Kook P., & O, O. A. (2012). Insect and fungal pests of some mushrooms collected from university of Ibadan, Nigeria campus. *Nature and Science*, 10(9), 142-147. <http://www.sciencepub.net/nature>
- Kachrimanidou, V., Papadaki, A., Papapostolou, H., Alexandri, M., Gonou-Zagou, Z., & Kopsahelis, N. (2023). *Ganoderma lucidum* Mycelia Mass and Bioactive Compounds Production through Grape Pomace and Cheese Whey Valorization. *Molecules*, 28(17). <https://doi.org/10.3390/molecules28176331>
- Kheyrodin, H., Rajabi, L., & Kianian, & M. K. (2018). Study Of Potato Dextrose Agar (PDA). *Journal of Bio Innovation*, 7 (4), 511-520. www.jbino.com
- Kurup, V. P., Shen, H. D., & Banerjee, B. (2000). Respiratory fungal allergy. *Microbes and infection*, 2(9), 1101–1110. [https://doi.org/10.1016/s1286-4579\(00\)01264-8](https://doi.org/10.1016/s1286-4579(00)01264-8)
- Liang, J., Xu, N., Nedele, A. K., Rigling, M., Zhu, L., Zhang, Y., Stöppelmann, F., Hannemann, L., Heimbach, J., Kohlus, R., & Zhang, Y. (2023). Upcycling of Soy Whey with *Ischnoderma benzoinum* toward Production of Bioflavors and Mycoprotein. *Journal of Agricultural and Food Chemistry*, 71(23), 9070–9079. <https://doi.org/10.1021/acs.jafc.3c01169>
- Luangharn, T., Karunarathna, S. C., Dutta, A. K., Paloi, S., Promputtha, I., Hyde, K. D., Xu, J., & Mortimer, P. E. (2021). *Ganoderma* (Ganodermataceae, basidiomycota) species from the greater mekong subregion. *Journal of Fungi*, 7(10). <https://doi.org/10.3390/jof7100819>
- Majumder, R., Miatur, S., Saha, A., & Hossain, S. (2023). Mycoprotein: production and nutritional aspects: a review. *Sustainable Food Technology* (Vol. 2, Issue 1, pp. 81–91). Royal Society of Chemistry. <https://doi.org/10.1039/d3fb00169e>
- Martin, K. J., & Rygiewicz, P. T. (2005). Fungal-specific PCR primers developed for analysis of the ITS region of environmental DNA extracts. *BMC Microbiology*, 5. <https://doi.org/10.1186/1471-2180-5-28>
- Matassa, S., Boon, N., Pikaar, I., & Verstraete, W. (2016). Microbial protein: future sustainable food supply route with low environmental footprint. *Microbial Biotechnology*, 9(5), 568–575. <https://doi.org/10.1111/1751-7915.12369>

- Mohtar, W. A. A. Q. I., Ab Kadir, S., & Saari, N. (2016). The morphology of *Ganoderma lucidum* mycelium in a repeated-batch fermentation for exopolysaccharide production. *Biotechnology Reports*, *11*, 2–11. <https://doi.org/10.1016/j.btre.2016.05.005>
- Moreno, A. B., Martínez Del Pozo, Á., & San Segundo, B. (2006). Biotechnologically relevant enzymes and proteins: Antifungal mechanism of the *Aspergillus giganteus* AFP against the rice blast fungus *Magnaporthe grisea*. *Applied Microbiology and Biotechnology*, *72*(5), 883–895. <https://doi.org/10.1007/s00253-006-0362-1>
- Niego, A. G., Rapior, S., Thongklang, N., Raspé, O., Jaidee, W., Lumyong, S., & Hyde, K. D. (2021). Macrofungi as a nutraceutical source: promising bioactive compounds and market value. *Journal of Fungi*, *7*(5). <https://doi.org/10.3390/jof7050397>
- Oli, A. N., Edeh, P. A., Al-Mosawi, R. M., Mbachu, N. A., Al-Dahmoshi, H. O. M., Al-Khafaji, N. S. K., Ekuma, U. O., Okezie, U. M., & Saki, M. (2020). Evaluation of the phytoconstituents of *Auricularia auricula-judae* mushroom and antimicrobial activity of its protein extract. *European Journal of Integrative Medicine*, *38*. <https://doi.org/10.1016/j.eujim.2020.101176>
- Onyango, B. (2016). Molecular characterization of wood ear mushrooms [*Auricularia* sp.] from Kakamega Forest in Western Kenya. *Current Research in Environmental & Applied Mycology*, *6*(1), 51–60. <https://doi.org/10.5943/cream/6/1/6>
- Onyango, B., & Palapala, V. (2011). Morphological characterization of Kenyan native wood ear mushroom [*Auricularia auricula* (L. ex Hook.) Underw.] and the effect of supplemented millet and sorghum grains in spawn production. *Agriculture and Biology Journal of North America*, *2*(3), 407–414. <https://doi.org/10.5251/abjna.2011.2.3.407.414>
- Palanna, K., Koti, P., & Basavaraj, S. (2022). Morphological and molecular diversity of *Ganoderma* spp. causal agent of basalstem rot of coconut in Southern dry tracts of Karnataka. *Journal of Horticultural Science*, *17*(2), 436–447. <https://doi.org/10.24154/jhs.v17i2.1352>
- Parisi, G., Palopoli, N., Tosatto, S. C. E., Fornasari, M. S., & Tompa, P. (2021). “Protein” no longer means what it used to. *Current Research in Structural Biology* (Vol. 3, pp. 146–152). Elsevier B.V. <https://doi.org/10.1016/j.crstbi.2021.06.002>

- Peng, G., Xiong, C., Zeng, X., Jin, Y., & Huang, W. (2024). Exploring Nutrient Profiles, Phytochemical Composition, and the Antiproliferative Activity of *Ganoderma lucidum* and *Ganoderma leucocontextum*: A Comprehensive Comparative Study. *Foods*, *13*(4). <https://doi.org/10.3390/foods13040614>
- Pessoa, V. A., Soares, L. B. N., Silva, G. L., Vasconcelos, A. S., Silva, J. F., Fariña, J. I., Oliveira-Junior, S. D., Sales-Campos, C., & Chevreuil, L. R. (2023). Production of mycelial biomass, proteases and protease inhibitors by *Ganoderma lucidum* under different submerged fermentation conditions. *Brazilian Journal of Biology*, *83*. <https://doi.org/10.1590/1519-6984.270316>
- Pham, P., Nguyen Huu, T., & Van La, H. (2021). Identification Of *Ganoderma Lucidum* (Curtis) P. Karst. Species Isolated from Ironwood (*Erythrophleum Fordii* Oliver) In Viet Nam Act Through by ITS1 Sequence and Phylogenetic Analys. *Plant Cell Biotechnology and Molecular Biology*. <https://www.researchgate.net/publication/350134956>
- Popkin, B. M., Adair, L. S., & Ng, S. W. (2012). Global nutrition transition and the pandemic of obesity in developing countries. *Nutrition Reviews*, *70*(1), 3–21. <https://doi.org/10.1111/j.1753-4887.2011.00456.x>
- Pratama, F., Rahardja, R. T., Rachmadi, A. R., Salam, W. Q., Kho, K., Adelle, A., & Devanthi, P. V. P. (2025). Optimizing Mycoprotein Production by *Aspergillus oryzae* Using Soy Whey as a Substrate. *Journal of Fungi*, *11*(5). <https://doi.org/10.3390/jof11050349>
- Raja, H. A., Miller, A. N., Pearce, C. J., & Oberlies, N. H. (2017). Fungal Identification Using Molecular Tools: A Primer for the Natural Products Research Community. *Journal of natural products*, *80*(3), 756–770. <https://doi.org/10.1021/acs.jnatprod.6b01085>
- Ramires, F. A., Bavaro, A. R., D'Antuono, I., Linsalata, V., D'Amico, L., Baruzzi, F., Pinto, L., Tarantini, A., Garbetta, A., Cardinali, A., & Bleve, G. (2023). Liquid submerged fermentation by selected microbial strains for onion skins valorization and its effects on polyphenols. *World Journal of Microbiology and Biotechnology*, *39*(10). <https://doi.org/10.1007/s11274-023-03708-y>
- Shamly, V., Kali, A., Srirangaraj, S., & Umadevi, S. (2014). Comparison of microscopic morphology of fungi using lactophenol cotton blue, iodine glycerol and Congo red formaldehyde staining. In *Journal of Clinical and Diagnostic Research* (Vol. 8, Issue 7). Journal of Clinical and Diagnostic Research. <https://doi.org/10.7860/JCDR/2014/8521.4535>

- Sharif, M., Zafar, M. H., Aqib, A. I., Saeed, M., Farag, M. R., & Alagawany, M. (2021). Single cell protein: Sources, mechanism of production, nutritional value and its uses in aquaculture nutrition. In *Aquaculture* (Vol. 531). Elsevier B.V. <https://doi.org/10.1016/j.aquaculture.2020.735885>
- Sheikha, A. F. El. (2022). Nutritional Profile and Health Benefits of *Ganoderma lucidum* “Lingzhi, Reishi, or Mannentake” as Functional Foods: Current Scenario and Future Perspectives. In *Foods* (Vol. 11, Issue 7). MDPI. <https://doi.org/10.3390/foods11071030>
- Silalahi, J., Morin Sinaga, S., & Margata, L. (2015). Protein analysis of canned legumes by using visible spectrophotometry and Kjeldahl method Analysis of Total Protein and Non Protein Nitrogen in Coconut Water and Meat (*Cocos Nucifera* L.) by using Kjeldahl Method. *International Journal of PharmTech Research CODEN (USA): IJPRIF* (Vol. 8, Issue 4). <https://www.researchgate.net/publication/284918919>
- Skalicka-Woźniak, K., Szypowski, J., Łoś, R., Siwulski, M., Sobieralski, K., Głowniak, K., & Malm, A. (2012). Evaluation of polysaccharides content in fruit bodies and their antimicrobial activity of four *Ganoderma lucidum* (W Curt.: Fr.) P. Karst. strains cultivated on different wood type substrates. *Acta Societatis Botanicorum Poloniae*, 81(1), 17–21. <https://doi.org/10.5586/asbp.2012.001>
- Smith, K. A. B., Pessarakli, M. M., and Wolk, D. M. (2012). Assesment of DNA yield and purity: an overlooked detail of PCR troubleshooting. *Clinical Microbiology Newsletter*. 34(1): 1-6. <https://doi.org/10.1016/j.clinmicnews.2011.12.002>
- Sorensen, F., Mattsson, J., & Sundbo, J. (2010). Experimental methods in innovation research. *Research Policy*, 39, 313-322. <https://doi.org/10.1016/J.RESPOL.2010.01.006>.
- Souza Filho, P. F., Andersson, D., Ferreira, J. A., & Taherzadeh, M. J. (2019). Mycoprotein: environmental impact and health aspects. *World Journal of Microbiology and Biotechnology* (Vol. 35, Issue 10). Springer Netherlands. <https://doi.org/10.1007/s11274-019-2723-9>
- Stephan, A., Ahlborn, J., Zajul, M., & Zorn, H. (2018). Edible mushroom mycelia of *Pleurotus sapidus* as novel protein sources in a vegan boiled sausage analog system: functionality and sensory tests in comparison to commercial proteins and meat sausages. *European Food Research and Technology*, 244(5), 913–924. <https://doi.org/10.1007/s00217-017-3012-1>

- Stoffel, F., Santana, W. D. O., Fontana, R. C., Gregolon, J. G. N., Kist, T. B. L., De Siqueira, F. G., Mendonça, S., & Camassola, M. (2019). Chemical features and bioactivity of grain flours colonized by macrofungi as a strategy for nutritional enrichment. *Food Chemistry*, 297. <https://doi.org/10.1016/j.foodchem.2019.124988>
- Stoffel, F., Santana, W. de O., Fontana, R. C., & Camassola, M. (2021). Use of *Pleurotus albidus* mycoprotein flour to produce cookies: Evaluation of nutritional enrichment and biological activity. *Innovative Food Science and Emerging Technologies*, 68. <https://doi.org/10.1016/j.ifset.2021.102642>
- Su, Y. Y., Tang, H., Li, X. W., Sun, W., Chen, Z. H., & Xiang, L. (2016). Identification of common edible and medicinal mushrooms by DNA barcoding. *World Journal of Traditional Chinese Medicine*, 2(3), 10–16. <https://doi.org/10.15806/j.issn.2311-8571.2016.0016>
- Suansia, A., & John, P. (2020). Morphological and Cultural Characteristics of Different Collections of Medicinal White-Rot Bracket Fungi *Ganoderma* P. Karst. *International Journal of Current Microbiology and Applied Sciences*, 9(1), 2636–2644. <https://doi.org/10.20546/ijemas.2020.901.299>
- Tindjau, R., Chua, J. Y., & Liu, S. Q. (2024). Utilization of propionic acid bacteria in the biotransformation of soy (tofu) whey: Growth and metabolite changes. *Journal of Food Science*, 89(1), 540–551. <https://doi.org/10.1111/1750-3841.16863>
- Tsermoula, P., Khakimov, B., Nielsen, J. H., & Engelsens, S. B. (2021). Whey - The waste-stream that became more valuable than the food product. In *Trends in Food Science and Technology* (Vol. 118, pp. 230–241). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2021.08.025>
- Toju, H., Tanabe, A. S., Yamamoto, S., & Sato, H. (2012). High-coverage ITS primers for the DNA-based identification of ascomycetes and basidiomycetes in environmental samples. *PLoS ONE*, 7(7). <https://doi.org/10.1371/journal.pone.0040863>
- Utomo, C., Werner, S., Niepold, F., & Deising, H. B. (2005). Identification of *Ganoderma*, the causal agent of basal stem rot disease in oil palm using a molecular method. *Mycopathologia*, 159(1), 159–170. <https://doi.org/10.1007/s11046-004-4439-z>
- Valverde, M. E., Hernández-Pérez, T., & Paredes-López, O. (2015). Edible mushrooms: Improving human health and promoting quality life.

International Journal of Microbiology, 376-387.
<https://doi.org/10.1155/2015/376387>

Walker, A., Wannasawang, N., Taliang, W., Keokanngun, L., Luangharn, T., & Thongklang, N. (2023). Optimal conditions for mycelial growth and nutritional values of the *Auricularia cornea*. *Studies in Fungi*, 8. <https://doi.org/10.48130/SIF-2023-0019>

Wally, P. (2022). Analysis Of *Escherichia Coli* Bacteria Content in Fish Meat with Vitek 2 Compact. In *Asian Journal of Aquatic Sciences*, 5(3), 335-341. <https://doi.org/10.31258/ajoas.5.3.335-341>

Wei, Q. L., Zheng, H. F., Shao, Y. Y., Rasheed, U., Lin, J. T., Huang, F. C., & Liu, B. (2024). A New Species of *Ganoderma* (Ganodermataceae, Polyporales) from Southern China and Optimum Condition for Mycelia Production. In *Mycobiology* (Vol. 52, Issue 1, pp. 58–67). Taylor and Francis Ltd. <https://doi.org/10.1080/12298093.2024.2306012>

Wu, F., Tohtirjap, A., Fan, L. F., Zhou, L. W., Alvarenga, R. L. M., Gibertoni, T. B., & Dai, Y. C. (2021). Global diversity and updated phylogeny of *Auricularia* (Auriculariales, basidiomycota). *Journal of Fungi*, 7(11). <https://doi.org/10.3390/jof7110933>

Wu, F., Yuan, Y., He, S. H., Bandara, A. R., Hyde, K. D., Malysheva, V. F., Li, D. W., & Dai, Y. C. (2015). Global diversity and taxonomy of the *Auricularia auricula-judae* complex (Auriculariales, Basidiomycota). *Mycological Progress*, 14(10). <https://doi.org/10.1007/s11557-015-1113-4>

Yan, M. Q., Feng, J., Liu, Y. F., Hu, D. M., & Zhang, J. S. (2023). Functional Components from the Liquid Fermentation of Edible and Medicinal Fungi and Their Food Applications in China. In *Foods* 12(10), 2086. <https://doi.org/10.3390/foods12102086>

Yu, T., Wu, Q., Liang, B., Wang, J., Wu, D., & Shang, X. (2023). The Current State and Future Prospects of *Auricularia auricula*'s Polysaccharide Processing Technology Portfolio. In *Molecules* (Vol. 28, Issue 2). MDPI. <https://doi.org/10.3390/molecules28020582>

Yu, Y.-J., Choi, K.-H., Jeong, J.-S., Lee, G.-K., & Choi, S.-R. (2013). Study on characteristic of mycelial culture in ear mushroom. *Journal of Mushroom Science and Production*, 11(1), 15-20. <https://doi.org/10.14480/JM.2013.11.1.015>.

- Yu, Y.-J., Choi, K.-H., Jeong, J.-S., Lee, G.-K., & Choi, S.-R. (2013). Study on characteristic of mycelial culture in ear mushroom. *Journal of Mushroom Science and Production*, 11(1), 15-20. <https://doi.org/10.14480/JM.2013.11.1.015>.
- Zhang, C., Guan, X., Yu, S., Zhou, J., & Chen, J. (2022). Production of meat alternatives using live cells, cultures and plant proteins. *Current Opinion in Food Science* (Vol. 43, pp. 43–52). Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2021.11.002>
- Zheng, M., Pi, X., Li, H., Cheng, S., Su, Y., Zhang, Y., Man, C., & Jiang, Y. (2024). *Ganoderma* spp. polysaccharides are potential prebiotics: a review. *Critical Reviews in Food Science and Nutrition* (Vol. 64, Issue 4, pp. 909–927). Taylor and Francis Ltd. <https://doi.org/10.1080/10408398.2022.2110035>
- Zou, Y., & Ma, K. (2018). Screening of *Auricularia auricula* strains for strong production ability of melanin pigments. *Food Science and Technology (Brazil)*, 38(1), 41–44. <https://doi.org/10.1590/1678-457x.00117>