

DAFTAR PUSTAKA

- Abdel Khalek, M.A., Abdel Gaber, S.A., El-Domany, R.A., and El-Kemary, M.A., 2021, Photoactive electrospun cellulose acetate/polyethylene oxide/methylene blue and trilayered cellulose acetate/polyethylene oxide/silk fibroin/ciprofloxacin nanofibers for chronic wound healing, *Int. J. Biol. Macromol.*, 193, 1752–1766.
- Agrawal, D., Pal, M., and Kumar, G., 2024, Pharmacological Research - Natural Products Pharmacodynamic approaches of phytoconstituents in wound healing mechanisms, *Pharmacol. Res. - Nat. Prod.*, 5, 100119.
- Al-Musawi, M.H., Turki, S.H., Al-Naymi, H.A.S., Sameer Al-salman, S., Boroujeni, V.V., Alizadeh, M., Sattar, M., Sharifianjazi, F., Bazli, L., Pajooh, A.M.D., Shahriari-Khalaji, M., Najafinezhad, A., Moghadam, F.M., Mirhaji, M., and Tavakoli, M., 2024, Localized delivery of healing stimulator medicines for enhanced wound treatment, *J. Drug Deliv. Sci. Technol.*, 101, 106212.
- de Almeida Bertassoni, B., de Abreu Garófalo, D., de Souza Bustamante Monteiro, M.S., Santos-Oliveira, R., Gomes, A.C.C., Toledo, A.L.M.M., Dias, M.L., Simas, N.K., and Ricci-Junior, E., 2024, In vivo wound healing activity of electrospun nanofibers embedding natural products, *Arab. J. Chem.*, 17, .
- Anusiya, G., and Jaiganesh, R., 2022, A review on fabrication methods of nanofibers and a special focus on application of cellulose nanofibers, *Carbohydr. Polym. Technol. Appl.*, 4, 100262.
- Auditto, S., Contardi, M., Gnocchi, C., Basso, F., Paknezhad, N., Athanassiou, A., and Bertorelli, R., 2024, Harnessing natural compounds and external stimuli for advanced wound healing: A review of combination therapy strategies, *J. Drug Deliv. Sci. Technol.*, 101, 106172.
- Bahadori Zade, M., Abdollahi, S., Raoufi, Z., and Zare Asl, H., 2024, Synergistic antibacterial and wound healing effects of chitosan nanofibers with ZnO nanoparticles and dual antibiotics, *Int. J. Pharm.*, 666, 124767.
- Bandehali, S., Moghadassi, A., Parvizian, F., Hosseini, S.M., Matsuura, T., and Joudaki, E., 2020, Advances in high carbon dioxide separation performance of poly (ethylene oxide)-based membranes, *J. Energy Chem.*, 46, 30–52.
- Behera, S.S., Majumdar, A.G., Gullani, H., Roy, A.L., Dash, A.K., Behera, P.K., Parwez, Z., Giri, S., Mohanty, P.S., and Ray, L., 2025, Green synthesis of silver-chitosan nanocomposite exhibits promising antibiofilm properties against pathogenic bacteria *Escherichia coli* and *Staphylococcus aureus*, *Microbe (Netherlands)*, 6, 100264.
- Bernatová, S., Samek, O., Pilát, Z., Šerý, M., Ježek, J., Jákl, P., Šiler, M., Krzyžánek, V., Zemánek, P., Holá, V., Dvorácková, M., and Ružicka, F.,

2013, Following the mechanisms of bacteriostatic versus bactericidal action using raman spectroscopy, *Molecules*, 18, 13188–13199.

Bpom, 2022, *Leaflet kemasan: Informasi untuk pengguna Salep Topikal Terra-Cortril® 30 mg/10 mg.*

Bueno, M.S., Miñambres, G.G., Bongioanni, A., Chattah, A.K., Aiassa, V., Longhi, M.R., and Garnero, C., 2020, Exploring solid forms of oxytetracycline hydrochloride, *Int. J. Pharm.*, 585, 119496.

Bulbul, Y.E., Okur, M., Demirtas-Korkmaz, F., and Dilsiz, N., 2020, Development of PCL/PEO electrospun fibrous membranes blended with silane-modified halloysite nanotube as a curcumin release system, *Appl. Clay Sci.*, 186, 105430.

Cai, M., Liu, Z., Sun, X., Qi, Y., Mei, X., Liu, S., Zhang, C., Zhang, X., Zong, Z., Ma, P., Wang, T., Xu, W., and Zhang, T., 2024, Advances in the development of medical dressings for the treatment of diabetic foot wounds, *Chem. Eng. J.*, 498, 155575.

Chan, C.H., Chen, J.T., Farrell, W.S., Fellows, C.M., Keddie, D.J., Luscombe, C.K., Matson, J.B., Merna, J., Moad, G., Russell, G.T., Théato, P., Topham, P.D., and Sosa Vargas, L., 2022, Reconsidering terms for mechanisms of polymer growth: the “step-growth” and “chain-growth” dilemma, *Polym. Chem.*,

Chao, S., Li, Yumei, Zhao, R., Zhang, L., Li, Yanzi, Wang, C., and Li, X., 2018, Synthesis and characterization of tigecycline-loaded sericin/poly(vinyl alcohol) composite fibers via electrospinning as antibacterial wound dressings, *J. Drug Deliv. Sci. Technol.*, 44, 440–447.

Chen, S., Xia, J., Hou, Z., Wu, P., Yang, Y., Cui, L., Xiang, Z., Sun, S., and Yang, L., 2024, Natural polysaccharides combined with mussel-inspired adhesion for multifunctional hydrogels in wound hemostasis and healing: A review, *Int. J. Biol. Macromol.*, 282, 136965.

Chen, Z., Feng, P., Wang, R., Chen, D., Feng, C., Jin, Q., Yang, C., and Song, B., 2025, Bioinspired shape-changing nanofiber dressings for intelligent wrapping and promoting healing of superficial wounds, *Colloids Surfaces B Biointerfaces*, 245, 114246.

Cheng, C.W., Lee, S.Y., Chen, T.Y., Yang, M.J., Yuann, J.M.P., Chiu, C.M., Huang, S.T., and Liang, J.Y., 2022, A study of the effect of reactive oxygen species induced by violet and blue light from oxytetracycline on the deactivation of *Escherichia coli*, *Photodiagnosis Photodyn. Ther.*, 39, 102917.

Coban, S.N., Polatoglu, I., and Eroglu, E., 2024, Methyl cellulose/okra mucilage composite films, functionalized with *Hypericum perforatum* oil and gentamicin, as a potential wound dressing, *Int. J. Biol. Macromol.*, 254, 127757.

- Contardi, M., Heredia-guerrero, J.A., Perotto, G., Valentini, P., Paolo, P., Goldoni, L., Bertorelli, R., Athanassiou, A., and Bayer, I.S., 2017, Transparent ciprofl oxacin-povidone antibiotic films and nanofiber mats as potential skin and wound care dressings, *Eur. J. Pharm. Sci.*, 104, 133–144.
- Cui, S., Sun, X., Li, K., Gou, D., Zhou, Y., Hu, J., and Liu, Y., 2019, Polylactide nanofibers delivering doxycycline for chronic wound treatment, *Mater. Sci. Eng. C*, 104, .
- Dias, A.M., da Silva, F.G., Monteiro, A.P. de F., Pinzón-García, A.D., Sinisterra, R.D., and Cortés, M.E., 2019, Polycaprolactone nanofibers loaded oxytetracycline hydrochloride and zinc oxide for treatment of periodontal disease, *Mater. Sci. Eng. C*, 103, 109798.
- Dorai, A.A., 2012, Wound care with traditional, complementary and alternative medicine, *Indian J. Plast. Surg.*, 45, 418–424.
- Duan, W., Zhao, J., Gao, Y., Xu, K., Huang, S., Zeng, L., Shen, J.W., Zheng, Y., and Wu, J., 2024, Porous silicon-based sensing and delivery platforms for wound management applications, *J. Control. Release*, 371, 530–554.
- Fahimirad, S., Khaki, M., Ghaznavi-Rad, E., and Abtahi, H., 2024, Investigation of a novel bilayered PCL/PVA electrospun nanofiber incorporated Chitosan-LL37 and Chitosan-VEGF nanoparticles as an advanced antibacterial cell growth-promoting wound dressing, *Int. J. Pharm.*, 661, 124341.
- El Fawal, G., Sobhy, S.E., and Hafez, E.E., 2024, Biological activities of fig latex -loaded cellulose acetate/poly(ethylene oxide) nanofiber for potential therapeutics: Anticancer and antioxidant material, *Int. J. Biol. Macromol.*, 270, .
- Feng, Y., Bazzar, M., Hernaez, M., Barreda, D., Mayes, A.G., González, Z., and Melendi-Espina, S., 2024, Unveiling the potential of cellulose, chitosan and polylactic acid as precursors for the production of green carbon nanofibers with controlled morphology and diameter, *Int. J. Biol. Macromol.*, 269, .
- Gach, M.W., Lazarus, G., Simadibrata, D.M., Sinto, R., Saharman, Y.R., Limato, R., Nelwan, E.J., van Doorn, H.R., Karuniawati, A., and Hamers, R.L., 2024, Antimicrobial resistance among common bacterial pathogens in Indonesia: a systematic review, *Lancet Reg. Heal. - Southeast Asia*, 26, 100414.
- Ge, F., Wan, T., Kong, L., Xu, B., Sun, M., Wang, B., Liang, S., Wang, H., and Zhao, X., 2024, Non-isocyanate polyurethane-co-polyglycolic acid electrospun nanofiber membrane wound dressing with high biocompatibility, hemostasis, and prevention of chronic wound formation, *Heliyon*, 10, e33693.
- Gelardi, G., Mantellato, S., Marchon, D., Palacios, M., Eberhardt, A.B., and Flatt, R.J., 2016, *Chemistry of chemical admixtures*, Elsevier Ltd.
- Ghiyasi, Y., Salahi, E., and Esfahani, H., 2021, Synergy effect of *Urtica dioica* and ZnO NPs on microstructure, antibacterial activity and cytotoxicity of

- electrospun PCL scaffold for wound dressing application, *Mater. Today Commun.*, 26, .
- Guo, K., Ou, K., Amin Newton, M.A., Zhang, J., Xu, H., Li, J., Xin, B., and Huang, Y., 2025, Multifunctional Janus nanofibrous membrane with unidirectional water transport and pH-responsive color-changing for wound dressing, *J. Colloid Interface Sci.*, 679, 723–736.
- He, W., Shao, Z., He, J., Zhang, Y., Sun, M., Jiang, Y., Wen, Z., and Chen, F., 2024, Enhanced anticorrosive, antimicrobial and biocompatible properties of AZ91D magnesium alloy by MAO-polycaprolactone-modified ZnO composite coating, *Surf. Coatings Technol.*, 494, 131484.
- Heidari, R., Assadollahi, V., Shakib Manesh, M.H., Mirzaei, S.A., and Elahian, F., 2024, Recent advances in mesoporous silica nanoparticles formulations and drug delivery for wound healing, *Int. J. Pharm.*, 665, 124654.
- Ho, D.L., Hammouda, B., Kline, S.R., and Chen, W.R., 2006, Unusual phase behavior in mixtures of poly(ethylene oxide) and ethyl alcohol, *J. Polym. Sci. Part B Polym. Phys.*, 44, 557–564.
- Holloway, S., and Harding, K.G., 2022, Wound dressings, *Surg. (United Kingdom)*, 40, 25–32.
- Hou, H., Dai, Z., Liu, X., Yao, Y., Liao, Q., Yu, C., and Li, D., 2018, Reutilization of the expired tetracycline for lithium ion battery anode, *Sci. Total Environ.*, 630, 495–501.
- Ilyas, R.A., Zuhri, M.Y.M., Norrrahim, M.N.F., Misenan, M.S.M., Jenol, M.A., Samsudin, S.A., Nurazzi, N.M., Asyraf, M.R.M., Supian, A.B.M., Bangar, S.P., Nadlene, R., Sharma, S., and Omran, A.A.B., 2022, Natural Fiber-Reinforced Polycaprolactone Green and Hybrid Biocomposites for Various Advanced Applications, *Polymers (Basel)*, 14, 1–28.
- Indumathi, M.P., Saral Sarojini, K., and Rajarajeswari, G.R., 2019, Antimicrobial and biodegradable chitosan/cellulose acetate phthalate/ZnO nano composite films with optimal oxygen permeability and hydrophobicity for extending the shelf life of black grape fruits, *Int. J. Biol. Macromol.*, 132, 1112–1120.
- Ituna-Yudonago, J.F., Galindo-Luna, Y.R., García-Valladares, O., Brown, R.B. y., Shankar, R., and Ibarra-Bahena, J., 2021, Review of solar-thermal collectors powered autoclave for the sterilization of medical equipment, *Alexandria Eng. J.*, 60, 5401–5417.
- Jadhav, Y., Bhingoli, O., Mali, A., Pawar, V., and Shinde, V., 2024, Leveraging 3D Printing for Advanced Wound Dressing Technologies by using Polymeric Materials and Polymeric Biomaterials, *Hybrid Adv.*, 100364.
- Jafari, D., Moosazadeh Moghaddam, M., Fallah Tafti, M., and Mirnejad, R., 2025, Fabrication of an antibacterial hydrocolloid dressing for the management of wound infection caused by antibiotic-resistant bacteria: In Vitro study, *Mater.*

Today Commun., 42, 111165.

- Jamil, M., Mustafa, I.S., Ahmed, N.M., and Sahul Hamid, S.B., 2022, Cytotoxicity evaluation of poly(ethylene) oxide nanofibre in MCF-7 breast cancer cell line, *Biomater. Adv.*, 143, 213178.
- Ji, D., Lin, Y., Guo, X., Ramasubramanian, B., Wang, R., Radacsi, N., Jose, R., Qin, X., and Ramakrishna, S., 2024, Electrospinning of nanofibres, *Nat. Rev. Methods Prim.*, 4, .
- Jiang, F., Fu, M., Gan, Y., Bu, C., Guo, Z., Lv, X., and Ding, X., 2024, A multifunctional hydrogel dressing loaded with antibiotics for healing of infected wound, *Int. J. Pharm.*, 666, 124770.
- Jin, X., Qiu, S., Wu, K., Jia, M., Wang, F., Gu, C., Zhang, A., and Jiang, X., 2016, The effect of Cu²⁺ chelation on the direct photolysis of oxytetracycline: A study assisted by spectroscopy analysis and DFT calculation, *Environ. Pollut.*, 214, 831–839.
- Kailasa, S., Reddy, M.S.B., Maurya, M.R., Rani, B.G., Rao, K.V., and Sadasivuni, K.K., 2021, Electrospun Nanofibers: Materials, Synthesis Parameters, and Their Role in Sensing Applications, *Macromol. Mater. Eng.*, 306, 1–36.
- Kim, D., Choi, H., Lee, M.J., Cho, W.J., Lee, G.W., Seo, Y.K., Arai, Y., and Lee, S.H., 2024, Oxygen plasma-modified polycaprolactone nanofiber membrane activates the biological function in cell adhesion, proliferation, and migration through the phosphorylation of FAK and ERK1/2, enhancing bone regeneration, *Chem. Eng. J.*, 499, 156003.
- Kim, D.H., Min, K.H., Ki, M.R., Han, Y., Lee, M., Lee, J.H., and Pack, S.P., 2025, Porous and hydrophilic biosilica diatomite-embedded foam dressing: Advancing wound healing through enhanced absorption, *J. Ind. Eng. Chem.*, .
- Koehler, J., Brandl, F.P., and Goepferich, A.M., 2018, Hydrogel wound dressings for bioactive treatment of acute and chronic wounds, *Eur. Polym. J.*, 100, 1–11.
- de la Cabeza Fernández, M., Sánchez, M., Lozano-Chamizo, L., Cristina Abreu, A., Anguís-Morillas, A., Divakar, P.K., Marciello, M., Filice, M., Gonzalez-Rumayor, V., Fernández, I., Contreras-Cáceres, R., and Gómez-Serranillos, P., 2024, Electrospun nanofibers for localized drug release of a neuroprotective natural extract of *Usnea ghattensis*, *Eur. J. Pharm. Biopharm.*, 205, .
- Lan, X., Du, T., Zhuo, J., Wang, T., Shu, R., Li, Y., Zhang, W., Ji, Y., Wang, Y., Yue, X., and Wang, J., 2024, Advances of biomacromolecule-based antibacterial hydrogels and their performance evaluation for wound healing: A review, *Int. J. Biol. Macromol.*, 279, 135577.
- Leal, M., Leiva, Á., Villalobos, V., Palma, V., Carrillo, D., Edwards, N., Maine, A., Cauch-Rodriguez, J. V., Tamayo, L., Neira-Carrillo, A., and Urzúa, M.,

- 2022, Blends based on amino acid functionalized poly (ethylene-alt-maleic anhydride) polyelectrolytes and PEO for nanofiber elaboration: Biocompatible and angiogenic polyelectrolytes, *Eur. Polym. J.*, 173, .
- Li, B., Qi, B., Han, J., Yang, C., Qian, X., and Jiao, T., 2024, Preparation and separation performance of biomimetic polycaprolactone/graphene oxide composite membrane, *Colloids Surfaces A Physicochem. Eng. Asp.*, 693, .
- Liang, Yuqing, Liang, Yongping, Zhang, H., and Guo, B., 2022, Antibacterial biomaterials for skin wound dressing, *Asian J. Pharm. Sci.*, 17, 353–384.
- Lin, L., Zhao, L., Yang, J., Peng, K., Li, Y., Mai, Y., Tian, Q., Feng, Y., and Chen, Y., 2024, A flat-drawn silk fibre membrane based composite antibacterial and conductive wound dressing, *Appl. Mater. Today*, 41, 102478.
- Lin, R.H., Hung, H.S., Tang, C.M., Tsou, H.K., Chen, P.H., Yueh, C.Y., and Wang, H.M.D., 2024, In vitro biocompatibility of polycaprolactone/hydroxyapatite nanocomposite membranes modified by oleic acid for bone regeneration, *Colloids Surfaces A Physicochem. Eng. Asp.*, 688, 133576.
- Lin, Y.C., Liu, K.M., Chiu, P.L., Chao, C.M., Wen, C.S., Wang, C.Y., and Tseng, H.H., 2022, Enhancing the hydrophilicity and biofoulant removal ability of a PVDF ultrafiltration membrane via π - π interactions as measured by AFM, *J. Memb. Sci.*, 641, 119874.
- Liu, M., Huang, T., Liu, Y., Chen, L., Liao, S., Gong, X., Bello, M.G., Zhu, W., Huang, S., and Zhang, X., 2025, Loading curcumin on hyperbranched polymers functionalized Zein via the phenol-yne click reaction as pH-responsive drug delivery system for chemotherapy and photodynamic therapy, *Int. J. Biol. Macromol.*, 293, 139750.
- Liu, S., Wang, J., Wang, X., Tan, L., Liu, T., Wang, Y., Shi, Y., Zhang, Z., Ding, S., Hou, K., Zhang, W., Li, F., and Meng, X., 2024, Smart chitosan-based nanofibers for real-time monitoring and promotion of wound healing, *Int. J. Biol. Macromol.*, 282, 136670.
- Liu, Yuanqi, Chen, W., Gao, Y., and Wei, K., 2024, Anti-inflammatory dressing based on hyaluronic acid and hydroxyethyl starch for wound healing, *Int. J. Biol. Macromol.*, 282, 137078.
- Liu, Ying, Li, X., Li, L., Liu, Z., Zhao, C., and Jiao, T., 2024, Recent progress in gelatin-based electrospun nanofibrous membranes for wound dressings: A Review, *J. Mol. Liq.*, 415, 126411.
- Lu, B., Wang, D., Guo, J., Shen, Y., Lu, B., Wang, D., Guo, J., Shen, Y., Feng, Q., Yang, J., and Han, X., 2024, chronic wound High-efficiency exudates drainage of anti-adhesion dressings for chronic wound,.
- Ma, C., Du, L., Guo, Y., and Yang, X., 2024, A review of polysaccharide hydrogels as materials for skin repair and wound dressing: Construction, functionalization and challenges, *Int. J. Biol. Macromol.*, 280, .

- Ma, J., Tan, Z., Wu, M., Tian, Z., Xu, C., Zhang, J., Ma, Y., Feng, Z., Yu, W., Li, B., Yao, Y., Jiang, Z., and Hou, J., 2024, Co-encapsulation of probiotic *Lactiplantibacillus plantarum* and polyphenol within novel polyvinyl alcohol/fucoidan electrospun nanofibers with improved viability and antioxidation, *Int. J. Biol. Macromol.*, 282, 136907.
- Mahdy, A., Helal, R.H., Abdel Moneam, Y.K., and Senna, M.M.H., 2022, Electron beam radiation synthesis of hydrogel based on biodegradable starch/poly(ethylene oxide) (ST/PEO) blend and its application in controlled release of parasitic worm's drugs, *J. Drug Deliv. Sci. Technol.*, 74, 103531.
- Mancinetti, F., Marinelli, A., Boccardi, V., and Mecocci, P., 2024, Challenges of infectious diseases in older adults: From immunosenescence and inflammaging through antibiotic resistance to management strategies, *Mech. Ageing Dev.*, 222, 111998.
- Markovic, M.D., Spasojevic, P.M., Pantic, O.J., Savic, S.I., Spasojevic Savkovic, M.M., and Panic, V. V., 2024, Status and future scope of hydrogels in wound healing, *J. Drug Deliv. Sci. Technol.*, 98, 105903.
- Mohamed, R.M., and Yusoh, K., 2015, A Review on the Recent Research of Polycaprolactone (PCL), *Adv. Mater. Res.*, 1134, 249–255.
- Montaser, A.S., Rehan, M., El-Senousy, W.M., and Zaghoul, S., 2020, Designing strategy for coating cotton gauze fabrics and its application in wound healing, *Carbohydr. Polym.*, 244, 116479.
- Morgado, P.I., Aguiar-Ricardo, A., and Correia, I.J., 2015, Asymmetric membranes as ideal wound dressings: An overview on production methods, structure, properties and performance relationship, *J. Memb. Sci.*, 490, 139–151.
- Moydeen, A.M., Ali Padusha, M.S., Aboelfetoh, E.F., Al-Deyab, S.S., and El-Newehy, M.H., 2018, Fabrication of electrospun poly(vinyl alcohol)/dextran nanofibers via emulsion process as drug delivery system: Kinetics and in vitro release study, *Int. J. Biol. Macromol.*, 116, 1250–1259.
- Muhamad, H., Mawla, N., Dereiah, S., Ward, A., Williamson, J., and Asare-Addo, K., 2024, Comparative analysis of drug release kinetics in polyethylene oxide and xanthan gum matrices with various excipients, *RSC Pharm.*, 2, 303–317.
- Nadaf, A., Gupta, A., Hasan, N., Fauziya, N., Ahmad, S., Kesharwani, P., and Ahmad, F.J., 2022, Recent update on electrospinning and electrospun nanofibers: current trends and their applications, *RSC Adv.*, 12, 23808–23828.
- Nezamoleslami, S., Fattahi, A., Nemati, H., Bagrezaie, F., Pourmanouchehri, Z., and Kiaie, S.H., 2023, Electrospun sandwich-structured of polycaprolactone/gelatin-based nanofibers with controlled release of ceftazidime for wound dressing, *Int. J. Biol. Macromol.*, 236, .
- Niu, H., Zhou, H., and Wang, H., 2019, *Electrospinning: an advanced nanofiber production technology*,.

- Obisesan, O.S., Ajiboye, T.O., Mhlanga, S.D., and Mufhandu, H.T., 2023, Biomedical applications of biodegradable polycaprolactone-functionalized magnetic iron oxides nanoparticles and their polymer nanocomposites, *Colloids Surfaces B Biointerfaces*, 227, 113342.
- Pal, D., Rath, P., Das, P., Kundu, B., and Nandi, S.K., 2023, Local delivery systems of drugs/biologicals for the management of burn wounds, *J. Drug Deliv. Sci. Technol.*, 85, 104556.
- Paolella, G., Montefusco, A., Caputo, I., Gorrasi, G., and Viscusi, G., 2024, Quercetin encapsulated polycaprolactone-polyvinylpyrrolidone electrospun membranes as a delivery system for wound healing applications, *Eur. J. Pharm. Biopharm.*, 200, 114314.
- Preet, J., Pathania, K., Kaur, J., Singh, R., Salunke, D.B., and Pawar, S. V., 2024, A lignin-based biocomposite hydrogel for antimicrobial and wound healing applications, *Mater. Adv.*, 9445–9457.
- Rachmawati, P., Susanto, S., and Christian, Y.E., 2025, Impact of sterilization method on the system performance of lipid-based novel drug delivery, *Int. J. Pharm.*, 674, 125486.
- Raza, M.A., Sharma, M.K., Nagori, K., Jain, P., Ghosh, V., Gupta, U., and Ajazuddin, 2024, Recent trends on polycaprolactone as sustainable polymer-based drug delivery system in the treatment of cancer: Biomedical applications and nanomedicine, *Int. J. Pharm.*, 666, 124734.
- De Rochebrune, G.R., Baumann, J.S., Lecouvey, M., Legigan, T., Deschamp, J., and Falentin-Daudré, C., 2025, Grafting of phosphonylated polymers onto 3D printed polycaprolactone scaffolds improves osteoblasts proliferation and calcium mineralization in-vitro, *React. Funct. Polym.*, 206, .
- Saadatidizaji, Z., Sohrabi, N., Mohammadi, R., and Amini-Fazl, M.S., 2024, Tetracycline hydrochloride loaded-alginate based nanoparticle-hydrogel beads for potential wound healing applications: In vitro drug delivery, release kinetics, and antibacterial activity, *Int. J. Biol. Macromol.*, 264, 130653.
- Sadeghi-Aghbash, M., Rahimnejad, M., Adeli, H., and Feizi, F., 2024, Catecholamines polymerization crosslinking for alginate-based burn wound dressings developed with ciprofloxacin and zinc oxide interactions, *Int. J. Biol. Macromol.*, 260, 129400.
- Sanchez, M.F., Luciani-Giacobbe, L.C., Barbieri, F., and Olivera, M.E., 2024, Defining critical quality attributes and composition parameters for burn wound dressings: Antibiotic-anesthetic films as a model, *Heliyon*, 10, .
- Setia Budi, H., Javed Ansari, M., Abdalkareem Jasim, S., Abdelbasset, W.K., Bokov, D., Mustafa, Y.F., Najm, M.A.A., and Kazemnejadi, M., 2022, Preparation of antibacterial Gel/PCL nanofibers reinforced by dicalcium phosphate-modified graphene oxide with control release of clindamycin for

possible application in bone tissue engineering, *Inorg. Chem. Commun.*, 139, 109336.

- Shakouripour, F., Olad, A., and Bayramoglu, G., 2025, Preparation of interpenetrating networks from chitosan and poly(hydroxypropyl methacrylate) or p(hydroxyethyl methacrylate) for controlled release of doxorubicin and curcumin: Investigation of potential use in wound dressing, *Int. J. Biol. Macromol.*, 301, 140929.
- Sharifi, A., Mashjoo, S., Makhmalzadeh, B.S., Khorsandi, L., and Shushizadeh, M.R., 2024, Baicalin-loaded proline and hydroxy proline functionalized chitosan derivative nanofiber composite as burning wound dressings, *Appl. Mater. Today*, 41, 102519.
- Sharifi, M., and Bahrami, S.H., 2024, Review on application of herbal extracts in biomacromolecules-based nanofibers as wound dressings and skin tissue engineering, *Int. J. Biol. Macromol.*, 277, 133666.
- Silpa, S., and Rupachandra, S., 2024, Fabrication and in vitro characterization of nisin-incorporated PCL/PEG electrospun nanofibers for wound dressing applications, *Polym. Bull.*, 81, 12655–12674.
- Singh, D., and Dilip Saoji, S., 2024, The Role of Surface Energy and Wettability in Polymer-Based Drug Delivery Systems: Enhancing Bioadhesion and Drug Release Efficiency, *J. Macromol. Sci. Part B Phys.*, 0, 1–8.
- Sivan, M., Madheswaran, D., Hauzerova, S., Novotny, V., Hedvicakova, V., Jencova, V., Kostakova, E.K., Schindler, M., and Lukas, D., 2022, AC electrospinning: impact of high voltage and solvent on the electrospinnability and productivity of polycaprolactone electrospun nanofibrous scaffolds, *Mater. Today Chem.*, 26, 101025.
- Sohrabi, M., Abbasi, M., Ansar, M.M., and Soltani Tehrani, B., 2022, Evaluation of electrospun nanofibers fabricated using PCL/PVP and PVA/ β -TCP as potential scaffolds for bone tissue engineering, *Polym. Bull.*, 79, 8397–8413.
- Sood, A., Granick, M.S., and Tomaselli, N.L., 2014, Wound Dressings and Comparative Effectiveness Data, *Adv. Wound Care*, 3, 511–529.
- Su, R., Wang, L., Han, F., Bian, S., Meng, F., Qi, W., Zhai, X., Li, H., Wu, J., Pan, X., Pan, H., Guo, P., Lu, W.W., Liu, Z., and Zhao, X., 2024, A highly stretchable smart dressing for wound infection monitoring and treatment, *Mater. Today Bio*, 26, 101107.
- Sun, H., Zhang, L., Yin, Q., Yang, T., Wang, K., Shi, H., Wang, J., Xia, G., Zhao, Y., and Yu, G., 2025, Rapid production of zein/polyethylene oxide film containing dihydroquercetin by green solution blow spinning for yellowfin tuna preservation, *Food Packag. Shelf Life*, 49, 101503.
- Tang, Z., Xiao, C., Zhuang, Y., Chu, J., Zhang, S., Herron, P.R., Hunter, I.S., and Guo, M., 2011, Improved oxytetracycline production in *Streptomyces rimosus*

M4018 by metabolic engineering of the G6PDH gene in the pentose phosphate pathway, *Enzyme Microb. Technol.*, 49, 17–24.

Thompson, M.S., Vadala, T.P., Vadala, M.L., Lin, Y., and Riffle, J.S., 2008, Synthesis and applications of heterobifunctional poly(ethylene oxide) oligomers, *Polymer (Guildf.)*, 49, 345–373.

Tohidi, S., Ghaee, A., and Barzin, J., 2016, Preparation and characterization of poly(lactic-co-glycolic acid)/chitosan electrospun membrane containing amoxicillin-loaded halloysite nanoclay, *Polym. Adv. Technol.*, 27, 1020–1028.

Uhljar, L.É., and Ambrus, R., 2023, Electrospinning of Potential Medical Devices (Wound Dressings, Tissue Engineering Scaffolds, Face Masks) and Their Regulatory Approach, *Pharmaceutics*, 15, .

Ullah, N., Khan, D., Ahmed, N., Zafar, A., Shah, K.U., and ur Rehman, A., 2023, Lipase-sensitive fusidic acid polymeric nanoparticles based hydrogel for on-demand delivery against MRSA-infected burn wounds, *J. Drug Deliv. Sci. Technol.*, 80, 104110.

Volova, T.G., Shumilova, A.A., Shidlovskiy, I.P., Nikolaeva, E.D., Sukovatiy, A.G., Vasiliev, A.D., and Shishatskaya, E.I., 2018, Antibacterial properties of films of cellulose composites with silver nanoparticles and antibiotics, *Polym. Test.*, 65, 54–68.

Wang, J., Zhao, C., Yang, P., He, H., Yang, Y., Lan, Z., Guo, W., Qin, Y., Zhang, Q., and Li, S., 2025, A multifunctional electronic dressing with textile-like structure for wound pressure monitoring and treatment, *J. Colloid Interface Sci.*, 679, 737–747.

Wang, T., Ma, B., Hao, G., Ding, Z., Liu, P., Zhang, Y., and Liu, J., 2023, Temperature-sensitive hydrogel loaded with minocycline hydrochloride complex for accelerating infected wound healing, *J. Drug Deliv. Sci. Technol.*, 88, 104961.

Wang, Y., Liu, C., Song, T., Cao, Z., and Wang, T., 2024, 3D printed polycaprolactone/ β -tricalcium phosphate/carbon nanotube composite – Physical properties and biocompatibility, *Heliyon*, 10, e26071.

Wendel, A.F., Otchwemah, R., Layer-Nicolaou, F., Mattner, F., Tellez-Castillo, C.J., Skov, R., Oberländer, H., Werner, G., and Strommenger, B., 2023, Investigating a possible link between antiseptic treatment and the increased occurrence of daptomycin-resistant *Staphylococcus aureus*, *Clin. Microbiol. Infect.*, 29, 1334.e1-1334.e6.

Xia, S., Bian, M., Li, H., Shi, C., Xu, M., Lyu, L., Wu, Y., Cao, F., Wang, Y., Li, W., and Fang, D., 2025, Development of poly(lactic acid)/polyvinyl alcohol-based temperature-responsive shell-core nanofibers: Controlled release, biosafety evaluation, and application in raspberry preservation, *Int. J. Biol. Macromol.*, 307, 142084.

- Xue, J., Xie, J., Liu, W., and Xia, Y., 2017, Electrospun Nanofibers: New Concepts, Materials, and Applications, *Acc. Chem. Res.*, 50, 1976–1987.
- Yang, Y., Ma, Y., Wang, H., Li, Chongruihan, Li, Chaoqun, Zhang, R., Zhong, S., He, W., and Cui, X., 2024, Chitosan-based hydrogel dressings with antibacterial and antioxidant for wound healing, *Int. J. Biol. Macromol.*, 280, 135939.
- Yang, Y., Zhong, S., Meng, F., and Cui, X., 2024, Multi-Functional hydrogels to promote diabetic wound Healing: A review, *Chem. Eng. J.*, 497, 154855.
- Yousefian, F., Hesari, R., Jensen, T., Obagi, S., Rgeai, A., Damiani, G., Bunick, C.G., and Grada, A., 2023, Antimicrobial Wound Dressings: A Concise Review for Clinicians, *Antibiotics*, 12, 1–12.
- Zeng, J., Wu, C., Wang, S., Li, P., Li, J., Wang, B., Xu, J., Gao, W., and Chen, K., 2025, Development of high-throughput electrospun chitosan/PEO-CNC composite membranes with enhanced antibacterial and oil-water separation properties, *Int. J. Biol. Macromol.*, 303, 140308.
- Zhang, C., Lu, K., Li, L., Lei, W., Xia, M., and Wang, F., 2024, A water-stabilized Tb-MOF can be used as a sensitive and selective fluorescence sensor for the detection of oxytetracycline hydrochloride, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 304, 123379.
- Zhang, W., Liu, L., Cheng, H., Zhu, J., Li, Xinyi, Ye, S., and Li, Xiaojing, 2023, Hydrogel-based dressings designed to facilitate wound healing, *Mater. Adv.*, 5, 1364–1394.
- Zhao, C., Yang, L., Liu, Y., Zhang, Z., Yao, S., Huang, X., Yin, Y., Sun, K., Yang, T., Zou, B., and Liu, T., 2025, An innovative eco-friendly organic semiconductor-biochar photocatalytic adsorbent for efficient and stable removal mechanism of oxytetracycline hydrochloride under light illumination, *Sep. Purif. Technol.*, 357, 130054.
- Zhao, J., Chen, L., Ma, A., Bai, X., Zeng, Y., and Liu, D., 2024, Materials Today Bio Recent advances in coaxial electrospun nanofibers for wound healing, *Mater. Today Bio*, 29, 101309.
- Zhou, L., Zhang, Y., Yi, X., Chen, Y., and Li, Y., 2024, Advances in proteins, polysaccharides, and composite biomaterials for enhanced wound healing via microenvironment management: A review, *Int. J. Biol. Macromol.*, 282, 136788.
- Zhou, R., Ma, Y., Yang, M., Cheng, Y., Ma, X., Li, B., Zhang, Y., Cui, X., Liu, M., Long, Y., and Li, C., 2025, Wound dressings using electrospun nanofibers: mechanisms, applications, and future directions, *Eur. Polym. J.*, 231, .
- Zhou, Z., Li, C., Zeng, Y., Huang, T., Jiang, X., Yu, D.-G., and Wang, K., 2024, Natural polymer nanofiber dressings for effective management of chronic diabetic wounds: A comprehensive review., *Int. J. Biol. Macromol.*, 282,

136688.

Zhu, R., Huang, Z., Zhang, J., Shi, G., Cai, X., Dou, R., Tang, J., Zhang, C., Zhao, Y., and Chen, J., 2024, The potential of collagen-based materials for wound management, *Mater. Today Chem.*, 41, 102295.