Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdollahnejad, A., Panagiotidis, D., & Surový, P. (2017). Forest canopy density assessment using different approaches - Review. *Journal of Forest Science*, *63*(3), 107–116. https://doi.org/10.17221/110/2016-JFS

Abrahams, C. (2018). Bird Bioacoustic Surveys - Developing a Standard Protocol. *Journal of Inpractice*, *102*(December), 20–23. https://doi.org/10.1201/9780429423062-7

Adila, N., Sasidhran, S., Kamarudin, N., Puan, C. L., Azhar, B., & Lindenmayer, D. B. (2017). Effects of peat swamp logging and agricultural expansion on species richness of native mammals in Peninsular Malaysia. *Basic and Applied Ecology*, *22*, 1–10. https://doi.org/10.1016/j.baae.2017.04.002

Agrawal, A. A. (2001). Ecology: Phenotypic plasticity in the interactions and evolution of species. *Science*, *294*(5541), 321–326. https://doi.org/10.1126/science.1060701

Álvarez-Ruiz, L., Pausas, J. G., Blumstein, D. T., & Putman, B. J. (2023). Lizards' response to the sound of fire is modified by fire history. *Animal Behaviour*, *196*, 91–102. https://doi.org/10.1016/j.anbehav.2022.12.002

Amit, B., Klok, W. R., Van Der Meer, P. J., Khatrina Khairuddin, N. S., Yaman, I. C., & Khoon, K. L. (2023). The Effects of Peat Swamp Forest Patches and Riparian Areas within Large Scale Oil Palm Plantations on Bird Species Richness. *Tropical Life Sciences Research*, *34*(2), 131–160. https://doi.org/10.21315/tlsr2023.34.2.7

Andersen, R., Fernandez-Garcia, P., Martin-Walker, A., Klein, D., Marshall, C., Large, D. J., Hughes, R., & Hancock, M. H. (2024). Blanket bog vegetation response to wildfire and drainage suggests resilience to low severity, infrequent burning. *Fire Ecology*, *20*(1). https://doi.org/10.1186/s42408-024-00256-0

Angio, M. H., Renjana, E., Ningrum, L. W., Firdiana, E. R., & Irawanto, R. (2022). Inventory of plants in the Mangrove Botanic Garden of Gunung Anyar and their potential as medicinal plants. *Jurnal Penelitian Kehutanan Wallacea*, *11*(1), 53–70. https://doi.org/10.18330/jwallacea.2022.vol11iss1pp53-70

Antonson, N. D., Enos, J. K., Lawson, S. L., Uy, F. M. K., Gill, S. A., Lynch, K. S., & Hauber, M. E. (2024). Functional neurogenomic responses to acoustic threats, including a heterospecific referential alarm call and its referent, in the auditory forebrain of red-winged blackbirds. *Scientific Reports*, *14*(1), 1–9. https://doi.org/10.1038/s41598-024-51797-y

Ariyantoni, J., Natul, A. S., & Sastra, A. R. (2024). Land Surface Temperature Di Kabupaten Ogan Komering Ilir Sumatera Selatan Akibat Kebakaran Lahan. *Jurnal Imliah Tekno Global*, *13*(01), 1–6.

Asyhari, A., Gangga, A., Putra, C. A. S., Ritonga, R. P., Candra, R. A., Anshari, G.

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Z., Bowen, J. C., Perryman, C. R., & Novita, N. (2024). Quantifying the fluxes of carbon loss from an undrained tropical peatland ecosystem in Indonesia. *Scientific Reports*, *14*(1), 1–12. https://doi.org/10.1038/s41598-024-62233-6

Aziz, N. F. A., Ya'acob, N., Yusof, A. L., & Omar, H. (2024). Statistical Analysis for Forest Fire Factors Using Geography Information System (GIS) and Remote Sensing Imagery. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, *45*(2), 177–190. https://doi.org/10.37934/araset.45.2.177190

Azman, N. M., Latip, N. S. A., Sah, S. A. M., Akil, M. A. M. M., Shafie, N. J., & Khairuddin, N. L. (2011). Avian diversity and feeding guilds in Kerian River Basin. *Tropical Life Sciences Research*, *XXXIII*(2), 45–64. http://www.americanbanker.com/issues/179_124/which-city-is-the-next-big-fintech-hub-new-york-stakes-its-claim-1068345-1.html%5Cnhttp://www.ncbi.nlm.nih.gov/pubmed/15003161%5Cnhttp://cid.oxfordjournals.org/lookup/doi/10.1093/cid/cir991%5Cnhttp://www.scielo

Bachry, S., Rismayanti, R., Persada, A. P., Handayani, H., Ayu, F., Lesmana, D., Almujizat, A., & Andika, A. (2020). Struktur Dan Komposisi Vegetasi Di Arboretum Sungai Gerong Pt. Perta Samtan Gas, Kabupaten Banyuasin, Provinsi Sumatera Selatan. *Media Konservasi*, *25*(2), 149–155. https://doi.org/10.29244/medkon.25.2.149-155

Backhouse, F., Welbergen, J. A., Magrath, R. D., & Dalziell, A. H. (2023). Depleted cultural richness of an avian vocal mimic in fragmented habitat. *Diversity and Distributions*, *29*(1), 109–122. https://doi.org/10.1111/ddi.13646

Bahía, R., Lambertucci, S. A., & Speziale, K. L. (2024). Anthropogenic city noise affects the vocalizations of key forest birds. *Biodiversity and Conservation*, *33*(8–9), 2405–2421. https://doi.org/10.1007/s10531-024-02862-5

Bain, C. G., Bonn, A., Stoneman, R., Chapman, S., Coupar, A., Evans, M., Gearey, B., Howat, M., Joosten, H., Keenleyside, C., Labadz, J., Lindsay, R., Littlewood, N., Lunt, P., Miller, C. J., Moxey, A., Orr, H., Reed, M., Smith, P., … Worrall, F. (2011). *Commission of Inquiry on Peatlands*. IUCN UK Peatland Programme.

Bardeli, R., Wolff, D., Kurth, F., Koch, M., Tauchert, K. H., & Frommolt, K. H. (2010). Detecting bird sounds in a complex acoustic environment and application to bioacoustic monitoring. *Pattern Recognition Letters*, *31*(12), 1524–1534. https://doi.org/10.1016/j.patrec.2009.09.014

Basuki, T. M. (2015). Leaf Area Index Derived From Hemispherical Photograph and Its Correlation With Above-Ground Forest Biomass. *Indonesian Journal of Forestry Research*, *2*(1), 31–41. https://doi.org/10.20886/ijfr.2015.2.1.647.31-41

Batistela, M., & Müller, E. S. (2019). Analysis of duet vocalizations in Myiothlypis leucoblephara (Aves, Parulidae). *Neotropical Biology and Conservation*,

UNIVERSITAS
GADJAH MADA
**Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau**
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

14(2), 297–311. https://doi.org/10.3897/neotropical.14.e37655

Belfín, O., Kempenaers, B., & Piersma, T. (2025). Daily and seasonal use of vocalizations by nesting black-tailed godwits. *Journal of Avian Biology*, *2025*(2), 1–12. https://doi.org/10.1111/jav.03362

Bera, B., Saha, S., & Bhattacharjee, S. (2020). Estimation of Forest Canopy Cover and Forest Fragmentation Mapping Using Landsat Satellite Data of Silabati River Basin (India). *KN - Journal of Cartography and Geographic Information*, *70*(4), 181–197. https://doi.org/10.1007/s42489-020-00060-1

BirdLife International. (2016). Caloramphus fuliginosus, Bornean Brown Barbet. *The IUCN Red List of Threatened Species 2016*, *e.T2272704*. http://dx.doi.org/10.2305/IUCN.UK.2016-%0A3.RLTS.T22727049A94939526.en

BirdLife International. (2018). Psilopogon duvaucelii. *The IUCN Red List of Threatened Species 2018*, *8235*. http://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22726136A131279378.en

BirdLife International. (2023). Psilopogon rafflesii, Red-crowned Barbet. *The IUCN Red List of Threatened Species 2023*, *e.T2268161*. https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T22681616A216672786.en

Blackburn, G., Soravia, C., & Ridley, A. R. (2024). The importance of investigating the impact of simultaneous anthropogenic stressors: the effects of rising temperatures and anthropogenic noise on avian behaviour and cognition. *Journal of Avian Biology*, 1–14. https://doi.org/10.1111/jav.03256

Boncoraglio, G., & Saino, N. (2007). Habitat structure and the evolution of bird song: A meta-analysis of the evidence for the acoustic adaptation hypothesis. *Functional Ecology*, *21*(1), 134–142. https://doi.org/10.1111/j.1365-2435.2006.01207.x

Bowman, D. M. J. S., Balch, J. K., Artaxo, P., Bond, W. J., Carlson, J. M., Cochrane, M. A., D'Antonio, C. M., DeFries, R. S., Doyle, J. C., Harrison, S. P., Johnston, F. H., Keeley, J. E., Krawchuk, M. A., Kull, C. A., Marston, J. B., Moritz, M. A., Prentice, I. C., Roos, C. I., Scott, A. C., … Pyne, S. J. (2009). Fire in the earth system. *Science*, *324*(5926), 481–484. https://doi.org/10.1126/science.1163886

Bradbury, J. W., & Vehrencamp, S. L. (1998). Principles of Animal Communication. In *Sinauer Associates*. Sinauer Associates. https://doi.org/10.1016/j.anbehav.2011.12.014

Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. *WWF Conservation Technology Series*, *1*(2), 75. https://doi.org/10.13140/RG.2.2.18158.46409

Brumm, H., & Naguib, M. (2009). Environmental Acoustics and the Evolution of Bird Song. *Advances in the Study of Behavior*, *40*, 1–33.

Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/S0065-3454(09)40001-9

Bruni, A., Mennill, D. J., & Foote, J. R. (2014). Dawn chorus start time variation in a temperate bird community: Relationships with seasonality, weather, and ambient light. *Journal of Ornithology*, *155*(4), 877–890. https://doi.org/10.1007/s10336-014-1071-7

Caouette, A. P., Bayne, E. M., & Judge, K. A. (2023). Large-scale bioacoustic monitoring to elucidate the distribution of a non-native katydid. *Ecological Entomology*, *September 2023*, 119–127. https://doi.org/10.1111/een.13285

Carlson, A. R., Sibold, J. S., & Negrón, J. F. (2021). Wildfire and spruce beetle outbreak have mixed effects on below-canopy temperatures in a Rocky Mountain subalpine forest. *Journal of Biogeography*, *48*(1), 216–230. https://doi.org/10.1111/jbi.13994

Chapman, S., Buttler, A., Francez, A., Laggoun-, F., Vasander, H., Schloter, M., Combe, J., Grosvernier, P., Epron, D., Gilbert, D., Mitchell, E., Chapman, S., Buttler, A., Francez, A., Laggoun-defarge, F., & Vasander, H. (2003). Frontiers in Ecology and the Environment. *WILEY*, *1*(10), 525–532. http://www.jstor.org/stable/3868163

Charmantier, A., McCleery, R. H., Cole, L. R., Perrins, C., Kruuk, L. E. B., & Sheldon, B. C. (2008). Adaptive phenotypic plasticity in response to climate change in a wild bird population. *Science*, *320*(5877), 800–803. https://doi.org/10.1126/science.1157174

Cheyne, S. M., Thompson, C. J. H., Phillips, A. C., Hill, R. M. C., & Limin, S. H. (2008). Density and population estimate of gibbons (Hylobates albibarbis) in the Sabangau catchment, Central Kalimantan, Indonesia. *Primates*, *49*(1), 50–56. https://doi.org/10.1007/s10329-007-0063-0

Cockrem, J. F. (2012). Corticosterone responses and personality in birds: Individual variation and the ability to cope with environmental changes due to climate change. *General and Comparative Endocrinology*, *190*, 156–163. https://doi.org/10.1016/j.ygcen.2013.02.021

Coomes, C. M., & Derryberry, E. P. (2021). High temperatures reduce song production and alter signal salience in songbirds. *Animal Behaviour*, *180*(502), 774–0044. https://doi.org/10.1016/j.anbehav.2021.07.020

Cordonnier, M., Ridley, A. R., Lengagne, T., & Dutour, M. (2023). The impact of high temperatures on bird responses to alarm calls. *Behavioral Ecology and Sociobiology*, *77*(7), 1–9. https://doi.org/10.1007/s00265-023-03354-2

Corlett, R. T. (2017). Frugivory and seed dispersal by vertebrates in tropical and subtropical Asia: An update. *Global Ecology and Conservation*, *11*, 1–22. https://doi.org/10.1016/j.gecco.2017.04.007

Cunningham, S. J., Martin, R. O., & Hockey, P. A. R. (2015). Can behaviour buffer the impacts of climate change on an arid-zone bird? *Ostrich*, *86*(1–2), 119–126. https://doi.org/10.2989/00306525.2015.1016469

UNIVERSITAS
GADJAH MADA
**Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau**
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

del Hoyo, J., Collar, N. J., Christie, D. A., Elliott, A., Fishpool, L. D. C., Boesman, P., & Kirwan, G. M. (2014). *HBW and BirdLife International Illustrated Checklist of the Birds of the World. Volume 1: Non-passerines*. Lynx Edicions BirdLife International.

Dendang, B. (2015). Struktur dan komposisi tegakan hutan di Taman Nasional Gunung Gede Pangrango, Jawa Barat. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, *1*(4), 691–695. https://doi.org/10.13057/psnmbi/m010401

Deoniziak, K., & Osiejuk, T. S. (2019). Habitat-related differences in song structure and complexity in a songbird with a large repertoire. *BMC Ecology*, *19*(1), 1–11. https://doi.org/10.1186/s12898-019-0255-7

Dhandapani, S., Evers, S., Boyd, D. S., Yesuf, G., Kinneen, L., Haughan, A., & Sjogersten, S. (2023). Assessment of variability of peat physicochemical properties, subsidence and their interactions within Selangor forests. *European Journal of Soil Science*, *74*(6), 1–14. https://doi.org/10.1111/ejss.13431

Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2013). A practical comparison of manual and autonomous methods for acoustic monitoring. *Methods in Ecology and Evolution*, *4*(7), 675–683. https://doi.org/10.1111/2041-210X.12060

Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2014). Temporal and environmental influences on the vocal behaviour of a nocturnal bird. *Journal of Avian Biology*, *45*(6), 591–599. https://doi.org/10.1111/jav.00411

Dimyati, M., Aginta, F., & Damayanti, A. (2024). The effect of vegetation index on the land surface temperature in South Badung Regency, Bali Province. *IOP Conference Series: Earth and Environmental Science*, *1291*(1). https://doi.org/10.1088/1755-1315/1291/1/012024

Dominoni, D. M., Helm, B., Lehmann, M., Dowse, H. B., & Partecke, J. (2013). Clocks for the city: Circadian differences between forest and city songbirds. *Proceedings of the Royal Society B: Biological Sciences*, *280*(1763). https://doi.org/10.1098/rspb.2013.0593

Duarte, M. H. L., Sousa-Lima, R. S. S., Young, R. J., Vasconcelos, M. F., Bittencourt, E., Scarpelli, M. D. A., Farina, A., & Pieretti, N. (2021). Changes on soundscapes reveal impacts of wildfires in the fauna of a Brazilian savanna. *Science of the Total Environment*, *769*, 144988. https://doi.org/10.1016/j.scitotenv.2021.144988

Ducrettet, M., Forget, P.-M., Ulloa, J. S., Yguel, B., Gaucher, P., Princé, K., Haupert, S., & Sueur, J. (2020). Monitoring canopy bird activity in disturbed landscapes with automatic recorders: a case study in the tropics. *Biological Conservation*, *Volume 245*(108574). https://doi.org/10.1016/j.biocon.2020.108574

Duque, F. G., Rodriguez-Saltos, C. A., Monteros, M. F., & Wilczynski, W. (2021).

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Transmission of high-frequency vocalizations from hummingbirds living in diverse habitats. *Biological Journal of the Linnean Society*, *132*(1), 148–160. https://doi.org/10.1093/biolinnean/blaa180

Ehlers Smith, D. A., & Ehlers Smith, Y. C. (2013). Population density of red langurs in sabangau tropical peat-swamp forest, Central Kalimantan, Indonesia. *American Journal of Primatology*, *75*(8), 837–847. https://doi.org/10.1002/ajp.22145

Enari, H., & Enari, H. S. (2023). Bioacoustic monitoring to determine addiction levels of primates to the human sphere: A feasibility study on Japanese macaques. *American Journal of Primatology*, *85*(12), 1–10. https://doi.org/10.1002/ajp.23558

Endler, J. A. (1992). Signals, signal conditions, and the direction of evolution. *The American Naturalist*, *139*(Supplement), 125–153.

Ey, E., & Fisher, J. (2009). The "Acoustic Adaptation Hypothesis"—A Review Of The Evidence From Birds, Anurans And Mammals. *Bioacoustics: The International Journal of Animal Sound and Its Recording*, *19*(1), 21–48.

Farina, A. (2014). Soundscape ecology: Principles, patterns, methods and applications. In *Soundscape Ecology: Principles, Patterns, Methods and Applications* (Vol. 9789400773). https://doi.org/10.1007/978-94-007-7374-5

Farina, A., Ceraulo, M., Bobryk, C., Pieretti, N., Quinci, E., & Lattanzi, E. (2015). Spatial and temporal variation of bird dawn chorus and successive acoustic morning activity in a Mediterranean landscape. *Bioacoustics*, *24*(3), 269–288. https://doi.org/10.1080/09524622.2015.1070282

Farina, A., Lattanzi, E., Malavasi, R., Pieretti, N., & Piccioli, L. (2011). Avian soundscapes and cognitive landscapes: Theory, application and ecological perspectives. *Landscape Ecology*, *26*(9), 1257–1267. https://doi.org/10.1007/s10980-011-9617-z

Flerchinger, G. N., Reba, M. L., Link, T. E., & Marks, D. (2016). Modeling temperature and humidity profiles within forest canopies. *Agricultural and Forest Meteorology*, *213*, 251–262. https://doi.org/10.1016/j.agrformet.2015.07.007

Flores, G. M. A., Flores, A. B. A., Mabitasan, R. J. I. B., Lopus, J. M. F., & Paguntalan, L. J. (2024). Abundance and microhabitat association of Barbourula busuangensis (Anura: Bombinatoridae) in Busuanga Island, Philippines. *Phyllomedusa*, *23*(1), 65–78. https://doi.org/10.11606/issn.2316-9079.v23i1p65-78

Fontúrbel, F. E., Orellana, J. I., Rodríguez-Gómez, G. B., Tabilo, C. A., & Castaño-Villa, G. J. (2021). Habitat disturbance can alter forest understory bird activity patterns: A regional-scale assessment with camera-traps. *Forest Ecology and Management*, *479*(September 2020), 118618. https://doi.org/10.1016/j.foreco.2020.118618

Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Foster, C. N., Barton, P. S., Robinson, N. M., MacGregor, C., & Lindenmayer, D. B. (2017). Effects of a large wildfire on vegetation structure in a variable fire mosaic. *Ecological Applications*, *27*(8), 2369–2381. https://doi.org/10.1111/ijlh.12426

Franklin, A. B., Noon, B. R., & George, T. L. (2002). What is habitat fragmentation? *Studies in Avian Biology*, *25*, 20–29.

Franklin, M. J. M., Major, R. E., & Bradstock, R. A. (2023). Canopy cover mediates the effects of a decadal increase in time since fire on arboreal birds. *Biological Conservation*, *277*(December 2022), 109871. https://doi.org/10.1016/j.biocon.2022.109871

Freitas, B., D'Amelio, P. B., Milá, B., Thébaud, C., & Janicke, T. (2024). Meta-analysis of the acoustic adaptation hypothesis reveals no support for the effect of vegetation structure on acoustic signalling across terrestrial vertebrates. In *Biological Reviews* (Issue August). https://doi.org/10.1111/brv.13163

Frolking, S., Palace, M. W., Clark, D. B., Chambers, J. Q., Shugart, H. H., & Hurtt, G. C. (2009). Forest disturbance and recovery: A general review in the context of spaceborne remote sensing of impacts on aboveground biomass and canopy structure. *Journal of Geophysical Research: Biogeosciences*, *114*(3). https://doi.org/10.1029/2008JG000911

Funghi, C., McCowan, L. S. C., Schuett, W., & Griffith, S. C. (2019). High air temperatures induce temporal, spatial and social changes in the foraging behaviour of wild zebra finches. *Animal Behaviour*, *149*(February), 33–43. https://doi.org/10.1016/j.anbehav.2019.01.004

García-Navas, V., Feliu, N., & Blumstein, D. T. (2023). Changes in the acoustic structure of Australian bird communities along a habitat complexity gradient. *Behavioral Ecology*, *34*(6), 930–940. https://doi.org/10.1093/beheco/arad060

Gonzalez-Voyer, A., den Tex, R. J., Castelló, A., & Leonard, J. A. (2013). Evolution of acoustic and visual signals in Asian barbets. *Journal of Evolutionary Biology*, *26*(3), 647–659. https://doi.org/10.1111/jeb.12084

Graham, B. A., Sandoval, L., Dabelsteen, T., & Mennill, D. J. (2017). A test of the Acoustic Adaptation Hypothesis in three types of tropical forest: degradation of male and female Rufous-and-white Wren songs. *Bioacoustics*, *26*(1), 37–61. https://doi.org/10.1080/09524622.2016.1181574

Hadiyan, Y., Muslimin, I., Sofyan, A., Setiawan, A., Rusdi, E., Bastoni, & Haryjanto, L. (2019). Initiation of gelam (Melaleuca cajuputy subsp. cumingiana) genetic resources conservation in South Sumatra. *Prosiding Seminar Nasional MBI*, *5*(2), 408. https://doi.org/10.13057/psnmbi/m0502xx

Hansen, I. J. K., Otter, K. A., Van Oort, H., & Holschuh, C. I. (2005). Communication breakdown? Habitat influences on black-capped chickadee dawn choruses. *Acta Ethologica*, *8*(2), 111–120. https://doi.org/10.1007/s10211-005-0007-x

UNIVERSITAS
GADJAH MADA
**Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau**
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Hao, Z., Zhang, C., Li, L., Gao, B., Wu, R., Pei, N., & Liu, Y. (2024). Anthropogenic noise and habitat structure shaping dominant frequency of bird sounds along urban gradients. *IScience*, *27*(2). https://doi.org/10.1016/j.isci.2024.109056

Hardt, B., & Benedict, L. (2021). Can you hear me now? A review of signal transmission and experimental evidence for the acoustic adaptation hypothesis. *Bioacoustics*, *30*(6), 716–742. https://doi.org/10.1080/09524622.2020.1858448

Haslem, A., Leonard, S. W. J., Bruce, M. J., Christie, F., Holland, G. J., Kelly, L. T., MacHunter, J., Bennett, A. F., Clarke, M. F., & York, A. (2016). Do multiple fires interact to affect vegetation structure in temperate eucalypt forests? *Ecological Applications*, *26*(8), 2412–2421. https://doi.org/10.1002/eap.1399

Hastari, B., & Octavianus, R. (2021). Komposisi dan Keragaman Jenis Bajakah Di Resort Sebangau Hulu Taman Nasional Sebangau. *Jurnal Daun*, *8*(2), 82–97.

Hidayat, S. (2014). Vegetation Conditions in Sesaot Protected Forest, West Lombok, West Nusa Tenggara, as Basic Information in Forest Management. *Jurnal Penelitian Kehutanan Wallacea*, *3*(2), 97. https://doi.org/10.18330/jwallacea.2014.vol3iss2pp97-105

Holland, J., Dabelsteen, T., Pedersen, S. B., & Larsen, O. N. (1998). Degradation of wren Troglodytes troglodytes song: Implications for information transfer and ranging . *The Journal of the Acoustical Society of America*, *103*(4), 2154–2166. https://doi.org/10.1121/1.421361

Hooijer, A., Vernimmen, R., Mulyadi, D., Triantomo, V., Hamdani, Lampela, M., Agusti, R., Page, S. E., Doloksaribu, J., Setiawan, I., Suratmanto, B., & Swarup, S. (2024). Benefits of tropical peatland rewetting for subsidence reduction and forest regrowth: results from a large-scale restoration trial. *Scientific Reports*, *14*(1), 1–12. https://doi.org/10.1038/s41598-024-60462-3

Husson, S. J., Limin, S. H., Adul, Boyd, N. S., Brousseau, J. J., Collier, S., Cheyne, S. M., D'Arcy, L. J., Dow, R. A., Dowds, N. W., Dragiewicz, M. L., Ehlers Smith, D. A., Iwan, Hendri, Houlihan, P. R., Jeffers, K. A., Jarrett, B. J. M., Kulu, I. P., Morrogh-Bernard, H. C., … Harrison, M. E. (2018). Biodiversity of the sebangau tropical peat swamp forest, Indonesian Borneo. *Mires and Peat*, *22*, 1–50. https://doi.org/10.19189/MaP.2018.OMB.352

Ifo, S. A., Moutsambote, J. M., Koubouana, F., Yoka, J., Ndzai, S. F., Bouetou-Kadilamio, L. N. O., Mampouya, H., Jourdain, C., Bocko, Y., Mantota, A. B., Mbemba, M., Mouanga-Sokath, D., Odende, R., Mondzali, L. R., Wenina, Y. E. M., Ouissika, B. C., & Joel, L. J. (2016). Tree Species Diversity, Richness, and Similarity in Intact and Degraded Forest in the Tropical Rainforest of the Congo Basin: Case of the Forest of Likouala in the Republic of Congo. *International Journal of Forestry Research*, *2016*. https://doi.org/10.1155/2016/7593681

Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Indriyani, T., Mulyani, Y. A., & Rinaldi, D. (2025). Patterns of Vocalization in Sooty-Headed Bulbul In a Campus Area of Dramaga , Bogor Patterns of Vocalization in Sooty-Headed Bulbul In a Campus Area of Dramaga , Bogor. *IOP Conf. Series: Earth and Environmental Science*, *1506*(012002), 1–12. https://doi.org/10.1088/1755-1315/1506/1/012002

Iqbal, M., & Setijono, D. (2011). *Burung-burung di Hutan Rawa Gambut Merang-kepayang dan Sekitarnya*. Merang REDD Pilot Project.

Irma, Burhanuddin, & Wulandari, R. S. (2022). Pertumbuhan Tumih (Combretocarpus rotundatus (Miq.) Danser) PADA BEBERAPA MEDIA DIPERSEMAIAN. *Jurnal Lingkungan Hutan Tropis*, *1*(2), 499.

James, F. C. (2016). *Relationships between Temperate Forest Bird Communities and Vegetation Structure Author (s): Frances C . James and Noel O . Wamer Published by : Wiley Stable URL : http://www.jstor.org/stable/1937041 REFERENCES Linked references are available on JSTOR f*. *63*(1), 159–171.

Jennings, S. B., Brown, N. D., & Sheil, D. (1999). Assessing forest canopies and understorey illumination: Canopy closure, canopy cover and other measures. *Forestry*, *72*(1), 59–73. https://doi.org/10.1093/forestry/72.1.59

Job, J. R., Kohler, S. L., & Gill, S. A. (2016). Song adjustments by an open habitat bird to anthropogenic noise, urban structure, and vegetation. *Behavioral Ecology*, *00*, arw105. https://doi.org/10.1093/beheco/arw105

Jonckheere, I., Nackaerts, K., Muys, B., & Coppin, P. (2005). Assessment of automatic gap fraction estimation of forests from digital hemispherical photography. *Agricultural and Forest Meteorology*, *132*(1–2), 96–114. https://doi.org/10.1016/j.agrformet.2005.06.003

Jorge, M. H., Conner, L. M., Garrison, E. P., & Cherry, M. J. (2022). Avian species richness in a frequently burned ecosystem: a link between pyrodiversity and biodiversity. *Landscape Ecology*, *37*(4), 983–996. https://doi.org/10.1007/s10980-022-01399-8

Kaban, A., Mardiastuti, A., & Prasetyo, L. B. (2018). Landscape structure affects bird community in Bogor, West Java. *Jurnal Penelitian Kehutanan Wallacea*, *7*(2), 109. https://doi.org/10.18330/jwallacea.2018.vol7iss2pp109-118

Kadir, R. A., Mohammad, M. I., & Zulkifli, S. Z. (2018). Assessment on Bird Conservation Status Found in Rubber Forest Plantation by Using IUCN and Regional Classification. *Journal of Science and Mathematics Letters*, *6*, 47–60. https://doi.org/10.37134/jsml.vol6.5.2018

Kahl, S., Wood, C. M., Eibl, M., & Klinck, H. (2021). BirdNET: A deep learning solution for avian diversity monitoring. *Ecological Informatics*, *61*(December 2020), 101236. https://doi.org/10.1016/j.ecoinf.2021.101236

Kanowski, J., Catterall, C. P., Wardell-Johnson, G. W., Proctor, H., & Reis, T. (2003). Development of forest structure on cleared rainforest land in eastern Australia under different styles of reforestation. *Forest Ecology and*

Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Management, *183*(1–3), 265–280. https://doi.org/10.1016/S0378-1127(03)00109-9

Keast, A. (1994). Temporal vocalisation patterns in members of a eucalypt forest bird community: The effects of weather on song production. *Emu*, *94*(3), 172–180. https://doi.org/10.1071/MU9940172

Keppel, G., Anderson, S., Williams, C., Kleindorfer, S., & O'Connell, C. (2017). Microhabitats and canopy cover moderate high summer temperatures in a fragmented Mediterranean landscape. *PLoS ONE*, *12*(8), 1–18. https://doi.org/10.1371/journal.pone.0183106

Khanh, H. V., Süle, G., Kovács, B., & Erdős, L. (2024). Strong differences in microclimate among the habitats of a forest-steppe ecosystem. *Idojaras*, *128*(1), 1–26. https://doi.org/10.28974/idojaras.2024.1.1

Kim, H., McComb, B. C., Frey, S. J. K., Bell, D. M., & Betts, M. G. (2022). Forest microclimate and composition mediate long-term trends of breeding bird populations. *Global Change Biology*, *28*(21), 6180–6193. https://doi.org/10.1111/gcb.16353

Krebs, C. J. (2014). Ecology: The Experimental Analysis of Distribution and Abundance Sixth Edition. In *Pearson Education Limited*. Pearson Education Limited. https://doi.org/10.2307/1296598

Krebs, J. R., & Kroodsma, D. E. (1980). Repertoires and Geographical Variation in Bird Song. In *Advances in the Study of Behavior* (Vol. 11, Issue C). https://doi.org/10.1016/S0065-3454(08)60117-5

Krishnan, A. (2023). Black-eared Barbet (Psilopogon duvaucelii), version 1.0. *Birds of the World*. https://doi.org/10.2173/BOW.BUEBAR2.01

Krisnawati, H. (2015). Struktur Tegakan dan Komposisi Jenis Hutan Alam Bekas Tebangan di Kalimantan Tengan (Stand structure and species composition of logged- over natural forest in Central Kalimantan). *Buletin Penelitian Hutan*, *1*(January 2003), 1–19.

Kuile, A. M., Ogle, K., Cavanaugh, C., Dudley, J., Markus, A., Saab, V., Wright, M., & Sanderlin, J. (2023). Forest management, forest vegetation, and climate influence nesting ecology of a focal bird species in the western USA. *Forest Ecology and Management*, *549*(121443), 1–61.

Kuswandi, R., Sadono, R., Supriyatno, N., & Marsono, D. (2015). Keanekaragaman Struktur Tegakan Hutan Alam Bekas Tebangan Berdasarkan Biogeografi Di Papua. *Jurnal Manusia Dan Lingkungan*, *22*(2), 151. https://doi.org/10.22146/jml.18737

Lawrence, S. L. (2022). Effects of ambient temperature on behavioral thermoregulation and microsite occupancy in a foraging California hummingbird. In *California State University, East Bay*. https://doi.org/10.1080/09507119209548164

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, K., & Brown, R. D. (2022). Effects of Urban Landscape and Sociodemographic Characteristics on Heat-Related Health Using Emergency Medical Service Incidents. *International Journal of Environmental Research and Public Health*, *19*(3). https://doi.org/10.3390/ijerph19031287

Lefeuvre, M., & Rutkowska, J. (2024). Zebra finch song parameters are affected by the breeding status of the male, but not temperature variability. *Physiology and Behavior*, *281*(May). https://doi.org/10.1016/j.physbeh.2024.114581

Legge, S., Rumpff, L., Woinarski, J. C. Z., Whiterod, N. S., Ward, M., Southwell, D. G., Scheele, B. C., Nimmo, D. G., Lintermans, M., Geyle, H. M., Garnett, S. T., Hayward-Brown, B., Ensbey, M., Ehmke, G., Ahyong, S. T., Blackmore, C. J., Bower, D. S., Brizuela-Torres, D., Burbidge, A. H., … Zukowski, S. (2022). The conservation impacts of ecological disturbance: Time-bound estimates of population loss and recovery for fauna affected by the 2019–2020 Australian megafires. *Global Ecology and Biogeography*, *31*(10), 2085–2104. https://doi.org/10.1111/geb.13473

Lepage, D. (2003, June 24). *Black-eared Barbet*. Avibase - The World Bird Database.

Liao, C. C., Shieh, B. Sen, & Chen, C. C. (2018). Air temperature influenced the vocal activity of birds in a subtropical forest in southern Taiwan. *Taiwan Journal of Forest Science*, *33*(4), 291–304.

Lok, A. F. S. L., Yao, C. J., & Tey, B. S. (2009). Barbets of Singapore Part 3 : Forest Species , With Emphasis on Megalaima Rafflesii Lesson , the Red-Crowned Barbet. *Nature in Singapore*, *2*(February), 69–76.

Maciej, P., Ndao, I., Hammerschmidt, K., & Fischer, J. (2013). Vocal communication in a complex multi-level society. *Frontiers in Zoology*, 1–15.

MacKinnon, J., Phillipps, K., & Balen, B. Van. (2010). *Burung-burung di Sumatera, Jawa, Bali dan Kalimantan (Termasuk Sabah, Sarawak dan Brunei Darussalam)*. Burung Indonesia.

Maclean, I. M. D., Duffy, J. P., Haesen, S., Govaert, S., De Frenne, P., Vanneste, T., Lenoir, J., Lembrechts, J. J., Rhodes, M. W., & Van Meerbeek, K. (2021). On the measurement of microclimate. *Methods in Ecology and Evolution*, *12*(8), 1397–1410. https://doi.org/10.1111/2041-210X.13627

MacLean, S. A., & Bonter, D. N. (2013). The sound of danger: Threat sensitivity to predator vocalizations, alarm calls, and novelty in gulls. *PLoS ONE*, *8*(12), 1–7. https://doi.org/10.1371/journal.pone.0082384

Majasalmi, T., & Rautiainen, M. (2020). The impact of tree canopy structure on understory variation in a boreal forest. *Forest Ecology and Management*, *466*(March), 118100. https://doi.org/10.1016/j.foreco.2020.118100

Marler, P. (2004). Bird calls: Their potential for behavioral neurobiology. *Annals of the New York Academy of Sciences*, *1016*, 31–44. https://doi.org/10.1196/annals.1298.034

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mathevon, N., & Aubin, T. (1997). Reaction to conspecific degraded song by the wren Troglodytes troglodytes: Territorial response and choice of song post. *Behavioural Processes*, *39*(1), 77–84. https://doi.org/10.1016/S0376-6357(96)00046-0

McCracken, K. G., & Sheldon, F. H. (1997). Avian vocalizations and phylogenetic signal. *Proceedings of the National Academy of Sciences of the United States of America*, *94*(8), 3833–3836. https://doi.org/10.1073/pnas.94.8.3833

Mei, J., Puswal, S. M., Wang, M., & Liu, F. (2022). Diurnal and Seasonal Patterns of Calling Activity of Seven Cuculidae Species in a Forest of Eastern China. *Diversity*, *14*(4), 1–18. https://doi.org/10.3390/d14040249

Meli, P., Holl, K. D., Benayas, J. M. R., Jones, H. P., Jones, P. C., Montoya, D., & Mateos, D. M. (2017). A global review of past land use, climate, and active vs. passive restoration effects on forest recovery. *PLoS ONE*, *12*(2), 1–17. https://doi.org/10.1371/journal.pone.0171368

Minayeva, T. Y., & Sirin, A. A. (2012). Peatland Biodiversity and Climate Change. *Biology Bulletin Reviews*, *2*(2), 164–175. https://doi.org/10.1134/S207908641202003X

Mishra, S., Page, S. E., Cobb, A. R., Lee, J. S. H., Jovani-Sancho, A. J., Sjögersten, S., Jaya, A., Aswandi, & Wardle, D. A. (2021). Degradation of Southeast Asian tropical peatlands and integrated strategies for their better management and restoration. *Journal of Applied Ecology*, *58*(7), 1370–1387. https://doi.org/10.1111/1365-2664.13905

Moeliono, M., Limberg, G., Minnigh, P., Mulyana, A., Indriatmoko, Y., Utomo, N. A., Saparuddin, Hamzah, Iwan, R., & Purwanto, E. (2010). Meretas kebuntuan: konsep dan panduan pengembangan zona khusus bagi Taman Nasional di Indonesia. In *Meretas kebuntuan: konsep dan panduan pengembangan zona khusus bagi Taman Nasional di Indonesia*. https://doi.org/10.17528/cifor/003109

Morrison, E. B., & Lindell, C. A. (2011). Active or Passive Forest Restoration? Assessing Restoration Alternatives with Avian Foraging Behavior. *Restoration Ecology*, *19*(201), 170–177. https://doi.org/10.1111/j.1526-100X.2010.00725.x

Morrison, M. L., Marcot, B. G., & Mannan, R. W. (1992). *Wildlife-habitat relationships: concepts and applications.* University of Wisconsin Press.

Mosikidi, T., Le Maitre, N., Steenhuisen, S.-L., Clark, V. R., Lloyd, K. S., & Le Roux, A. (2023). Passive acoustic monitoring detects new records of globally threatened birds in a high-elevation wetland (Free State, South Africa). *Bird Conservation International*, *33*. https://doi.org/10.1017/s0959270923000345

Mulyana, A., Moeliono, M., Minnigh, P., Indriatmoko, Y., Limberg, G., Utomo, N. A., Iwan, R., Saparuddin, & Hamzah. (2010). Kebijakan pengelolaan zona khusus Dapatkah meretas kebuntuan dalam menata ruang. *Brief Cifor*, *01*.

UNIVERSITAS
GADJAH MADA
**Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau**
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Musri, I., Ainuddin, A. N., Hyrul, M. H. I., Hazandy, A. H., Azani, A. M., & Mitra, U. (2020). Post forest fire management at tropical peat swamp forest : a review of Malaysian experience on rehabilitation and risk mitigation Post forest fire management at tropical peat swamp forest : a review of Malaysian experience on rehabilitation and risk miti. *IOP Conf. Series: Earth and Environmental Science 504*, 1–9. https://doi.org/10.1088/1755-1315/504/1/012017

Nasiri, V., Darvishsefat, A. A., Arefi, H., Griess, V. C., Sadeghi, S. M. M., & Borz, S. A. (2022). Modeling Forest Canopy Cover: A Synergistic Use of Sentinel-2, Aerial Photogrammetry Data, and Machine Learning. *Remote Sensing*, *14*(6). https://doi.org/10.3390/rs14061453

Netoskie, E. C., Paxton, K. L., Paxton, E. H., Asner, G. P., & Hart, P. J. (2023). Linking vocal behaviours to habitat structure to create behavioural landscapes. *Animal Behaviour*, *201*, 1–11. https://doi.org/10.1016/j.anbehav.2023.04.006

Newson, S. E., Evans, H. E., & Gillings, S. (2015). A novel citizen science approach for large-scale standardised monitoring of bat activity and distribution, evaluated in eastern England. *Biological Conservation*, *191*, 38–49. https://doi.org/10.1016/j.biocon.2015.06.009

Nieto-Mora, D. A., Rodríguez-Buritica, S., Rodríguez-Marín, P., Martínez-Vargaz, J. D., & Isaza-Narváez, C. (2023). Systematic review of machine learning methods applied to ecoacoustics and soundscape monitoring. *Heliyon*, *9*(10), e20275. https://doi.org/10.1016/j.heliyon.2023.e20275

Nugroho, Y., Suyanto, Rudy, G. S., Supandi, & Saputra, Y. H. E. (2019). Keanekaragaman Fauna di Area PT. Borneo Indobara Kabupaten Bumbu, Kalimantan Selatan. In *Sustainability (Switzerland)* (Edisi Revi, Vol. 11, Issue 1). CV. Banyubening Cipta Sejahtera. http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI

O'Connor, R. E., Kretschmer, R., Romanov, M. N., & Griffin, D. K. (2024). A Bird's-Eye View of Chromosomic Evolution in the Class Aves. *Cells*, *13*(4). https://doi.org/10.3390/cells13040310

Ocampo-Peñuela, N., Garcia-Ulloa, J., Kornecki, I., Philipson, C. D., & Ghazoul, J. (2020). Impacts of Four Decades of Forest Loss on Vertebrate Functional Habitat on Borneo. *Frontiers in Forests and Global Change*, *3*(May), 1–13. https://doi.org/10.3389/ffgc.2020.00053

Oliver, C. D. (2003). Sustainable forestry: What is it? How do we achieve it? *Journal of Forestry*, *101*(5), 8–17. https://doi.org/10.1093/jof/101.5.8

Omar, M. S., Ifandi, E., Sukri, R. S., Kalaitzidis, S., Christanis, K., Lai, D. T. C., Bashir, S., & Tsikouras, B. (2022). Peatlands in Southeast Asia: A comprehensive geological review. *Earth-Science Reviews*, *232*(July), 104149. https://doi.org/10.1016/j.earscirev.2022.104149

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Paletto, A., & Tosi, V. (2009). *Forest canopy cover and canopy closure : comparison of assessment techniques*. 265–272. https://doi.org/10.1007/s10342-009-0262-x

Pan, Y., Birdsey, R. A., Phillips, O. L., & Jackson, R. B. (2013). The structure, distribution, and biomass of the world's forests. *Annual Review of Ecology, Evolution, and Systematics*, *44*(February), 593–622. https://doi.org/10.1146/annurev-ecolsys-110512-135914

Pandit, M. M., Bridge, E. S., & Ross, J. D. (2022). Environmental conditions lead to shifts in individual communication, which can cause cascading effects on soundscape composition. *Ecology and Evolution*, *12*(10), 1–15. https://doi.org/10.1002/ece3.9359

Patankar, S., Jambhekar, R., Suryawanshi, K. R., & Nagendra, H. (2021). Which traits influence bird survival in the city? A review. *Land*, *10*(2), 1–23. https://doi.org/10.3390/land10020092

Patricelli, G. L., & Blickley, J. L. (2006). Avian communication in urban noise: Causes and consequences of vocal adjustment. *Auk*, *123*(3), 639–649. https://doi.org/10.1642/0004-8038(2006)123[639:ACIUNC]2.0.CO;2

Paul, M. J., LeDuc, S. D., Lassiter, M. G., Moorhead, L. C., Noyes, P. D., & Leibowitz, S. G. (2022). Wildfire Induces Changes in Receiving Waters: A Review With Considerations for Water Quality Management. *Water Resources Research*, *58*(9). https://doi.org/10.1029/2021WR030699

Penteriani, V., & del Mar Delgado, M. (2009). The dusk chorus from an owl perspective: Eagle owls vocalize when their white throat badge contrasts most. *PLoS ONE*, *4*(4), 2–5. https://doi.org/10.1371/journal.pone.0004960

Plappert, J. L., Veech, J. A., Martina, J. P., & Giocomo, J. J. (2024). Canopy cover as the primary factor affecting habitat use by grassland- shrubland bird species in central Texas , USA. *Journal of Field Ornithology*, *95*(3), 10. https://doi.org/10.5751/ JFO-00518-950310%0AAvian

Potter, K. A., Arthur Woods, H., & Pincebourde, S. (2013). Microclimatic challenges in global change biology. *Global Change Biology*, *19*(10), 2932–2939. https://doi.org/10.1111/gcb.12257

Prior, L., Aland, K., Levengood, A. L., & Potvin, D. A. (2023). Vocal activity of the Eastern Ground Parrot (Pezoporus wallicus wallicus) and implications for acoustic monitoring efforts. *Emu*, *123*(4), 364–369. https://doi.org/10.1080/01584197.2023.2269575

Purnomo, D. W., & Usmadi, D. (2012). Pengaruh struktur dan komposisi vegetasi dalam Menentukan nilai konservasi kawasan rehabilitasi di Hutan Wanagama I dan sekitarnya. *Jurnal Biologi Indonesia*, *8*(2), 255–267.

Puswal, S. M., Jinjun, M., & Liu, F. (2021). Effects of temperature and season on birds' dawn singing behavior in a forest of eastern China. *Journal of Ornithology*, *162*(2), 447–459. https://doi.org/10.1007/s10336-020-01848-8

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Putera, V. A. V. H., Suryanti, S., & Wilisiani, F. (2023). Keragaman Vegetasi Bawah di Perkebunan Kelapa Sawit Tanaman Menghasilkan pada Berbagai Tahun Tanam. *Agroforetech*, *1*(03), 1310–1318.

Rahmabudhi, S. (2024). Analysis Of The Relationship Of Air Temperature In Banten Province On The Parameter Of Air Humidity, Rainfall, Enso, Soi, And Iod. *Buletin Meteorologi, Klimatologi Dan Geofisika*, *5*(1), 37–47.

Rhinehart, T. A., Chronister, L. M., Devlin, T., & Kitzes, J. (2020). Acoustic localization of terrestrial wildlife: Current practices and future opportunities. *Ecology and Evolution*, *10*(13), 6794–6818. https://doi.org/10.1002/ece3.6216

Richards, D. G., & Wiley, R. H. (1980). Reverberations and Amplitude Fluctuations in the Propagation of Sound in a Forest: Implications for Animal Communication. *The American Naturalist*, *115*(3), 381–399. https://doi.org/10.1086/283568

Richards, D. R., Fung, T. K., Belcher, R. N., & Edwards, P. J. (2020). Differential air temperature cooling performance of urban vegetation types in the tropics. *Urban Forestry and Urban Greening*, *50*(June 2019). https://doi.org/10.1016/j.ufug.2020.126651

Ritson, J. P., Alderson, D. M., Robinson, C. H., Burkitt, A. E., Heinemeyer, A., Stimson, A. G., Gallego-Sala, A., Harris, A., Quillet, A., Malik, A. A., Cole, B., Robroek, B. J. M., Heppell, C. M., Rivett, D. W., Chandler, D. M., Elliott, D. R., Shuttleworth, E. L., Lilleskov, E., Cox, F., … Evans, M. G. (2021). Towards a microbial process-based understanding of the resilience of peatland ecosystem service provisioning – A research agenda. *Science of the Total Environment*, *759*(143467). https://doi.org/10.1016/j.scitotenv.2020.143467

Robbins, C. S. (1981). Effect of Time of Day On Bird Activity. *Studies in Avian Biology*, *6*, 275–286.

Rocha, L. H. S., Ferreira, L. S., Paula, B. C., Rodrigues, F. H. G., & Sousa-Lima, R. S. (2015). An evaluation of manual and automated methods for detecting sounds of maned wolves (Chrysocyon brachyurus Illiger 1815). *Bioacoustics*, *24*(2), 185–198. https://doi.org/10.1080/09524622.2015.1019361

Salami, K. D., Shuaibu, R. B., Adekunle, V. A. J., & Ogunsola, J. D. (2021). Comparative Analysis of Density, Diversity and Similarity of Forest Tree Species in Three Selected States of Northern Nigeria. *Journal of Research in Forestry, Wildlife & Environmen*, *13*(3), 111–124.

Sanderfoot, O. V., & Gardner, B. (2021). Wildfire smoke affects detection of birds in Washington State. *Ornithological Applications*, *123*(3), 1–14. https://doi.org/10.1093/ornithapp/duab028

Sari, N., Dharmawan, I. W. S., Abywijaya, I. K., Sukmana, P. A., Siregar, C. A., Narendra, B. H., Witono, T. D. A., Arriyadi, D., Husna, Z. S., Febianus, D. P. L. Y., Mulyadi, R., David, A., Taka, Y., Widyana, S. I. G., Chiqita, Y. S., Wardoyo, Sitepu, A. A. B. S., Priyono, & Undaharta, M. D. E. W. N. K. E.

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

(2023). *Bunga Rampai Kelestarian dan Konservasi Hutan Rawa Gambut di Indonesia*. PT Penerbit IPB Press.

Sari, R., Marpaung, S. S. M., Has, D. H., & Daulay, A. P. (2023). Evaluation of Planting Success and Mangrove Habitat Suitability in Various Planting Years in Pasar Rawa Village, Langkat Regency. *Jurnal Biologi Tropis*, *23*(4), 317–322.

Saunders, J., & Slotow, R. (2004). The evolution of song structure in Southern African birds: An assessment of the acoustic adaptation hypothesis. *Ostrich*, *75*(3), 147–155. https://doi.org/10.2989/00306520409485426

Schaefer, H. M., & Ruxton, G. D. (2015). Signal Diversity, Sexual Selection, and Speciation. *Annual Review of Ecology, Evolution, and Systematics*, *46*(December), 573–592. https://doi.org/10.1146/annurev-ecolsys-112414-054158

Schlaepfer, D. R., Braschler, B., Rusterholz, H. P., & Baur, B. (2018). Genetic effects of anthropogenic habitat fragmentation on remnant animal and plant populations: a meta-analysis. *Ecosphere*, *9*(10). https://doi.org/10.1002/ecs2.2488

Sebastián-González, E., Pang-Ching, J., Barbosa, J. M., & Hart, P. (2015). Bioacoustics for species management: Two case studies with a Hawaiian forest bird. *Ecology and Evolution*, *5*(20), 4696–4705. https://doi.org/10.1002/ece3.1743

Sebastián-González, E., van Aardt, J., Sacca, K., Barbosa, J. M., Kelbe, D., & Hart, P. J. (2018). Testing the acoustic adaptation hypothesis with native and introduced birds in Hawaiian forests. *Journal of Ornithology*, *159*(3), 827–838. https://doi.org/10.1007/s10336-018-1542-3

Sergeyev, M., Crawford, D. A., Holbrook, J. D., Lombardi, J. V, Tewes, M. E., & Campbell, T. A. (2024). Selection in the third dimension : Using LiDAR derived canopy metrics to assess individual and population-level habitat partitioning of ocelots , bobcats , and coyotes. *Remote Sensing in Ecology and Conservation*, *10*(2), 264–278. https://doi.org/10.1002/rse2.369

Shashua-Bar, L., & Hoffman, M. E. (2000). Vegetation as a climatic component in the design of an urban street. *Energy and Buildings*, *31*(3), 221–235. https://doi.org/10.1016/s0378-7788(99)00018-3

Shaw, T., Hedes, R., Sandstrom, A., Ruete, A., Hiron, M., Hedblom, M., Eggers, S., & Mikusiński, G. (2021). Hybrid bioacoustic and ecoacoustic analyses provide new links between bird assemblages and habitat quality in a winter boreal forest. *Environmental and Sustainability Indicators*, *11*. https://doi.org/10.1016/j.indic.2021.100141

Shutler, D. (2011). Sexual selection: When to expect trade-offs. *Biology Letters*, *7*(1), 101–104. https://doi.org/10.1098/rsbl.2010.0531

Singh, M., Cheyne, S. M., & Ehlers Smith, D. A. (2018). How conspecific primates

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

use their habitats: Surviving in an anthropogenically-disturbed forest in Central Kalimantan, Indonesia. *Ecological Indicators*, *87*(January), 167–177. https://doi.org/10.1016/j.ecolind.2017.12.041

Sitanggang, I. S., Putri, L. U., Khotimah, H., & Syaufina, L. (2017). Sequential pattern analysis of hotspots based on peatland characteristics in Sumatra and Kalimantan. In *International Journal of Geoinformatics* (Vol. 13, Issue 2, pp. 61–69).

Skoracki, M., Sikora, B., Unsoeld, M., Hromada, M., & Kwieciński, Z. (2024). New insights into the relationship of parasitic quill mites and birds: Picobia species in Asian and New World Barbets. *European Zoological Journal*, *91*(2), 817–829. https://doi.org/10.1080/24750263.2024.2371843

Slabbekoorn, H. (2013). Songs of the city : noise-dependent spectral plasticity in the acoustic phenotype of urban birds. *Animal Behaviour*, *85*(5), 1089–1099. https://doi.org/10.1016/j.anbehav.2013.01.021

Slabbekoorn, H., & Smith, T. B. (2002). Habitat-dependent song divergence in the little greenbul: An analysis of environmental selection pressures on acoustic signals. *Evolution*, *56*(9), 1849–1858. https://doi.org/10.1111/j.0014-3820.2002.tb00199.x

Smit, B., Zietsman, G., Martin, R. O., Cunningham, S. J., McKechnie, A. E., & Hockey, P. A. R. (2016). Behavioural responses to heat in desert birds: implications for predicting vulnerability to climate warming. *Climate Change Responses*, *3*(1), 1–14. https://doi.org/10.1186/s40665-016-0023-2

Snaddon, J., Petrokofsky, G., Jepson, P., & Willis, K. J. (2013). Biodiversity technologies: Tools as change agents. *Biology Letters*, *9*(1). https://doi.org/10.1098/rsbl.2012.1029

Soma, M., & Brumm, H. (2020). Group living facilitates the evolution of duets in barbets. *Biology Letters*, *16*(8), 10–15. https://doi.org/10.1098/rsbl.2020.0399

Sueur, J., & Farina, A. (2015). Ecoacoustics: the Ecological Investigation and Interpretation of Environmental Sound. *Biosemiotics*, *8*(3), 493–502. https://doi.org/10.1007/s12304-015-9248-x

Sugai, L. S. M., Silva, T. S. F., Ribeiro, J. W., & Llusia, D. (2019). Terrestrial Passive Acoustic Monitoring: Review and Perspectives. *BioScience*, *69*(1), 5–11. https://doi.org/10.1093/biosci/biy147

Sulaeman, D., & Nindyarini, A. N. (2024). *Pentingnya Riset Emisi Gas Rumah Kaca dalam Upaya Pelestarian Lahan Gambut | WRI Indonesia*. WRI Indonesia. https://wri-indonesia.org/id/wawasan/pentingnya-riset-emisi-gas-rumah-kaca-dalam-upaya-pelestarian-lahan-gambut

Symes, L. B., Kittelberger, K. D., Stone, S. M., Holmes, R. T., Jones, J. S., Castaneda Ruvalcaba, I. P., Webster, M. S., & Ayres, M. P. (2022). Analytical approaches for evaluating passive acoustic monitoring data: A case study of avian vocalizations. *Ecology and Evolution*, *12*(4), 1–22.

UNIVERSITAS GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1002/ece3.8797

Tarihoran, A. G., & Hadi, S. (2020). Identification of Avifauna in the Lowland Forest. *AIP Conference Proceedings*, *September 2020*.

Taylor, C. E., Huang, Y., & Yao, K. (2016). Distributed sensor swarms for monitoring bird behavior: an integrated system using wildlife acoustics recorders. *Artificial Life and Robotics*, *21*(3), 268–273. https://doi.org/10.1007/s10015-016-0295-4

Tchoumbou, M. A., Malange, E. F. N., Tiku, C. T., Tibab, B., Fru-Cho, J., Tchuinkam, T., Awah-Ndukum, J., Anong Nota, D., & Sehgal, R. N. M. (2020). Response of Understory Bird Feeding Groups to Deforestation Gradient in a Tropical Rainforest of Cameroon. In *Tropical Conservation Science* (Vol. 13). https://doi.org/10.1177/1940082920906970

Teixeira, D., Maron, M., & van Rensburg, B. J. (2019). Bioacoustic monitoring of animal vocal behavior for conservation. *Conservation Science and Practice*, *1*(8), 1–15. https://doi.org/10.1111/csp2.72

Terzano, D., Trezza, F. R., Rezende, M., Malatesta, L., Lew Siew Yan, S., Parish, F., Moss, P., Bresciani, F., Cooke, R., Dargusch, P., & Attorre, F. (2023). Prioritization of peatland restoration and conservation interventions in Sumatra, Kalimantan and Papua. *Journal for Nature Conservation*, *73*(January), 126388. https://doi.org/10.1016/j.jnc.2023.126388

Thamruksa, P., & Muneenam, U. (2023). Difficulties to be Overcome by the Peat Swamp Forest Fire Management in Nakhon Si Thammarat Province, Thailand. *GMSARN International Journal*, *19*(1), 1–9.

Thomas, R. J., Székely, T., Cuthill, I. C., Harper, D. G. C., Newson, S. E., Frayling, T. D., & Wallis, P. D. (2002). Eye size in birds and the timing of song at dawn. *Proceedings of the Royal Society B: Biological Sciences*, *269*(1493), 831–837. https://doi.org/10.1098/rspb.2001.1941

Trounov, V. L., & Vasilieva, A. B. (2014). First record of the nesting biology of the red-vented barbet, Megalaima Lagrandieri (Aves: Piciformes: Megalaimidae), an Indochinese Endemic. *Raffles Bulletin of Zoology*, *62*(September), 671–678.

UNEP. (2022). *Global Peatlands Assessment : The State of the World ' s Peatlands*. United Nations Environment Programme. https://doi.org/10.59117/20.500.11822/41222%0AThis

Urazghildiiev, I. R., & Clark, C. W. (2007). Detection performances of experienced human operators compared to a likelihood ratio based detector. *The Journal of the Acoustical Society of America*, *122*(1), 200–204. https://doi.org/10.1121/1.2735114

van de Ven, T. M. F. N., McKechnie, A. E., & Cunningham, S. J. (2019). The costs of keeping cool: behavioural trade-offs between foraging and thermoregulation are associated with significant mass losses in an arid-zone

UNIVERSITAS
GADJAH MADA
Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

bird. *Oecologia*, *191*, 205–215.

Vásquez-Grandón, A., Donoso, P. J., & Gerding, V. (2018). Forest degradation: When is a forest degraded? *Forests*, *9*(11), 1–13. https://doi.org/10.3390/f9110726

Walters, M., Diamant, E. S., Wong, F., Cen, C., & Yeh, P. J. (2023). Behavioural plasticity and the anthropause: an urban bird becomes less aggressive. *Animal Behaviour*, *200*, 71–80. https://doi.org/10.1016/j.anbehav.2023.02.005

Wang, L., Nabi, G., Yin, L., Wang, Y., Li, S., Hao, Z., & Li, D. (2021). Birds and plastic pollution: recent advances. *Avian Research*, *12*(1), 1–9. https://doi.org/10.1186/s40657-021-00293-2

Wang, Y., Xu, J., Chen, J., Wu, B., & Lu, Q. (2014). Influence of the habitat change for birds on community structure. *Acta Ecologica Sinica*, *34*(1), 1–6. https://doi.org/10.1016/j.chnaes.2013.09.003

Whittingham, M. J., & Evans, K. L. (2004). The effects of habitat structure on predation risk of birds in agricultural landscapes. *Ibis*, *146*(SUPPL. 2), 210–220. https://doi.org/10.1111/j.1474-919X.2004.00370.x

Wicaksono, G., Baihaqi, A., & Adha, M. I. (2018). *Burung-burung Punggualas Taman Nasional Sebangau* (Issue July). WWF-Idonesia.

Widjaja, E. A., Wardani, W., & Amir, M. (2007). *Laporan Penelitian : Flora Taman Nasional Sebangau*.

Wiley, R. H., & Richards, D. G. (1978). Physical constraints on acoustic communication in the atmospohere. *Behavioral Ecology and Sociobiology*, *94*(3), 7.

Willard, D. A., Jones, M. C., Alder, J., Fastovich, D., Hoefke, K., Poirier, R. K., & Wurster, F. C. (2023). Roles of climatic and anthropogenic factors in shaping Holocene vegetation and fire regimes in Great Dismal Swamp, eastern USA. *Quaternary Science Reviews*, *311*, 108153. https://doi.org/10.1016/j.quascirev.2023.108153

Winkler, D. W., Billerman, S. M., & Lovette, I. J. (2020). Asian Barbets (Megalaimidae), version 1.0. In Birds of the World (S. M. Billerman, B. K. Keeney, P. G. Rodewald, and T. S. Schulenberg, Editors). *Cornell Lab of Ornithology, Ithaca, NY, USA*. https://doi.org/10.2173/bow.megala2.01

Winkler, H., & Preleuthner, M. (2001). Behaviour and ecology of birds in tropical rain forest canopies. *Plant Ecology*, *153*(1–2), 193–202. https://doi.org/10.1023/A:1017595321548

Wolf, K. D., Higuera, P. E., Davis, K. T., & Dobrowski, S. Z. (2021). Wildfire impacts on forest microclimate vary with biophysical context. *Ecosphere*, *12*(5). https://doi.org/10.1002/ecs2.3467

Wong, F. S. H. (2014). The spread and relative abundance of the non-native White-crested Laughingthrush Garrulax leucolophus and Lineated Barbet Megalaima

Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

lineata in Singapore. *Forktail*, *30*, 90–95. https://orientalbirdclub.org/wp-content/uploads/2017/06/White-crested-Laughingthrush.pdf

Woolet, J., Stevens-Rumann, C. S., Coop, J. D., & Pejchar, L. (2023). A bird's eye view of ecosystem conversion: Examining the resilience of piñon-juniper woodlands and their avian communities in the face of fire regime change. *Forest Ecology and Management*, *546*(May), 121368. https://doi.org/10.1016/j.foreco.2023.121368

Worrall, F., Boothroyd, I. M., Howden, N. J. K., Burt, T. P., Kohler, T., & Gregg, R. (2020). Are peatlands cool humid islands in a landscape? *Hydrological Processes*, *34*(25), 5013–5025. https://doi.org/10.1002/hyp.13921

Wunderle, J. M. (1997). The role of animal seed dispersal in accelerating native forest regeneration on degraded tropical lands. *Forest Ecology and Management*, *99*(1–2), 223–235. https://doi.org/10.1016/S0378-1127(97)00208-9

Xin-Rong, L., Jing-Guang, Z., Li-Chao, L., Huai-Shun, C., & Qing-Hui, S. (2003). Plant Diversity and Succession of Artificial Vegetation Types and Environment in an Arid Desert Region of China. In *Conserving Biodiversity in Arid Regions* (pp. 179–188). https://doi.org/10.1007/978-1-4615-0375-0_13

Yeager, C. P., Marshall, A. J., Stickler, C. M., & Chapman, C. A. (2003). Effects of Fires on Peat Swamp and Lowland Dipterocarp Forests in Kalimantan, Indonesia. *Tropical Biodiversity*, *8*(1), 121–138.

Yip, D. A., Bayne, E. M., Sólymos, P., Campbell, J., & Proppe, D. (2017). Sound attenuation in forest and roadside environments: Implications for avian point-count surveys. *Condor*, *119*(1), 73–84. https://doi.org/10.1650/CONDOR-16-93.1

Yoo, S., Kim, H. N., Lee, J. W., & Yoo, J. C. (2020). Seasonal and diurnal patterns of population vocal activity in avian brood parasites. *Ibis*, *162*(3), 1001–1011. https://doi.org/10.1111/ibi.12741

Yulianti, R., Marsono, D., & Yunianto, T. (2017). Analisis Vegetasi Hutan Rawa Gambut Pascakebakaran Di Wilayah Desa Sebangau Dan Desa Taruna Jaya. *Majalah Geografi Indonesia*, *31 (2)*(June), 54–62. https://jurnal.ugm.ac.id/mgi/article/view/13341

Zellweger, F., De Frenne, P., Lenoir, J., Vangansbeke, P., Verheyen, K., Bernhardt-römermann, M., Baeten, L., Hédl, R., Berki, I., Brunet, J., Van Calster, H., & Chudomelov. (2020). To Warming. *Science*, *368*(May), 772–775.

Zhang, C., Li, L., Guan, Y., Cai, D., Chen, H., Bian, X., & Guo, S. (2021). Impacts of vegetation properties and temperature characteristics on species richness patterns in drylands: Case study from Xinjiang. *Ecological Indicators*, *133*(November), 108417. https://doi.org/10.1016/j.ecolind.2021.108417

Zhang, H., Yan, L., Yu, L., Su, H., Hu, C., Zhang, M., & Kong, Z. (2023). The

UNIVERSITAS
GADJAH MADA
**Pola Vokalisasi Burung Takur (Megalaimidae) pada Lokasi Pasca Kebakaran Hutan di Laboratorium Alam
Hutan Gambut Zona Khusus Taman Nasional Sebangau**
Fikri Al Fatih Umar, Dr.rer.silv. Muhammad Ali Imron, S.Hut., M.Sc.; Mark E. Harrison, B.Sc., Ph.D., C.Biol., MRSB
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

diversity of resident passerine bird in the East Yunnan-Kweichow Plateau is closely related to plant species richness, vertical altitude difference and habitat area. *Ecology and Evolution*, *13*(1), 1–16. https://doi.org/10.1002/ece3.9735

Zollinger, S. A., & Brumm, H. (2015). Why birds sing loud songs and why they sometimes don't. *Animal Behaviour*, *105*(November), 289–295. https://doi.org/10.1016/j.anbehav.2015.03.030