

DAFTAR PUSTAKA

- Abdollahnejad, A., Panagiotidis, D., & Surový, P. (2017). Forest canopy density assessment using different approaches - Review. *Journal of Forest Science*, 63(3), 107–116. <https://doi.org/10.17221/110/2016-JFS>
- Abrahams, C. (2018). Bird Bioacoustic Surveys - Developing a Standard Protocol. *Journal of Inpractice*, 102(December), 20–23. <https://doi.org/10.1201/9780429423062-7>
- Adila, N., Sasidhran, S., Kamarudin, N., Puan, C. L., Azhar, B., & Lindenmayer, D. B. (2017). Effects of peat swamp logging and agricultural expansion on species richness of native mammals in Peninsular Malaysia. *Basic and Applied Ecology*, 22, 1–10. <https://doi.org/10.1016/j.baae.2017.04.002>
- Agrawal, A. A. (2001). Ecology: Phenotypic plasticity in the interactions and evolution of species. *Science*, 294(5541), 321–326. <https://doi.org/10.1126/science.1060701>
- Álvarez-Ruiz, L., Pausas, J. G., Blumstein, D. T., & Putman, B. J. (2023). Lizards' response to the sound of fire is modified by fire history. *Animal Behaviour*, 196, 91–102. <https://doi.org/10.1016/j.anbehav.2022.12.002>
- Amit, B., Klok, W. R., Van Der Meer, P. J., Khatrina Khairuddin, N. S., Yaman, I. C., & Khoon, K. L. (2023). The Effects of Peat Swamp Forest Patches and Riparian Areas within Large Scale Oil Palm Plantations on Bird Species Richness. *Tropical Life Sciences Research*, 34(2), 131–160. <https://doi.org/10.21315/tlsr2023.34.2.7>
- Andersen, R., Fernandez-Garcia, P., Martin-Walker, A., Klein, D., Marshall, C., Large, D. J., Hughes, R., & Hancock, M. H. (2024). Blanket bog vegetation response to wildfire and drainage suggests resilience to low severity, infrequent burning. *Fire Ecology*, 20(1). <https://doi.org/10.1186/s42408-024-00256-0>
- Angio, M. H., Renjana, E., Ningrum, L. W., Firdiana, E. R., & Irawanto, R. (2022). Inventory of plants in the Mangrove Botanic Garden of Gunung Anyar and their potential as medicinal plants. *Jurnal Penelitian Kehutanan Wallacea*, 11(1), 53–70. <https://doi.org/10.18330/jwallacea.2022.vol11iss1pp53-70>
- Antonson, N. D., Enos, J. K., Lawson, S. L., Uy, F. M. K., Gill, S. A., Lynch, K. S., & Hauber, M. E. (2024). Functional neurogenomic responses to acoustic threats, including a heterospecific referential alarm call and its referent, in the auditory forebrain of red-winged blackbirds. *Scientific Reports*, 14(1), 1–9. <https://doi.org/10.1038/s41598-024-51797-y>
- Ariyantoni, J., Natul, A. S., & Sastra, A. R. (2024). Land Surface Temperature Di Kabupaten Ogan Komering Ilir Sumatera Selatan Akibat Kebakaran Lahan. *Jurnal Ilmiah Tekno Global*, 13(01), 1–6.
- Asyhari, A., Gangga, A., Putra, C. A. S., Ritonga, R. P., Candra, R. A., Anshari, G.

- Z., Bowen, J. C., Perryman, C. R., & Novita, N. (2024). Quantifying the fluxes of carbon loss from an undrained tropical peatland ecosystem in Indonesia. *Scientific Reports*, *14*(1), 1–12. <https://doi.org/10.1038/s41598-024-62233-6>
- Aziz, N. F. A., Ya'acob, N., Yusof, A. L., & Omar, H. (2024). Statistical Analysis for Forest Fire Factors Using Geography Information System (GIS) and Remote Sensing Imagery. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, *45*(2), 177–190. <https://doi.org/10.37934/araset.45.2.177190>
- Azman, N. M., Latip, N. S. A., Sah, S. A. M., Akil, M. A. M. M., Shafie, N. J., & Khairuddin, N. L. (2011). Avian diversity and feeding guilds in Kerian River Basin. *Tropical Life Sciences Research*, *XXXIII*(2), 45–64. http://www.americanbanker.com/issues/179_124/which-city-is-the-next-big-fintech-hub-new-york-stakes-its-claim-1068345-1.html%5Cnhttp://www.ncbi.nlm.nih.gov/pubmed/15003161%5Cnhttp://cid.oxfordjournals.org/lookup/doi/10.1093/cid/cir991%5Cnhttp://www.scielo
- Bachry, S., Rismayanti, R., Persada, A. P., Handayani, H., Ayu, F., Lesmana, D., Almujiat, A., & Andika, A. (2020). Struktur Dan Komposisi Vegetasi Di Arboretum Sungai Gerong Pt. Perta Samtan Gas, Kabupaten Banyuasin, Provinsi Sumatera Selatan. *Media Konservasi*, *25*(2), 149–155. <https://doi.org/10.29244/medkon.25.2.149-155>
- Backhouse, F., Welbergen, J. A., Magrath, R. D., & Dalziell, A. H. (2023). Depleted cultural richness of an avian vocal mimic in fragmented habitat. *Diversity and Distributions*, *29*(1), 109–122. <https://doi.org/10.1111/ddi.13646>
- Bahía, R., Lambertucci, S. A., & Speziale, K. L. (2024). Anthropogenic city noise affects the vocalizations of key forest birds. *Biodiversity and Conservation*, *33*(8–9), 2405–2421. <https://doi.org/10.1007/s10531-024-02862-5>
- Bain, C. G., Bonn, A., Stoneman, R., Chapman, S., Coupar, A., Evans, M., Gearey, B., Howat, M., Joosten, H., Keenleyside, C., Labadz, J., Lindsay, R., Littlewood, N., Lunt, P., Miller, C. J., Moxey, A., Orr, H., Reed, M., Smith, P., ... Worrall, F. (2011). *Commission of Inquiry on Peatlands*. IUCN UK Peatland Programme.
- Bardeli, R., Wolff, D., Kurth, F., Koch, M., Tauchert, K. H., & Frommolt, K. H. (2010). Detecting bird sounds in a complex acoustic environment and application to bioacoustic monitoring. *Pattern Recognition Letters*, *31*(12), 1524–1534. <https://doi.org/10.1016/j.patrec.2009.09.014>
- Basuki, T. M. (2015). Leaf Area Index Derived From Hemispherical Photograph and Its Correlation With Above-Ground Forest Biomass. *Indonesian Journal of Forestry Research*, *2*(1), 31–41. <https://doi.org/10.20886/ijfr.2015.2.1.647.31-41>
- Batistela, M., & Müller, E. S. (2019). Analysis of duet vocalizations in *Myiothlypis leucoblephara* (Aves, Parulidae). *Neotropical Biology and Conservation*,

14(2), 297–311. <https://doi.org/10.3897/neotropical.14.e37655>

- Belfin, O., Kempnaers, B., & Piersma, T. (2025). Daily and seasonal use of vocalizations by nesting black-tailed godwits. *Journal of Avian Biology*, 2025(2), 1–12. <https://doi.org/10.1111/jav.03362>
- Bera, B., Saha, S., & Bhattacharjee, S. (2020). Estimation of Forest Canopy Cover and Forest Fragmentation Mapping Using Landsat Satellite Data of Silabati River Basin (India). *KN - Journal of Cartography and Geographic Information*, 70(4), 181–197. <https://doi.org/10.1007/s42489-020-00060-1>
- BirdLife International. (2016). *Caloramphus fuliginosus*, Bornean Brown Barbet. *The IUCN Red List of Threatened Species 2016*, e.T2272704. <http://dx.doi.org/10.2305/IUCN.UK.2016-%0A3.RLTS.T22727049A94939526.en>
- BirdLife International. (2018). *Psilopogon duvaucelii*. *The IUCN Red List of Threatened Species 2018*, 8235. <http://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22726136A131279378.en>
- BirdLife International. (2023). *Psilopogon rafflesii*, Red-crowned Barbet. *The IUCN Red List of Threatened Species 2023*, e.T2268161. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T22681616A216672786.en>
- Blackburn, G., Soravia, C., & Ridley, A. R. (2024). The importance of investigating the impact of simultaneous anthropogenic stressors: the effects of rising temperatures and anthropogenic noise on avian behaviour and cognition. *Journal of Avian Biology*, 1–14. <https://doi.org/10.1111/jav.03256>
- Boncoraglio, G., & Saino, N. (2007). Habitat structure and the evolution of bird song: A meta-analysis of the evidence for the acoustic adaptation hypothesis. *Functional Ecology*, 21(1), 134–142. <https://doi.org/10.1111/j.1365-2435.2006.01207.x>
- Bowman, D. M. J. S., Balch, J. K., Artaxo, P., Bond, W. J., Carlson, J. M., Cochrane, M. A., D'Antonio, C. M., DeFries, R. S., Doyle, J. C., Harrison, S. P., Johnston, F. H., Keeley, J. E., Krawchuk, M. A., Kull, C. A., Marston, J. B., Moritz, M. A., Prentice, I. C., Roos, C. I., Scott, A. C., ... Pyne, S. J. (2009). Fire in the earth system. *Science*, 324(5926), 481–484. <https://doi.org/10.1126/science.1163886>
- Bradbury, J. W., & Vehrencamp, S. L. (1998). Principles of Animal Communication. In *Sinauer Associates*. Sinauer Associates. <https://doi.org/10.1016/j.anbehav.2011.12.014>
- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. *WWF Conservation Technology Series*, 1(2), 75. <https://doi.org/10.13140/RG.2.2.18158.46409>
- Brumm, H., & Naguib, M. (2009). Environmental Acoustics and the Evolution of Bird Song. *Advances in the Study of Behavior*, 40, 1–33.

[https://doi.org/10.1016/S0065-3454\(09\)40001-9](https://doi.org/10.1016/S0065-3454(09)40001-9)

- Bruni, A., Mennill, D. J., & Foote, J. R. (2014). Dawn chorus start time variation in a temperate bird community: Relationships with seasonality, weather, and ambient light. *Journal of Ornithology*, *155*(4), 877–890. <https://doi.org/10.1007/s10336-014-1071-7>
- Caouette, A. P., Bayne, E. M., & Judge, K. A. (2023). Large-scale bioacoustic monitoring to elucidate the distribution of a non-native katydid. *Ecological Entomology*, *September 2023*, 119–127. <https://doi.org/10.1111/een.13285>
- Carlson, A. R., Sibold, J. S., & Negrón, J. F. (2021). Wildfire and spruce beetle outbreak have mixed effects on below-canopy temperatures in a Rocky Mountain subalpine forest. *Journal of Biogeography*, *48*(1), 216–230. <https://doi.org/10.1111/jbi.13994>
- Chapman, S., Buttler, A., Francez, A., Laggoun-, F., Vasander, H., Schloter, M., Combe, J., Grosvernier, P., Epron, D., Gilbert, D., Mitchell, E., Chapman, S., Buttler, A., Francez, A., Laggoun-defarge, F., & Vasander, H. (2003). *Frontiers in Ecology and the Environment*. WILEY, *1*(10), 525–532. <http://www.jstor.org/stable/3868163>
- Charmantier, A., McCleery, R. H., Cole, L. R., Perrins, C., Kruuk, L. E. B., & Sheldon, B. C. (2008). Adaptive phenotypic plasticity in response to climate change in a wild bird population. *Science*, *320*(5877), 800–803. <https://doi.org/10.1126/science.1157174>
- Cheyne, S. M., Thompson, C. J. H., Phillips, A. C., Hill, R. M. C., & Limin, S. H. (2008). Density and population estimate of gibbons (*Hylobates albibarbis*) in the Sabangau catchment, Central Kalimantan, Indonesia. *Primates*, *49*(1), 50–56. <https://doi.org/10.1007/s10329-007-0063-0>
- Cockrem, J. F. (2012). Corticosterone responses and personality in birds: Individual variation and the ability to cope with environmental changes due to climate change. *General and Comparative Endocrinology*, *190*, 156–163. <https://doi.org/10.1016/j.ygcen.2013.02.021>
- Coomes, C. M., & Derryberry, E. P. (2021). High temperatures reduce song production and alter signal salience in songbirds. *Animal Behaviour*, *180*(502), 774–0044. <https://doi.org/10.1016/j.anbehav.2021.07.020>
- Cordonnier, M., Ridley, A. R., Lengagne, T., & Dutour, M. (2023). The impact of high temperatures on bird responses to alarm calls. *Behavioral Ecology and Sociobiology*, *77*(7), 1–9. <https://doi.org/10.1007/s00265-023-03354-2>
- Corlett, R. T. (2017). Frugivory and seed dispersal by vertebrates in tropical and subtropical Asia: An update. *Global Ecology and Conservation*, *11*, 1–22. <https://doi.org/10.1016/j.gecco.2017.04.007>
- Cunningham, S. J., Martin, R. O., & Hockey, P. A. R. (2015). Can behaviour buffer the impacts of climate change on an arid-zone bird? *Ostrich*, *86*(1–2), 119–126. <https://doi.org/10.2989/00306525.2015.1016469>

- del Hoyo, J., Collar, N. J., Christie, D. A., Elliott, A., Fishpool, L. D. C., Boesman, P., & Kirwan, G. M. (2014). *HBW and BirdLife International Illustrated Checklist of the Birds of the World. Volume 1: Non-passerines*. Lynx Edicions BirdLife International.
- Dendang, B. (2015). Struktur dan komposisi tegakan hutan di Taman Nasional Gunung Gede Pangrango, Jawa Barat. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 1(4), 691–695. <https://doi.org/10.13057/psnmbi/m010401>
- Deoniziak, K., & Osiejuk, T. S. (2019). Habitat-related differences in song structure and complexity in a songbird with a large repertoire. *BMC Ecology*, 19(1), 1–11. <https://doi.org/10.1186/s12898-019-0255-7>
- Dhandapani, S., Evers, S., Boyd, D. S., Yesuf, G., Kinneen, L., Haughan, A., & Sjogersten, S. (2023). Assessment of variability of peat physicochemical properties, subsidence and their interactions within Selangor forests. *European Journal of Soil Science*, 74(6), 1–14. <https://doi.org/10.1111/ejss.13431>
- Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2013). A practical comparison of manual and autonomous methods for acoustic monitoring. *Methods in Ecology and Evolution*, 4(7), 675–683. <https://doi.org/10.1111/2041-210X.12060>
- Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2014). Temporal and environmental influences on the vocal behaviour of a nocturnal bird. *Journal of Avian Biology*, 45(6), 591–599. <https://doi.org/10.1111/jav.00411>
- Dimiyati, M., Aginta, F., & Damayanti, A. (2024). The effect of vegetation index on the land surface temperature in South Badung Regency, Bali Province. *IOP Conference Series: Earth and Environmental Science*, 1291(1). <https://doi.org/10.1088/1755-1315/1291/1/012024>
- Dominoni, D. M., Helm, B., Lehmann, M., Dowse, H. B., & Partecke, J. (2013). Clocks for the city: Circadian differences between forest and city songbirds. *Proceedings of the Royal Society B: Biological Sciences*, 280(1763). <https://doi.org/10.1098/rspb.2013.0593>
- Duarte, M. H. L., Sousa-Lima, R. S. S., Young, R. J., Vasconcelos, M. F., Bittencourt, E., Scarpelli, M. D. A., Farina, A., & Pieretti, N. (2021). Changes on soundscapes reveal impacts of wildfires in the fauna of a Brazilian savanna. *Science of the Total Environment*, 769, 144988. <https://doi.org/10.1016/j.scitotenv.2021.144988>
- Ducrettet, M., Forget, P.-M., Ulloa, J. S., Yguel, B., Gaucher, P., Princé, K., Hauptert, S., & Sueur, J. (2020). Monitoring canopy bird activity in disturbed landscapes with automatic recorders: a case study in the tropics. *Biological Conservation*, Volume 245(108574). <https://doi.org/10.1016/j.biocon.2020.108574>
- Duque, F. G., Rodriguez-Saltos, C. A., Monteros, M. F., & Wilczynski, W. (2021).

Transmission of high-frequency vocalizations from hummingbirds living in diverse habitats. *Biological Journal of the Linnean Society*, 132(1), 148–160. <https://doi.org/10.1093/biolinnean/blaa180>

Ehlers Smith, D. A., & Ehlers Smith, Y. C. (2013). Population density of red langurs in sabangau tropical peat-swamp forest, Central Kalimantan, Indonesia. *American Journal of Primatology*, 75(8), 837–847. <https://doi.org/10.1002/ajp.22145>

Enari, H., & Enari, H. S. (2023). Bioacoustic monitoring to determine addiction levels of primates to the human sphere: A feasibility study on Japanese macaques. *American Journal of Primatology*, 85(12), 1–10. <https://doi.org/10.1002/ajp.23558>

Endler, J. A. (1992). Signals, signal conditions, and the direction of evolution. *The American Naturalist*, 139(Supplement), 125–153.

Ey, E., & Fisher, J. (2009). The “Acoustic Adaptation Hypothesis”—A Review Of The Evidence From Birds, Anurans And Mammals. *Bioacoustics: The International Journal of Animal Sound and Its Recording*, 19(1), 21–48.

Farina, A. (2014). Soundscape ecology: Principles, patterns, methods and applications. In *Soundscape Ecology: Principles, Patterns, Methods and Applications* (Vol. 9789400773). <https://doi.org/10.1007/978-94-007-7374-5>

Farina, A., Ceraulo, M., Bobryk, C., Pieretti, N., Quinci, E., & Lattanzi, E. (2015). Spatial and temporal variation of bird dawn chorus and successive acoustic morning activity in a Mediterranean landscape. *Bioacoustics*, 24(3), 269–288. <https://doi.org/10.1080/09524622.2015.1070282>

Farina, A., Lattanzi, E., Malavasi, R., Pieretti, N., & Piccioli, L. (2011). Avian soundscapes and cognitive landscapes: Theory, application and ecological perspectives. *Landscape Ecology*, 26(9), 1257–1267. <https://doi.org/10.1007/s10980-011-9617-z>

Flerchinger, G. N., Reba, M. L., Link, T. E., & Marks, D. (2016). Modeling temperature and humidity profiles within forest canopies. *Agricultural and Forest Meteorology*, 213, 251–262. <https://doi.org/10.1016/j.agrformet.2015.07.007>

Flores, G. M. A., Flores, A. B. A., Mabitasan, R. J. I. B., Lopus, J. M. F., & Paguntalan, L. J. (2024). Abundance and microhabitat association of *Barbourula busuangensis* (Anura: Bombinatoridae) in Busuanga Island, Philippines. *Phyllomedusa*, 23(1), 65–78. <https://doi.org/10.11606/issn.2316-9079.v23i1p65-78>

Fontúrbel, F. E., Orellana, J. I., Rodríguez-Gómez, G. B., Tabilo, C. A., & Castaño-Villa, G. J. (2021). Habitat disturbance can alter forest understory bird activity patterns: A regional-scale assessment with camera-traps. *Forest Ecology and Management*, 479(September 2020), 118618. <https://doi.org/10.1016/j.foreco.2020.118618>

- Foster, C. N., Barton, P. S., Robinson, N. M., MacGregor, C., & Lindenmayer, D. B. (2017). Effects of a large wildfire on vegetation structure in a variable fire mosaic. *Ecological Applications*, 27(8), 2369–2381. <https://doi.org/10.1111/ijlh.12426>
- Franklin, A. B., Noon, B. R., & George, T. L. (2002). What is habitat fragmentation? *Studies in Avian Biology*, 25, 20–29.
- Franklin, M. J. M., Major, R. E., & Bradstock, R. A. (2023). Canopy cover mediates the effects of a decadal increase in time since fire on arboreal birds. *Biological Conservation*, 277(December 2022), 109871. <https://doi.org/10.1016/j.biocon.2022.109871>
- Freitas, B., D'Amelio, P. B., Milá, B., Thébaud, C., & Janicke, T. (2024). Meta-analysis of the acoustic adaptation hypothesis reveals no support for the effect of vegetation structure on acoustic signalling across terrestrial vertebrates. In *Biological Reviews* (Issue August). <https://doi.org/10.1111/brv.13163>
- Frolking, S., Palace, M. W., Clark, D. B., Chambers, J. Q., Shugart, H. H., & Hurtt, G. C. (2009). Forest disturbance and recovery: A general review in the context of spaceborne remote sensing of impacts on aboveground biomass and canopy structure. *Journal of Geophysical Research: Biogeosciences*, 114(3). <https://doi.org/10.1029/2008JG000911>
- Funghi, C., McCowan, L. S. C., Schuett, W., & Griffith, S. C. (2019). High air temperatures induce temporal, spatial and social changes in the foraging behaviour of wild zebra finches. *Animal Behaviour*, 149(February), 33–43. <https://doi.org/10.1016/j.anbehav.2019.01.004>
- García-Navas, V., Feliu, N., & Blumstein, D. T. (2023). Changes in the acoustic structure of Australian bird communities along a habitat complexity gradient. *Behavioral Ecology*, 34(6), 930–940. <https://doi.org/10.1093/beheco/arad060>
- Gonzalez-Voyer, A., den Tex, R. J., Castelló, A., & Leonard, J. A. (2013). Evolution of acoustic and visual signals in Asian barbets. *Journal of Evolutionary Biology*, 26(3), 647–659. <https://doi.org/10.1111/jeb.12084>
- Graham, B. A., Sandoval, L., Dabelsteen, T., & Mennill, D. J. (2017). A test of the Acoustic Adaptation Hypothesis in three types of tropical forest: degradation of male and female Rufous-and-white Wren songs. *Bioacoustics*, 26(1), 37–61. <https://doi.org/10.1080/09524622.2016.1181574>
- Hadiyan, Y., Muslimin, I., Sofyan, A., Setiawan, A., Rusdi, E., Bastoni, & Haryjanto, L. (2019). Initiation of gelam (*Melaleuca cajuputy* subsp. *cumingiana*) genetic resources conservation in South Sumatra. *Prosiding Seminar Nasional MBI*, 5(2), 408. <https://doi.org/10.13057/psnmbi/m0502xx>
- Hansen, I. J. K., Otter, K. A., Van Oort, H., & Holschuh, C. I. (2005). Communication breakdown? Habitat influences on black-capped chickadee dawn choruses. *Acta Ethologica*, 8(2), 111–120. <https://doi.org/10.1007/s10211-005-0007-x>

- Hao, Z., Zhang, C., Li, L., Gao, B., Wu, R., Pei, N., & Liu, Y. (2024). Anthropogenic noise and habitat structure shaping dominant frequency of bird sounds along urban gradients. *IScience*, 27(2). <https://doi.org/10.1016/j.isci.2024.109056>
- Hardt, B., & Benedict, L. (2021). Can you hear me now? A review of signal transmission and experimental evidence for the acoustic adaptation hypothesis. *Bioacoustics*, 30(6), 716–742. <https://doi.org/10.1080/09524622.2020.1858448>
- Haslem, A., Leonard, S. W. J., Bruce, M. J., Christie, F., Holland, G. J., Kelly, L. T., MacHunter, J., Bennett, A. F., Clarke, M. F., & York, A. (2016). Do multiple fires interact to affect vegetation structure in temperate eucalypt forests? *Ecological Applications*, 26(8), 2412–2421. <https://doi.org/10.1002/eap.1399>
- Hastari, B., & Octavianus, R. (2021). Komposisi dan Keragaman Jenis Bajakah Di Resort Sebangau Hulu Taman Nasional Sebangau. *Jurnal Daun*, 8(2), 82–97.
- Hidayat, S. (2014). Vegetation Conditions in Sesaot Protected Forest, West Lombok, West Nusa Tenggara, as Basic Information in Forest Management. *Jurnal Penelitian Kehutanan Wallacea*, 3(2), 97. <https://doi.org/10.18330/jwallacea.2014.vol3iss2pp97-105>
- Holland, J., Dabelsteen, T., Pedersen, S. B., & Larsen, O. N. (1998). Degradation of wren Troglodytes troglodytes song: Implications for information transfer and ranging. *The Journal of the Acoustical Society of America*, 103(4), 2154–2166. <https://doi.org/10.1121/1.421361>
- Hooijer, A., Vernimmen, R., Mulyadi, D., Triantom, V., Hamdani, Lampela, M., Agusti, R., Page, S. E., Doloksaribu, J., Setiawan, I., Suratmanto, B., & Swarup, S. (2024). Benefits of tropical peatland rewetting for subsidence reduction and forest regrowth: results from a large-scale restoration trial. *Scientific Reports*, 14(1), 1–12. <https://doi.org/10.1038/s41598-024-60462-3>
- Husson, S. J., Limin, S. H., Adul, Boyd, N. S., Brousseau, J. J., Collier, S., Cheyne, S. M., D’Arcy, L. J., Dow, R. A., Dowds, N. W., Dragiewicz, M. L., Ehlers Smith, D. A., Iwan, Hendri, Houlihan, P. R., Jeffers, K. A., Jarrett, B. J. M., Kulu, I. P., Morrogh-Bernard, H. C., ... Harrison, M. E. (2018). Biodiversity of the sebangau tropical peat swamp forest, Indonesian Borneo. *Mires and Peat*, 22, 1–50. <https://doi.org/10.19189/MaP.2018.OMB.352>
- Ifo, S. A., Moutsambote, J. M., Koubouana, F., Yoka, J., Ndzai, S. F., Bouetou-Kadilamio, L. N. O., Mampouya, H., Jourdain, C., Bocko, Y., Mantota, A. B., Mbemba, M., Mouanga-Sokath, D., Odende, R., Mondzali, L. R., Wenina, Y. E. M., Ouissika, B. C., & Joel, L. J. (2016). Tree Species Diversity, Richness, and Similarity in Intact and Degraded Forest in the Tropical Rainforest of the Congo Basin: Case of the Forest of Likouala in the Republic of Congo. *International Journal of Forestry Research*, 2016. <https://doi.org/10.1155/2016/7593681>

- Indriyani, T., Mulyani, Y. A., & Rinaldi, D. (2025). Patterns of Vocalization in Sooty-Headed Bulbul In a Campus Area of Dramaga , Bogor Patterns of Vocalization in Sooty-Headed Bulbul In a Campus Area of Dramaga , Bogor. *IOP Conf. Series: Earth and Environmental Science*, 1506(012002), 1–12. <https://doi.org/10.1088/1755-1315/1506/1/012002>
- Iqbal, M., & Setijono, D. (2011). *Burung-burung di Hutan Rawa Gambut Merangkepayang dan Sekitarnya*. Merang REDD Pilot Project.
- Irma, Burhanuddin, & Wulandari, R. S. (2022). Pertumbuhan Tumih (*Combretocarpus rotundatus* (Miq.) Danser) PADA BEBERAPA MEDIA DIPERSEMAIAN. *Jurnal Lingkungan Hutan Tropis*, 1(2), 499.
- James, F. C. (2016). *Relationships between Temperate Forest Bird Communities and Vegetation Structure Author (s): Frances C. James and Noel O. Wamer Published by: Wiley Stable URL : http://www.jstor.org/stable/1937041 REFERENCES Linked references are available on JSTOR f. 63(1), 159–171.*
- Jennings, S. B., Brown, N. D., & Sheil, D. (1999). Assessing forest canopies and understorey illumination: Canopy closure, canopy cover and other measures. *Forestry*, 72(1), 59–73. <https://doi.org/10.1093/forestry/72.1.59>
- Job, J. R., Kohler, S. L., & Gill, S. A. (2016). Song adjustments by an open habitat bird to anthropogenic noise, urban structure, and vegetation. *Behavioral Ecology*, 00, arw105. <https://doi.org/10.1093/beheco/arw105>
- Jonckheere, I., Nackaerts, K., Muys, B., & Coppin, P. (2005). Assessment of automatic gap fraction estimation of forests from digital hemispherical photography. *Agricultural and Forest Meteorology*, 132(1–2), 96–114. <https://doi.org/10.1016/j.agrformet.2005.06.003>
- Jorge, M. H., Conner, L. M., Garrison, E. P., & Cherry, M. J. (2022). Avian species richness in a frequently burned ecosystem: a link between pyrodiversity and biodiversity. *Landscape Ecology*, 37(4), 983–996. <https://doi.org/10.1007/s10980-022-01399-8>
- Kaban, A., Mardiasuti, A., & Prasetyo, L. B. (2018). Landscape structure affects bird community in Bogor, West Java. *Jurnal Penelitian Kehutanan Wallacea*, 7(2), 109. <https://doi.org/10.18330/jwallacea.2018.vol7iss2pp109-118>
- Kadir, R. A., Mohammad, M. I., & Zulkifli, S. Z. (2018). Assessment on Bird Conservation Status Found in Rubber Forest Plantation by Using IUCN and Regional Classification. *Journal of Science and Mathematics Letters*, 6, 47–60. <https://doi.org/10.37134/jsml.vol6.5.2018>
- Kahl, S., Wood, C. M., Eibl, M., & Klinck, H. (2021). BirdNET: A deep learning solution for avian diversity monitoring. *Ecological Informatics*, 61(December 2020), 101236. <https://doi.org/10.1016/j.ecoinf.2021.101236>
- Kanowski, J., Catterall, C. P., Wardell-Johnson, G. W., Proctor, H., & Reis, T. (2003). Development of forest structure on cleared rainforest land in eastern Australia under different styles of reforestation. *Forest Ecology and*

Management, 183(1–3), 265–280. [https://doi.org/10.1016/S0378-1127\(03\)00109-9](https://doi.org/10.1016/S0378-1127(03)00109-9)

- Keast, A. (1994). Temporal vocalisation patterns in members of a eucalypt forest bird community: The effects of weather on song production. *Emu*, 94(3), 172–180. <https://doi.org/10.1071/MU9940172>
- Keppel, G., Anderson, S., Williams, C., Kleindorfer, S., & O’Connell, C. (2017). Microhabitats and canopy cover moderate high summer temperatures in a fragmented Mediterranean landscape. *PLoS ONE*, 12(8), 1–18. <https://doi.org/10.1371/journal.pone.0183106>
- Khanh, H. V., Süle, G., Kovács, B., & Erdős, L. (2024). Strong differences in microclimate among the habitats of a forest-steppe ecosystem. *Idojaras*, 128(1), 1–26. <https://doi.org/10.28974/idojaras.2024.1.1>
- Kim, H., McComb, B. C., Frey, S. J. K., Bell, D. M., & Betts, M. G. (2022). Forest microclimate and composition mediate long-term trends of breeding bird populations. *Global Change Biology*, 28(21), 6180–6193. <https://doi.org/10.1111/gcb.16353>
- Krebs, C. J. (2014). Ecology: The Experimental Analysis of Distribution and Abundance Sixth Edition. In *Pearson Education Limited*. Pearson Education Limited. <https://doi.org/10.2307/1296598>
- Krebs, J. R., & Kroodsma, D. E. (1980). Repertoires and Geographical Variation in Bird Song. In *Advances in the Study of Behavior* (Vol. 11, Issue C). [https://doi.org/10.1016/S0065-3454\(08\)60117-5](https://doi.org/10.1016/S0065-3454(08)60117-5)
- Krishnan, A. (2023). Black-eared Barbet (*Psilopogon duvaucelii*), version 1.0. *Birds of the World*. <https://doi.org/10.2173/BOW.BUEBAR2.01>
- Krisnawati, H. (2015). Struktur Tegakan dan Komposisi Jenis Hutan Alam Bekas Tebangan di Kalimantan Tengan (Stand structure and species composition of logged- over natural forest in Central Kalimantan). *Buletin Penelitian Hutan*, 1(January 2003), 1–19.
- Kuile, A. M., Ogle, K., Cavanaugh, C., Dudley, J., Markus, A., Saab, V., Wright, M., & Sanderlin, J. (2023). Forest management, forest vegetation, and climate influence nesting ecology of a focal bird species in the western USA. *Forest Ecology and Management*, 549(121443), 1–61.
- Kuswandi, R., Sadono, R., Supriyatno, N., & Marsono, D. (2015). Keanekaragaman Struktur Tegakan Hutan Alam Bekas Tebangan Berdasarkan Biogeografi Di Papua. *Jurnal Manusia Dan Lingkungan*, 22(2), 151. <https://doi.org/10.22146/jml.18737>
- Lawrence, S. L. (2022). Effects of ambient temperature on behavioral thermoregulation and microsite occupancy in a foraging California hummingbird. In *California State University, East Bay*. <https://doi.org/10.1080/09507119209548164>

- Lee, K., & Brown, R. D. (2022). Effects of Urban Landscape and Sociodemographic Characteristics on Heat-Related Health Using Emergency Medical Service Incidents. *International Journal of Environmental Research and Public Health*, *19*(3). <https://doi.org/10.3390/ijerph19031287>
- Lefeuvre, M., & Rutkowska, J. (2024). Zebra finch song parameters are affected by the breeding status of the male, but not temperature variability. *Physiology and Behavior*, *281*(May). <https://doi.org/10.1016/j.physbeh.2024.114581>
- Legge, S., Rumpff, L., Woinarski, J. C. Z., Whiterod, N. S., Ward, M., Southwell, D. G., Scheele, B. C., Nimmo, D. G., Lintermans, M., Geyle, H. M., Garnett, S. T., Hayward-Brown, B., Ensbey, M., Ehmke, G., Ahyong, S. T., Blackmore, C. J., Bower, D. S., Brizuela-Torres, D., Burbidge, A. H., ... Zukowski, S. (2022). The conservation impacts of ecological disturbance: Time-bound estimates of population loss and recovery for fauna affected by the 2019–2020 Australian megafires. *Global Ecology and Biogeography*, *31*(10), 2085–2104. <https://doi.org/10.1111/geb.13473>
- Lepage, D. (2003, June 24). *Black-eared Barbet*. Avibase - The World Bird Database.
- Liao, C. C., Shieh, B. Sen, & Chen, C. C. (2018). Air temperature influenced the vocal activity of birds in a subtropical forest in southern Taiwan. *Taiwan Journal of Forest Science*, *33*(4), 291–304.
- Lok, A. F. S. L., Yao, C. J., & Tey, B. S. (2009). Barbets of Singapore Part 3 : Forest Species , With Emphasis on Megalaima Rafflesii Lesson , the Red-Crowned Barbet. *Nature in Singapore*, *2*(February), 69–76.
- Maciej, P., Ndao, I., Hammerschmidt, K., & Fischer, J. (2013). Vocal communication in a complex multi-level society. *Frontiers in Zoology*, 1–15.
- MacKinnon, J., Phillipps, K., & Balen, B. Van. (2010). *Burung-burung di Sumatera, Jawa, Bali dan Kalimantan (Termasuk Sabah, Sarawak dan Brunei Darussalam)*. Burung Indonesia.
- Maclean, I. M. D., Duffy, J. P., Haesen, S., Govaert, S., De Frenne, P., Vanneste, T., Lenoir, J., Lembrechts, J. J., Rhodes, M. W., & Van Meerbeek, K. (2021). On the measurement of microclimate. *Methods in Ecology and Evolution*, *12*(8), 1397–1410. <https://doi.org/10.1111/2041-210X.13627>
- MacLean, S. A., & Bontler, D. N. (2013). The sound of danger: Threat sensitivity to predator vocalizations, alarm calls, and novelty in gulls. *PLoS ONE*, *8*(12), 1–7. <https://doi.org/10.1371/journal.pone.0082384>
- Majasalmi, T., & Rautiainen, M. (2020). The impact of tree canopy structure on understory variation in a boreal forest. *Forest Ecology and Management*, *466*(March), 118100. <https://doi.org/10.1016/j.foreco.2020.118100>
- Marler, P. (2004). Bird calls: Their potential for behavioral neurobiology. *Annals of the New York Academy of Sciences*, *1016*, 31–44. <https://doi.org/10.1196/annals.1298.034>

- Mathevon, N., & Aubin, T. (1997). Reaction to conspecific degraded song by the wren *Troglodytes troglodytes*: Territorial response and choice of song post. *Behavioural Processes*, 39(1), 77–84. [https://doi.org/10.1016/S0376-6357\(96\)00046-0](https://doi.org/10.1016/S0376-6357(96)00046-0)
- McCracken, K. G., & Sheldon, F. H. (1997). Avian vocalizations and phylogenetic signal. *Proceedings of the National Academy of Sciences of the United States of America*, 94(8), 3833–3836. <https://doi.org/10.1073/pnas.94.8.3833>
- Mei, J., Puswal, S. M., Wang, M., & Liu, F. (2022). Diurnal and Seasonal Patterns of Calling Activity of Seven Cuculidae Species in a Forest of Eastern China. *Diversity*, 14(4), 1–18. <https://doi.org/10.3390/d14040249>
- Meli, P., Holl, K. D., Benayas, J. M. R., Jones, H. P., Jones, P. C., Montoya, D., & Mateos, D. M. (2017). A global review of past land use, climate, and active vs. passive restoration effects on forest recovery. *PLoS ONE*, 12(2), 1–17. <https://doi.org/10.1371/journal.pone.0171368>
- Minayeva, T. Y., & Sirin, A. A. (2012). Peatland Biodiversity and Climate Change. *Biology Bulletin Reviews*, 2(2), 164–175. <https://doi.org/10.1134/S207908641202003X>
- Mishra, S., Page, S. E., Cobb, A. R., Lee, J. S. H., Jovani-Sancho, A. J., Sjögersten, S., Jaya, A., Aswandi, & Wardle, D. A. (2021). Degradation of Southeast Asian tropical peatlands and integrated strategies for their better management and restoration. *Journal of Applied Ecology*, 58(7), 1370–1387. <https://doi.org/10.1111/1365-2664.13905>
- Moeliono, M., Limberg, G., Minnigh, P., Mulyana, A., Indriatmoko, Y., Utomo, N. A., Saparuddin, Hamzah, Iwan, R., & Purwanto, E. (2010). Meretas kebuntuan: konsep dan panduan pengembangan zona khusus bagi Taman Nasional di Indonesia. In *Meretas kebuntuan: konsep dan panduan pengembangan zona khusus bagi Taman Nasional di Indonesia*. <https://doi.org/10.17528/cifor/003109>
- Morrison, E. B., & Lindell, C. A. (2011). Active or Passive Forest Restoration? Assessing Restoration Alternatives with Avian Foraging Behavior. *Restoration Ecology*, 19(201), 170–177. <https://doi.org/10.1111/j.1526-100X.2010.00725.x>
- Morrison, M. L., Marcot, B. G., & Mannan, R. W. (1992). *Wildlife-habitat relationships: concepts and applications*. University of Wisconsin Press.
- Mosikidi, T., Le Maitre, N., Steenhuisen, S.-L., Clark, V. R., Lloyd, K. S., & Le Roux, A. (2023). Passive acoustic monitoring detects new records of globally threatened birds in a high-elevation wetland (Free State, South Africa). *Bird Conservation International*, 33. <https://doi.org/10.1017/s0959270923000345>
- Mulyana, A., Moeliono, M., Minnigh, P., Indriatmoko, Y., Limberg, G., Utomo, N. A., Iwan, R., Saparuddin, & Hamzah. (2010). Kebijakan pengelolaan zona khusus Dapatkah meretas kebuntuan dalam menata ruang. *Brief Cifor*, 01.

- Musri, I., Ainuddin, A. N., Hyrul, M. H. I., Hazandy, A. H., Azani, A. M., & Mitra, U. (2020). Post forest fire management at tropical peat swamp forest : a review of Malaysian experience on rehabilitation and risk mitigation Post forest fire management at tropical peat swamp forest : a review of Malaysian experience on rehabilitation and risk miti. *IOP Conf. Series: Earth and Environmental Science* 504, 1–9. <https://doi.org/10.1088/1755-1315/504/1/012017>
- Nasiri, V., Darvishsefat, A. A., Arefi, H., Griess, V. C., Sadeghi, S. M. M., & Borz, S. A. (2022). Modeling Forest Canopy Cover: A Synergistic Use of Sentinel-2, Aerial Photogrammetry Data, and Machine Learning. *Remote Sensing*, 14(6). <https://doi.org/10.3390/rs14061453>
- Netoskie, E. C., Paxton, K. L., Paxton, E. H., Asner, G. P., & Hart, P. J. (2023). Linking vocal behaviours to habitat structure to create behavioural landscapes. *Animal Behaviour*, 201, 1–11. <https://doi.org/10.1016/j.anbehav.2023.04.006>
- Newson, S. E., Evans, H. E., & Gillings, S. (2015). A novel citizen science approach for large-scale standardised monitoring of bat activity and distribution, evaluated in eastern England. *Biological Conservation*, 191, 38–49. <https://doi.org/10.1016/j.biocon.2015.06.009>
- Nieto-Mora, D. A., Rodríguez-Buritica, S., Rodríguez-Marín, P., Martínez-Vargaz, J. D., & Isaza-Narváez, C. (2023). Systematic review of machine learning methods applied to ecoacoustics and soundscape monitoring. *Heliyon*, 9(10), e20275. <https://doi.org/10.1016/j.heliyon.2023.e20275>
- Nugroho, Y., Suyanto, Rudy, G. S., Supandi, & Saputra, Y. H. E. (2019). Keanekaragaman Fauna di Area PT. Borneo Indobara Kabupaten Bumbu, Kalimantan Selatan. In *Sustainability (Switzerland)* (Edisi Revi, Vol. 11, Issue 1). CV. Banyubening Cipta Sejahtera. http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- O'Connor, R. E., Kretschmer, R., Romanov, M. N., & Griffin, D. K. (2024). A Bird's-Eye View of Chromosomic Evolution in the Class Aves. *Cells*, 13(4). <https://doi.org/10.3390/cells13040310>
- Ocampo-Peñuela, N., Garcia-Ulloa, J., Kornecki, I., Philipson, C. D., & Ghazoul, J. (2020). Impacts of Four Decades of Forest Loss on Vertebrate Functional Habitat on Borneo. *Frontiers in Forests and Global Change*, 3(May), 1–13. <https://doi.org/10.3389/ffgc.2020.00053>
- Oliver, C. D. (2003). Sustainable forestry: What is it? How do we achieve it? *Journal of Forestry*, 101(5), 8–17. <https://doi.org/10.1093/jof/101.5.8>
- Omar, M. S., Ifandi, E., Sukri, R. S., Kalaitzidis, S., Christanis, K., Lai, D. T. C., Bashir, S., & Tsikouras, B. (2022). Peatlands in Southeast Asia: A comprehensive geological review. *Earth-Science Reviews*, 232(July), 104149. <https://doi.org/10.1016/j.earscirev.2022.104149>

- Paletto, A., & Tosi, V. (2009). *Forest canopy cover and canopy closure: comparison of assessment techniques*. 265–272. <https://doi.org/10.1007/s10342-009-0262-x>
- Pan, Y., Birdsey, R. A., Phillips, O. L., & Jackson, R. B. (2013). The structure, distribution, and biomass of the world's forests. *Annual Review of Ecology, Evolution, and Systematics*, 44(February), 593–622. <https://doi.org/10.1146/annurev-ecolsys-110512-135914>
- Pandit, M. M., Bridge, E. S., & Ross, J. D. (2022). Environmental conditions lead to shifts in individual communication, which can cause cascading effects on soundscape composition. *Ecology and Evolution*, 12(10), 1–15. <https://doi.org/10.1002/ece3.9359>
- Patankar, S., Jambhekar, R., Suryawanshi, K. R., & Nagendra, H. (2021). Which traits influence bird survival in the city? A review. *Land*, 10(2), 1–23. <https://doi.org/10.3390/land10020092>
- Patricelli, G. L., & Blickley, J. L. (2006). Avian communication in urban noise: Causes and consequences of vocal adjustment. *Auk*, 123(3), 639–649. [https://doi.org/10.1642/0004-8038\(2006\)123\[639:ACIUNC\]2.0.CO;2](https://doi.org/10.1642/0004-8038(2006)123[639:ACIUNC]2.0.CO;2)
- Paul, M. J., LeDuc, S. D., Lassiter, M. G., Moorhead, L. C., Noyes, P. D., & Leibowitz, S. G. (2022). Wildfire Induces Changes in Receiving Waters: A Review With Considerations for Water Quality Management. *Water Resources Research*, 58(9). <https://doi.org/10.1029/2021WR030699>
- Penteriani, V., & del Mar Delgado, M. (2009). The dusk chorus from an owl perspective: Eagle owls vocalize when their white throat badge contrasts most. *PLoS ONE*, 4(4), 2–5. <https://doi.org/10.1371/journal.pone.0004960>
- Plappert, J. L., Veech, J. A., Martina, J. P., & Giocomo, J. J. (2024). Canopy cover as the primary factor affecting habitat use by grassland- shrubland bird species in central Texas , USA. *Journal of Field Ornithology*, 95(3), 10. <https://doi.org/10.5751/JFO-00518-950310%0AAvian>
- Potter, K. A., Arthur Woods, H., & Pincebourde, S. (2013). Microclimatic challenges in global change biology. *Global Change Biology*, 19(10), 2932–2939. <https://doi.org/10.1111/gcb.12257>
- Prior, L., Aland, K., Levensgood, A. L., & Potvin, D. A. (2023). Vocal activity of the Eastern Ground Parrot (*Pezoporus wallicus wallicus*) and implications for acoustic monitoring efforts. *Emu*, 123(4), 364–369. <https://doi.org/10.1080/01584197.2023.2269575>
- Purnomo, D. W., & Usmani, D. (2012). Pengaruh struktur dan komposisi vegetasi dalam Menentukan nilai konservasi kawasan rehabilitasi di Hutan Wanagama I dan sekitarnya. *Jurnal Biologi Indonesia*, 8(2), 255–267.
- Puswal, S. M., Jinjun, M., & Liu, F. (2021). Effects of temperature and season on birds' dawn singing behavior in a forest of eastern China. *Journal of Ornithology*, 162(2), 447–459. <https://doi.org/10.1007/s10336-020-01848-8>

- Putera, V. A. V. H., Suryanti, S., & Wilisiani, F. (2023). Keragaman Vegetasi Bawah di Perkebunan Kelapa Sawit Tanaman Menghasilkan pada Berbagai Tahun Tanam. *Agroforetech*, 1(03), 1310–1318.
- Rahmabudhi, S. (2024). Analysis Of The Relationship Of Air Temperature In Banten Province On The Parameter Of Air Humidity, Rainfall, Enso, Soi, And Iod. *Buletin Meteorologi, Klimatologi Dan Geofisika*, 5(1), 37–47.
- Rhinehart, T. A., Chronister, L. M., Devlin, T., & Kitzes, J. (2020). Acoustic localization of terrestrial wildlife: Current practices and future opportunities. *Ecology and Evolution*, 10(13), 6794–6818. <https://doi.org/10.1002/ece3.6216>
- Richards, D. G., & Wiley, R. H. (1980). Reverberations and Amplitude Fluctuations in the Propagation of Sound in a Forest: Implications for Animal Communication. *The American Naturalist*, 115(3), 381–399. <https://doi.org/10.1086/283568>
- Richards, D. R., Fung, T. K., Belcher, R. N., & Edwards, P. J. (2020). Differential air temperature cooling performance of urban vegetation types in the tropics. *Urban Forestry and Urban Greening*, 50(June 2019). <https://doi.org/10.1016/j.ufug.2020.126651>
- Ritson, J. P., Alderson, D. M., Robinson, C. H., Burkitt, A. E., Heinemeyer, A., Stimson, A. G., Gallego-Sala, A., Harris, A., Quillet, A., Malik, A. A., Cole, B., Robroek, B. J. M., Heppell, C. M., Rivett, D. W., Chandler, D. M., Elliott, D. R., Shuttleworth, E. L., Lilleskov, E., Cox, F., ... Evans, M. G. (2021). Towards a microbial process-based understanding of the resilience of peatland ecosystem service provisioning – A research agenda. *Science of the Total Environment*, 759(143467). <https://doi.org/10.1016/j.scitotenv.2020.143467>
- Robbins, C. S. (1981). Effect of Time of Day On Bird Activity. *Studies in Avian Biology*, 6, 275–286.
- Rocha, L. H. S., Ferreira, L. S., Paula, B. C., Rodrigues, F. H. G., & Sousa-Lima, R. S. (2015). An evaluation of manual and automated methods for detecting sounds of maned wolves (*Chrysocyon brachyurus* Illiger 1815). *Bioacoustics*, 24(2), 185–198. <https://doi.org/10.1080/09524622.2015.1019361>
- Salami, K. D., Shuaibu, R. B., Adekunle, V. A. J., & Ogunsola, J. D. (2021). Comparative Analysis of Density, Diversity and Similarity of Forest Tree Species in Three Selected States of Northern Nigeria. *Journal of Research in Forestry, Wildlife & Environmen*, 13(3), 111–124.
- Sanderfoot, O. V., & Gardner, B. (2021). Wildfire smoke affects detection of birds in Washington State. *Ornithological Applications*, 123(3), 1–14. <https://doi.org/10.1093/ornithapp/duab028>
- Sari, N., Dharmawan, I. W. S., Abywijaya, I. K., Sukmana, P. A., Siregar, C. A., Narendra, B. H., Witono, T. D. A., Arriyadi, D., Husna, Z. S., Febianus, D. P. L. Y., Mulyadi, R., David, A., Taka, Y., Widyana, S. I. G., Chiqita, Y. S., Wardoyo, Sitepu, A. A. B. S., Priyono, & Undaharta, M. D. E. W. N. K. E.

- (2023). *Bunga Rampai Kelestarian dan Konservasi Hutan Rawa Gambut di Indonesia*. PT Penerbit IPB Press.
- Sari, R., Marpaung, S. S. M., Has, D. H., & Daulay, A. P. (2023). Evaluation of Planting Success and Mangrove Habitat Suitability in Various Planting Years in Pasar Rawa Village, Langkat Regency. *Jurnal Biologi Tropis*, 23(4), 317–322.
- Saunders, J., & Slotow, R. (2004). The evolution of song structure in Southern African birds: An assessment of the acoustic adaptation hypothesis. *Ostrich*, 75(3), 147–155. <https://doi.org/10.2989/00306520409485426>
- Schaefer, H. M., & Ruxton, G. D. (2015). Signal Diversity, Sexual Selection, and Speciation. *Annual Review of Ecology, Evolution, and Systematics*, 46(December), 573–592. <https://doi.org/10.1146/annurev-ecolsys-112414-054158>
- Schlaepfer, D. R., Braschler, B., Rusterholz, H. P., & Baur, B. (2018). Genetic effects of anthropogenic habitat fragmentation on remnant animal and plant populations: a meta-analysis. *Ecosphere*, 9(10). <https://doi.org/10.1002/ecs2.2488>
- Sebastián-González, E., Pang-Ching, J., Barbosa, J. M., & Hart, P. (2015). Bioacoustics for species management: Two case studies with a Hawaiian forest bird. *Ecology and Evolution*, 5(20), 4696–4705. <https://doi.org/10.1002/ece3.1743>
- Sebastián-González, E., van Aardt, J., Sacca, K., Barbosa, J. M., Kelbe, D., & Hart, P. J. (2018). Testing the acoustic adaptation hypothesis with native and introduced birds in Hawaiian forests. *Journal of Ornithology*, 159(3), 827–838. <https://doi.org/10.1007/s10336-018-1542-3>
- Sergeyev, M., Crawford, D. A., Holbrook, J. D., Lombardi, J. V., Tewes, M. E., & Campbell, T. A. (2024). Selection in the third dimension: Using LiDAR derived canopy metrics to assess individual and population-level habitat partitioning of ocelots, bobcats, and coyotes. *Remote Sensing in Ecology and Conservation*, 10(2), 264–278. <https://doi.org/10.1002/rse2.369>
- Shashua-Bar, L., & Hoffman, M. E. (2000). Vegetation as a climatic component in the design of an urban street. *Energy and Buildings*, 31(3), 221–235. [https://doi.org/10.1016/s0378-7788\(99\)00018-3](https://doi.org/10.1016/s0378-7788(99)00018-3)
- Shaw, T., Hedes, R., Sandstrom, A., Ruete, A., Hiron, M., Hedblom, M., Eggers, S., & Mikusiński, G. (2021). Hybrid bioacoustic and ecoacoustic analyses provide new links between bird assemblages and habitat quality in a winter boreal forest. *Environmental and Sustainability Indicators*, 11. <https://doi.org/10.1016/j.indic.2021.100141>
- Shutler, D. (2011). Sexual selection: When to expect trade-offs. *Biology Letters*, 7(1), 101–104. <https://doi.org/10.1098/rsbl.2010.0531>
- Singh, M., Cheyne, S. M., & Ehlers Smith, D. A. (2018). How conspecific primates

- use their habitats: Surviving in an anthropogenically-disturbed forest in Central Kalimantan, Indonesia. *Ecological Indicators*, 87(January), 167–177. <https://doi.org/10.1016/j.ecolind.2017.12.041>
- Sitanggang, I. S., Putri, L. U., Khotimah, H., & Syaufina, L. (2017). Sequential pattern analysis of hotspots based on peatland characteristics in Sumatra and Kalimantan. In *International Journal of Geoinformatics* (Vol. 13, Issue 2, pp. 61–69).
- Skoracki, M., Sikora, B., Unsoeld, M., Hromada, M., & Kwieciński, Z. (2024). New insights into the relationship of parasitic quill mites and birds: Picobia species in Asian and New World Barbets. *European Zoological Journal*, 91(2), 817–829. <https://doi.org/10.1080/24750263.2024.2371843>
- Slabbekoorn, H. (2013). Songs of the city : noise-dependent spectral plasticity in the acoustic phenotype of urban birds. *Animal Behaviour*, 85(5), 1089–1099. <https://doi.org/10.1016/j.anbehav.2013.01.021>
- Slabbekoorn, H., & Smith, T. B. (2002). Habitat-dependent song divergence in the little greenbul: An analysis of environmental selection pressures on acoustic signals. *Evolution*, 56(9), 1849–1858. <https://doi.org/10.1111/j.0014-3820.2002.tb00199.x>
- Smit, B., Zietsman, G., Martin, R. O., Cunningham, S. J., McKechnie, A. E., & Hockey, P. A. R. (2016). Behavioural responses to heat in desert birds: implications for predicting vulnerability to climate warming. *Climate Change Responses*, 3(1), 1–14. <https://doi.org/10.1186/s40665-016-0023-2>
- Snaddon, J., Petrokofsky, G., Jepson, P., & Willis, K. J. (2013). Biodiversity technologies: Tools as change agents. *Biology Letters*, 9(1). <https://doi.org/10.1098/rsbl.2012.1029>
- Soma, M., & Brumm, H. (2020). Group living facilitates the evolution of duets in barbets. *Biology Letters*, 16(8), 10–15. <https://doi.org/10.1098/rsbl.2020.0399>
- Sueur, J., & Farina, A. (2015). Ecoacoustics: the Ecological Investigation and Interpretation of Environmental Sound. *Biosemiotics*, 8(3), 493–502. <https://doi.org/10.1007/s12304-015-9248-x>
- Sugai, L. S. M., Silva, T. S. F., Ribeiro, J. W., & Llusia, D. (2019). Terrestrial Passive Acoustic Monitoring: Review and Perspectives. *BioScience*, 69(1), 5–11. <https://doi.org/10.1093/biosci/biy147>
- Sulaeman, D., & Nindyarini, A. N. (2024). *Pentingnya Riset Emisi Gas Rumah Kaca dalam Upaya Pelestarian Lahan Gambut | WRI Indonesia*. WRI Indonesia. <https://wri-indonesia.org/id/wawasan/pentingnya-ri-set-emisi-gas-rumah-kaca-dalam-upaya-pelestarian-lahan-gambut>
- Symes, L. B., Kittelberger, K. D., Stone, S. M., Holmes, R. T., Jones, J. S., Castaneda Ruvalcaba, I. P., Webster, M. S., & Ayres, M. P. (2022). Analytical approaches for evaluating passive acoustic monitoring data: A case study of avian vocalizations. *Ecology and Evolution*, 12(4), 1–22.

<https://doi.org/10.1002/ece3.8797>

Tarihoran, A. G., & Hadi, S. (2020). Identification of Avifauna in the Lowland Forest. *AIP Conference Proceedings, September 2020*.

Taylor, C. E., Huang, Y., & Yao, K. (2016). Distributed sensor swarms for monitoring bird behavior: an integrated system using wildlife acoustics recorders. *Artificial Life and Robotics, 21*(3), 268–273. <https://doi.org/10.1007/s10015-016-0295-4>

Tchoumbou, M. A., Malange, E. F. N., Tiku, C. T., Tibab, B., Fru-Cho, J., Tchuinkam, T., Awah-Ndukum, J., Anong Nota, D., & Sehgal, R. N. M. (2020). Response of Understory Bird Feeding Groups to Deforestation Gradient in a Tropical Rainforest of Cameroon. In *Tropical Conservation Science* (Vol. 13). <https://doi.org/10.1177/1940082920906970>

Teixeira, D., Maron, M., & van Rensburg, B. J. (2019). Bioacoustic monitoring of animal vocal behavior for conservation. *Conservation Science and Practice, 1*(8), 1–15. <https://doi.org/10.1111/csp2.72>

Terzano, D., Trezza, F. R., Rezende, M., Malatesta, L., Lew Siew Yan, S., Parish, F., Moss, P., Bresciani, F., Cooke, R., Dargusch, P., & Attorre, F. (2023). Prioritization of peatland restoration and conservation interventions in Sumatra, Kalimantan and Papua. *Journal for Nature Conservation, 73*(January), 126388. <https://doi.org/10.1016/j.jnc.2023.126388>

Thamruksa, P., & Muneenam, U. (2023). Difficulties to be Overcome by the Peat Swamp Forest Fire Management in Nakhon Si Thammarat Province, Thailand. *GMSARN International Journal, 19*(1), 1–9.

Thomas, R. J., Székely, T., Cuthill, I. C., Harper, D. G. C., Newson, S. E., Frayling, T. D., & Wallis, P. D. (2002). Eye size in birds and the timing of song at dawn. *Proceedings of the Royal Society B: Biological Sciences, 269*(1493), 831–837. <https://doi.org/10.1098/rspb.2001.1941>

Trounov, V. L., & Vasilieva, A. B. (2014). First record of the nesting biology of the red-vented barbet, *Megalaima Lagrandieri* (Aves: Piciformes: Megalaimidae), an Indochinese Endemic. *Raffles Bulletin of Zoology, 62*(September), 671–678.

UNEP. (2022). *Global Peatlands Assessment : The State of the World 's Peatlands*. United Nations Environment Programme. <https://doi.org/10.59117/20.500.11822/41222%0AThis>

Urazghildiiev, I. R., & Clark, C. W. (2007). Detection performances of experienced human operators compared to a likelihood ratio based detector. *The Journal of the Acoustical Society of America, 122*(1), 200–204. <https://doi.org/10.1121/1.2735114>

van de Ven, T. M. F. N., McKechnie, A. E., & Cunningham, S. J. (2019). The costs of keeping cool: behavioural trade-offs between foraging and thermoregulation are associated with significant mass losses in an arid-zone

bird. *Oecologia*, 191, 205–215.

- Vásquez-Grandón, A., Donoso, P. J., & Gerding, V. (2018). Forest degradation: When is a forest degraded? *Forests*, 9(11), 1–13. <https://doi.org/10.3390/f9110726>
- Walters, M., Diamant, E. S., Wong, F., Cen, C., & Yeh, P. J. (2023). Behavioural plasticity and the anthropause: an urban bird becomes less aggressive. *Animal Behaviour*, 200, 71–80. <https://doi.org/10.1016/j.anbehav.2023.02.005>
- Wang, L., Nabi, G., Yin, L., Wang, Y., Li, S., Hao, Z., & Li, D. (2021). Birds and plastic pollution: recent advances. *Avian Research*, 12(1), 1–9. <https://doi.org/10.1186/s40657-021-00293-2>
- Wang, Y., Xu, J., Chen, J., Wu, B., & Lu, Q. (2014). Influence of the habitat change for birds on community structure. *Acta Ecologica Sinica*, 34(1), 1–6. <https://doi.org/10.1016/j.chnaes.2013.09.003>
- Whittingham, M. J., & Evans, K. L. (2004). The effects of habitat structure on predation risk of birds in agricultural landscapes. *Ibis*, 146(SUPPL. 2), 210–220. <https://doi.org/10.1111/j.1474-919X.2004.00370.x>
- Wicaksono, G., Baihaqi, A., & Adha, M. I. (2018). *Burung-burung Punggualas Taman Nasional Sebangau* (Issue July). WWF-Indonesia.
- Widjaja, E. A., Wardani, W., & Amir, M. (2007). *Laporan Penelitian : Flora Taman Nasional Sebangau*.
- Wiley, R. H., & Richards, D. G. (1978). Physical constraints on acoustic communication in the atmosphere. *Behavioral Ecology and Sociobiology*, 94(3), 7.
- Willard, D. A., Jones, M. C., Alder, J., Fastovich, D., Hoefke, K., Poirier, R. K., & Wurster, F. C. (2023). Roles of climatic and anthropogenic factors in shaping Holocene vegetation and fire regimes in Great Dismal Swamp, eastern USA. *Quaternary Science Reviews*, 311, 108153. <https://doi.org/10.1016/j.quascirev.2023.108153>
- Winkler, D. W., Billerman, S. M., & Lovette, I. J. (2020). Asian Barbets (Megalaimidae), version 1.0. In Birds of the World (S. M. Billerman, B. K. Keeney, P. G. Rodewald, and T. S. Schulenberg, Editors). *Cornell Lab of Ornithology, Ithaca, NY, USA*. <https://doi.org/10.2173/bow.megala2.01>
- Winkler, H., & Preleuthner, M. (2001). Behaviour and ecology of birds in tropical rain forest canopies. *Plant Ecology*, 153(1–2), 193–202. <https://doi.org/10.1023/A:1017595321548>
- Wolf, K. D., Higuera, P. E., Davis, K. T., & Dobrowski, S. Z. (2021). Wildfire impacts on forest microclimate vary with biophysical context. *Ecosphere*, 12(5). <https://doi.org/10.1002/ecs2.3467>
- Wong, F. S. H. (2014). The spread and relative abundance of the non-native White-crested Laughingthrush *Garrulax leucolophus* and Lineated Barbet *Megalaima*

- lineata in Singapore. *Forktail*, 30, 90–95. <https://orientalbirdclub.org/wp-content/uploads/2017/06/White-crested-Laughingthrush.pdf>
- Woolet, J., Stevens-Rumann, C. S., Coop, J. D., & Pejchar, L. (2023). A bird's eye view of ecosystem conversion: Examining the resilience of piñon-juniper woodlands and their avian communities in the face of fire regime change. *Forest Ecology and Management*, 546(May), 121368. <https://doi.org/10.1016/j.foreco.2023.121368>
- Worrall, F., Boothroyd, I. M., Howden, N. J. K., Burt, T. P., Kohler, T., & Gregg, R. (2020). Are peatlands cool humid islands in a landscape? *Hydrological Processes*, 34(25), 5013–5025. <https://doi.org/10.1002/hyp.13921>
- Wunderle, J. M. (1997). The role of animal seed dispersal in accelerating native forest regeneration on degraded tropical lands. *Forest Ecology and Management*, 99(1–2), 223–235. [https://doi.org/10.1016/S0378-1127\(97\)00208-9](https://doi.org/10.1016/S0378-1127(97)00208-9)
- Xin-Rong, L., Jing-Guang, Z., Li-Chao, L., Huai-Shun, C., & Qing-Hui, S. (2003). Plant Diversity and Succession of Artificial Vegetation Types and Environment in an Arid Desert Region of China. In *Conserving Biodiversity in Arid Regions* (pp. 179–188). https://doi.org/10.1007/978-1-4615-0375-0_13
- Yeager, C. P., Marshall, A. J., Stickler, C. M., & Chapman, C. A. (2003). Effects of Fires on Peat Swamp and Lowland Dipterocarp Forests in Kalimantan, Indonesia. *Tropical Biodiversity*, 8(1), 121–138.
- Yip, D. A., Bayne, E. M., Sólymos, P., Campbell, J., & Proppe, D. (2017). Sound attenuation in forest and roadside environments: Implications for avian point-count surveys. *Condor*, 119(1), 73–84. <https://doi.org/10.1650/CONDOR-16-93.1>
- Yoo, S., Kim, H. N., Lee, J. W., & Yoo, J. C. (2020). Seasonal and diurnal patterns of population vocal activity in avian brood parasites. *Ibis*, 162(3), 1001–1011. <https://doi.org/10.1111/ibi.12741>
- Yulianti, R., Marsono, D., & Yuniyanto, T. (2017). Analisis Vegetasi Hutan Rawa Gambut Pascakebakaran Di Wilayah Desa Sebangau Dan Desa Taruna Jaya. *Majalah Geografi Indonesia*, 31 (2) (June), 54–62. <https://jurnal.ugm.ac.id/mgi/article/view/13341>
- Zellweger, F., De Frenne, P., Lenoir, J., Vangansbeke, P., Verheyen, K., Bernhardt-römermann, M., Baeten, L., Hédli, R., Berki, I., Brunet, J., Van Calster, H., & Chudomelov. (2020). To Warming. *Science*, 368(May), 772–775.
- Zhang, C., Li, L., Guan, Y., Cai, D., Chen, H., Bian, X., & Guo, S. (2021). Impacts of vegetation properties and temperature characteristics on species richness patterns in drylands: Case study from Xinjiang. *Ecological Indicators*, 133(November), 108417. <https://doi.org/10.1016/j.ecolind.2021.108417>
- Zhang, H., Yan, L., Yu, L., Su, H., Hu, C., Zhang, M., & Kong, Z. (2023). The

diversity of resident passerine bird in the East Yunnan-Kweichow Plateau is closely related to plant species richness, vertical altitude difference and habitat area. *Ecology and Evolution*, 13(1), 1–16. <https://doi.org/10.1002/ece3.9735>

Zollinger, S. A., & Brumm, H. (2015). Why birds sing loud songs and why they sometimes don't. *Animal Behaviour*, 105(November), 289–295. <https://doi.org/10.1016/j.anbehav.2015.03.030>