

## BAB VI.

### DAFTAR PUSTAKA

- Alméras, T., Yoshida, M., & Okuyama, T. (2006). Strains inside xylem and inner bark of a stem submitted to a change in hydrostatic pressure. *Trees - Structure and Function*, 20(4), 460–467. <https://doi.org/10.1007/s00468-006-0061-7>
- Basri, E., Yuniarti, K., Wahyudi, I., & Damayanti, R. (2015). Effects of Girdling on Wood Properties and Drying Characteristics of *Acacia mangium*. *Journal of Tropical Forest Science*, 27(4), 498–505.
- Binkley, D., Stape, J. L., Takahashi, E. N., & Ryan, M. G. (2006). Tree-girdling to separate root and heterotrophic respiration in two *Eucalyptus* stands in Brazil. *Oecologia*, 148(3), 447–454. <https://doi.org/10.1007/s00442-006-0383-6>
- BPS Kabupaten Purworejo. (2022). *Kecamatan Kemiri Dalam Angka 2022*. BPS Kabupaten Purworejo.
- British Standard Institution. (1957). *BS 373:1957 Methods of testing small clear specimens of timber*.
- Darmawan, W., Nandika, D., Rahayu, I., Fournier, M., & Marchal, R. (2013). Determination of juvenile and mature transition ring for fast growing sengon and jabon wood. *Journal of the Indian Academy of Wood Science*, 10(1), 39–47. <https://doi.org/10.1007/s13196-013-0091-x>
- Dayadi, I. (2021). Ketahanan Api Kayu Sengon (*Paraserianthes falcataria* (L.) Nielsen). *Perennial*, 17(1), 19–25. <https://doi.org/10.24259/perennial.v17i1.13650>
- Donaldson, L. (2008). Microfibril angle: measurement, variation and relationships—a review. Dalam *IWA Journal* (Vol. 29, Nomor 4).
- Fajriani, E., Ruelle, J., Dlouha, J., Fournier, M., Hadi, Y. S., & Darmawan, W. (2013). Radial variation of wood properties of Sengon (*Paraserianthes falcataria*) and Jabon (*Anthocephalus cadamba*). *Journal of the Indian*

*Academy of Wood Science*, 10(2), 110–117. <https://doi.org/10.1007/s13196-013-0101-z>

Fang, C. H., Guibal, D., Clair, B., Gril, J., Liu, Y. M., & Liu, S. Q. (2008). Relationships between growth stress and wood properties in poplar I-69 (*Populus deltoides* Bartr. cv. “Lux ex” I-69/55). *Annals of Forest Science*, 65(3), 307–307. <https://doi.org/10.1051/forest:2008008>

Gilbero, D. M., Abasolo, W. P., & Yamamoto, H. (2022). The effects of girdling on the growth stress development, wood moisture content, and color of 8-year-old big-leaf mahogany (*Swietenia macrophylla*) trees in Mindanao, Philippines. *The Technical Journal of Philippine Ecosystems and Natural Resources*, 32(2), 33–52.

Goren, R., Huberman, M., & Goldschmidt, E. E. (2004). Girdling: physiological and horticultural aspects. *Hortic Rev*, 30, 1–36.

Gril, J., Jullien, D., Bardet, S., & Yamamoto, H. (2017). Tree growth stress and related problems. *Journal of Wood Science*, 63(5), 411–432.

Högberg, P., Nordgren, A., Buchmann, N., Taylor, A. F. S., Ekblad, A., Högberg, M. N., Nyberg, G., Ottosson-Löfvenius, M., & Read, D. J. (2001). Large-scale forest girdling shows that current photosynthesis drives soil respiration. *Nature*, 411(6839), 789–792. <https://doi.org/10.1038/35081058>

Indonesia, S. N. (1994). Mutu dan Ukuran Kayu Bangunan SK SNI 03-3527-1994. *Balai Penelitian dan Pengembangan Pekerjaan Umum*.

Ishiguri, F., Eizawa, J., Saito, Y., Iizuka, K., Yokota, S., Priadi, D., Sumiasri, N., & Yoshizawa, N. (2007). Variation in the Wood Properties of *Paraserianthes falcataria* planted in Indonesia. Dalam *IAWA Journal* (Vol. 28, Nomor 3).

Ishiguri, F., Hiraiwa, T., Iizuka, K., Yokota, S., Priadi, D., Sumiasri, N., & Yoshizawa, N. (2009). Radial Variation of Anatomical Characteristics in *Paraserianthes Falcataria* Planted in Indonesia. Dalam *IAWA Journal* (Vol. 30, Nomor 3).

- Ishiguri, F., Hiraiwa, T., Iizuka, K., Yokota, S., Priadi, D., Sumiasri, N., & Yoshizawa, N. (2012). Radial variation in microfibril angle and compression properties of *paraserianthes falcataria* planted in Indonesia. *IAWA Journal*, 33(1), 15–23.
- Johansson, M., & Ormarsson, S. (2009). Influence of growth stresses and material properties on distortion of sawn timber - Numerical investigation. *Annals of Forest Science*, 66(6), 604–604. <https://doi.org/10.1051/forest/2009045>
- Keey, R. B., Langrish, T. A. G., & Walker, J. C. F. (2012). *Kiln-Drying of Lumber* (1 ed.). Springer Berlin, Heidelberg. <https://doi.org/https://doi.org/10.1007/978-3-642-59653-7>
- Kojima, M., Yamamoto, H., Okumura, K., Ojio, Y., Yoshida, M., Okuyama, T., Ona, T., Matsune, K., Nakamura, K., Ide, Y., Marsoem, S. N., Sahri, M. H., & Hadi, Y. S. (2009a). Effect of the lateral growth rate on wood properties in fast-growing hardwood species. *Journal of Wood Science*, 55(6), 417–424. <https://doi.org/10.1007/s10086-009-1057-x>
- Kojima, M., Yamamoto, H., Yoshida, M., Ojio, Y., & Okumura, K. (2009b). Maturation property of fast-growing hardwood plantation species: A view of fiber length. *Forest Ecology and Management*, 257(1), 15–22. <https://doi.org/10.1016/j.foreco.2008.08.012>
- Krisnawati, H., Varis, E., Kallio, M., & Kanninen, M. (2011). *Paraserianthes falcataria* (L.) Nielsen: Ecology, silviculture and productivity. Center for International Forestry Research.
- Listyanto, T. (2016). *Teknologi Pengeringan Kayu dan Aplikasinya di Indonesia*. Gadjah Mada University Press.
- Listyanto, T. (2018). Wood Quality of *Paraserianthes falcataria* L. Nielsen Syn Wood From Three Year Rotation of Harvesting for Construction Application. *Wood Research*, 63(3), 497–504.

- Liu, Y., Wu, X., Zhang, J., Liu, S., Semple, K., & Dai, C. (2023). Maturation Stress and Wood Properties of Poplar (*Populus × euramericana* cv. ‘Zhonglin46’) Tension Wood. *Forests*, *14*(7). <https://doi.org/10.3390/f14071505>
- López, R., Brossa, R., Gil, L., & Pita, P. (2015). Stem girdling evidences a trade-off between cambial activity and sprouting and dramatically reduces plant transpiration due to feedback inhibition of photosynthesis and hormone signaling. *Frontiers in Plant Science*, *6*(APR). <https://doi.org/10.3389/fpls.2015.00285>
- Marsoem, S. N., Prasetyo, V. E., Sulisty, J., & Lukmandaru, G. (2014). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul II. Pengukuran Tegangan Pertumbuhan. *Jurnal Ilmu Kehutanan*, *8*(1), 3–14.
- Marsoem, S. N., Prasetyo, V. E., Sulisty, J., Sudaryono, S., & Lukmandaru, G. (2015). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul IV. Sifat Mekanika Kayu. *Jurnal Ilmu Kehutanan*, *9*(2), 117–127.
- Marsoem, S. N., Sulisty, J., & Lukmandaru, G. (2016). *Peneresan Pohon Sebagai Cara untuk Mengurangi Tegangan Pertumbuhan dan Cacat Kayu Jati*. Universitas Gadjah Mada.
- Martawijaya, A., Kartasujana, I., Kadir, K., & Prawira, S. A. (2005). *Atlas Kayu Indonesia Jilid I* (3 ed., Vol. 1). Pusat Penelitian dan Pengembangan Hasil Hutan.
- Martawijaya, A., Kartasujana, I., Mandang, Y. I., Prawira, S. A., & Kadir, K. (1989). *Atlas Kayu Indonesia Jilid II* (2 ed., Vol. 2). Pusat Penelitian dan Pengembangan Hasil Hutan.
- Martin, L., Cochard, H., Mayr, S., & Badel, E. (2021). Using electrical resistivity tomography to detect wetwood and estimate moisture content in silver fir (*Abies alba* Mill.). *Annals of Forest Science*, *65*(78). <https://doi.org/10.1007/s13595-021-01078-9/Published>

- Naghizadeh, Z., & Wessels, C. B. (2021). The effect of water availability on growth strain in *Eucalyptus grandis-urophylla* trees. *Forest Ecology and Management*, 483. <https://doi.org/10.1016/j.foreco.2021.118926>
- Nambiar, E. K. S. (2019). Re-imagining forestry and wood business: Pathways to rural development, poverty alleviation and climate change mitigation in the tropics. Dalam *Forest Ecology and Management* (Vol. 448, hlm. 160–173). Elsevier B.V. <https://doi.org/10.1016/j.foreco.2019.06.014>
- Noel, A. R. A. (1970). The girdled tree. *The Botanical Review*, 36(2), 162–195. <https://doi.org/10.1007/BF02858959>
- Ogata, K., Fujii, T., Abe, H., & Baas, P. (2008). Identification of the timbers of Southeast Asia and the Western Pacific. *hfs*, 62(6), 765–765. <https://doi.org/10.1515/hf.2008.132>
- Okuyama, T., Doldán, J., Yamamoto, H., & Ona, T. (2004). Heart splitting at crosscutting of eucalypt logs. *Journal of Wood Science*, 50(1), 1–6. <https://doi.org/10.1007/s10086-003-0533-y>
- Okuyama, T., Kanagawa, Y., & Hattori, Y. (1987). Reduction of residual stresses in logs by direct heating method. *Mokuzai Gakkaishi*, 33, 837–843.
- Panshin, A. J., & De Zeeuw, C. (1980). *Textbook of Wood Technology: Structure, Identification, Properties, and Uses of the Commercial Woods of the United States and Canada* (Nomor v. 1). McGraw-Hill. <https://books.google.co.id/books?id=B1HxAAAAMAAJ>
- Paquit, J. C., Rojo, M. J. A., Parlucha, J. A., & Gilbero, D. M. (2024). Surface released strain (srs) and wood anatomy of young *falcataria falcata* trees planted in agusan del norte, philippines. *Journal of Tropical Forest Science*, 36(3), 310–318. <https://doi.org/10.26525/jtfs2024.36.3.310>
- Payn, T., Carnus, J. M., Freer-Smith, P., Kimberley, M., Kollert, W., Liu, S., Orazio, C., Rodriguez, L., Silva, L. N., & Wingfield, M. J. (2015). Changes in planted forests and future global implications. *Forest Ecology and Management*, 352, 57–67. <https://doi.org/10.1016/j.foreco.2015.06.021>

- Pujasmara, R., Listyanto, T., & Marsoem, S. N. (2024). *Growth stress and wood properties of 10-year-old fast-growing teak grown in Gunungkidul, Yogyakarta*. 78(2), 75–86. <https://doi.org/doi:10.1515/hf-2023-0078>
- Pujasmara, R., Marsoem, S., & Listyanto, T. (2023). *Tegangan Pertumbuhan dan Variasi Sifat Kayu Jati Biotrop Berumur 10 Tahun yang Ditanam di Gunungkidul, Yogyakarta* [Tidak dipublikasikan]. Universitas Gadjah Mada.
- Rahayu, I., Darmawan, W., Nugroho, N., Nandika, D., & Marchal, & R. (2014). Demarcation Point Between Juvenile and Mature Wood in Sengon (*Falcataria Moluccana*) And Jabon (*Anthocephalus Cadamba*). Dalam *Journal of Tropical Forest Science* (Vol. 26, Nomor 3).
- Raymond, C. A., Kube, P. D., Pinkard, L., Savage, L., & Bradley, A. D. (2004). Evaluation of non-destructive methods of measuring growth stress in *Eucalyptus globulus*: Relationships between strain, wood properties and stress. *Forest Ecology and Management*, 190(2–3), 187–200. <https://doi.org/10.1016/j.foreco.2003.10.011>
- Ridho, M. R., Marsoem, S. N., Listyanto, T., & Sulisty, J. (2024). TEGANGAN PERTUMBUHAN PERMUKAAN KAYU JABON UMUR 5 TAHUN DARI HUTAN RAKYAT DI SLEMAN, YOGYAKARTA. *JURNAL HUTAN LESTARI*, 12(4), 714–723.
- Ridho, M. R., Marsoem, S. N., Sulisty, J., & Listyanto, T. (2021). *Variasi Aksial dan Radial Dimensi Serat, Sifat Fisika dan Mekanika, Serta Tegangan Pertumbuhan Permukaan Kayu Jabon (*Neolamarckia cadamba* Miq)* [Tidak dipublikasikan]. Universitas Gadjah Mada.
- Rini, D. S., Marsoem, S. N., & Sulisty, J. (2012). *Pengaruh Lama Peneresan Terhadap Sifat Fisika Kayu Jati (*Tectona grandis* L.f) Hutan Rakyat*. Universitas Gadjah Mada.
- Roslan, S. N. H., Salim, S., Roseley, A. S. M., & Abidin, W. N. S. N. Z. (2024). Physico-Mechanical Properties of *Paraserianthes falcataria* (Batai) in Relation

to Age and Position Variation. *Pertanika Journal of Science and Technology*,  
32, 39–61. <https://doi.org/10.47836/PJST.32.S4.03>

Shmulsky, R., & Jones, P. D. (2019). *Forest products and wood science: an  
introduction* (Seventh). John Wiley & Sons.

Soerianegara, I., & Lemmens, R. H. M. J. (1993). *Plant resources of South-East  
Asia* (I. Soerianegara & R. H. M. J. Lemmens, Ed.; 1 ed., Vol. 5). Pudoc  
Scientific Publishers.

Suhaya, Y., Subiyanto, B., & Kobayashi, Y. (2005). Wood Drying Method by  
“Teresan” Process on Sengon Wood (*Paraserianthes falcataria* L. Nielsen).  
*Jurnal Ilmu dan Teknologi Kayu Tropis*, 3(2), 73–76.

Taylor, A., & Cooper, P. (2002). The Effect of Stem Girdling on Wood Quality.  
*Wood and Fiber Science*, 2(34).

Thibaut, B., & Gril, J. (2003). Growth Stresses. Dalam John. R. Barnett & G.  
Jeronimidis (Ed.), *Wood Quality and its Biological Basis* (hlm. 137–156).  
Blackwell.

Watanabe, K., Yamashita, K., & Noshiro, S. (2012). Non-destructive evaluation of  
surface longitudinal growth strain on Sugi (*Cryptomeria japonica*) green logs  
using near-infrared spectroscopy. Dalam *Journal of Wood Science* (Vol. 58,  
Nomor 3, hlm. 267–272). Springer. [https://doi.org/10.1007/s10086-011-1238-  
2](https://doi.org/10.1007/s10086-011-1238-2)

Wheeler, E. A., Baas, P., & Gasson, P. E. (1989). *IAWA list of microscopic features  
for hardwood identification* (Vol. 10). IAWA Leiden.

Yang, J. L., Baillères, H., Okuyama, T., Muneri, A., & Downes, G. (2005).  
Measurement methods for longitudinal surface strain in trees: A review.  
*Australian Forestry*, 68(1), 34–43.  
<https://doi.org/10.1080/00049158.2005.10676224>

- Yang, J. L., & Waugh, G. (2001). Growth stress, its measurement and effects. *Australian Forestry*, 64(2), 127–135. <https://doi.org/10.1080/00049158.2001.10676176>
- Yoshida, M., Ikawa, M., Kaneda, K., & Okuyama, T. (2003). Stem tangential strain on the tension wood side of *Fagus crenata* saplings. *Journal of Wood Science*, 49(6), 475–478. <https://doi.org/10.1007/s10086-002-0511-9>
- Yoshida, M., & Okuyama, T. (2002). Techniques for Measuring Growth Stress on the Xylem Surface Using Strain and Dial Gauges. *Holzforschung*, 461–467.
- Ziemińska, K., Butler, D. W., Gleason, S. M., Wright, I. J., & Westoby, M. (2013). Fibre wall and lumen fractions drive wood density variation across 24 Australian angiosperms. *AoB PLANTS*, 5. <https://doi.org/10.1093/aobpla/plt046>