

## DAFTAR PUSTAKA

- Absor, M. A. U., Kotaka, H., Ishii, F., & Saito, M. (2014). Tunable Rashba effect on strained ZnO: First-principles density-functional study. *Applied Physics Express*, 7(5), 053002. <https://doi.org/10.7567/APEX.7.053002>
- Absor, Moh. A. U., Arifin, M., Santoso, I., & Harsojo. (2025). Anisotropic spin-split states with canted persistent spin textures in the two-dimensional Janus compounds  $1T'MXX'$  ( $M = Mo, W; X \neq X' = S, Se, Te$ ) controlled by surface alloying. *Physical Review B*, 111(15), 155139. <https://doi.org/10.1103/PhysRevB.111.155139>
- Awschalom, D., & Samarth, N. (2009). Spintronics without magnetism. *Physics*, 2. <https://doi.org/10.1103/physics.2.50>
- Bychkov, Yua A. (1984). Properties of a 2D electron gas with lifted spectral degeneracy. *JETP lett*, 39(2), 78.
- Chakraborty, S., & Raj, S. (2023). Anisotropic Rashba effect in two-dimensional non-Janus transition-metal dichalcogenide,  $MSe$  ( $M=Mo,W$ ) alloys. *Physical Review B*, 107(3). <https://doi.org/10.1103/physrevb.107.035420>
- Choe, D.-H., Sung, H.-J., & Chang, K. J. (2016). Understanding topological phase transition in monolayer transition metal dichalcogenides. *Physical Review B*, 93(12). <https://doi.org/10.1103/physrevb.93.125109>
- Datta, S., & Das, B. (1990). Electronic analog of the electro-optic modulator. *Applied Physics Letters*, 56(7), 665–667. <https://doi.org/10.1063/1.102730>
- Dresselhaus, G. (1955). Spin-Orbit Coupling Effects in Zinc Blende Structures. *Physical Review*, 100(2), 580–586. <https://doi.org/10.1103/physrev.100.580>
- Dyakonov, M. I. & Perel, V. I. (1974). Spin relaxation of conduction electrons in noncentrosymmetric semiconductors. *Soviet Physics Solid State*, 13(12), 3023–3026.
- Ghosh, S., Calizo, I., Teweldebrhan, D., Pokatilov, E. P., Nika, D. L., Balandin, A. A., Bao, W., Miao, F., & Lau, C. N. (2008). Extremely high thermal conductivity of graphene: Prospects for thermal management applications in nanoelectronic circuits. *Applied Physics Letters*, 92(15), 151911. <https://doi.org/10.1063/1.2907977>
- Hong, Y.-L., Liu, Z., Wang, L., Zhou, T., Ma, W., Xu, C., Feng, S., Chen, L., Chen, M.-L., Sun, D.-M., Chen, X.-Q., Cheng, H.-M., & Ren, W. (2020). Chemical vapor deposition of layered two-dimensional  $MoSi_2N_4$  materials. *Science*, 369(6504), 670–674. <https://doi.org/10.1126/science.abb7023>

- Ji, J., Lou, F., Yu, R., Feng, J. S., & Xiang, H. J. (2022). Symmetry-protected full-space persistent spin texture in two-dimensional materials. *Physical Review B*, *105*(4). <https://doi.org/10.1103/physrevb.105.1041404>
- Kohn, W., & Sham, L. J. (1965). Self-Consistent Equations Including Exchange and Correlation Effects. *Physical Review*, *140*(4A), A1133–A1138. <https://doi.org/10.1103/PhysRev.140.A1133>
- Lee, C., Wei, X., Kysar, J. W., & Hone, J. (2008). Measurement of the Elastic Properties and Intrinsic Strength of Monolayer Graphene. *Science*, *321*(5887), 385–388. <https://doi.org/10.1126/science.1157996>
- Li, S., Wu, W., Feng, X., Guan, S., Feng, W., Yao, Y., & Yang, S. A. (2020). Valley-dependent properties of monolayer MoSi<sub>2</sub>N<sub>4</sub>, WSi<sub>2</sub>N<sub>4</sub>, and MoSi<sub>2</sub>As<sub>4</sub>. *Physical Review B*, *102*(23), 235435. <https://doi.org/10.1103/PhysRevB.102.235435>
- Liu, M., Yin, X., Ulin-Avila, E., Geng, B., Zentgraf, T., Ju, L., Wang, F., & Zhang, X. (2011). A graphene-based broadband optical modulator. *Nature*, *474*(7349), 64–67. <https://doi.org/10.1038/nature10067>
- Liu, X., Zhang, H., Yang, Z., Zhang, Z., Fan, X., & Liu, H. (2021). Structure and electronic properties of MoSi<sub>2</sub>P<sub>4</sub> monolayer. *Physics Letters A*, *420*, 127751. <https://doi.org/10.1016/j.physleta.2021.127751>
- Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V., Grigorieva, I. V., & Firsov, A. A. (2004). Electric Field Effect in Atomically Thin Carbon Films. *Science*, *306*(5696), 666–669. <https://doi.org/10.1126/science.1102896>
- Rajibul Islam, Verma, R., Ghosh, B., Muhammad, Z., Bansil, A., Autieri, C., & Singh, B. (2022). Switchable large-gap quantum spin Hall state in the two-dimensional  $M\{\mathrm{Si}\}_2\{Z\}_4$  class of materials. *Physical Review B*, *106*(24), 245149. <https://doi.org/10.1103/PhysRevB.106.245149>
- Schliemann, J., Egues, J. C., & Loss, D. (2003). Nonballistic Spin-Field-Effect Transistor. *Physical Review Letters*, *90*(14). <https://doi.org/10.1103/physrevlett.90.146801>
- Tao, L. L., & Tsymbal, E. Y. (2018). Persistent spin texture enforced by symmetry. *Nature Communications*, *9*(1). <https://doi.org/10.1038/s41467-018-05137-0>
- Trier, F., Vaz, D. C., Bruneel, P., Noël, P., Fert, A., Vila, L., Attané, J.-P., Barthélémy, A., Gabay, M., Jaffrès, H., & Bibes, M. (2020). Electric-Field Control of Spin Current Generation and Detection in Ferromagnet-Free SrTiO<sub>3</sub>-Based Nanodevices. *Nano Letters*, *20*(1), 395–401. <https://doi.org/10.1021/acs.nanolett.9b04079>
- Varjovi, M. J., & Durgun, E. (2021). First-principles study on structural, vibrational, elastic, piezoelectric, and electronic properties of the Janus

- BiXY (X=S,Se,Te and Y=F,Cl,Br,I) monolayers. *Physical Review Materials*, 5(10). <https://doi.org/10.1103/physrevmaterials.5.104001>
- Woźniak, T., Umm-e-hani, Faria Junior, P. E., Ramzan, M. S., & Kuc, A. B. (2023). Electronic and Excitonic Properties of MSi<sub>2</sub>Z<sub>4</sub> Monolayers. *Small*, 19(19), 2206444. <https://doi.org/10.1002/sml.202206444>
- Yao, H., Zhang, C., Wang, Q., Li, J., Yu, Y., Xu, F., Wang, B., & Wei, Y. (2021). Novel Two-Dimensional Layered MoSi<sub>2</sub>Z<sub>4</sub> (Z = P, As): New Promising Optoelectronic Materials. *Nanomaterials*, 11(3), 559. <https://doi.org/10.3390/nano11030559>
- Zhao, C., Hu, M., Qin, J., Xia, B., Liu, C., Wang, S., Guan, D., Li, Y., Zheng, H., Liu, J., & Jia, J. (2020). Strain Tunable Semimetal–Topological-Insulator Transition in Monolayer 1T'–WTe<sub>2</sub>. *Physical Review Letters*, 125(4). <https://doi.org/10.1103/physrevlett.125.046801>
- Zhu, Z. Y., Cheng, Y. C., & Schwingenschlögl, U. (2011). Giant spin-orbit-induced spin splitting in two-dimensional transition-metal dichalcogenide semiconductors. *Physical Review B*, 84(15). <https://doi.org/10.1103/physrevb.84.153402>