

## DAFTAR PUSTAKA

- Abaza, S. M. 2020. What is and why do we have to know the phylogenetic tree. *Parasitologists united journal*. 13 (2): 68-71.
- Agnello, M. 2017. Introductory chapter: sea urchin-knowledge and perspectives. *Intechopen*. 1: 1–16.
- Agnetta, D., F. Badalamenti, G. Ceccherelli, F.D. Trapani, C. Bonaviri, & P. Gianguzza. 2015. Role of two co-occurring mediteranean sea urchins in the formation of barren from cytoseira canopy. *Estuarine, Coastal and Shelf Science*. 152: 73–77.
- Ahad, Y. 2016. Potensi dan pemanfaatan bulu babi (Echinoidea) di Peraira Pantai Lonchoir Kecamatan Banda, Maluku Tengah. *Jurnal Ilmu Perikanan dan Masyarakat Pesisir*. 2(3): 38–47.
- Aimatuzzahro, A. Sufadjari, & N. Nurchayati. 2020. Keragaman bulu babi (Echinoidea) di perairan Pantai Pulau Merah Pesanggaran Banyuwangi. *Biosense*. 3 (2): 37–50.
- Alwi, D., S.H. Muhammad, & I. Tae. 2020. Karakteristik morfologi dan indeks ekologi bulu babi (Echinoidea) di perairan Desa Wawama Kabupaten Pulau Morotai. *Jurnal Sumberdaya Akuatik Indopasifik*. 4 (1): 23–32.
- Anahau, S.R., & A.T. Ina. 2023. Keanekaragaman jenis landak laut kelas Echinoidea di pantai Kadahang Kabupaten Sumba Timur. *Bioscientist: Jurnal Ilmiah Biologi*. 11(1): 412 –420.
- Archana, A., & K.R. Babu. 2016. Nutrient composition and antioxidant activity of gonads of sea urchin *Stomopneustes variolaris*. *Food Chemistry*. 197: 597–602.
- Aryanto, L., I. Suyatna, & Jailani. 2019. Jenis dan struktur komunitas bulu babi (Echinoidea) di perairan pesisir kota bontang. *Jurnal Aquarine*. 6(1): 31–36.
- Aslan, L. 2010. *Bulu Babi (Manfaat dan Pembudidayaanya)*. Unhalu Press. Kendari.
- Aziz, A. 1993. Beberapa catatan tentang perikanan bulu babi. *Oseana*. 18(2): 65–75.
- Belford, A.G. 2024. Combining Morphological characteristics and DNA barcoding techniques confirm sea urchins of the genus *Echinometra* (Echinodermata: Echinoidea) in marine habitat located at extreme regions of the Caribbean sea. *Integrative and comparative Biology*. 0: 1–9.
- Burkpile, D.E., & M.E. Hay. 2006. Herbivore vs nutrient control of marine primary producers: cintext-dependent effects. *Ecology*. 87(12): 3128–3139.

- Caill-Milly, N., J. Mahias, N. Bru, M.N. de Casamajor, T. Pigot, & P. Corbet. 2020. Tests and jaw's morphological patterns of regular sea urchin *Paracentrotus lividus* (Lamarck, 1816) in relation to environmental conditions. *Reg. Stud. Mar. Sci.* 35, 101220.
- Clark, A.M. & F.W.E. Rowe. 1971. Monograph of shallow-water Indo West Pacific Echinoderms. Trustees of the British Museum (Natural History). London.
- Contreras. S., & J.C. Catilla. 1987. Feeding behavior and morphological adaptations in two sympatric sea urchin species in Central Chile. *Marine Ecology-Progress Series.* 38: 217–224.
- Dailami, M., I. Jeni, V. Lapadi, F.I.E. Sabariah, A.S. Saleh, F. Paisey, D. Dwiranti, Saleky, & A.H.A. Toha. 2023. DNA barcoding of sea urchin species in the bird's head seascape Papua-Indonesia. *IOP Conf. Se: Earth Environ. Sci.* 1191 012002.
- Deli, T., A.B. Mohamed, M.H.B. Attia, R.Z. chatti, K. Said, & N. Chatti. 2019. High genetic connectivity among morphologically differentiated populations of the black sea urchin *Arbacia lixula* (Echinoidea: *Arbacioida*) across the central African Mediterranean coast. *Mar Biodiv.* 49: 603 –620.
- Durham, J. W. 1966. Ecology and Palepecology, in *Treatise on invertebrate paleontology*. The University of Kansas Press and The Geological Society of America, Inc, Colorado.
- Ebert, T.A., 1980. Relative growth of sea urchin jaws: an example of plastic resource allocation. *B. Mar. Sci.* 30 (2): 467 – 474.
- Fernandez, C., & C.F. Boudouresque. 1997. Phenotypic plasticity of *Paracentrotus lividus* (Echinoidea: Echinodermata) in a lagoonal environment. *Mar. Ecol.-Prog. Ser.* 152: 145–154.
- Fernandez C, & C.F. Boudouresque. 2000. Nutrition of the sea urchin *Paracentrotus lividus* (Echinodermata: Echinoidea) fed different artificial food. *Mar Ecol Prog Ser.* 204:131–141.
- Formery, L., A. Wakefield, M. Gesson, L. Toisoul, G. Lhomond, L. Gilletta, R. Lasbleiz, M. Schubert, & J. C. Croce. 2022. Developmental atlas of the indirect-developing sea urchin *Paracentrotus lividus*: from fertilization to juvenile stages. *Front. Cell Dev. Bio.* 10: 966408.
- Garcia, D.M.M., M.S. Rojas, E.F. Martinez, M.D.R.L. Cuellar, C.G.S. Gutierrez, A.P. Acero, N.R. Perez, A.Z. Bastidam & D.O. Ramirez. 2022. Sea urchins: an update on their pharmacological properties. *PeerJ.* 10:e13606: 1–19.
- Hardianto, E., & T.B. Satriyo. 2023. Molecular phylogenetic analysis of commercially important Asian monsoon scallop, *Amusium pleurinctes* (Linnaeus 1758) from Indonesia. *Jurnal Kelautan Tropis.* 26(3): 442–450.

- Haurissa, J., L. Lutfi, & A.H.A. Toha. 2021. Struktur komunitas bulu babi (Echinoidea) di zona intertidal perairan Monokwari. *Jurnal Kelautan*. 14(2): 132–142.
- Hia, P.A., R.I., Adharini, E. Setyobudi, & E. Hardianto. 2025. Species identification of the helmet urchin, *Colobocentrotus atratus* (Linnaeus, 1758) from the South Coast of Java, Indonesia using DNA Barcoding. *Genetics of Aquatic Organisms*. 9(2): GA893.
- Hidayat, T., & A. Pancoro. 2016. Kajian filogenetika molekuler dan perannannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik angrek. *Jurnal AgroBiogen*. 4(1): 35–40.
- Hillis, D.M., C. Moritz, & B.K. Mable. 1996. *Molecular Systematic 2 nd Ed.* Sinauer Associates, Massachusetts.
- Hubert, N., B. Espiau, C. Meyer, & S. Planes. 2014. Identifying the ichthyoplankton of a coral reef using DNA barcodes. *Molecular Ecology Resources*. 15(1): 57-67.
- Hughes, T.P., D.C. Reed, & M.J. Boyle. 1987. Herbivory on coral reefs: community structure following mass mortalities. *Journal of Experimental Marine Biology and Ecology*. 113(1): 39–59.
- Humphries, A.T., T.R. McClanahan, & C.D. McQuaid. 2020. Alga turf consumption by sea urchins and fishes is mediated by fisheries management on coral reefs in Kenya. *Coral Reefs*. 39 (1733).
- Ibrahim, I., C.N. Devira, & S. Purnawan. 2017. Struktur komunitas Echinoidea (bulu babi) di perairan pesisir Pantai Teluk Nibung Kecamatan Pulau Banyak Kabupaten Aceh Singkil. *Prosiding Seminar Nasional Biotik*. 5(1): 19–198.
- Imtiaz, A., S.A.M. Nor, & D.M. Naim. 2017. Review: Progress and potential of DNA barcoding for species identification of fish species. *Biodiversitas*. 18(4): 1394–1405.
- Istanto, A., A.H. Yanti, & T.R. Setyawati. 2017. Komposisi jenis bulu babi (kelas: Echinoidea) di daerah intertidal pulau Lemukutan kabupaten Bengkayang. *Jurnal Protobiont*. 6(1): 59–63.
- Jain, S. 2017. *Fundamentals of Invertebrate Palaeontology*. Springer Geology. Springer, New Delhi.
- Jolliffe, I. T. 1973. Discarding variables in a principal component analysis. II: Real data. *Journal of the Royal Statistical Society Series C: Applied Statistics*, 22(1): 21–31.
- Kadir, W.A., S.N. Hamzah, & L. Nane. 2022. Kelimpahan dan pola sebaran bulu babi di perairan Botubarani Kabupaten Bone Balango. *Jurnal Ilmiah Perikanan dan Kelautan*. 10(2): 62–71.

- Kanuddin, A. Hamid, & E. Ishak. 2024. Kepadatan dan distribusi bulu babi (Echinoidea) di padang lamun perairan Tolandono Pulau Tomia, Wakatobi. *Jurnal Sains dan Inovasi Perikanan*. 8 (1): 61–69.
- Karnila, R., D. Iriani, S.M.D. Shaarani, A.A. Yunus, & R. Salma. 2022. Nutritional characteristics of sea urchin (*Diadema setosum*) in Bungus, West Sumatera Province. *IOP Conf. Ser: Earth Environ Sci*. 118 012037: 1–5.
- Kurniasari, R.D., A. Soewondo, & A.H. Toha. 2014. Identifikasi Synaptula (Echinodermata Holothuroidea) Raja Ampat Berdasarkan Gen COI. *Jurnal Biotropika*. 2(5): 265-268.
- Latuconsina, H. 2021. Ekologi ikan perairan tropis biodiversitas, adaptasi, ancaman, dan pengelolannya. Gadjah Mada University Press, Yogyakarta.
- Lawrence, J. M. 2020. Sea urchin life-history strategies, in: Lawrence JM (ed) *Sea urchins: Biology and Ecology, Developments in Aquaculture and Fisheries Science*. Elsevier. pp. 447–485.
- Lee, T.J., & S. Shin. 2012. New record of a sea urchin *Echinometra mathaei* (Echinoidea: Camarodonta: Echinometridae) from Jeju Island, Korea and its molecular analysis. *Animal Systematics, Evolution and Diversity*. 28(3): 178–184.
- Liu, H., & A.T. Beckenbach. 1992. Evolution of the mitochondrial cytochrome oxidase II gene among 10 orders of insects. *Mol Phylogenet Evol*. 1:41–52.
- Lu, J.H., R.S. Li, & W.H. Zhang. 1994. Sea urchin chemical and pharmacological research. *Chin J Mar Drugs*. 2: 38–46.
- Lukyanova, O.N., E.V. Zhuravel, D.N. Chulchekov, & A.A. Mazur. 2017. Sea urchin embryogenesis as bioindicators of marine pollution in impact areas of the sea of Japan/East Sea and the sea of Okhotsk. *Arch Environ Contam Toxicol*. 73: 322–333.
- Tala, W.D.S., & K. Jumiati. 2021. Struktur komunitas Echinodermata pada berbagai tipe habitat di daerah intertidal Pantai Lakeba, Kota Baubau Sulawesi Tenggara. *Jurnal Kelautan Tropis*. 24(3): 333–342.
- Mapstone, B.D., N.L. Andrew, Y. Chancerelle, & B. Salvat. 2007. Mediating effects of sea urchins on interactions among corals, algae and herbivorous fish in the Moorea lagoon, French Polynesia. *Marine Ecology Progress Series*. 332: 143–153.
- Melville, R.V. & J.W. Durham. 1996. Introduction Echinoids, in treatise on invertebrate paleontology. The University of Kansas Press and The Geological Society of America, Inc, Colorado.
- Mustaqim, M.M., Ruswahyuni, & Suryanti. 2013. Kelimpahan jenis bulu babi (Echinoidea, Leske 1778) di rata-rata dan tubir terumbu karang di perairan

Si Jago-Jago, Tapanuli Tengah. Mangement of Aquatic Resources Journal (MAQUARES). 2(4): 61–70.

- Nicolau, L., P. Vasconcelos, I. Machado, F. Pereira, P. Moura, A.N. Carvalho, & M.B. Gaspar. 2022. Morphometric relationships, relative growth and row yield of the sea urchin (*Paracentrotus lividus*) from Portuguese coast. Regional Studies in Marine Science. 52: 102343.
- Nomleni, A., G. Turnip, & L.A. Afandi. 2021. Keragaman genetik bulu babi *Tripneustes Gratilla* (Linnaeus, 1758) di perairan Pantai Desa Lambakara, Sumba Timur, Nusa Tenggara Timur (NTT). Jurnal Akbar Juara. 6(4): 47–62.
- Noviana, N.P.E., P.G.S. Julyantoro, & D.A.A. Pebriani. 2019. Distribusi dan kelimpahan bulu babi (Echinoidea) di perairan pulau pasir putih, Desa Sumberkima, Buleleng, Bali. Current Trends in Aquatic Science. 2(1): 21–28.
- Nugroho, E.D., R. Ardiansyah, N. Kurniawan, W. Widodo, & D.A. Rahayu. 2023. Species identification of Echinoderms from Gili Ketapang Island by combining morphology and molecular data. AACL Bioflux. 16(1): 135–150
- Nurcahyo, D.F., H.M. Zen, H.P.N. Azizah, G.D. Nugroho, D. Ramdhun, C.K. Yap, M Indrawan, & A.D. Setyawan. 2024. The community structure of Echinodermata (Echinoidea and Holothuroidea) on seagrass ecosystem in Gunungkidul, Yogyakarta, Indonesia. Biodiversitas. 25(11): 4561-1571.
- Padang, A., Nurlina, T. Tuasikal, & R. Subiyanto. 2019. Kandungan gizi bulu babi (Echinoidea). Jurnal Agribisnis Perikanan. 12(2): 220–227.
- Petrov, N.B., I.P. Vladychenskaya, A.L. Drozdov, & OS. Kedrova. 2016. Molecular genetik markets of intra- and interspecific divergence within starfish and sea urchins (Echinodermata). Biochemistry (Moscow). 81(9): 972–980.
- Probosunu, N., E. Hardianto, R.I. Adharini, T.B. Satriyo, E. Setyobudi, U.J. Wisna, & D. Dirgantara. (2025). Molecular insights into the identification and phylogenetic of the collector urchin, *Tripneustes gratilla* (Linnaeus 1758) from the Red Island Beach, East Java, Indonesia. Egyptian Journal of Aquatic Biology and Fisheries, 29(1): 2431-2443.
- Purnamasari, R., W.D.S. Tala, Kusriani, & M. Rasyid. 2023. Jenis-jenis bulu babi (Echinoidea) di zona intertidal Pangtai Gerak Makmur Kecamatan Sampolawa Kabupaten Buton Selatan. Jurnal Bioedukasi. 6(2): 299–307.
- Radjab, A. W. 2001. Reproduksi dan siklus bulu babi (Echinoidea). Oseana. 26(3): 25–36.
- Rompis, B.R., M.L.D. Langoy, D.Y. Katilli, & A. Papu. 2013. Diversitas Echinodermata di Pantai Meras kecamatan Bunaken Sulawesi Utara. Jurnal Bios Logis. 3(1): 26–30.

- Sasongko, S.A., D.J. Tarigan, F.D. Cahyadi, L. Yonanto, M.N. Salim, A.F. Hasan, & H. Azalia. 2020. Jenis-jenis bintang laut, bulu babi, dan teripang (Echinodermata) di perairan Pulau Tunda Kabupaten Serang. *Jurnal Teknologi Perikanan dan Kelautan*. 11(2): 177–182.
- Schultz, H. A. G. 2015. *Echinoidea*, Volume 1. De Gruyter, Germany.
- Senen, B. 2016. Distribusi bulu babi (Echinoidea) di perairan Pantai Kampung Baru Banda Naira, Maluku. *Munggai: Jurnal Ilmu Perikanan dan Masyarakat Pesisir*. 2(3): 1–9.
- Sese, M.R., Annawaty, & E. Yusron. 2018. Keanekaragaman Echinodermata (Echinoidea dan Holothuroidea) di Pulau Bakalan, Banggai Kepulauan, Sulawesi Tengah, Indonesia. *Scripta Biologica*. 5(2): 73–77.
- Sharma, P. & T. Kobayashi. 2014. Are “universal” DNA primers really universal. *J Appl Genetiks*. 55:485-496.
- Sibiya, A., J. Jeyavani, J. Sivakamavalli, C. Ravi, M. Divya, & B. Vaseeharan. 2021. Bioactive compounds from various type of sea urchin and their therapeutic effects – A review. *Regional Studie in Marine Science*. 44(6): 101760.
- Singkam, A. R. 2012. Komunitas ikan karang di perairan Pulau Tikus Bengkulu. *Jurnal Gradien*. 8(2): 728-733.
- Siregar, Y.I., S. Nasution, & R. Kurniawan. 2021. Biodiversity of associated megabenthic invertebrate of corall reef ecosystem of Petong Island Batam Indonesia. *IOP Conf. Ser:Earth Environ. Sci*. 934 012070.
- Soleiman, S., S. Moein, M. Yousefzadi, & N.A. Bioki. 2016. Determination of in vitro antioxidant properties, anti-inflammatory effect and a-amylase inhibition of sea urchin extraxt of *Echinometra mathaei* from the Persian Gulf. *Jundishapur Journal of Natural Pharmaceutical Products*. e36547: 1–7.
- Stefansson, G., H. Kristinsson, N. Ziemer, C. Hannon, & P. James. 2017. Markets for sea urchins: a review of global supply and markets. *Skrysla Matis*, October. 45: 10–17.
- Supono, & U. Y. Arbi. 2012. Kelimpahan dan keragaman Echinodermata di Pulau Pari, Kepulauan Seribu. *Jurnal Ilmu dan Teknologi Kelautan Tropis*. 4(1): 114–120.
- Suryati, S., P.N.P.N. Fatimah & S. Rudiyaniti. 2020. Morfologi, anatomi dan indeks ekologi bulu babi di Pantai Sepanjang, Kabupaten Gunungkidul, Yogyakarta. *Buletin Oseanografi Marina*. 9(2): 93–103.
- Syaifudin, M., D. Jubaedah, F.H. Taqwa, & R. Octaviani. 2021. Phylogenetic of marble goby (*Oxyeleotris marmorata* BLKR.) in South Sumatera based on cytochrome C oxidase subunit I (COI) gene. *Genetics of Aquatic Organism*. 6(1). GA433.

- Triacha, Z.I.E.C., M.P. Pertiwi, & R.T. Rostikawati. 2021. Keanekaragaman Ecinodermata di Pantai Cibuaya Ujung Genteng, Jawa Barat. *Jurnal Ilmu Dasar*. 22(1): 9–18.
- Wakano, D., & L.M.C. Huwae. 2020. Struktur komunitas bulu babi di perairan Pantai Kampung Baru Pulau Banda Kabupaten Maluku Tengah. *Biosel Biology Science and Education*. 9(2): 122–131.
- Wangensteen, O.S., C. Palacin, M. Guardiola, & X. Turon. 2018. DNA metabarcoding of littoral hard-bottom communities: high diversity and database gaps revealed by two molecular markers. *PeerJ*. 6:e4705.
- Ward, R.D., B.H. Holmes, & T.D. O'hara. 2008. DNA barcoding discriminates echinoderm species. *Molecular Ecology Resources*. 8:1201–1211.
- Westlake, E.L., B. Cindy, R. Fisher, D.P. Thomson, & M.D.E. Haywood. 2021. Environmental factors and predator abundance predict the distribution and occurrence of two sympatric urchin species at Ningaloo Reef, Western Australia. *Marine and Freshwater Research*. 72: 1711–1721.
- Wijaya, T.M.F., C.A. Suryono, & E. Yudiati. 2022. Bulu babi pada ekosistem karang dan lamun di perairan taman nasional Karimunjawa. *Journal of Marine Research*. 11(3): 347–356.
- Wong, E.H.K. & Hanner, R.H., 2008. DNA barcoding detects market substitution in North American seafood. *Food Research International*. 41(8): 828–837.
- Wong, L.L., E. Peatman, J. Lu, H. Kucuktas, S. He, C. Zhou, U. Na-nakorn, & A. Iiu. 2011. DNA barcoding of catfish: species authentication and phylogenetic assessment. *PlosOne*. 6(3): e17812.
- Wulandari, D.A., & M.F. Warsito. 2022. Review: Nutritional value and health benefit of sea urchin. *Omni-Akuatika special issue the 4<sup>th</sup>*. 18: 101–111.
- Yang, B., Z. Zhang, C.Q. Yang, Y.Wang, M.C. Orr, H. Wang, & A.B. Zhang. 2022. Identification of species by combining molecular and morphological data using convolutional neural networks. *Syst Biol*. 71(3): 690–705.
- Yiu, S.K.F., & S.S.W. Chung. 2024. Spatial distribution and habitat relationship of sea urchin assemblages (Echinodermata: Echinoidea) in Hong Kong waters. *Continental Shelf Research*. 273(105170).
- Yudasmaru. G. A. 2013. Keanekaragaman dan dominansi komunitas bulu babi (Echinoidea) di perairan pusu menjangan Kawasan taman nasional Bali Barat. *Jurnal Sains dan Teknologi*. 2(2): 213–220.
- Yusron, E. 2013. Biodiversitas fauna ekhinodermata (Holothuroidea, Echinoidea, Asteroidea, dan Ophiyuroidea) di perairan Pulau Lombok, Nusa Tenggara Barat. *Zoo Indonesia*. 22(1): 1–10.
- Yusron, E., & Susetiono. 2010. Keanekaragaman jenis Ekhinodermata di perairan Minahasa Utara, Sulawesi Utara. *Biota*. 15(1): 241–247.



- Zakaria, I.J. 2013 Komunitas bulu babi (Echinoidea) di Pulau Cingkuak, Pulau Sikuai, dan Pulau Setan Sumatera Barat. Prosiding Semirita. Lampung: Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Lampung. 381–387.
- Zou, Y., Z. Zhang, Y. Zeng, H. Hu, Y. Hao, S. Huang, & B. Li. 2024. Common methods for phylogenetic tree construction and the implementation in R. *Bioengineering*. 11(480): 1–22.