

DAFTAR PUSTAKA

- Abdu, M., Babae, S., Worku, A., Diale, P., Msagati, T.A.M., and Nure, J.F., 2025a, Synthesis and Optimization of TiO₂-Biochar Composite for Degradation of Basic Blue 41 Dye in Textile Wastewater Using Response Surface Methodology, *Inorg. Chem. Commun.*, 174 (114078), 1–21.
- Abdu, M., Tibebu, S., Babae, S., Worku, A., Msagati, T.A.M., and Nure, J.F., 2025b, Optimization of Photocatalytic Degradation of Eriochrome Black T from Aqueous Solution Using TiO₂-Biochar Composite, *Results Eng.*, 25 (104036), 1–18.
- Aisien, F., Amenaghawon, A.N., Aisien, F.A., Amenaghawon, N.A., and Urhobotie, O.I., 2015, Potential Application of A Locally Sourced Photocatalyst For The Photocatalytic Decolourisation of Methyl Orange in Aqueous Solution, *JESTEC*, 10 (12), 1641–1653
- Aisien, F., Amenaghawon, N., and Otuorimuo, U., 2014, Decolourisation of Methylene Blue in Aqueous Solution using Locally Sourced Photocatalysts via UV Irradiation Photocatalytic Degradation, *Mor. J. Chem.*, 2 (4), 320–329.
- Alegbe, E.O. and Uthman, T.O., 2024, A Review of History, Properties, Classification, Applications and Challenges of Natural and Synthetic Dyes, *Heliyon*, 10 (13), 1–19.
- Al-Harbi, L.M., Mohamed, W.S., Ebnalwaled, A.A., Said, A.H., and Ezzeldien, M., 2023, The Effect of Synthesis Conditions on The Photokilling Activity of TiO₂ Nanostructures, *Mater. Res. Express*, 10 (1), 1–12.
- Alkaim, A.F., Aljeboree, A.M., Alrazaq, N.A., Baqir, S.J., Hussein, F.H., and Lilo, A.J., 2014, Effect of pH on Adsorption and Photocatalytic Degradation Efficiency of Different Catalysts on Removal of Methylene Blue, *Asian J. Chem*, 26 (24), 8445–8448.
- Apostol, L.C., Smaranda, C., Diaconu, M., and Gavrilescu, M., 2015, Preliminary Ecotoxicological Evaluation of Erythrosine B and its Photocatalytic Degradation Product, *Environ. Eng. Manag. J.*, 14 (2), 465–471.
- Ayawei, N., Ebelegi, A.N., and Wankasi, D., 2017, Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, 1–11.
- Bairagi, R. and Ameta, R., 2016, Photocatalytic Degradation of Erythrosine By Using Manganese-Doped-TiO₂-Supported on Zeolite, *Int. J. Chem. Sci.*, 14 (3), 1768–1776.

- Bhattacharjee, B. and Ahmaruzzaman, Md., 2024, Photocatalytic Degradation of Pharmaceuticals: Insights into *Biochar* Modification and Degradation Mechanism, *Next Materials*, 5 (100238), 1–13.
- Bouddouch, A., Akhsassi, B., Amaterz, E., Bakiz, B., Taoufyq, A., Villain, S., Guinneton, F., El Aamrani, A., Gavarrri, J.R., and Benlhachemi, A., 2022, Photodegradation under UV Light Irradiation of Various Types and Systems of Organic Pollutants in the Presence of a Performant BiPO₄ Photocatalyst, *Catalysts*, 12 (7), 1–19.
- Chequer, F.M.D., Venâncio, V. de P., Bianchi, M. de L.P., and Antunes, L.M.G., 2012, Genotoxic and Mutagenic Effects of *Erythrosine B*, A Xanthene Food Dye, on HepG2 Cells, *FCT*, 50 (10), 3447–3451.
- Dey, S. and Nagababu, B.H., 2022, Applications of Food Color and Bio-preservatives in The Food and its Effect on The Human Health, *Food Chem. Adv.*, 1 (100019), 1–13.
- El-Shafie, A.S., Abouseada, M., and El-Azazy, M., 2023, TiO₂-Functionalized *Biochar* from Pistachio Nutshells: Adsorptive Removal and Photocatalytic Decolorization of Methyl Orange, *Appl. Water Sci.*, 13 (12), 1–21.
- Enaime, G., Ennaciri, K., Ounas, A., Baçaoui, A., Seffen, M., Selmi, T., and Yaacoubi, A., 2017, Preparation and Characterization of Activated Carbons from Olive Wastes by Physical and Chemical Activation: Application to Indigo Carmine Adsorption, *J. Mater. Environ. Sci.*, 8 (11), 4125–4137.
- Godlewska, P., Ok, Y.S., and Oleszczuk, P., 2021, The Dark Side of Black Gold: Ecotoxicological Aspects of *Biochar* and *Biochar*-Amended Soils, *J. Hazard. Mater.*, 403 (123833), 1–21.
- Haroonian, P., Ghaedi, M., Javadian, H., Belviso, C., and Abbasi, M., 2025, Simultaneous Removal of Tartrazine and *Erythrosine B* using MnFe-Layered Double Hydroxide Nanoparticles Modified PVDF Polymer Membrane, *Microporous Mesoporous Mater.*, 389 (113569), 1–17.
- Harsono, A., Harnowo, D., Ginting, E., and Adi Anggraeni Elisabeth, D. Soybean in Indonesia: Current Status, Challenges and Opportunities to Achieve Self-Sufficiency, 2021, *Legumes*, 1, 1–19.
- Hasnat, M.A., Uddin, M.M., Samed, A.J.F., Alam, S.S., and Hossain, S., 2007, Adsorption and Photocatalytic Decolorization of A Synthetic Dye Erythrosine on Anatase TiO₂ and ZnO Surfaces, *J. Hazard. Mater.*, 147 (1–2), 471–477.
- Kacem, S. Ben, Elaoud, S.C., Asensio, A.M., Panizza, M., and Clematis, D., 2021, Electrochemical And Sonochemical Degradation of Allura Red and *Erythrosine B* Dyes with Ti-PbO₂ Anode, *JEAC*, 889 (115212), 1–9.

- Karim, A. V., Krishnan, S., and Shriwastav, A., 2022, vAn Overview of Heterogeneous Photocatalysis for The Degradation of Organic Compounds: A Special Emphasis on Photocorrosion and Reusability, *J. Indian Chem. Soc.*, 99 (100480), 1–14.
- Khan, S., Noor, T., Iqbal, N., and Yaqoob, L., 2024, Photocatalytic Dye Degradation from Textile Wastewater: A Review, *ACS Omega*, 9 (20), 21751–21767.
- Lee, Y.J., Lee, C.G., Kang, J.K., Park, S.J., and Alvarez, P.J.J., 2021, Simple Preparation Method for Styrofoam-TiO₂ Composites and Their Photocatalytic Application for Dye Oxidation and Cr(VI) Reduction in Industrial Wastewater, *Environ. Sci. (Camb)*, 7 (1), 222–230.
- Liang, S., An, M., Xia, S., Zhang, B., Xue, B., and Xu, G., 2023, Enhanced Photocatalytic Degradation of Methyl Orange by TiO₂/Biochar Composites under Simulated Sunlight Irradiation, *Opt. Mater. (Amst)*, 142 (114105), 1–12.
- Liu, Y., Dai, X., Li, J., Cheng, S., Zhang, J., and Ma, Y., 2024, Recent Progress in TiO₂-Biochar-Based Photocatalysts for Water Contaminants Treatment: Strategies to Improve Photocatalytic Performance, *RSC Adv.*, 14 (1), 478–491.
- Li, X., Raza, S., and Liu, C., 2021, Enhanced Photo-catalytic Efficiency through Dual-functional ZIF Based Materials: Fabrication and Application as A Degradation of Organic Dyes, *J. Taiwan Inst. Chem. Eng.*, 120, 368–380.
- Lohar, S., Prajapati, D.K., Sharma, A., and Bhardwaj, S., 2021, Wastewater Treatment using Nanomaterial Quaternary Photocatalyst ZrCdPbO₄-Removal of Colour Pollutant by an Eco Friendly Process, *J. Indian Chem. Soc.*, 98 (11), 1–6.
- Miranda-García, N., Suárez, S., Maldonado, M.I., Malato, S., and Sánchez, B., 2014, Regeneration Approaches for TiO₂ Immobilized Photocatalyst Used in The Elimination of Emerging Contaminants in Water, *Catal. Today*, 230, 27–34.
- Pereira, L., Pereira, R., Oliveira, C.S., Apostol, L., Gavrilescu, M., Pons, M.N., Zahraa, O., and Madalena Alves, M., 2013, UV/TiO₂ Photocatalytic Degradation of Xanthene Dyes, *Photochem. Photobiol.*, 89, 33–39.
- Prasetyo, E., 2013, Facile Photometric Determination of Silver with 2,4,5,7-Tetraiodofluorescein Stabilized with Starch, *Widyariset*, 16 (3), 435–440.
- Rosol, T.J. and Gröne, A., 2016, Endocrine Glands,. In, *Jubb, Kennedy and Palmer's Pathology of Domestic Animals: Sixth Edition*. Elsevier Inc., 269–357.
- Santos, M.M. de M., do Nascimento, G.E., Sales, D.C.S., Rodríguez-Díaz, J.M., da Rocha, O.R.S., and Duarte, M.M.M.B., 2022, Development of Recirculating Photocatalytic Reactor with TiO₂ Supported on Post-consumption

Polystyrene Film: Evaluation of Hazardous Food Colorants Degradation, *Water Air Soil Pollut.*, 233 (12), 1–10.

- Santos, M.M. de M., Duarte, M.M.M.B., Nascimento, G.E. do, Souza, N.B.G. de, and Rocha, O.R.S. da, 2019, Use of TiO₂ Photocatalyst Supported on Residues of Polystyrene Packaging and its Applicability on The Removal of Food Dyes, *Environ. Tech. (United Kingdom)*, 40 (12), 1494–1507.
- Schuepfer, D.B., Badaczewski, F., Guerra-Castro, J.M., Hofmann, D.M., Heiliger, C., Smarsly, B., and Klar, P.J., 2020, Assessing The Structural Properties of Graphitic and Non-graphitic Carbons by Raman spectroscopy, *Carbon N Y*, 161, 359–372.
- Suratman, A., Astuti, D.N., Kusumastuti, P.P., and Sudiono, S., 2024, 2024a, Okara Biochar Immobilized Calcium-Alginate Beads as Eosin Yellow Dye Adsorbent, *Results Chem.*, 7 (101268), 1–9.
- Suratman, A., Astuti, D.N., Kusumastuti, P.P., Sudiono, S., Wijaya, H.W., and Wibowo, A.H., 2024b, Comprehensive Study of Thermochemical Conversion of Biomass Okara into Biochar, *J. Anal. Appl. Pyrolysis*, 181 (106594), 1–12.
- Szulc, J., Błaszak, B., Wenda-Piesik, A., Gozdecka, G., Żary-Sikorska, E., Bąk, M., and Bauza-Kaszewska, J., 2023, Zero Waste Technology of Soybeans Processing, *Sustainability*, 15 (20), 1–14.
- Tan, S.N., Yuen, M.L., and Ramli, R.A., 2025, Photocatalysis of Dyes: Operational Parameters, Mechanisms, and Degradation Pathway, *Green Anal. Chem.*, 12 (100230), 1–16.
- Tryba, B., 2008, Increase of The Photocatalytic Activity Of TiO₂ by Carbon and Iron Modifications, *Int. J. Photoenergy*, 2008, 1–15.
- Uddin, M.M., Hasnat, M.A., Samed, A.J.F., and Majumdar, R.K., 2007, Influence of TiO₂ and ZnO Photocatalysts on Adsorption and Degradation Behaviour of Erythrosine, *Dyes Pigments*, 75 (1), 207–212.
- Ullah, I., Yin, T., Xiong, S., Zhang, J., Din, Z. ud, and Zhang, M., 2017, Structural Characteristics and Physicochemical Properties of Okara (Soybean Residue) Insoluble Dietary Fiber Modified by High-energy Wet Media Milling, *LWT*, 82, 15–22.
- Wang, J. and Guo, X., 2020, Adsorption Kinetic Models: Physical Meanings, Applications, and Solving Methods, *J. Hazard Mater.*, 390 (122156), 1–18.
- Wang, J., Wang, G., Yu, T., Ding, N., Wang, M., and Chen, Y., 2023, Photocatalytic Performance of Biochar-Modified TiO₂ (C/TiO₂) for Ammonia-Nitrogen Removal, *RSC Adv.*, 13 (35), 24237–24249.

- Wang, N., Wang, B., and Zhang, X., 2024, TiO₂-Loaded Phosphogypsum-Modified *Biochar* for The Removal of Ofloxacin and Cu²⁺: Performance, Mechanisms, and Toxicity Assessment, *Chem. Eng. J.*, 498 (155441), 1–13.
- Yan, B., Hiew, Z., Lee, L.Y., Xin, &, Lee, J., Thangalazhy-Gopakumar, S., and Gan, S., 2021, Physical, Chemical and Biological Process Techniques and Tools for Pollution Prevention and Sustainability Utilisation of Environmentally Friendly *Okara*-Based Biosorbent for Cadmium(II) Removal, *Environ. Sci. Pollut. R.*, 28, 40608–40622.
- Zhang, S. and Lu, X., 2018, Treatment of Wastewater Containing Reactive Brilliant Blue KN-R using TiO₂/BC Composite as Heterogeneous Photocatalyst and Adsorbent, *Chemosphere*, 206, 777–783.