

REFERENCES

- Alijani, M. and Kaleji, B.K., 2017, Optical and structural properties of TiO₂ nanopowders with Ce/Sn doping at various calcination temperature and time, *Opt Quantum Electron*, 49, 1–16.
- Anastas, P. and Eghbali, N., 2009, Green Chemistry: Principles and Practice, *Chem Soc Rev*, 39, 301–312.
- Bach, R.D., 2012, The role of acid catalysis in the Baeyer-Villiger reaction. A theoretical study, *J Org Chem*, 77, 6801–6815.
- Bagheri, S., Muhd Julkapli, N., and Bee Abd Hamid, S., 2014, Titanium Dioxide as a Catalyst Support in Heterogeneous Catalysis, *Sci World J*, 2014, 727496.
- Barzinmehr, H., Mirza-Aghayan, M., and Boukherroub, R., 2024, Mechanistic insights into the roles of graphene oxide and its derivatives in organic transformations—a review, *Catal Rev Sci Eng*, 66, 1737–1827.
- ten Brink, G.J., Arends, I.W.C.E., and Sheldon, R.A., 2004, The Baeyer-Villiger reaction: New developments toward greener procedures, *Chem Rev*, 104, 4105–4123.
- Castro, M.A., Feo, J.C., and Aller, A.J., 2003, Thermal stability and spatial distribution of sodium chloride alone and in the presence of several metal salts on a graphite platform, *J Anal At Spectrom*, 18, 260–267.
- Cavani, F., Raabova, K., Bigi, F., and Quarantelli, C., 2010, A Rationale of the Baeyer–Villiger Oxidation of Cyclohexanone to ε-Caprolactone with Hydrogen Peroxide: Unprecedented Evidence for a Radical Mechanism Controlling Reactivity, *Chem Eur J*, 16, 12962–12969.
- Chen, Y.F., Lee, C.Y., Yeng, M.Y., and Chiu, H.T., 2003, The effect of calcination temperature on the crystallinity of TiO₂ nanopowders, *J Cryst Growth*, 247, 363–370.
- Cheng, L., Fan, T., Mao, K., Chang, H., Ren, X., Zhang, B., and Jiang, Y., 2023, Enhanced low-temperature activity of toluene combustion over Ce-modified Co₃O₄ catalyst by weakening Co–O strength, *React Kinet Mech Catal*, 136, 2053–2069.
- Chisem, I.C., Chisem, J., Rafelt, J.S., Macquarrie, D.J., Clark, J.H., and Utting, K.A., 1999, Environmentally friendly liquid phase oxidation: enhanced selectivity in the aerial oxidation of alkyl aromatics, epoxidations and the Baeyer-Villiger oxidation using novel silica supported transition metal ions, *J Chem Technol Biotechnol*, 74, 923–930.

- Cui, X. and Shi, J., 2016, Sn-based catalysts for Baeyer-Villiger oxidations by using hydrogen peroxide as oxidant, *Sci China Mater*, 59, 675–700.
- Daniel Sam, N., Anish, C.I., Sabeena, G., Rajaduraipandian, S., Gandhimathi, S., Annadurai, G., and Jaya Rajan, M., 2021, Synthesis and characterization of tio₂-ceo₂ (tio₂-ce) nanocomposite: Testing its antibacterial effect, *Res J Chem Environ*, 25, 13–19.
- Fang, J., Bi, X., Si, D., Jiang, Z., and Huang, W., 2007, Spectroscopic studies of interfacial structures of CeO₂-TiO₂ mixed oxides, *Appl Surf Sci*, 253, 8952–8961.
- Gadge, A.S., Janbandhu, S.Y., and Gedam, R.S., 2025, Exploring the photocatalytic and antibacterial activity of Ce-doped TiO₂ nanoparticles with remarkable self-cleaning superhydrophilic surface for outdoor application, *Ceram Int*, 51, 602–611.
- Gorlova, O., Pálková, S., Kocík, J., Tišler, Z., and Paterová, I., 2024, Baeyer-Villiger oxidation of myrtenal over hydrotalcites based catalysts: The role of structure type, metal content, preparation method and acid-base properties, *Appl Catal A Gen*, 671, 119573.
- Hara, T., Hatakeyama, M., Kim, A., Ichikuni, N., and Shimazu, S., 2012, Preparation of clay-supported Sn catalysts and application to Baeyer-Villiger oxidation, *Green Chem*, 14, 771–777.
- Husna, R.A., Suherman, and Natsirc, T.A., 2023, Effect of Calcination Temperature on the Preparation of Mixed Oxide SnO₂/CeO₂/TiO₂ to Increase the Photodegradation Activity of Methylene Blue under Visible Light, *Key Eng Mater*, 949, 75–80.
- Hussain, H., Al-Harrasi, A., Green, I.R., Ahmed, I., Abbas, G., and Rehman, N.U., 2014, Meta-Chloroperbenzoic acid (*m*-CPBA): A versatile reagent in organic synthesis, *RSC Adv*, 4, 12882–12917.
- Islam, Md.T., Rahaman, Md.A., Ahmed, S., Khatun, M.T., Aman, S., Bayzid, T., Ahmad, A., Al-Amin, Md., and Alam, Md.A., 2025, Effect of Isopropyl Peptization on Surface Particle Growth of Sol-Gel Derived Anatase: X-ray Crystallographic Analysis and Revealed on Transmission Electron Microscopy, *S Afr J Chem Eng*, 53, 500–515.
- Jiménez-Sanchidrián, C. and Ruiz, J.R., 2008, The Baeyer-Villiger reaction on heterogeneous catalysts, *Tetrahedron*, 64, 2011–2026.
- Khine, E.E. and Kaptay, G., 2023, Identification of Nano-Metal Oxides That Can Be Synthesized by Precipitation-Calcination Method Reacting Their

Chloride Solutions with NaOH Solution and Their Application for Carbon Dioxide Capture from Air—A Thermodynamic Analysis, *Materials*, 16, 776.

- Kim, K., Park, J., Kim, H., Jung, G.Y., and Kim, M.G., 2019, Solid-Phase Photocatalysts: Physical Vapor Deposition of Au Nanoislands on Porous TiO₂ Films for Millimolar H₂O₂ Production within a Few Minutes, *ACS Catal*, 9, 9206–9211.
- Kitabayashi, S. and Koga, N., 2015, Thermal Decomposition of Tin(II) Oxyhydroxide and Subsequent Oxidation in Air: Kinetic Deconvolution of Overlapping Heterogeneous Processes, *J Phys Chem*, 119, 16188–16199.
- Kuwajima, M., Ichihashi, Y., Nishiyama, S., and Tsuruya, S., 2004, Synthesis of Lactone from Cyclic Ketone over Sn Supported Catalyst, 687–687.
- Li, J.J., 2006, Baeyer-Villiger oxidation, *Name Reactions*, 3, 14–15.
- Liu, G., Sun, L., Luo, W., Yang, Y., Liu, J., Wang, F., and Guild, C.J., 2018, Aerobic Baeyer-Villiger oxidation of ketones over mesoporous Mn-Ce and Mn-Co composite oxides in the presence of benzaldehyde: The effect of valence state, *Mol Catal*, 458, 9–18.
- Liu, X. and Zhu, Z., 2024, Synthesis and Catalytic Applications of Advanced Sn- and Zr-Zeolites Materials, *Adv Sci*, 11, 2306533.
- Liu, Xiaolong, Zhang, J., Liu, Xue, Yang, K., Su, T., Lü, H., Wu, P., and Zhu, Z., 2025, Robust Baeyer-Villiger oxidation over highly mesoporous single-crystalline Sn-Beta zeolite, *Chem Eng J*, 507, 160566.
- Liu, Z., Guo, B., Hong, L., and Jiang, H., 2005, Preparation and characterization of cerium oxide doped TiO₂ nanoparticles, *J Phys Chem Solids*, 66, 161–167.
- Luo, X., Wang, Yufeng, Wu, B., Wang, Youdong, Li, C., Shao, M., Liu, B., and Wei, Z., 2024, A Stepwise Electrochemical Baeyer-Villiger Oxidation with Water as the Oxygen Source, *J Phys Chem Lett*, 10435–10441.
- Ma, Q., Xue, Y., Guo, J., and Peng, X., 2022, The Baeyer–Villiger Oxidation of Cycloketones Using Hydrogen Peroxide as an Oxidant, *Catalysts 2023, Vol. 13, Page 21*, 13, 21.
- Maalouf, J.H., Jin, K., Yang, D., Limaye, A.M., and Manthiram, K., 2020, Kinetic Analysis of Electrochemical Lactonization of Ketones Using Water as the Oxygen Atom Source, *ACS Catal*, 10, 5750–5756.
- Marques, T.M.F., Ferreira, O.P., Da Costa, J.A.P., Fujisawa, K., Terrones, M., and Viana, B.C., 2015, Study of the growth of CeO₂ nanoparticles onto titanate nanotubes, *J Phys Chem Solids*, 87, 213–220.

- Michalska, M., Lemański, K., and Sikora, A., 2021, Spectroscopic and structural properties of CeO₂ nanocrystals doped with La³⁺, Nd³⁺ and modified on their surface with Ag nanoparticles, *Heliyon*, 7, e06958.
- Mohamed, I.M.A., Dao, V.D., Yasin, A.S., Choi, H.S., and Barakat, N.A.M., 2016, Synthesis of novel SnO₂@TiO₂ nanofibers as an efficient photoanode of dye-sensitized solar cells, *Int J Hydrogen Energy*, 41, 10578–10589.
- Paul, M., Pal, N., Mondal, J., Sasidharan, M., and Bhaumik, A., 2012, New mesoporous magnesium–aluminum mixed oxide and its catalytic activity in liquid phase Baeyer–Villiger oxidation reaction, *Chem Eng Sci*, 71, 564–572.
- Pillai, U.R. and Sahle-Demessie, E., 2003, Sn-exchanged hydrotalcites as catalysts for clean and selective Baeyer–Villiger oxidation of ketones using hydrogen peroxide, *J Mol Catal A Chem*, 191, 93–100.
- Prete, P., Fiorentino, A., Rizzo, L., Proto, A., and Cucciniello, R., 2023, Open the way to turnover frequency determination in (photo)Fenton processes for catalytic activities comparison, *Catal Today*, 424, 113864.
- Rane, A.V., Kanny, K., Abitha, V.K., and Thomas, S., 2018, Methods for Synthesis of Nanoparticles and Fabrication of Nanocomposites, *Synth Inorg Nano Adv Key Tech*, 121–139.
- Shi, Z.M., Yu, W.G., and Bayar, X., 2004, Study of crystallization behavior of Ce⁴⁺-modified titania gels, *Scr Mater*, 50, 885–889.
- Škoda, M., Cabala, M., Cháb, V., Prince, K.C., Sedláček, L., Skála, T., Šutara, F., and Matolín, V., 2008, Sn interaction with the CeO₂(1 1 1) system: Bimetallic bonding and ceria reduction, *Appl Surf Sci*, 254, 4375–4379.
- Smok, W., Tański, T., Drygała, A., and Podwórny, J., 2022, Facile route to prepare hybrid TiO₂-SnO₂ DSSCs, *Appl Surf Sci*, 605, 154850.
- Uyanik, M. and Ishihara, K., 2013, Baeyer-villiger oxidation using hydrogen peroxide, *ACS Catal*, 3, 513–520.
- Vázquez-López, A., Maestre, D., Ramírez-Castellanos, J., and Cremades, A., 2021, In situ local oxidation of SnO induced by laser irradiation: A stability study, *Nanomaterials*, 11, 976.
- Wang, R., Chen, G., Chen, M., and Wang, Z., 2025, The catalytic Baeyer–Villiger oxidation of cyclohexanone to ε-caprolactone over cerium–tin oxide, *Can J Civ Eng.*
- Yang, H., Zhang, K., Shi, R., and Tang, A., 2007, Sol-gel synthesis and photocatalytic activity of CeO₂/TiO₂ nanocomposites, *J Am Ceram Soc*, 90, 1370–1374.

- Yang, Z.Q. and Park, S.E., 2007, Baeyer-Villiger Reaction of Adamantanone over Sn-Containing Hydrotalcite-Like Catalysts, *Solid State Phenom*, 119, 163–166.
- Zhang, D.R., Kim, C.W., and Kang, Y.S., 2010, A study on the crystalline structure of sodium titanate nanobelts prepared by the hydrothermal method, *J Phys Chem*, 114, 8294–8301.
- Zhu, S., Shi, S., Zheng, X., Wang, X., Yu, G., Jiang, Y., Feng, J., Zhu, L., and Zhang, G., 2022, Enhanced Oxygen Vacancies in Ce-Doped SnO₂ Nanofibers for Highly Efficient Soot Catalytic Combustion, *Catalysts 2022*, Vol. 12, Page 596, 12, 596.