

DAFTAR PUSTAKA

- Ahmad, P., Alvi, S.S., Iqbal, J., and Khan, M.S., 2021, Identification and evaluation of natural organosulfur compounds as potential dual inhibitors of α -amylase and α -glucosidase activity: an in-silico and in-vitro approach, *Med. Chem. Res.*, 30, 2127–2145.
- Alemán, A., Giménez, B., Pérez-Santin, E., Gómez-Guillén, M.C., and Montero, P., 2011, Contribution of Leu and Hyp residues to antioxidant and ACE-inhibitory activities of peptide sequences isolated from squid gelatin hydrolysate, *Food Chem.*, 125, 334–341.
- Apostolopoulos, V., Bojarska, J., Chai, T.T., Elnagdy, S., Kaczmarek, K., Matsoukas, J., New, R., Parang, K., Lopez, O.P., Parhiz, H., Perera, C.O., Pickholz, M., Remko, M., Saviano, M., Skwarczynski, M., Tang, Y., Wolf, W.M., Yoshiya, T., Zabrocki, J., et al., 2021, A Global Review on Short Peptides: Frontiers and Perspectives, *Molecules*, 26, 430.
- Azizah, N., Safithri, M., Bintang, M., and Kurniasih, R., 2023, Inhibisi Ekstrak Daun Sirih Merah (*Piper crocatum*) Terhadap Lipase Pankreas Sebagai Antiobesitas Secara In Silico, *J. Farmamedika*, 8, 122–129.
- Berraquero-García, C., Rivero-Pino, F., Ospina, J.L., Pérez-Gálvez, R., Espejo-Carpio, F.J., Guadix, A., García-Moreno, P.J., and Guadix, E.M., 2023, Activity, structural features and in silico digestion of antidiabetic peptides, *Food Biosci.*, 55, 102954.
- Cheng, Y.-C. and Prusoff, W.H., 1973, Relationship between the inhibition constant (KI) and the concentration of inhibitor which causes 50 per cent inhibition (I50) of an enzymatic reaction, *Biochem. Pharmacol.*, 22, 3099–3108.
- Enany, S., 2014, Structural and functional analysis of hypothetical and conserved proteins of *Clostridium tetani*, *J. Infect. Public Health*, 7, 296–307.
- Esfandi, R., Seidu, I., Willmore, W., and Tsopmo, A., 2022, Antioxidant, pancreatic lipase, and α -amylase inhibitory properties of oat bran hydrolyzed proteins and peptides, *J. Food Biochem.*, 46, 1-11.
- Franco, O.L., Rigden, D.J., Melo, F.R., and Grossi-de-Sá, M.F., 2002, Plant α -amylase inhibitors and their interaction with insect α -amylases, *Eur. J. Biochem.*, 269, 397–412.
- Keuler, T., Lemke, C., Elsingerhorst, P.W., Iriepa, I., Chioua, M., Martínez-Grau, M.A., Beadle, C.D., Vetman, T., López-Muñoz, F., Wille, T., Bartz, U., Deuther-Conrad, W., Marco-Contelles, J., and Gütschow, M., 2022, The Chemotype of Chromanones as a Privileged Scaffold for Multineurotarget Anti-Alzheimer Agents, *ACS Pharmacol. Transl. Sci.*, 5, 1097–1108.
- Mojica, L. and De Mejía, E.G., 2016, Optimization of enzymatic production of anti-diabetic peptides from black bean (*Phaseolus vulgaris* L.) proteins, their characterization and biological potential, *Food Funct.*, 7, 713–727.

- Nelson, D.L. and and Cox, M.M., 2005, *Lehninger: Principles of Biochemistry*. Freeman and Company, New York.
- Nongonierma, A.B., Le Maux, S., Dubrulle, C., Barre, C., and FitzGerald, R.J., 2015, Quinoa (*Chenopodium quinoa* Willd.) protein hydrolysates with in vitro dipeptidyl peptidase IV (DPP-IV) inhibitory and antioxidant properties, *J. Cereal Sci.*, 65, 112–118.
- Ononamadu, C.J., Ezeigwe, O.C., Owolarafe, T.A., Ihegboro, G.O., Lawal, T.A., Salawu, K., Umeoguaju, U.F., and Aminu, I., 2020, Starch-iodine assay method underestimates α -amylase inhibitory potential of antioxidative compounds and extracts, *Biotechnologia*, 101, 45–54.
- Pelegriani, P.B., Lay, F.T., Murad, A.M., Anderson, M.A., and Franco, O.L., 2008, Novel insights on the mechanism of action of α -amylase inhibitors from the plant defensin family, *Proteins Struct. Funct. Genet.*, 73, 719–729.
- Pellegrini, A., Dettling, C., Thomas, U., and Hunziker, P., 2001, Isolation and characterization of four bactericidal domains in the bovine β -lactoglobulin, *Biochim. Biophys. Acta - Gen. Subj.*, 1526, 131–140.
- Ponnusamy, S., Haldar, S., Mulani, F., Zinjarde, S., Thulasiram, H., and RaviKumar, A., 2015, Gedunin and Azadiradione: Human Pancreatic Alpha-Amylase Inhibiting Limonoids from Neem (*Azadirachta indica*) as Anti-Diabetic Agents, *PLoS One*, 10, 1–19.
- Poovitha, S. and Parani, M., 2016, In vitro and in vivo α -amylase and α -glucosidase inhibiting activities of the protein extracts from two varieties of bitter gourd (*Momordica charantia* L.), *BMC Complement. Altern. Med.*, 16, 1–8.
- Rusdi, M.S., 2020, Hipoglikemia Pada Pasien Diabetes Melitus, *Journal Syifa Sciences and Clinical Research*, 2, 83–90.
- de Sales, P.M., de Souza, P.M., Simeoni, L.A., Magalhães, P. de O., and Silveira, D., 2012, α -Amylase inhibitors: a review of raw material and isolated compounds from plant source, *J. Pharm. Pharm. Sci.*, 15, 141–183.
- Soeatmadji, D.W., Rosandi, R., Saraswati, M.R., Sibarani, R.P., and Tarigan, W.O., 2023, Clinicodemographic Profile and Outcomes of Type 2 Diabetes Mellitus in the Indonesian Cohort of DISCOVER: A 3-Year Prospective Cohort Study, *J. ASEAN Fed. Endocr. Soc.*, 38, 68-74.
- Sui, X., Zhang, Y., and Zhou, W., 2016, In vitro and in silico studies of the inhibition activity of anthocyanins against porcine pancreatic α -amylase, *J. Funct. Foods*, 21, 50–57.
- Sy, S.D., Nst, M.R., and Novianty, R., 2019, Analisis Uji Infusa Buah Petai Cina, Daun Keji Beling dan Daun Tempuyung Sebagai Inhibitor α -Amilase dan α -Glukosidase, *J. Ris. Kim.*, 10, 44–50.
- Syaifie, P.H., Harisna, A.H., Nasution, M.A.F., Arda, A.G., Nugroho, D.W., Jauhar, M.M., Mardiyati, E., Maulana, N.N., Rochman, N.T., Noviyanto, A., Banegas-Luna, A.J., and Pérez-Sánchez, H., 2022, Computational Study of

Asian Propolis Compounds as Potential Anti-Type 2 Diabetes Mellitus Agents by Using Inverse Virtual Screening with the DIA-DB Web Server, Tanimoto Similarity Analysis, and Molecular Dynamic Simulation, *Molecules*, 27, 3972.

Takao, T., Watanabe, N., Yuhara, K., Itoh, S., Suda, S., Tsuruoka, Y., Nakatsugawa, K., and Konishi, Y., 2005, Hypocholesterolemic Effect of Protein Isolated from Quinoa (*Chenopodium quinoa* Willd.) Seeds, *Food Sci. Technol. Res.*, 11, 161–167.

Telagari, M. and Hullatti, K., 2015, In-vitro α -amylase and α -glucosidase inhibitory activity of *Adiantum caudatum* Linn. and *Celosia argentea* Linn. extracts and fractions, *Indian J. Pharmacol.*, 47, 425–429.

Trabuco, L.G., Lise, S., Petsalaki, E., and Russell, R.B., 2012, PepSite: Prediction of peptide-binding sites from protein surfaces, *Nucleic Acids Res.*, 40, W423–W427.

Tundis, R., Loizzo, M.R., and Menichini, F., 2010, Natural Products as α -Amylase and α -Glucosidase Inhibitors and their Hypoglycaemic Potential in the Treatment of Diabetes: An Update, *Mini-Rev. Med. Chem.*, 10, 315–331.

Vilcacundo, R., Martínez-Villaluenga, C., and Hernández-Ledesma, B., 2017, Release of dipeptidyl peptidase IV, α -amylase and α -glucosidase inhibitory peptides from quinoa (*Chenopodium quinoa* Willd.) during in vitro simulated gastrointestinal digestion, *J. Funct. Foods*, 35, 531–539.

Zhang, B.W., Li, X., Sun, W.L., Xing, Y., Xiu, Z.L., Zhuang, C.L., and Dong, Y.S., 2017, Dietary Flavonoids and Acarbose Synergistically Inhibit α -Glucosidase and Lower Postprandial Blood Glucose, *J. Agric. Food Chem.*, 65, 8319–8330.