

## DAFTAR PUSTAKA

- Adharini R.I. and Kim H.G. (2016), Growth of gametophytes and sporophytes of *Grateloupia subpectinata* (Rhodophyta) in culture, *Ocean Science Journal*, 51(3), 477–483. [10.1007/s12601-016-0043-7](https://doi.org/10.1007/s12601-016-0043-7)
- Adharini, R. I., Geun, K. H., Setyobudi, E., Prihatiningtyastuti, E., Probosunu, N., Sulistiowati, & Hardianto, E. (2024). Seasonal changes on macroalgae community structure on the South Coast of Yogyakarta, Indonesia. *Global Nest Journal*, 27(1).
- Adharini, R.I., Murwantoko, Probosunu, N., Setiawan, R.Y., Satriyo, T.B. 2021. The effectiveness of seaweeds as biofilter for reducing wastewater nutrient and preventing water pollution from hybrid grouper culture. *Jurnal Ilmiah Perikanan dan Kelautan*, 13(2): 133-143. [10.20473/jipk.v13i2.28105](https://doi.org/10.20473/jipk.v13i2.28105)
- Adharini, R.I., Suadi, Jayanti, A.D, Setyawan, A.R. 2020. Comparison of nutritional composition in red and green strain of *Kappaphycus alvarezii* cultivated in Gorontalo Province, Indonesia. *E3S Web Conf.*, 147, 03029.
- Adharini, R.I., Suyono, E.A., Suadi, Jayanti, A.D, Setyawan, A.R. 2019. A comparison of nutritional values of *Kappaphycus alvarezii*, *Kappaphycus striatum*, and *Kappaphycus spinosum* from the farming sites in Gorontalo Province, Sulawesi, Indonesia. *J Appl Phycol* **31**, 725–730 (2019). <https://doi.org/10.1007/s10811-018-1540-0>
- Adhawati, S. S. and Nuryanti, D. M. (2021). *Economic valuation of seaweed cultivation in mangrove ecosystem waters Nunukan District: the outer islands of the indonesia-malaysia border*. *Plant Archives*, 21(Suppliment-1), 1924-1928. <https://doi.org/10.51470/plantarchives.2021.v21.s1.312>
- Akrim, D., Dirawan, G. D., & Rauf, B. A. (2019). Perkembangan budidaya rumput laut dalam meningkatkan perekonomian masyarakat pesisir di Indonesia. *UNM Environmental Journals*, 2(2), 52–56.
- Aldridge, J. N., Mooney, K., Dabrowski, T., & Capuzzo, E. (2021). Modelling effects of seaweed aquaculture on phytoplankton and mussel production. Application to Strangford Lough (Northern Ireland). *Aquaculture*, 536, 736400.
- Aluman, Donny Osmond (2016). Analisis Produksi dan Pendapatan Rumput Laut Di Desa Bulagi Dua Kec. Bulagi Kab. Banggai Kepulauan. *J. Agroland*, Vol 23 (2) : 131-140
- Amran, M. (2023). Calendar for planting seaweed *Eucheuma* sp. in Mallasoro Bay, Jeneponto District, based on landsat-8 images. *Jurnal Ilmu Kelautan Spermonde*, 29-38. <https://doi.org/10.20956/jjiks.v9i2.19961>
- Angell, A. R., Mata, L., Nys, R. d., & Paul, N. A. (2015). Indirect and direct effects of salinity on the quantity and quality of total amino acids in *Ulva ohnoi* (chlorophyta). *Journal of Phycology*, 51(3), 536-545. <https://doi.org/10.1111/jpy.12300>

- Anita, D. N., Kantun, W., & Lapong, I. (2024). Correlation of water quality parameters on growth performance of seaweed (*Kappaphycus alvarezii* doty, 1986) cultivated with diagonal method. *Asian Journal of Fisheries and Aquatic Research*, 26(4), 1-11. <https://doi.org/10.9734/ajfar/2024/v26i4751>
- Aoki, K., Shimizu, Y., Yamamoto, T., Yokouchi, K., Kishi, K., Akada, H., & Kurogi, H. (2022). Estimation of inward nutrient flux from offshore into semi-enclosed sea (Tokyo Bay, Japan) based on in-situ data. *Estuarine, Coastal and Shelf Science*, 274, 107930.
- Badan Pusat Statistik. (2021). Keadaan Ketenagakerjaan Provinsi Sulawesi Tenggara 2021. BPS Sulawesi Tenggara.
- Badan Standardisasi Nasional. (1992). *SNI 01-2891-1992: Cara uji makanan dan minuman*. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2004). *SNI 06-6989.9-2004: Air dan air limbah – Bagian 9: Cara uji nitrit (NO<sub>2</sub>-N) secara spektrofotometri*. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2005). *SNI 06-6989.31-2005: Air dan air limbah – Bagian 31: Cara uji fosfat total (P) secara spektrofotometri*. Jakarta: Badan Standardisasi Nasional.
- Baweja, P., Kumar, S., Sahoo, D., & Levine, I. (2016). Biology of seaweeds. Seaweed in health and disease prevention (pp. 41-106). Academic Press. <https://doi.org/10.1016/B978-0-12-802772-1.00003-8>
- Biamond, B., de Swart, H. E., & Dijkstra, H. A. (2024). Quantification of salt transports due to exchange flow and tidal flow in estuaries. *arXiv preprint arXiv:2408.06378*.
- Bimasuci, H., Adharini, R. I., & Sari, D. W. K. (2021). Characteristics of semi-refined carrageenan from *Kappaphycus* seaweed farmed in coastal waters of northern java, indonesia. *Asian Fisheries Science*, 34(3).
- Bohari, R. and Musbir, M. (2022). Seaweed production based on the distance of culture location from river mouth and oceanographic factors. *Iop Conference*
- Bruhn, A., Tørring, D., Thomsen, M., Canal-Vergés, P., Nielsen, M., Rasmussen, M., ... & Petersen, J. K. (2016). Impact of environmental conditions on biomass yield, quality, and bio-mitigation capacity of *Saccharina latissima*. *Aquaculture Environment Interactions*, 8, 619-636. <https://doi.org/10.3354/aei00200>
- Chopin, T. and Tacon, A. G. J. (2020). *Importance of seaweeds and extractive species in global aquaculture production*. *Reviews in Fisheries Science & Aquaculture*, 29(2), 139-148. <https://doi.org/10.1080/23308249.2020.1810626>
- Devi, F.P., Riyadi, D.N., Kurniawansyah, F., & Roesyadi, A. (2020). *Produksi kappa karaginan dari rumput laut (Eucheuma cottonii) dengan Metode Semi Refined Carrageenan*. *Journal of Fundamentals and Applications of Chemical Engineering*, 1(1), 1-4. <http://dx.doi.org/10.12962/j2964710X.v1i1.12724>
- Dewi, Wayan Kantun, Imran Lapong. (2024). Correlation of Water Quality Parameters on Growth Performance of Seaweed (*Kappaphycus alvarezii* Doty, 1986)

Cultivated with Diagonal Method. *Asian Journal of Fisheries and Aquatic Research*, 26(4), 1-11.

- Direktorat Usaha Dan Investasi. (2019). Peluang Usaha Dan Investasi Rumput Laut.
- Edison, E., Diharmi, A., & Sari, E. (2019). Characteristic of microcrystalline cellulose from red seaweed *Eucheuma cottonii*. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3), 483-489. <https://doi.org/10.17844/jphpi.v22i3.28946>
- Fadilah, F., Distantina, S., Budi Pratiwi, D., & Muliapakarti, R. (2010). Pengaruh metode pengeringan terhadap kecepatan pengeringan dan kualitas karagenan dari rumput laut *Eucheuma cottonii*.
- Failu, I., Supriyono, E., & Suseno, S. H. (2016). Peningkatan kualitas karagenan rumput laut *Kappaphycus alvarezii* dengan metode budidaya keranjang jaring. *Jurnal Akuakultur Indonesia*, 15(2), 124–131.
- FAO. (2018). Potential for *Eucheuma cottonii* seaweed farming in the Kingdom of Tonga. Food and Agriculture Organization of the United Nations. Retrieved from <https://www.fao.org>
- FAO. (2024). The State of World Fisheries and Aquaculture 2024. Food and Agriculture Organization of the United Nations. Diakses dari: <https://www.fao.org/3/cd0683en/online/sofia/2024/>
- Fatimah, S. and Samsul, P. (2024). Pemberdayaan berbasis masyarakat kelompok pembudidaya rumput laut untuk meningkatkan perekonomian Desa Tirowali Kecamatan Ponrang Kabupaten Luwu. *Madaniya*, 5(1), 17-26. <https://doi.org/10.53696/27214834.572>
- Gao, G., Gao, L., Jiang, M., Jian, A., & He, L. (2021). The potential of seaweed cultivation to achieve carbon neutrality and *eucheuma cottonii* mitigate deoxygenation and eutrophication. *Environmental Research Letters*, 17(1), 014018. <https://doi.org/10.1088/1748-9326/ac3fd9>
- García-Poza, S., Leandro, A., Cotas, C., Cotas, J., Marques, J. C., Pereira, L., ... & Gonçalves, A. M. M. (2020). The evolution road of seaweed aquaculture: cultivation technologies and the industry 4.0. *International Journal of Environmental Research and Public Health*, 17(18), 6528. <https://doi.org/10.3390/ijerph17186528>
- Ginneken, V. v. (2018). Some mechanism seaweeds employ to cope with salinity stress in the harsh euhaline oceanic environment. *American Journal of Plant Sciences*, 09(06), 1191-1211. <https://doi.org/10.4236/ajps.2018.96089>
- Guiry, MD., & Guiry. 2021. *AlgaeBase*. World-wide Electronic Publication. National University of Ireland, Galway. <http://www.algaebase.org>
- Haas A.F., Smith J.E., Thompson M. and Deheyn D.D. (2014), Effect of reduced dissolved oxygen concentrations on physiology and fluorescence of hermatypic corals and benthic algae, *PeerJ* 2:e235, DOI 10.7717/peers. 235: pp. 1–19

- Hasanuddin. (2020). Forts on Buton Island: Centres of settlement, government and security in Southeast Sulawesi. In S. O'Connor, A. McWilliam, & S. Brockwell (Eds.), *Forts and fortification in Wallacea: Archaeological and ethnohistoric investigations* (pp. 179–199). ANU Press. <https://doi.org/10.22459/TA53.2020>
- Hendri, M., Rozirwan, R., Apri, R., & Handayani, Y. (2018). seaweed cultivation with net floating method in traditional shrimp pond in the dungun river of marga sungsang Village of Banyuasin District, South Sumatera. *International Journal of Marine Science*. <https://doi.org/10.5376/ijms.2018.08.0001>
- Hermalena, L., Noer, M., Nazir, N., & Hadiguna, R. A. (2023). literature review: kawasan sentra produksi rumput laut berkelanjutan. *Journal of Scientech Research and Development*, 5(1), 595-612.
- Hidayat, N., Mohamad, M., Abdullah, N., Rusly, S., Saad, S., Mukai, Y., ... & Susanti, D. (2021). Growth of *Gracilaria manilaensis* yamamoto et trono (rhodophyta) under different light intensities, salinities and ph. *Borneo Journal of Marine Science and Aquaculture (Bjomsa)*, 5(2), 53-56.
- Holzinger, A., & Karsten, U. (2013). Desiccation stress and tolerance in green algae: consequences for ultrastructure, physiological, and molecular mechanisms. *Frontiers in Plant Science*, 4, 327.
- Indraswari, N., & Adharini, R. I. (2022). Reducing Nitrate and Phosphate Concentrations in Shrimp Wastewater Aquaculture Using *Gelidium corneum*. *Ecological Engineering & Environmental Technology*, 23.
- International Trade Centre. (2023). Trade Map: International Trade Statistics
- Jamaluddin, -, Yahya, M., Rauf, RF, & Rivai, AA (2021). Kinetika pengeringan dan karakteristik mutu rumput laut *eucheuma cottonii* dengan berbagai metode pengeringan. *Jurnal Pengolahan dan Pengawetan Makanan*, 46(2). <https://doi.org/10.1111/jfpp.16258>
- Kambey, C. S. B., a Campbell, I., & Elizabeth J., C. (2021). *Seaweed aquaculture: A preliminary assessment of biosecurity measures for controlling the ice-ice syndrome and pest outbreaks of a Kappaphycus farm*.
- Kementerian Kelautan dan Perikanan (KKP). (2024). Statistik Perikanan Budidaya 2024. Jakarta: Kementerian Kelautan dan Perikanan.
- Kida, S.(2019). The Fate of Surface Freshwater Entering the Indonesian Seas. *Journal of Geophysical Research: Oceans*, 124(3), 1790–1806.
- Klijnstra, J., Zhang, X., Putten, S., & Röckmann, C. (2017). Technical risks of offshore structures., 115-127. [https://doi.org/10.1007/978-3-319-51159-7\\_5](https://doi.org/10.1007/978-3-319-51159-7_5)
- Kraan, S. (2020). Seaweed resources, collection, and cultivation with respect to sustainability. In *Sustainable seaweed technologies* (pp. 89-102). Elsevier.
- Kumar, S.(2022). Carrageenan From *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae): Extraction, Properties, and Applications. *Frontiers in Plant Science*, 13, 9127731.

- Lase, P. J. R., Tuhumury, S. F., & Waas, H. J. D. (2020). Analisis kesesuaian lokasi budidaya rumput laut (*Eucheuma cottonii*) dengan menggunakan sistem informasi geografis di perairan teluk ambon baguala. Triton: Jurnal
- Lenama, E., Bullu, N., & Kase, A. (2020). Struktur komunitas makroalga di perairan Pantai Palibo Kecamatan Kabola Kabupaten Alor. Indigenous Biologi Jurnal
- Leng, Q., Guo, X., Zhu, J., & Morimoto, A. (2023). Contribution of the open ocean to the nutrient and phytoplankton inventory in a semi-enclosed coastal sea. Biogeosciences, 20(20), 4323–4342. <https://doi.org/10.5194/bg-20-4323-2023>
- Lestari, M. F., Yusra, S., Fuady, M. I. N., & Rahim, H. (2024). Analysis of carrageenan quality of *Eucheuma cottonii* and *Eucheuma spinosum* seaweed from Bantaeng Regency and its export permit regulations in Indonesia. IOP Conference Series: Earth and Environmental Science, 1314(1), 012002.
- Loduca, S. T., Bykova, N., Wu, M., & Zhao, Y. (2017). Seaweed morphology and ecology during the great animal diversification events of the early paleozoic: a tale of two floras. Geobiology, 15(4), 588-616. <https://doi.org/10.1111/gbi.12244>
- Luhan, M., Mateo, J., & Sollesta-Pitogo, H. (2022). Growth and carrageenan quality of sporophyte and gametophyte of the commercially important red seaweed *Kappaphycus alvarezii*. The Philippine Journal of Science, 151(S1). <https://doi.org/10.56899/151.s1.08>
- Lumbessy, S., Setyowati, D., Mukhlis, A., Lestari, D., & Azhar, F. (2020). Komposisi nutrisi dan kandungan pigmen fotosintesis tiga spesies alga merah (Rhodophyta sp.) hasil budidaya. Journal of Marine Research, 9(4), 431-438. <https://doi.org/10.14710/jmr.v9i4.2868>
- Lüning K. 1990. Seaweed: Their Environment, Biogeography, And Ecophysiology. John Wiley & Sons, Inc. Canada. 527p.
- Madji, S., Engka, D. S. M., & Sumual, J. I. (2019). Analisis faktor–faktor yang mempengaruhi pendapatan petani rumput laut di desa nain kecamatan wori kabupaten minahasa utara. *Jurnal EMBA: Jurnal Riset Ekonomi, Manajemen, Bisnis Dan Akuntansi*, 7(3). Manajemen Sumberdaya Perairan, 16(2), 77-83.
- Mantri, V. A., Ramalingam, D., Kazi, M. A., & Vignesh, M. (2024). Neural-network approach in seaweed research: an emerging field for prediction and modelling of critical parameters. In *Algal Biotechnology* (pp. 287-294). CRC Press.
- Manuhara, G. J. (2016). Nutrition of edible seaweed *kappaphycus alvarezii* related to different environmental coastal water condition. *Jurnal Teknologi dan Industri Pangan*, 27(2), 123-130.
- Maradhy, E., Nazriel, R., Sutjahjo, S., Rusli, M., Widiatmaka, W., & Sondita, M. (2022). Evaluation of water suitability for sustainable seaweed (*Kappaphycus alvarezii*) cultivation to support science technopark in North Kalimantan. Jurnal

Pengelolaan Sumberdaya Alam Dan Lingkungan (Journal of Natural Resources and Environmental Management), 11(3), 490-503.  
<https://doi.org/10.29244/jpsl.11.3.490-503>

- Matakupan, J., Louhenapessy, D., Sahetapy, J., & Pattipeilohy, C. (2024). Manajemen kegiatan budidaya rumput laut *Eucheuma cottonii* di Desa Nuruwe Kabupaten Seram bagian barat. *Jurnal Abdi Insani*, 11(2), 1427-1435.  
<https://doi.org/10.29303/abdiinsani.v11i2.1535>
- Meiyana, M. (2023). Growth of *eucheuma cottonii* seaweed from tissue culture with different time acclimatization in hurun bay. *E3s Web of Conferences*, 44202026. <https://doi.org/10.1051/e3sconf/202344202026>
- Melo, R.A.C.(2017). Effects of salinity on the physiology of the red macroalga, *Acanthophora spicifera*. *Acta Botanica Brasilica*, 31(3), 422-431.
- Mendoza W, Ganzon-Fortes ET, Villanueva RD, Romero JB, Montano MNE (2006) Tissue age as a factor affecting carrageenan quantity and quality in farmed *Kappaphycus striatum* (Schmitz) Doty ex Silva. *Botanica Marina* 49:57–64
- Mendoza WG, Montano NE, Ganzon-fortes ET, Villanueva RD (2002) Chemical and gelling profile of ice-ice infected carrageenan from *Kappaphycus striatum* (Schmitz) Doty “sacol” strain (Solieriaceae, Gigartinales, Rhodophyta). *Journal of Applied Phycology*. 14:409–418
- Moore, N. M. (2022). Investigating the Relationship Between Dissolved Oxygen and Nitrate Concentration as a Proxy for Marine Ecosystem Health. *Master’s Thesis*, University of Texas Rio Grande Valley.
- Msuya, F. (2009). The effect of stocking density on the performance of the seaweed *ulva reticulata* as a biofilter in earthen pond channels, Zanzibar, Tanzania.
- Nikolaus, T. T., Jalaludin, J., Jelantik, I. G. N., & Benu, I. (2020). Nutrient content and in vitro digestibility of rejected red seaweed (*Eucheuma cottonii*) from different origin. *Journal of Animal Science and Veterinary Medicine*, 5(1), 26-29.  
<https://doi.org/10.31248/jasvm2019.171>
- NOAA (2021). Spatial and temporal microbial pollution patterns in a tropical estuary. NOAA Technical Report.
- Nurafifah, N., (2023). The Effect of Acidic pH on Growth Kinetics, Biomass Productivity, and Biochemical Composition of *Euglena* sp. *Makara Journal of Science*, 27(2), 95-104.
- Nurdin, S. (2014). Growth of seaweed *Eucheuma cottonii* in multitrophic sea farming system in Gerupuk Bay, Central Lombok, Indonesia. *Nusantara Bioscience*, 6(1), 82-85.
- Nursidi, N. (2017). Environmental parameters and specific growth of *Kappaphycus alvarezii* in Saugi Island, South Sulawesi Province, Indonesia. *AAFL Bioflux*, 10(4), 698-702.

- Othman, N. A., Aziz, M. H. A., & Rahim, H. A. (2018). Effects of nutrient concentration on the carbohydrate composition of *Eucheuma cottonii* cultivated in brackish water. *Journal of Aquaculture Research & Development*, 9(4), 1–8.
- Pandit, R. (2024). Optimizing growth conditions and biomass accumulation for *Chlorella vulgaris*: salinity and light intensity effects. *International Journal of Biological and Chemical Sciences*, 18(2), 1234-1245.
- Patadjai, R. S. (2007). Pertumbuhan, Produksi dan Kualitas Rumput Laut *Kappaphycus alvarezii* (Doty) pada Berbagai Habitat Budidaya yang Berbeda. *Program Pascasarjana Unhas. Makassar*.
- Pereira, L. and Cotas, J. (2024). Seaweed: a sustainable solution for greening drug manufacturing in the pursuit of sustainable healthcare. *Exploration of Drug Science*, 2(1), 50-84. <https://doi.org/10.37349/eds.2024.00036>
- Rahman, S. (2024). Pengenceran cairan fermentasi bonggol pisang (*Musa paradisiaca*) untuk meningkatkan pertumbuhan rumput laut *Kappaphycus alvarezii*. *Jurnal Perikanan Unram*, 14(2), 649-656. <https://doi.org/10.29303/jp.v14i2.814>
- Rasyid, A. (2017). Nutritional composition of tropical red seaweeds from coastal waters of South Sulawesi, Indonesia. *Journal of Coastal Life Medicine*, 5(1), 32-35. <https://doi.org/10.12980/jclm.5.2017J6-245>
- Ricker, W. E. (1979). Growth rates and models. *Fish physiology*, 677-744.
- Roleda, M. Y., & Hurd, C. L. (2019). Seaweed nutrient physiology: application of concepts to aquaculture and bioremediation. *Phycologia*, 58(5), 552-562.
- Saraswati, G., Giantina, P. E., Giriwono, P. E., et al. (2020). Water and Lipid-Soluble Component Profile of *Sargassum polycystum* from Different Coastal Areas. *Journal of Oleo Science*, 69(11), 1517-1528.
- Satpasti, G. G., Sengupta, S., & Pal, R. (2022). Seaweeds: The ecological roles, the economic benefits and the threats for changing the carbon cycle. In *Sustainable Global Resources Of Seaweeds Volume 1: Bioresources, cultivation, trade and multifarious applications* (pp. 295-311). Cham: Springer International Publishing.
- Schiener, P., Black, K. D., Stanley, M. S., & Green, D. H. (2015). The seasonal variation in the chemical composition of the kelp species *Laminaria digitata*, *Laminaria hyperborea*, *Saccharina latissima* and *Alaria esculenta*. *Journal of Applied Phycology*, 27(1), 363–373.
- Selamat, M. B., Muhammad F. S., Zainuddin & Arniati, M. 2015. Aplikasi sistem informasi geografis dan Penginderaan Jauh Satelit Untuk Evaluasi Pemanfaatan Ruang Budidaya Rumput Laut di Pantai Amal, Kota Tarakan, Kalimantan Utara. *Series Earth and Environmental Science*, 1119(1), 012007.

SNI 7579.2, 2010. Produksi Rumput Laut Kotoni (*Eucheuma cottonii*)

Sulystyaningsih, N. and Syamsuddin, R. (2019). The influence of depth and Sargassum weight on the growth of *Kappaphycus alvarezii*. International Journal of Research and Studies Publishing, 9(2), p8645.

Surni, W. (2014). Pertumbuhan Rumput Laut (*Eucheuma cottonii*) pada Kedalaman Air Laut yang Berbeda di Dusun Kotania Desa Eti Kecamatan Seram Barat Kabupaten Seram Bagian Barat. Biopendix: Jurnal Biologi, Pendidikan Dan

Syamsuddin, R. 2014. Pengelolaan Kualitas Air: Teori dan Aplikasi di Sektor Perikanan. Pijar Press. Makassar

Trigo, J. P. (2023). Seaweed protein: current status and future opportunities. *Foods*, 12(3), 510.

Tuhumury, N. C., Sahetapy, J. M., & Matakupan, J. (2024). Isolation and identification of bacterial pathogens causing ice-ice disease in *Eucheuma cottonii* seaweed at Seira Island Waters, Tanimbar Islands District, Maluku, Indonesia. *Biodiversitas Journal of Biological Diversity*, 25(3).

Wabang, I. L., Plaimo, P. E., Hendrizal, A., Alelang, I. F., & Peny, T. L. L. (2022). Mapping study on market potential and market chain for seaweed in alor regency, east nusa tenggara province.

Wafi, A., Sambah, A. B., Adam, M., & Mahmudi, M. (2019). Carrying capacity analysis of the environment at coastal the District Banyuputih Situbondo to the development cultivation of cottonii seaweed (*Eucheuma cottonii*). *Russian Journal of Agricultural and Socio-Economic Sciences*, 94(10), 100-107. <https://doi.org/10.18551/rjoas.2019-10.13>

Wahyudi, D. (2023). Application of pes fertilizer to the growth of *Kappaphycus alvarezii* plantlets. *Jurnal Ilmiah Platax*, 11(2), 526-532. <https://doi.org/10.35800/jjp.v11i2.50619>

Waluyo (2017) waters carrying capacity for development of seaweed culture of *Eucheuma cottonii*" *Jurnal Ilmu Dan Teknologi Kelautan Tropis* (2017).

Wenno, M., Thenu, J., & Lopulalan, C. (2012). Karakteristik kappa karaginan dari *Kappaphycus alvarezii* pada berbagai umur panen. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 7(1), 61. <https://doi.org/10.15578/jpbkp.v7i1.69>

Wernberg, T., et al. (2016). "Climate-driven range shifts of coastal marine species." *Science*, 353(6297), 1390-1394. doi:10.1126/science.aaf2680

*Western Indian Ocean Journal of Marine Science*, 6(1).

Wijayanto, D., Bambang, A. N., Nugroho, R. A., & Kurohman, F. (2020). The growth model of *Eucheuma cottonii* cultivated in Karimunjawa Islands, Indonesia.

*AAFL Bioflux*, 13(5), 2551–2557. <https://www.bioflux.com.ro/docs/2020.2551-2557.pdf>

- Xiong, X., Zhang, J., Zhang, J., Wang, X., & He, Z. (2024). Evaluating the carbon sequestration potential of seaweed aquaculture in tropical coastal waters. *Science of The Total Environment*, 912, 168948. <https://doi.org/10.1016/j.scitotenv.2023.168948>
- Yao, H., Wang, W., Cao, Y., Liang, Z., & Zhang, P. (2023). Interaction network construction and functional analysis of the plasma membrane h<sup>+</sup>-atpase in *Bangia fuscopurpurea* (rhodophyta). *International Journal of Molecular Sciences*, 24(8), 7644.
- Yulianto, I (2020). Growth performance of *Eucheuma cottonii* in different cultivation methods. *Turkish Journal of Fisheries and Aquatic Sciences*, 20(3), 2551–2557. [https://doi.org/10.4194/1303-2712-v20\\_3\\_10](https://doi.org/10.4194/1303-2712-v20_3_10)
- Zamroni, A., & Yamao, M. (2011). Coastal resource management: Fishermen's perceptions of seaweed farming in Indonesia. *International Journal of Science, Engineering and Technology*.
- Zhou, X. H., Yi, L. F., Xu, J. T., Li, X. S., & Yan, B. L. (2013). Photosynthetic characteristics and SAMS gene expression in the red alga *Porphyra yezoensis* Ueda under high salinity. *Acta Ecologica Sinica*, 33(20), 6730-6735.
- Zulkarnain, A. I., Riyanto, E., & Waris, A. (2020). Kandungan nutrisi dan senyawa bioaktif rumput laut (*Eucheuma cottonii*) yang dibudidayakan dengan teknik rakit gantung pada kedalaman berbeda. *IPB Journal*, 15(2), 293-303.