

DAFTAR PUSTAKA

- Ahmad, A., & Quegan, S. (2012). Analysis of maximum likelihood classification on multispectral data. *Applied Mathematical Sciences*, 6(129), 6425-6436.
- Aji, M. A. P., Kamal, M., & Farda, N. M. (2023). Mangrove species mapping through phenological analysis using *Random Forest* algorithm on *Google Earth Engine*. *Remote Sensing Applications: Society and Environment*, 30, 100978.
- Aljahdali, S., & Hussain, S. N. (2013). Comparative prediction performance with *Support Vector Machine* and *Random Forest* classification techniques. *International journal of computer applications*, 69(11).
- Alongi, D. M. (2008). Mangrove forests: resilience, protection from tsunamis, and responses to global climate change. *Estuarine, coastal and shelf science*, 76(1), 1-13.
- Amani, M., Ghorbanian, A., Ahmadi, S. A., Kakooei, M., Moghimi, A., Mirmazloumi, S. M., ... & Brisco, B. (2020). *Google Earth Engine* cloud computing platform for remote sensing big data applications: A comprehensive review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 5326-5350
- Atwood, T. B., Connolly, R. M., Almahasheer, H., Carnell, P. E., Duarte, C. M., Ewers Lewis, C. J., ... & Lovelock, C. E. (2017). Global patterns in mangrove soil carbon stocks and losses. *Nature Climate Change*, 7(7), 523-528..
- Aviña-Hernández, J., Ramírez-Vargas, M., Roque-Sosa, F., & Martínez-Rincón, R. O. (2023). Predictive performance of *Random Forest* on the identification of mangrove species in arid environments. *Ecological Informatics*, 75, 102040.
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS journal of photogrammetry and remote sensing*, 114, 24-31.
- Bergstra, J., & Bengio, Y. (2012). Random search for hyper-parameter optimization. *Journal of machine learning research*, 13(2).

- Bishop, C. M., & Nasrabadi, N. M. (2006). *Pattern recognition and machine learning* (Vol. 4, No. 4, p. 738). New York: springer.
- Breiman, L. (1996). Bagging predictors. *Machine learning*, 24, 123-140.
- Breiman, L. (2001). *Random Forests*. *Machine learning*, 45, 5-32.
- Budijanto, D. (2013). Populasi, sampling, dan besar sampel. *Kementerian Kesehatan RI*, 18.
- Çelik, O. İ., & Gazioğlu, C. (2024). Leveraging deep learning for coastal monitoring: A VGG16-based approach to spectral and textural classification of coastal areas with sentinel-2A data. *Applied Ocean Research*, 151, 104163.
- Cervantes, J., Garcia-Lamont, F., Rodríguez-Mazahua, L., & Lopez, A. (2020). A comprehensive survey on *Support Vector Machine* classification: Applications, challenges and trends. *Neurocomputing*, 408, 189-215.
- Chen, J. M., & Black, T. A. (1992). Defining leaf area index for non-flat leaves. *Plant, Cell & Environment*, 15(4), 421-429.
- Colwell, R. N. (1983). Manual of remote sensing. *Amer. Soc. of Photogrammetry*.
- Cortes, C. (1995). Support-Vector Networks. *Machine learning*.
- Danoedoro, P. (2007). Penginderaan Jauh Digital untuk Mendukung Kegiatan Survei Pemetaan di Indonesia: Beberapa Aspek Manfaat dan Keterbatasannya. In *Seminar Ilmiah dan Pameran Peralatan Surta dalam Rangka Memperingafi HUT Topografi Angkatan Darat Ke* (Vol. 61).
- Danoedoro, P. (2012). Pengantar penginderaan jauh digital. *Penerbit Andi, Yogyakarta*.
- Diniz, C., Cortinhas, L., Nerino, G., Rodrigues, J., Sadeck, L., Adami, M., & Souza-Filho, P. W. M. (2019). Brazilian mangrove status: Three decades of satellite data analysis. *Remote Sensing*, 11(7), 808.
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature geoscience*, 4(5), 293-297.
- Elachi, C., & Van Zyl, J. J. (2021). *Introduction to the physics and techniques of remote sensing*. John Wiley & Sons.

- FAO. (2023). *The world's mangroves 2000–2020*. FAO.
- Gao, J. (1998). A hybrid method toward accurate mapping of mangroves in a marginal habitat from SPOT multispectral data. *International Journal of Remote Sensing*, 19(10), 1887-1899.
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). *Google Earth Engine: Planetary-scale geospatial analysis for everyone*. *Remote sensing of Environment*, 202, 18-27.
- Green, E. P., Mumby, P. J., Edwards, A. J., Clark, C. D., & Ellis, A. C. (1997). Estimating leaf area index of mangroves from satellite data. *Aquatic botany*, 58(1), 11-19.
- Gupta, K., Mukhopadhyay, A., Giri, S., Chanda, A., Majumdar, S. D., Samanta, S., ... & Hazra, S. (2018). An index for discrimination of mangroves from non-mangroves using LANDSAT 8 OLI imagery. *MethodsX*, 5, 1129-1139.
- Handbook, S. U., & Tools, E. (2015). Sentinel-2 user handbook. *ESA Standard Document Date*, 1, 1-64.
- Hashemian, M. S., Abkar, A. A., & Fatemi, S. B. (2004, July). Study of sampling methods for accuracy assessment of classified remotely sensed data. In *International congress for photogrammetry and remote sensing* (pp. 1682-1750).
- Hester, D. B., Cakir, H. I., Nelson, S. A., & Khorram, S. (2008). Per-pixel classification of high spatial resolution satellite imagery for urban land-cover mapping. *Photogrammetric Engineering & Remote Sensing*, 74(4), 463-471.
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote sensing of environment*, 83(1-2), 195-213.
- Huete, A. R., & Glenn, E. P. (2011). Remote sensing of ecosystem structure and function. *Advances in Environmental Remote Sensing. Sensors, Algorithms, and Applications*. CRC Press, Boca Raton, Florida, USA, 291-320.
- Ill, E. W. R., & Jensen, J. R. (1996). Remote sensing of mangrove wetlands: relating canopy spectra to site-specific data.

- Jia, M., Wang, Z., Wang, C., Mao, D., & Zhang, Y. (2019). A new vegetation index to detect periodically submerged mangrove forest using single-tide Sentinel-2 imagery. *Remote Sensing*, *11*(17), 2043.
- Jordan, C. F. (1969). Derivation of leaf-area index from quality of light on the forest floor. *Ecology*, *50*(4), 663-666.
- Kamal, M., Wicaksono, P., Anggara, D. W., & Hafizt, M. (2015). Pengaruh resolusi spasial citra penginderaan jauh terhadap estimasi leaf area index mangrove di Kepulauan Karimunjawa Jawa Tengah. *Simposium Nasional Sains Geoinformasi IV*, 667-674.
- Kamal, M., Jamaluddin, I., Parella, A., & Farda, N. M. (2019, October). Comparison of Google Earth Engine (GEE)-based *machine learning* classifiers for mangrove mapping. In *Proceedings of the 40th Asian Conference Remote Sensing, ACRS* (pp. 1-8).
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote sensing of mangrove ecosystems: A review. *Remote Sensing*, *3*(5), 878-928.
- Liang, J., Gong, J., & Li, W. (2018). Applications and impacts of Google Earth: A decadal review (2006–2016). *ISPRS Journal of Photogrammetry and Remote Sensing*, *146*, 91-107.
- Liang, J., Xie, Y., Sha, Z., & Zhou, A. (2020). Modeling urban growth sustainability in the cloud by augmenting *Google Earth Engine* (GEE). *Computers, Environment and Urban Systems*, *84*, 101542.
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote sensing and image interpretation*. John Wiley & Sons.
- Laongmanee, W. (2013). Assessment of spatial resolution in estimating leaf area index from satellite images: a case study with *Avicennia marina* plantations in Thailand. *International journal of geoinformatics*.
- Macreadie, P. I., Costa, M. D., Atwood, T. B., Friess, D. A., Kelleway, J. J., Kennedy, H., ... & Duarte, C. M. (2021). *Blue carbon* as a natural climate solution. *Nature Reviews Earth & Environment*, *2*(12), 826-839.

- Mell, P. (2011). The NIST Definition of Cloud Computing. *NIST Special Publication*, 800-145.
- Mitchell, T. M. (1997). Does *machine learning* really work?. *AI magazine*, 18(3), 11-11.
- Moghaddam, F. F., Rohani, M. B., Ahmadi, M., Khodadadi, T., & Madadipouya, K. (2015, August). Cloud computing: Vision, architecture and Characteristics. In *2015 IEEE 6th control and system graduate research colloquium (ICSGRC)* (pp. 1-6). IEEE.
- Mahesh, B. (2020). *Machine learning* algorithms-a review. *International Journal of Science and Research (IJSR)*. [Internet], 9(1), 381-386.
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: An applied review. *International journal of remote sensing*, 39(9), 2784-2817.
- Navalgund, R. R., Jayaraman, V., & Roy, P. S. (2007). Remote sensing applications: An overview. *current science*, 1747-1766.
- Pham, T. D., Yokoya, N., Bui, D. T., Yoshino, K., & Friess, D. A. (2019). Remote sensing approaches for monitoring mangrove species, structure, and biomass: Opportunities and challenges. *Remote Sensing*, 11(3), 230.
- Probst, P., Wright, M. N., & Boulesteix, A. L. (2019). Hyperparameters and tuning strategies for *Random Forest*. *Wiley Interdisciplinary Reviews: data mining and knowledge discovery*, 9(3), e1301.
- Purhartanto, L. N., Danoedoro, P., & Wicaksono, P. (2019). Kajian transformasi indeks vegetasi citra satelit sentinel-2a untuk estimasi produksi daun kayu putih menggunakan linear spectral mixture analysis. *Jurnal Nasional Teknologi Terapan (JNTT)*, 3(1), 35-58.
- Qian, L., Luo, Z., Du, Y., & Guo, L. (2009). Cloud computing: An overview. In *Cloud Computing: First International Conference, CloudCom 2009, Beijing, China, December 1-4, 2009. Proceedings 1* (pp. 626-631). Springer Berlin Heidelberg.

- Ramezan, C. A., Warner, T. A., Maxwell, A. E., & Price, B. S. (2021). Effects of training set size on supervised machine-learning land-cover classification of large-area high-resolution remotely sensed data. *Remote Sensing*, 13(3), 368.
- Rich, P. M. (1990). Characterizing plant canopies with hemispherical photographs. *Remote sensing reviews*, 5(1), 13-29.
- Sanjaya, H., Alhasanah, F., Wikantika, K., & Yayusman, L. (2013). Perekaman Spektral Daun Tanaman Padi Terakibat Organisme Pengganggu Tumbuhan Wereng Batang Coklat (WBC). In *Bunga Rampai Penginderaan Jauh Indonesia 2012* (pp. 39-55). Bandung: Pusat Penginderaan Jauh, Institut Teknologi Bandung.
- Santosa, H. (2017). Ekosistem mangrove di Taman Nasional Bali Barat. Balai Taman Nasional Bali Barat, Direktorat Jenderal Konservasi Sumber Daya Alam dan Ekosistem, Kementerian Lingkungan Hidup dan Kehutanan.
- Saenger, P. (2013). *Mangrove ecology, silviculture and conservation*. Springer Science & Business Media.
- Sheykhmousa, M., Mahdianpari, M., Ghanbari, H., Mohammadimanesh, F., Ghamisi, P., & Homayouni, S. (2020). Support vector machine versus random forest for remote sensing image classification: A meta-analysis and systematic review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 6308-6325.
- Shofanduri, A. (2018). Perbandingan kualitas tanah di Pantai Alasdowo Kabupaten Pati dengan Pantai Mangunharjo Kota Semarang sebagai media pertumbuhan mangrove *Rhizophora* sp. *Journal of Biology Education*, 1(2), 151-165.
- Simamora, Y. L. (2020). Analisis kesesuaian ekosistem mangrove sebagai kawasan ekowisata di Pulau Kelapan Kabupaten Bangka Selatan. *Jurnal Enggano Vol*, 5(2), 132-142.
- Sisodia, P. S., Tiwari, V., & Kumar, A. (2014, May). Analysis of supervised maximum likelihood classification for remote sensing image. In *International conference on recent advances and innovations in engineering (ICRAIE-2014)* (pp. 1-4). IEEE.

- Song, A. N., & Banyo, Y. (2011). Konsentrasi klorofil daun sebagai indikator kekurangan air pada tanaman. *Jurnal ilmiah sains*, 166-173.
- Sowmya, B. J., Seema, S., Monteiro, D., Hossain, Z., Paymaster, Z., & Tomar, A. (2020, December). *Machine learning* techniques on agro meteorological parameters to predict the crop yield in support of building decision support system to farmer's community. In *Journal of Physics: Conference Series* (Vol. 1706, No. 1, p. 012143). IOP Publishing.
- Strahler, A. H. (1980). The use of prior probabilities in maximum likelihood classification of remotely sensed data. *Remote sensing of Environment*, 10(2), 135-163.
- Waycott, M., McKenzie, L. J., Mellors, J. E., Ellison, J. C., Sheaves, M. T., Collier, C., ... & Payri, C. E. (2011). Vulnerability of mangroves, seagrasses and intertidal flats in the tropical Pacific to climate change. *Vulnerability of Tropical Pacific Fisheries and Aquaculture to Climate Change. Secretariat of the Pacific Community, Noumea, New Caledonia*, 297-368.
- Whiteside, T., Boggs, G., & Maier, S. (2010). Area-based validity assessment of single- and multi-class object-based image analysis.
- Yang, C., Yu, M., Hu, F., Jiang, Y., & Li, Y. (2017). Utilizing cloud computing to address big geospatial data challenges. *Computers, environment and urban systems*, 61, 120-128.
- Yang, I. T., & Prayogo, H. (2022). Efficient Reliability Analysis of Structures Using Symbiotic Organisms Search-Based Active Learning *Support Vector Machine*. *Buildings*, 12(4), 455.
- Zhan, Q., Molenaar, M., Tempfli, K., & Shi, W. (2005). Quality assessment for geospatial objects derived from remotely sensed data. *International Journal of Remote Sensing*, 26(14), 2953–2974.
<https://doi.org/10.1080/01431160500057764>
- Zhou, C., Wong, K., & Zhao, J. (2018). Coastal wetland vegetation in response to global warming and climate change. *Sea Level Rise and Coastal Infrastructure*, 61-81.