

DAFTAR PUSTAKA

- Abdillah, S., & Giyanto, B. (2021). Penerapan Sistem Informasi Covid (SI-COVID) Sebagai Alat Bantu Pengolahan Data dalam Upaya Penanganan COVID-19 di Wilayah Kota Administrasi Jakarta Pusat. *Jurnal Kebijakan dan Administrasi Publik*, 25(2), 111-120.
- Althaus, C. L. (2014). Estimating the Reproduction Number of Ebola Virus (EBOV) During the 2014 Outbreak in West Africa. *PLoS currents*, 6, ecurrents.outbreaks.91afb5e0f279e7f29e7056095255b288.
<https://doi.org/10.1371/currents.outbreaks.91afb5e0f279e7f29e70>.
- Anastassopoulou, C., Russo, L., Tsakri, A., & Constantinou, A. S. (2020). Data-based analysis, modelling and forecasting of the COVID-19 outbreak. *PLoS ONE*, 15(3): e0230405. <https://doi.org/10.1371/journal.pone.0230405>.
- Anderson, R. M., & May, R. M. (1982). Directly transmitted infectious diseases: control by vaccination. *Science (New York, N.Y.)*, 215(4536), 1053–1060.
<https://doi.org/10.1126/science.7063839>.
- Annas, S., Isbar Pratama, M., Rifandi, M., Sanusi, W., & Side, S. (2020). Stability analysis and numerical simulation of SEIR model for pandemic COVID-19 spread in Indonesia. *Chaos, solitons, and fractals*, 139, 110072.
<https://doi.org/10.1016/j.chaos.2020>.
- Arruda, E. F. (2021). Modelling and optimal control of multi strain epidemics, with application to COVID-19. *PLoS One*, 16(9), e0257512.
<https://doi.org/10.1371/journal.pone.0257512>.
- Aspri, A., Beretta, E., Gandolfi, A., & Wasmer, E. (2021). Mortality containment vs. Economics Opening: Optimal policies in a SEIARD model. *Journal of Mathematical Economics*, Volume 93,
<https://doi.org/10.1016/j.jmateco.2021.102490>.

- Badan Pusat Statistik (BPS). (2021, Desember 6). *Proyeksi Penduduk Indonesia 2020-2025*. Retrieved from <https://www.bps.go.id>
- Bae, T. W., Kwon, K. K., & Kim, K. H. (2020). Mass Infection Analysis of COVID-19 Using the SEIRD Model in Daegu-Gyeongbuk of Korea from April to May, 2020. *Journal of Korean medical science*, 35(34), e317. <https://doi.org/10.3346/jkms.2020.35.e317>.
- Bjornstad, O. (2018). *Epidemics: Models and Data using R*. 10.1007/978-3-319-97487-3. .
- Butcher, J. (2000). *Numerical methods for ordinary differential equations in the 20th century*. Wiley. ISBN: 978-0471967583.
- Cooper, I., Mondal, A., & Antonopoulos, C. G. (2020). A SIR model assumption for the spread of COVID-19 in different communities. *Chaos Solitons Fractals 2020*, 139, 110057. <https://doi.org/10.1016/j.chaos.2020.110057>.
- De la Sen, M., Ibeas, A., Alonso-Quesada, S., & Nistal, R. (2019). On a SIR model in a patchy environment under constant and feedback decentralized controls with asymmetric parameterizations. *Symmetry*, 11(3), 430. <https://doi.org/10.3390/sym11030430>.
- Delamater, P. L., Street, J. E., Leslie, T. F., Yang, Y. T., & Jacobsen, K. H. (2019). Complexity of the Basic Reproduction Number (R_0). *Emerging infectious diseases*, 25(1), 1–4. <https://doi.org/10.3201/eid2501.171901>.
- Diekmann, O., Heesterbeek, J. A., & Metz, J. A. (1990). On the definition and the computation of the basic reproduction ratio R_0 in models for infectious diseases in heterogeneous populations. *Journal of mathematical biology*, 28(4), 365–382. <https://doi.org/10.1007/BF00178324>.
- Dietz, K. (1993). The estimation of the basic reproduction number for infectious diseases. *Statistical methods in medical research*, 2(1), 23–41. <https://doi.org/10.1177/096228029300200103>.

- Dorland, W. A. (2012). *Dorland's Illustrated Medical Dictionary 32nd Ed (32nd ed.)*. Elsevier Health Sciences. ISBN: 978-1-4160-6257-8.
- Doucleff, M. (2014, October 2). *No, seriously, how contagious is Ebola?* Retrieved from NPR: <http://www.npr.org/sections/health-shots/2014/10/02/352983774/no-seriously-how-contagious-is-ebola>
- Fauziah, I., & Manaqib, M. (2020). Pemodelan matematika penyebaran penyakit MiddleEastRespiratory Syndrome Corona Virus (MERS-CoV) dengan penggunaan masker kesehatan dan vaksinasi. *Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatulla*.
- Hairer, E., Nørsett, S. P., & Wanner, G. (1993). *Solving Ordinary Differential Equations I: Nonstiff Problems (2nd ed.)*. Springer. ISBN: 978-3-540-56670-0.
- Heesterbeek, J. A. (2002). A brief history of R_0 and a recipe for its calculation. *Acta biotheoretica*, 50(3), 189–204. <https://doi.org/10.1023/a:1016599411804>.
- Heffernan, J. M., Smith, R. J., & Wahl, L. M. (2005). Perspectives on the basic reproductive ratio. *Journal of the Royal Society, Interface*, 2(4), 281–293. <https://doi.org/10.1098/rsif.2005.0042>.
- Hethcote, H. W. (2000). The Mathematics of Infectious Diseases. *SIAM Review*, 42(4), 599-653. [10.1137/S0036144500371907](https://doi.org/10.1137/S0036144500371907).
- Hurit, R. U. (2020). Penyelesaian model SEIR untuk Penyebaran penyakit Meningitis menggunakan Metode Euler, Metode Heun dan Metode Runge-Kutta Orde Empat. *Tesis, Yogyakarta: Universitas Sanata Dharma*.
- Johnson, R. (2011, September 20). *The 10 epidemics that almost wiped out mankind*. Retrieved from Business Insider: <http://www.businessinsider.com/epidemics-pandemics-that-almost-wiped-out-mankind-2011-9>

- Keeling, M. J., & Rohani, P. . (2008). Modeling Infectious Diseases in Humans and Animals. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 47(6):864-865. 10.1086/591197.
- Kementrian Kesehatan Republik Indonesia. (2023, April 5). *Situasi Kasus Indonesia*. Retrieved from COVID 19 Kementrian Kesehatan Republik Indonesia: <https://covid19.kemkes.go.id/>
- Khan, M. A., & Atangana, A. (2020). Modeling the dynamics of novel coronavirus (2019-nCov) with fractional derivative. *Alexandria Engineering Journal*, 59(4), 2379-2389. <https://doi.org/10.1016/j.aej.2020.02.033>.
- Kretzschmar, M., Teunis, P. F., & Pebody, R. G. (2010). Incidence and reproduction numbers of pertussis: estimates from serological and social contact data in five European countries. *PLoS medicine*, 7(6), e1000291. <https://doi.org/10.1371/journal.pmed.100>.
- Kuhl, E. (2021). The computational SEIRD model. In: Computational Epidemiology. *Springer, Cham*, https://doi.org/10.1007/978-3-030-82890-5_7.
- Lijuan, Z. H., Fuchang, W., Xuqin, Z., & Zhitong, J. (2019). Global Stability Analysis on One Type of SEIR Epidemic Model with Floating Population. *Journal of Institute of Disaster-Prevention Science and Technology*, 21(2), 78-81. <https://doi.org/10.1016/j.chaos.2004.11.062>.
- Maugeri, A., Barchitta, M., Battiato, S., & Agodi, A. (2020). Estimation of Unreported Novel Coronavirus (SARS-CoV-2) Infections from Reported Deaths: A Susceptible–Exposed–Infectious–Recovered–Dead Model. *Journal of Clinical Medicine*, 9(5), Journal of Clinical Medicine, 9(5), 1350. <https://doi.org/10.3390/jcm9051350>.
- Mbuvha, R., & Marwala, T. (2020). On data-driven management of the COVID-19 outbreak in South Africa. *medRxiv*, 2020-04. <https://doi.org/10.1101/2020.04.07.20057133>.

- Mills, C. E., Robins, J. M., & Lipsitch, M. (2004). Transmissibility of 1918 pandemic influenza. *Nature*, *432*(7019), 904–906. <https://doi.org/10.1038/nature03063>.
- Mohandoss, A., Chandrasekar, G., & Al-Mdallal, Q. M. (2023). Mathematical modeling and simulation of SEIR model for COVID-19 outbreak: A case study of Trivandrum. *Frontiers in Applied Mathematics and Statistics*, *9*.
- Munir, R. (2008). *Metode Numerik, 2nd ed.* Bandung: Informatika Bandung.
- Nuraini, N., Fauzi, I. S., Lestari, B. W., & Rizqina, S. (2022). The Impact of COVID-19 Quarantine on Tuberculosis and Diabetes Mellitus Cases: A Modelling Study. *Tropical medicine and infectious disease*, *7*(12), 407. <https://doi.org/10.3390/tropicalmed712>.
- Putra, S., & Mutamar, Z. K. (2019). Estimation of parameters in the SIR epidemic model using particle swarm optimization. *Am. J. Math. Comput. Model*, *4*, 83-93. <https://doi.org/10.11648/j.ajmcm.20190404.11>.
- Qi, H., Xiao, S., Shi, R., Ward, M. P., Chen, Y. T., Wang, W., . . . Zhang, Z. (2020). COVID-19 transmission in Mainland China is associated with temperature and humidity: A time-series analysis. *The Science of the total environment*, *728*, 138778. <https://doi.org/10.1016/j.scitotenv.2020.138778> .
- Ridenhour, B., Kowalik, J. M., & Shay, D. K. (2018). Unraveling R0: Considerations for Public Health Applications. *American Journal of Public Health*, *108*(Suppl 6), S445–S454. <https://doi.org/10.2105/AJPH.2013.301704r>.
- Roberts, C. (2018). *Elementary Differential Equations: Applications, Models, and Computing*. CRC Press Taylor and Francis Group, Boca Raton.
- Ross, S. L. (1984). *Differential Equations Third Edition*. New York: John Wiley dan Sons, Inc.

- Salgotra, R., Gandomi, M., & Gandomi, A. H. (2020). Time Series Analysis and Forecast of the COVID-19 Pandemic in India using Genetic Programming. *Chaos, solitons, and fractals*, *138*, 109945. <https://doi.org/10.1016/j.chaos.2020.109945> .
- Tessa, O. (2006). Mathematical model for control of measles by vaccination. *Mali Symposium on Applied Sciences (MSAS)*.
- Wallinga, J., & Teunis, P. (2004). Different epidemic curves for severe acute respiratory syndrome reveal similar impacts of control measures. *American journal of epidemiology*, *160*(6), 509–516. <https://doi.org/10.1093/aje/kwh255> .
- Yang, C. Y., & Wang, J. (2020). A mathematical model for the novel coronavirus epidemic in Wuhan, China. *Mathematical biosciences and engineering : MBE*, *17*(3), 2708–2724. <https://doi.org/10.3934/mbe.2020148> .
- Zareie, B., Roshani, A., Mansournia, M. A., Rasouli, M. A., & Moradi, G. (2020). A Model for COVID-19 Prediction in Iran Based on China Parameters. *Archives of Iranian medicine*, *23*(4), 244–248. <https://doi.org/10.34172/aim.2020.05>.
- Zhao, S., Lin, Q., Ran, J., Musa, S. S., Yang, G., Wang, W., . . . Wang, M. H. (2020). Preliminary estimation of the basic reproduction number of novel coronavirus (2019-nCoV) in China, from 2019 to 2020: A data-driven analysis in the early phase of the outbreak. *International journal of infectious diseases : IJID : official publication of the International Society for Infectious Diseases*, *92*, 214–217. <https://doi.org/10.1016/j.ijid.2020.01.050>.
- Zhong, L., Mu, L., Li, J., Wang, J., Yin, Z., & Liu, D. (2020). Early Prediction of the 2019 Novel Coronavirus Outbreak in the Mainland China Based on Simple Mathematical Model. *IEEE access : practical innovations, open solutions*, *8*, 51761–51769. <https://doi.org/10.1109/ACCESS.2020.2979599> .



UNIVERSITAS
GADJAH MADA

STUDI KOMPUTASI MODEL MATEMATIKA SEIRD (SUSCEPTIBLE - EXPOSED " INFECTED " RECOVERED - DEAD)

UNTUK PENYEBARAN COVID-19 MENGGUNAKAN METODE EULER DAN RUNGE-KUTTA

Salsabila Audrey Calluella, Prof. Dr.Eng. Fahrudin Nugroho, S.Si., M.Si

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>