

## DAFTAR PUSTAKA

- Aldrian, E., Dümenil Gates, L., & Widodo, F. H. (2007). Seasonal variability of Indonesian rainfall in ECHAM4 simulations and in the reanalyses: The role of ENSO. *Theoretical and Applied Climatology*, 87(1–4), 41–59. <https://doi.org/10.1007/s00704-006-0218-8>
- Amelia, K., Nuringtyas, S., Setiawan, R., Setyobudi, E., Adharini, R., Aryudiawan, C., & Maslukah, L. (2022). The Variability of Surface Chlorophyll-a in Rawa Pening Lake within Five-Month Observations. *Ecological Engineering & Environmental Technology*, 23(4), 173–178. <https://doi.org/10.12912/27197050/150560>
- Ampitiyawatta, A. D., & Wijeratne, A. W. (2015). Impact of temporal changes of rainfall on major climatic zones of Sri Lanka. *Tropical Agricultural Research and Extension*, 18(4), 148. <https://doi.org/10.4038/tare.v18i4.5377>
- As-syakur, Abd. R., Aryunisha, P. E. P., Wijana, I. M. S., Novanda, I. G. A., Dewi, I. G. A. I. P., Andiani, A. A. E., Premananda, M. G., & Sugiana, I. P. (2023). Comparison of mangrove canopy covering accuracy using landsat 8 and landsat 9 imagery based on several vegetation indices in West Bali National Park. *E3S Web of Conferences*, 442, 03001. <https://doi.org/10.1051/e3sconf/202344203001>
- Begeman, C., Helder, D., Leigh, L., & Pinkert, C. (2022). Relative Radiometric Correction of Pushbroom Satellites Using the Yaw Maneuver. *Remote Sensing*, 14(12), 2820. <https://doi.org/10.3390/rs14122820>
- Cui, X., Gibbes, C., Southworth, J., & Waylen, P. (2013). Using Remote Sensing to Quantify Vegetation Change and Ecological Resilience in a Semi-Arid System. *Land*, 2(2), 108–130. <https://doi.org/10.3390/land2020108>
- Dai, T., Wang, L., Li, T., Qiu, P., & Wang, J. (2022). Study on the Characteristics of Soil Erosion in the Black Soil Area of Northeast China under Natural Rainfall Conditions: The Case of Sunjiagou Small Watershed. *Sustainability*, 14(14), 8284. <https://doi.org/10.3390/su14148284>

- Danoedoro, P., & Gupita, D. D. (2022). Combining Pan-Sharpening and Forest Cover Density Transformation Methods for Vegetation Mapping using Landsat-8 Satellite Imagery. *International Journal on Advanced Science, Engineering and Information Technology*, 12(3), 881. <https://doi.org/10.18517/ijaseit.12.3.12514>
- De Sousa Santos, J., De Oliveira-Júnior, J. F., Da Silva Costa, M., Cardoso, K. R. A., Shah, M., Shahzad, R., Da Silva, L. F. F. F., De Oliveira Romão, W. M., Singh, S. K., Mendes, D., Da Silva Santos, I. G., & Da Silva Júnior, R. S. (2023). Effects of extreme phases of El Niño–SOUTHERN Oscillation on rainfall extremes in Alagoas, Brazil. *International Journal of Climatology*, 43(16), 7700–7721. <https://doi.org/10.1002/joc.8288>
- Dewi, E. K., & Trisakti, B. (2017). Comparing Atmospheric Correction Methods for Landsat OLI Data C. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 13(2), 105. <https://doi.org/10.30536/j.ijreses.2016.v13.a2472>
- Edwards, E. (1983). A broad-scale structural classification of vegetation for practical purposes. *Bothalia*, 14(3/4), 705–712. <https://doi.org/10.4102/abc.v14i3/4.1231>
- Farida, Y., Refiana Nurfadila, M., Keumala Intan, P., Khaulasari, H., Ulinnuha, N., Dianita Utami, W., & Yuliati, D. (2024). Modeling the Flood Disaster in South Kalimantan Using Geographically Weighted Regression and Mixed Geographically Weighted Regression. *ITM Web of Conferences*, 58, 04004. <https://doi.org/10.1051/itmconf/20245804004>
- Fawzi, N. I., & Husna, V. N. (2021). *Landsat 8 Sebuah Teori dan Teknik Pemrosesan Tingkat Dasar*. Perpustakaan Nasional RI.
- Fussell, J., & Rundquist, D. (1986). On Defining Remote Sensing. *Photogrammetric Engineering and Remote Sensing*, 52, 1507–1511.
- Gähler, M. (2016). Remote Sensing for Natural or Man-made Disasters and Environmental Changes. In M. Marghany (Ed.), *Environmental Applications of Remote Sensing*. InTech. <https://doi.org/10.5772/62183>

- Gong, P., Xu, B., & Liang, S. (2006). Remote sensing and geographic information systems in the spatial temporal dynamics modeling of infectious diseases. *Science in China Series C: Life Sciences*, 49(6), 573–582. <https://doi.org/10.1007/s11427-006-2015-0>
- Gueguen, L., & Datcu, M. (2007). Image Time-Series Data Mining Based on the Information-Bottleneck Principle. *IEEE Transactions on Geoscience and Remote Sensing*, 45(4), 827–838. <https://doi.org/10.1109/TGRS.2006.890557>
- Himayah, S., Hartono, & Danoedoro, P. (2016). The Utilization of Landsat 8 Multitemporal Imagery and Forest Canopy Density (FCD) Model for Forest Reclamation Priority of Natural Disaster Areas at Kelud Mountain, East Java. *IOP Conference Series: Earth and Environmental Science*, 47, 012043. <https://doi.org/10.1088/1755-1315/47/1/012043>
- Hussein, S. O., Kovács, F., & Tobak, Z. (2017). *Spatiotemporal* Assessment of Vegetation Indices and Land Cover for Erbil City and Its Surrounding Using Modis Imageries. *Journal of Environmental Geography*, 10(1–2), 31–39. <https://doi.org/10.1515/jengeo-2017-0004>
- Ismail, M. (2017). *Kajian Perubahan Komposisi Struktural Dan Tipe Vegetasi Dengan Model Forest Cover Density (FCD) Di Sebagian Taman Nasional Lore Lindu, Provinsi Sulawesi Tengah*. Tesis : Unicversitas Gadjah Mada.
- ITTO. (2003). *FCD-Mapper Guide Ver.2 User Guide*. International Tropical Timber Organization & Japan Overseas Forestry Consultant Association.
- Jenkins, R. B., & Coops, N. C. (2011). Landscape Controls on Structural Variation in Eucalypt Vegetation Communities: Woronora Plateau, Australia. *Australian Geographer*, 42(1), 1–17. <https://doi.org/10.1080/00049182.2011.546316>
- Jensen, J. R. (2014). *Remote sensing of the environment: An earth resource perspective* (Pearson new international, second edition). Pearson.
- Kuchler, A. W. (1984). Ecological Vegetation Maps. *Plant Ecology*. <https://doi.org/10.1007/BF00039975>.

- Kurnia, W. G., & Agdialta, R. (2020). Analisis Perubahan Vegetasi dan Variabilitas Curah Hujan di Kawasan Taman Nasional Lore Lindu, Sulawesi Tengah. *Buletin GAW Bariri*, 1(1), 47–57. <https://doi.org/10.31172/bgb.v1i1.10>
- Kutser, T. (2004). Quantitative detection of chlorophyll in cyanobacterial blooms by satellite remote sensing. *Limnology and Oceanography*, 49(6), 2179–2189. <https://doi.org/10.4319/lo.2004.49.6.2179>
- Li, L., Xin, X., Zhao, J., Yang, A., Wu, S., Zhang, H., & Yu, S. (2023). Remote Sensing Monitoring and Assessment of Global Vegetation Status and Changes during 2016–2020. *Sensors*, 23(20), 8452. <https://doi.org/10.3390/s23208452>
- Li, R., Wang, Y., Hu, J., Wang, Y., Min, Q., Bergeron, Y., Valeria, O., Gao, Z., Liu, J., & Fu, Y. (2020). Spatiotemporal Variations of Satellite Microwave Emissivity Difference Vegetation Index in China Under Clear and Cloudy Skies. *Earth and Space Science*, 7(5), e2020EA001145. <https://doi.org/10.1029/2020EA001145>
- Liao, L., Liu, W., & Liu, S. (2023). Effect of Bit Depth on Cloud Segmentation of Remote-Sensing Images. *Remote Sensing*, 15(10), 2548. <https://doi.org/10.3390/rs15102548>
- Liu, Z., & Pontius Jr, R. G. (2021). The Total Operating Characteristic from Stratified Random Sampling with an Application to Flood Mapping. *Remote Sensing*, 13(19), 3922. <https://doi.org/10.3390/rs13193922>
- Lori, T. (2022). Use of Phytosociology and Remote Sensing to Classify and Map the Vegetation in Protected Areas, Botswana. In M. Nazip Suratman (Ed.), *Protected Area Management—Recent Advances*. IntechOpen. <https://doi.org/10.5772/intechopen.100178>
- Mao, L., Li, M., & Shen, W. (2020). Remote Sensing Applications for Monitoring Terrestrial Protected Areas: Progress in the Last Decade. *Sustainability*, 12(12), 5016. <https://doi.org/10.3390/su12125016>
- Markham, B., Storey, J., & Morfitt, R. (2015). Landsat-8 Sensor Characterization and Calibration. *Remote Sensing*, 7(3), 2279–2282. <https://doi.org/10.3390/rs70302279>

- Martynenko, A., Shotton, K., Astatkie, T., Petrash, G., Fowler, C., Neily, W., & Critchley, A. T. (2016). Thermal imaging of soybean response to drought stress: The effect of *Ascophyllum nodosum* seaweed extract. *SpringerPlus*, 5(1), 1393. <https://doi.org/10.1186/s40064-016-3019-2>
- Mishra, V. N., Kumar, V., Prasad, R., & Punia, M. (2021). Geographically Weighted Method Integrated with Logistic Regression for Analyzing Spatially Varying Accuracy Measures of Remote Sensing Image Classification. *Journal of the Indian Society of Remote Sensing*, 49(5), 1189–1199. <https://doi.org/10.1007/s12524-020-01286-2>
- Montin, E., & Lattanzi, R. (2021). Seeking a Widely Adoptable Practical Standard to Estimate Signal-to-Noise Ratio in Magnetic Resonance Imaging for Multiple-Coil Reconstructions. *Journal of Magnetic Resonance Imaging*, 54(6), 1952–1964. <https://doi.org/10.1002/jmri.27816>
- Murray-Tortarolo, G., Jaramillo, V. J., Maass, M., Friedlingstein, P., & Sitch, S. (2017). The decreasing range between dry- and wet- season precipitation over land and its effect on vegetation primary productivity. *PLOS ONE*, 12(12), e0190304. <https://doi.org/10.1371/journal.pone.0190304>
- Newbold, T., Hudson, L. N., Hill, S. L. L., Contu, S., Gray, C. L., Scharlemann, J. P. W., Börger, L., Phillips, H. R. P., Sheil, D., Lysenko, I., & Purvis, A. (2016). Global patterns of terrestrial assemblage turnover within and among land uses. *Ecography*, 39(12), 1151–1163. <https://doi.org/10.1111/ecog.01932>
- Perkins, T., Adler-Golden, S., Matthew, M., Berk, A., Anderson, G., Gardner, J., & Felde, G. (2005). *Retrieval of atmospheric properties from hyper and multispectral imagery with the FLAASH atmospheric correction algorithm* (K. Schäfer, A. Comerón, J. R. Slusser, R. H. Picard, M. R. Carleer, & N. I. Sifakis, Eds.; p. 59790E). <https://doi.org/10.1117/12.626526>
- Putra, M., Rosid, M. S., & Handoko, D. (2024). Rainfall Estimation Model in Seasonal Zone and Non-Seasonal Zone Regions Using Weather Radar Imagery Based on a Gradient Boosting Algorithm. *Atmosphere*, 15(6), 726. <https://doi.org/10.3390/atmos15060726>

- Rikimaru, A., Roy, P. S., & Miyatake, S. (2002). *Tropical forest cover density mapping*. *43(1): 39-47*.
- Running, S. W., Justice, C. O., Salomonson, V., Hall, D., Barker, J., Kaufmann, Y. J., Strahler, A. H., Huete, A. R., Muller, J.-P., Vanderbilt, V., Wan, Z. M., Teillet, P., & Carneggie, D. (1994). Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *International Journal of Remote Sensing*, *15(17)*, 3587–3620. <https://doi.org/10.1080/01431169408954346>
- Sitanggang, G. (2010). Kajian Pemanfaatan Satelit Masa Depan: Sistem Penginderaan Jauh Satelit LDCM (Landsat-8). *Berita Dirgantara*, *11(2)*, 47–58.
- Sobrino, J. A., & Julien, Y. (2013). Time Series Corrections and Analyses in Thermal Remote Sensing. In C. Kuenzer & S. Dech (Eds.), *Thermal Infrared Remote Sensing* (Vol. 17, pp. 267–285). Springer Netherlands. [https://doi.org/10.1007/978-94-007-6639-6\\_14](https://doi.org/10.1007/978-94-007-6639-6_14)
- Thenkabail, Ph. D. (Ed.). (2015). *Remotely Sensed Data Characterization, Classification, and Accuracies* (0 ed.). CRC Press. <https://doi.org/10.1201/b19294>
- U.S. Geological Survey. (2019). *Landsat 9* (Fact Sheet Nos. 2019–3008; Fact Sheet). U.S. Geological Survey.
- Wagner, F. H., Hérault, B., Rossi, V., Hilker, T., Maeda, E. E., Sanchez, A., Lyapustin, A. I., Galvão, L. S., Wang, Y., & Aragão, L. E. O. C. (2017). Climate drivers of the Amazon forest greening. *PLOS ONE*, *12(7)*, e0180932. <https://doi.org/10.1371/journal.pone.0180932>
- Wambura, F., Dietrich, O., & Lischeid, G. (2017). Evaluation of Spatio-Temporal Patterns of Remotely Sensed Evapotranspiration to Infer Information about Hydrological Behaviour in a Data-Scarce Region. *Water*, *9(5)*, 333. <https://doi.org/10.3390/w9050333>
- Wang, Z., Cai, H., & Yang, X. (2024). A new method for mapping vegetation structure parameters in forested areas using GEDI data. *Ecological Indicators*, *164*, 112157. <https://doi.org/10.1016/j.ecolind.2024.112157>

- Xu Hanqiu, & Tang Fei. (2013). Analysis of new characteristics of the first Landsat 8 image and their eco-environmental significance. *Acta Ecologica Sinica*, 33(11), 3249–3257. <https://doi.org/10.5846/stxb201305030912>
- Xue, J., & Su, B. (2017). Significant Remote Sensing Vegetation Indices: A Review of Developments and Applications. *Journal of Sensors*, 2017, 1–17. <https://doi.org/10.1155/2017/1353691>
- Yang, J., & Du, X. (2017). An enhanced water index in extracting water bodies from Landsat TM imagery. *Annals of GIS*, 23(3), 141–148. <https://doi.org/10.1080/19475683.2017.1340339>
- Zhang, Q., Pandey, B., & Seto, K. C. (2016). A Robust Method to Generate a Consistent Time Series From DMSP/OLS Nighttime Light Data. *IEEE Transactions on Geoscience and Remote Sensing*, 54(10), 5821–5831. <https://doi.org/10.1109/TGRS.2016.2572724>
- Zhou, J., Fu, B., Gao, G., Lü, Y., Liu, Y., Lü, N., & Wang, S. (2016). Effects of precipitation and restoration vegetation on soil erosion in a semi-arid environment in the Loess Plateau, China. *CATENA*, 137, 1–11. <https://doi.org/10.1016/j.catena.2015.08.015>
- Zhu, Z., Wulder, M. A., Roy, D. P., Woodcock, C. E., Hansen, M. C., Radeloff, V. C., Healey, S. P., Schaaf, C., Hostert, P., Strobl, P., Pekel, J.-F., Lyburner, L., Pahlevan, N., & Scambos, T. A. (2019). Benefits of the free and open Landsat data policy. *Remote Sensing of Environment*, 224, 382–385. <https://doi.org/10.1016/j.rse.2019.02.016>