

DAFTAR PUSTAKA

- Abdul, M., McCray, S.D. and Hoosein, N.M. 2008. Expression of gamma-aminobutyric acid receptor (subtype A) in prostate cancer. *Acta Oncologica* 47(8): 1546–1550. doi: [10.1080/02841860801961265](https://doi.org/10.1080/02841860801961265)
- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I.B. and Middeldorp, J.M. 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese Journal of Cancer* 31(4): 185–196. doi: [10.5732/cjc.011.10328](https://doi.org/10.5732/cjc.011.10328)
- Ahmed, M.B., Alghamdi, A.A., Islam, S.U., Less, J.S., Lee, Y.S. 2022. cAMP Signaling in Cancer: A PKA-CREB and EPAC-Centric Approach. *Cells* 11(13):2020. doi: [10.3390/cells11132020](https://doi.org/10.3390/cells11132020).
- Allen, M.J., Sabir, S. and Sharma, S. 2023. GABA receptor. [Updated 13 February 2023]. StatPearls [online] [cited 14 June 2025]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK526124/>
- Al-Khawaja, A., Petersen, J.G., Damgaard, M., Jensen, M.H., Vogensen, S.B., Lie, M.E.K. et al. 2014. Pharmacological identification of a guanidine-containing β -alanine analogue with low micromolar potency and selectivity for the betaine/GABA transporter 1 (BGT1). *Neurochemical Research* 39(10): 1988–1996. doi: [10.1007/s11064-014-1336-9](https://doi.org/10.1007/s11064-014-1336-9)
- Arroll, B. 2011. Common cold. *BMJ Clinical Evidence*: 1510.
- Auteri, M., Zizzo, M.G. and Serio, R. 2015. GABA and GABA receptors in the gastrointestinal tract: from motility to inflammation. *Pharmacological Research* 93: 11–21. doi: [10.1016/j.phrs.2014.12.001](https://doi.org/10.1016/j.phrs.2014.12.001)
- Bei, J.X., Zuo, X.Y., Liu, W.S., Guo, Y.M. and Zeng, Y.X. 2016. Genetic susceptibility to the endemic form of NPC. *Chinese Clinical Oncology* 5(2): 15. doi: [10.21037/cco.2016.03.11](https://doi.org/10.21037/cco.2016.03.11)
- Ben-Ari, Y. 2002. Excitatory actions of GABA during development: the nature of the nurture. *Nature Reviews Neuroscience* 3(9):728–739. doi: <https://doi.org/10.1038/nrn920>
- Bhattacharya, D., Gawali, V.S., Kallay, L., Toukam, D.K., Koehler, A., Stambrook, P., Krummel, D.P. and Sengupta, S. 2021. Therapeutically leveraging GABAA receptors in cancer. *Experimental Biology and Medicine (Maywood)* 246(10):1182–1194. doi: [10.1177/15353702211032549](https://doi.org/10.1177/15353702211032549)
- Biju, M.P., Pyroja, S., Rajeshkumar, N.V. and Paulose, C.S. 2001. Hepatic GABA(A) receptor functional regulation during rat liver cell proliferation. *Hepatology Research* 21(2): 136–146. doi: [10.1016/s1386-6346\(01\)00092-4](https://doi.org/10.1016/s1386-6346(01)00092-4)
- Bjurström, H., Wang, J., Ericsson, I., Bengtsson, M., Liu, Y., Kumar-Mendu, S., Issazadeh-Navikas, S. and Birnir, B. 2008. GABA, a natural immunomodulator of T lymphocytes. *Journal of Neuroimmunology* 205(1–2): 44–50. doi: [10.1016/j.jneuroim.2008.08.017](https://doi.org/10.1016/j.jneuroim.2008.08.017)
- Borboni, P., Porzio, O., Fusco, A., Sesti, G., Lauro, R. and Marlier, L.N. 1994. Molecular and cellular characterization of the GABAA receptor in the rat pancreas. *Molecular and Cellular Endocrinology* 103(1–2): 157–163. doi: [10.1016/0303-7207\(94\)90083-3](https://doi.org/10.1016/0303-7207(94)90083-3)

- Bown, A.W. and Shelp, B.J. 2020. Does the GABA shunt regulate cytosolic GABA? *Trends in Plant Science* 25(5):422–424. doi: [10.1016/j.tplants.2020.03.001](https://doi.org/10.1016/j.tplants.2020.03.001)
- Carvalho, J. 2021. A bioelectric model of carcinogenesis, including propagation of cell membrane depolarization and reversal therapies. *Scientific Reports* 11(1). doi: [10.1038/s41598-021-92951-0](https://doi.org/10.1038/s41598-021-92951-0)
- Chang, Y., Li, T., Niu, Y., Guan, X. and Xie, Y., 2025. Comparative evaluation of proteinase K and dithiothreitol as pretreatments for extracting nucleic acids from respiratory samples for multiplex PCR. *BMC Microbiology* 25(1): 233. doi: [10.1186/s12866-025-03956-y](https://doi.org/10.1186/s12866-025-03956-y)
- Chang, E.T., Ye, W., Zeng, Y.X. and Adami, H.O. 2021. The evolving epidemiology of nasopharyngeal carcinoma. *Cancer Epidemiology, Biomarkers & Prevention* 30(6): 1035–1047. doi: [10.1158/1055-9965.EPI-20-1702](https://doi.org/10.1158/1055-9965.EPI-20-1702)
- Chong, V.F.H. and Ong, C.K. 2008. Nasopharyngeal carcinoma. *European Journal of Radiology* 66(3): 437–447. doi: [10.1016/j.ejrad.2008.03.029](https://doi.org/10.1016/j.ejrad.2008.03.029)
- Daniel, P., Filiz, G., Brown, D.V., Hollande, F., Gonzales, M., D'Abaco, G., Papalexis, N., Phillips, W.A., Malaterre, J., Ramsay, R.G. and Mantamadiotis, T., 2014. Selective CREB-dependent cyclin expression mediated by the PI3K and MAPK pathways supports glioma cell proliferation. *Oncogenesis* 3(6): e108. doi: [10.1038/oncsis.2014.21](https://doi.org/10.1038/oncsis.2014.21)
- Dee, E.C., Eala, M.A., Feliciano, E.J.G., Jacomina, L.E., Chua, M.L.K., Mejia, M.B. and Lee, N.Y. 2024. Nasopharynx cancer in Southeast Asia: An analysis of 2022 incidence and mortality. *International Journal of Radiation Oncology, Biology, Physics* 120(2): e746–e747. doi: [10.1016/J.IJROBP.2024.07.1640](https://doi.org/10.1016/J.IJROBP.2024.07.1640)
- Drell, T.L., Joseph, J., Lang, K., Niggemann, B., Zaenker, K.S. and Entschladen, F. 2003. Effects of neurotransmitters on the chemokinesis and chemotaxis of MDA-MB-468 human breast carcinoma cells. *Breast Cancer Research and Treatment* 80(1): 63–70. doi: [10.1023/A:1024491219366](https://doi.org/10.1023/A:1024491219366)
- Evenseth, L.S.M., Gabrielsen, M. and Sylte, I. 2020. The GABAB receptor – structure, ligand binding and drug development. *Molecules* 25(13):3093. doi: [10.3390/molecules25133093](https://doi.org/10.3390/molecules25133093)
- Fink, S.P. and Guda, K. 2013. Application of next-generation sequencing in RNA biomarker discovery in cancer research. *Next Generation Sequencing in Cancer Research*. doi: [10.1007/978-1-4614-7645-0_9](https://doi.org/10.1007/978-1-4614-7645-0_9)
- Geigerseder, C., Doepner, R., Thalhammer, A., Frungieri, M., Gamel-Didelon, K., Calandra, R. et al. 2003. Evidence for a GABAergic system in rodent and human testis: Local GABA production and GABA receptors. *Neuroendocrinology* 77: 314–323. doi: [10.1159/000070897](https://doi.org/10.1159/000070897)
- Ghit, A., Assal, D.S.A. and Hussein, D.E. 2021. GABAA receptors: Structure, function, pharmacology, and related disorders. *Journal of Genetic Engineering and Biotechnology*. doi: [10.1186/s43141-021-00224-0](https://doi.org/10.1186/s43141-021-00224-0)
- Gibson, K. and Borchardt, M.A., 2013. Basic quality assurance/quality control information required for reporting real-time quantitative PCR data, 105, pp.45-47.
- Goetz, T., Arslan, T., Wisden, W. and Wulff, P. 2007. GABA(A) receptors: Structure and function in the basal ganglia. *Progress in Brain Research* 160: 43–60. doi: [10.1016/S0079-6123\(06\)60003-4](https://doi.org/10.1016/S0079-6123(06)60003-4)

- Grief, S.N. 2013. Upper respiratory infections. *Primary Care* 40(3):757–770. doi: [10.1016/j.pop.2013.06.004](https://doi.org/10.1016/j.pop.2013.06.004)
- Groeneveld, J.M., Ballering, A.V., van Boven, K., Akkermans, R.P., Olde Hartman, T.C. and Uijen, A.A., 2020. Sex differences in incidence of respiratory symptoms and management by general practitioners. *Family Practice* 37(5): 631-636. doi: [10.1093/fampra/cmaa040](https://doi.org/10.1093/fampra/cmaa040)
- Günay, M. and Balasubramanian, R., 2016. Robust CT-prediction algorithm for RT-PCR. *Filomat* 30: 1103-1110. doi: [10.2298/FIL1604103G](https://doi.org/10.2298/FIL1604103G)
- Hackett, C.S., Quigley, D.A., Wong, R.A., Chen, J., Cheng, C., Song, Y.K., et al. 2014. Expression quantitative trait loci and receptor pharmacology implicate Arg1 and the GABA-A receptor as therapeutic targets in neuroblastoma. *Cell Reports* 9(3): 1034-1046. doi: [10.1016/j.celrep.2014.09.046](https://doi.org/10.1016/j.celrep.2014.09.046)
- Hussain, M., Tang, F., Liu, J., Zhang, J. Javeed, A. 2015. Dichotomous role of protein kinase A type I (PKAI) in the tumor microenvironment: a potential target for 'two-in-one' cancer chemoimmunotherapeutics. *Cancer Lett* 369(1):9-19. doi: [10.1016/j.canlet.2015.07.047](https://doi.org/10.1016/j.canlet.2015.07.047)
- IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. 2012. Personal habits and indoor combustions. Lyon (FR): International Agency for Research on Cancer. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 100E). [Cited 14 June 2025]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK304391/>
- Jewett, B.E. and Sharma, S. 2023. Physiology, GABA. [Updated 24 July 2023]. In: StatPearls [online]. [Cited 14 June 2025]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK513311/>
- Jicman (Stan), D., Niculet, E., Lungu, M., Onisor, C., Rebegea, L., Vesa, D., Bezman, L., Bujoreanu, F., Sarbu, M., Mihailov, R., Fotea, S. and Tatu, A. 2021. Nasopharyngeal carcinoma: A new synthesis of literature data (Review). *Experimental and Therapeutic Medicine* 23(2): 11059. doi: [10.3892/etm.2021.11059](https://doi.org/10.3892/etm.2021.11059)
- Jin, N., Guo, Y., Sun, P., Bell, A., Chintagari, N.R., Bhaskaran, M. et al. 2008. Ionotropic GABA receptor expression in the lung during development. *Gene Expression Patterns* 8(6): 397–403. doi: [10.1016/j.gep.2008.04.008](https://doi.org/10.1016/j.gep.2008.04.008)
- Jin, P.Y., Zheng, Z.H., Lu, H.J., Yan, J., Zheng, G.H., Zheng, Y.L. et al. 2019. Roles of β -catenin, TCF-4, and survivin in nasopharyngeal carcinoma: Correlation with clinicopathological features and prognostic significance. *Cancer Cell International* 19(1): 48. doi: [10.1186/s12935-019-0764-7](https://doi.org/10.1186/s12935-019-0764-7)
- Jin, Z., Mendu, S.K. and Birnir, B. 2013. GABA is an effective immunomodulatory molecule. *Amino Acids* 45(1): 87–94. doi: [10.1007/s00726-011-1193-7](https://doi.org/10.1007/s00726-011-1193-7)
- Kandler, K., Friauf, E. 1995. Development of glycinergic and glutamatergic synaptic transmission in the auditory brainstem of perinatal rats. *J Neurosci* 15(10):6890-904. doi: [10.1523/JNEUROSCI.15-10-06890.1995](https://doi.org/10.1523/JNEUROSCI.15-10-06890.1995)
- Kaufman, D.L., Houser, C.R. and Tobin, A.J. 1991. Two forms of the gamma-aminobutyric acid synthetic enzyme glutamate decarboxylase have distinct intraneuronal distributions and cofactor interactions. *Journal of Neurochemistry* 56(2): 720–723. doi: [10.1111/j.1471-4159.1991.tb08211.x](https://doi.org/10.1111/j.1471-4159.1991.tb08211.x)

- Kaushik, I. and Srivastava, S.K., 2022. GABAA receptor agonist suppresses pediatric medulloblastoma progression by inhibiting PKA-Gli1 signaling axis. *Molecular Therapy* 30(9). doi: 10.1016/j.ymthe.2022.03.012
- Kinjo, A., Koito, T., Kawaguchi, S. and Inoue, K. 2013. Evolutionary history of the GABA transporter (GAT) group revealed by marine invertebrate GAT-1. *PLoS ONE* 8(12). doi:10.1371/journal.pone.0082410.
- Lee, A.W.M., Zong, J.F., Pan, J.J., Choi, H.C.W., Sze, H.C.K. and Huang, S.H. 2019. Staging of nasopharyngeal carcinoma based on the 8th edition of the AJCC/UICC staging system. In: *Nasopharyngeal Carcinoma: From Etiology to Clinical Practice*. doi:10.1016/B978-0-12-814936-2.00009-2.
- Lee, A.W., Foo, W., Law, S.C., Poon, Y.F., Sze, W.M., O, S.K., Tung, S.Y. dan Lau, W.H. 1997. Nasopharyngeal carcinoma: presenting symptoms and duration before diagnosis. *Hong Kong Medical Journal* 3(4): 355–361.
- Leicht, D.T., Balan, V., Kaplun, A., Singh-Gupta, V., Kaplun, L., Dobson, M. and Tzivion, G. 2007. Raf kinases: Function, regulation and role in human cancer. *Biochimica et Biophysica Acta - Molecular Cell Research* 1773(8): 1196–1212. doi:10.1016/j.bbamcr.2007.05.001.
- Liang, L., Yue, C., Li, W., Tang, J., He, Q., Zeng, F., Cao, J., Liu, S., Chen, Y., Li, X., Zhou, Y. 2024. CD38 symmetric dimethyl site R58 promotes malignant tumor cell immune escape by regulating the cAMP-GSK3 β -PD-L1 axis. *Heliyon* 10(19):e37958. doi: 10.1016/j.heliyon.2024.e37958
- Li, P., Meng, Z., Yang, D., Wu, T., Qin, Y., Chen, X., Wang, Y., Cao, C., Kang, M. 2024. Prognostic analysis of early-onset and late-onset nasopharyngeal carcinoma: a retrospective study. *Discov Oncol* 15(1):687. doi: 10.1007/s12672-024-01594-w.
- Li, J., Zou, X., Wu, Y.L., Guo, J.C., Yun, J.P., Xu, M. et al. 2014. A comparison between the sixth and seventh editions of the UICC/AJCC staging system for nasopharyngeal carcinoma. *PLoS ONE* 9(12). doi:10.1371/journal.pone.0116261.
- Li, T.J., Jiang, J., Tang, Y.L. and Liang, X.H. 2023. Insights into the leveraging of GABAergic signaling in cancer therapy. *Cancer Medicine* 12(13): 14498–14510. doi:10.1002/cam4.6102.
- Li, X., Fasano, R., Wang, E., Yao, K.T. and Marincola, F.M. 2009. HLA associations with nasopharyngeal carcinoma. *Current Molecular Medicine* 9(6): 751–765. doi:10.2174/156652409788970698.
- Liemiyah, R., Ruspita, D.A., Naftali, Z., Muyassaroh, M. and Farokah, F. 2024. Epidemiological characteristics and 3-year overall survival outcome of nasopharyngeal cancer in Central Java: A single institution retrospective study. *Indonesian Journal of Cancer* 18(2): 143–155. doi:10.33371/ijoc.v18i2.1083.
- Liu, R., Liu, J., Wu, P., Yi, H., Zhang, B. and Huang, W., 2021. Flotillin-2 promotes cell proliferation via activating the c-Myc/BCAT1 axis by suppressing miR-33b-5p in nasopharyngeal carcinoma. *Aging* 13(6): 8078-8094. doi: 10.18632/aging.202726
- Livak, K.J. and Schmittgen, T.D., 2001. Analysis of relative gene expression data using real time quantitative PCR and the 2- $\Delta\Delta$ Ct method. *Methods*. doi: 10.1006/meth.2001.1262.

- Long, M., Fu, Z., Li, P. and Nie, Z. 2017. Cigarette smoking and the risk of nasopharyngeal carcinoma: a meta-analysis of epidemiological studies. *BMJ Open* 7(10): e016582. doi:10.1136/bmjopen-2017-016582.
- Lou, P.J., Jacky Lam, W.K., Hsu, W.L., Pfeiffer, R.M., Yu, K.J., Chan, C.M.L., Lee, V.C.T., Chen, T.C. et al. 2023. Performance and Operational Feasibility of Epstein-Barr Virus-Based Screening for Detection of Nasopharyngeal Carcinoma: Direct Comparison of Two Alternative Approaches. *J Clin Oncol* 41(26):4257-4266. doi: 10.1200/JCO.22.01979.
- Lu, S.J., Day, N.E., Degos, L., Lepage, V., Wang, P.C., Chan, S.H. et al. 1990. Linkage of a nasopharyngeal carcinoma susceptibility locus to the HLA region. *Nature* 346(6283):470–1. doi:10.1038/346470a0
- Lv, J., Wang, R., Qing, Y., Du, Q. and Zhang, T., 2012. Magnetic resonance imaging analysis of regional lymph node metastasis in 1,298 cases of nasopharyngeal carcinoma. *Lin Chuang Er Bi Yan Hou Tou Jing Wai Ke Za Zhi* 26(18): 769-772. [In Chinese].
- Maemura, K., Shiraishi, N., Sakagami, K., Kawakami, K., Inoue, T., Murano, M. Et al. 2009. Proliferative effects of gamma-aminobutyric acid on the gastric cancer cell line are associated with extracellular signal-regulated kinase 1/2 activation. *J Gastroenterol Hepatol* 24(4):688–696. doi:10.1111/j.1440-1746.2008.05687.x
- Ma, J., Zhang, Y., Wang, J., Zhao, T., Ji, P., Song, J., Zhang, H. dan Luo, W. 2016. Proliferative effects of gamma-amino butyric acid on oral squamous cell carcinoma cells are associated with mitogen-activated protein kinase signaling pathways. *Int J Mol Med* 38(1):305–11. doi:10.3892/ijmm.2016.2597
- Ma, H., Bell, K.N. and Loker, R.N., 2020. qPCR and qRT-PCR analysis: Regulatory points to consider when conducting biodistribution and vector shedding studies. *Molecular Therapy Methods & Clinical Development* 20: 152-168. doi: 10.1016/j.omtm.2020.11.007
- Mainou, B.A., Everly, D.N. Jr. dan Raab-Traub, N. 2005. Epstein-Barr virus latent membrane protein 1 CTAR1 mediates rodent and human fibroblast transformation through activation of PI3K. *Oncogene* 24(46):6917–6924. doi:10.1038/sj.onc.1208846
- Mei, Y.P., Zhou, J.M., Wang, Y., Huang, H., Deng, R., Feng, G.K., Zeng, Y.X. dan Zhu, X.F. 2007. Silencing of LMP1 induces cell cycle arrest and enhances chemosensitivity through inhibition of AKT signaling pathway in EBV-positive nasopharyngeal carcinoma cells. *Cell Cycle* 6(11):1379–1385. doi:10.4161/cc.6.11.4274
- Mendu, S.K., Bhandage, A., Jin, Z., and Birnir, B. 2012. Different subtypes of GABA-A receptors are expressed in human, mouse and rat T lymphocytes. *PLoS One*. 7(8):e42959. doi:10.1371/journal.pone.0042959
- Minuk, G.Y., Zhang, M., Gong, Y., Minuk, L., Dienes, H., Pettigrew, N., Kew, M., Lipschitz, J. dan Sun, D. 2007. Decreased hepatocyte membrane potential differences and GABAA-beta3 expression in human hepatocellular carcinoma. *Hepatology* 45(3):735–745. doi:10.1002/hep.21562
- Nafisa, I.M., Utama, M.S., Sunardi, M.A., and Adibrata, A.A. 2021. Profile of nasopharyngeal cancer patients who underwent radiotherapy in Dr. Hasan Sadikin

- General Hospital Bandung. *Indones J Cancer*.16(2):88–93. doi:10.33371/ijoc.v16i2.869
- Napoleone, P., Bronzetti, E., Cavallotti, C., and Amenta, F. 1990. Predominant epithelial localization of type A gamma-aminobutyric acid receptor sites within rat seminal vesicles and prostate glands. *Pharmacol* 41(1):49–56. doi:10.1159/000138698
- Owens, D.F., and Kriegstein, A.R. 2002. Is there more to GABA than synaptic inhibition? *Nat Rev Neurosci*. 3(9):715–727. doi:10.1038/nrn919
- Pradana, K.A., Widjaya, M.A., Wahjudi, M. 2020. Indonesians Human Leukocyte Antigen (HLA) distributions and correlations with global diseases. *Immunol Investig* 49(3):333–63. doi:10.1080/08820139.2019.1673771.
- Petersson, F. 2015. Nasopharyngeal carcinoma: a review. *Semin Diagn Pathol* 32(1):54–73. doi:10.1053/j.semdp.2015.02.021
- Prevarskaya, N., Skryma, R., and Shuba, Y. 2018. Ion channels in cancer: Are cancer hallmarks oncochannelopathies? *Physiol Rev* 98(2):559–621. doi:10.1152/physrev.00044.2016
- Represa, A., and Ben-Ari, Y. 2005. Trophic actions of GABA on neuronal development. *Trends Neurosci* 28(6):278–283. doi:10.1016/j.tins.2005.03.010
- Rhiel, G.S., and Markowski, E. 2017. An update on using the range to estimate σ when determining sample sizes. *Psychol Rep* 120(2):319–331. doi:10.1177/0033294116687311
- Ring, H., Mendu, S.K., Shirazi-Fard, S., Birnir, B., and Hallböök, F. 2012. GABA maintains the proliferation of progenitors in the developing chick ciliary marginal zone and non-pigmented ciliary epithelium. *PLoS ONE* 7(5):e36874. doi:10.1371/journal.pone.0036874
- Roberts, S.S., Mendonça-Torres, M.C., Jensen, K., Francis, G.L., and Vasko, V. 2009. GABA receptor expression in benign and malignant thyroid tumors. *Pathol Oncol Res* 15(4):645–650. doi:10.1007/s12253-009-9165-x
- Romdhoni, A.C., Rachmadhan, H.F., Azmi, Y.A., Ashari, F.Y., Dewayani, A., et al. 2023. Retrospective study on nasopharyngeal cancer (RENOCS): outcome management of in-hospital patients. *Bali Med J* 12(2):1665–1671.
- Rowley, N.M., Madsen, K.K., Schousboe, A., and White, S.H. 2012. Glutamate and GABA synthesis, release, transport and metabolism as targets for seizure control. *Neurochem Int* 61(4):546–558. doi:10.1016/j.neuint.2012.02.013
- Ruijter, J.M., Ruiz-Villalba, A., van den Hoff, A.J.J., Gunst, Q.D., Wittwer, C.T. and van den Hoff, M.J.B., 2019. Removal of artifact bias from qPCR results using DNA melting curve analysis. *FASEB Journal* 33(12): 14542-14555. doi: 10.1096/fj.201901604R
- Schousboe, A., and Waagepetersen, H.S. 2016. Gamma-aminobutyric acid (GABA). In: The Curated Reference Collection in Neuroscience and Biobehavioral Psychology. doi:10.1016/B978-0-12-809324-5.02341-5
- Schousboe, A., and Waagepetersen, H.S. 2009. Gamma-Aminobutyric Acid (GABA). In: Encyclopedia of Neuroscience. doi:10.1016/B978-008045046-9.00685-9
- Setiasari, D.W., Rahmawati, G., Sudigyo, D., Poluan, R.H., Sesotiyosari, S.L., Wardana, T., et al. 2020. Transcriptome profile of next-generation sequencing data relate to proliferation aberration of nasopharyngeal carcinoma patients in

- Indonesia. *Asian Pac J Cancer Prev* 21(9):2585–2591. doi:10.31557/APJCP.2020.21.9.2585
- Sengupta, S., Weeraratne, S.D., Sun, H., Phallen, J., Rallapalli, S.K., Teider, N., et al. 2014. α 5-GABAA receptors negatively regulate MYC-amplified medulloblastoma growth. *Acta Neuropathol* 127(4):593–603. doi:10.1007/s00401-013-1205-7
- Shah, A.B., and Nagalli, S. Nasopharyngeal Carcinoma. [Updated 2024 Mar 15]. In: StatPearls [online]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK554588/>
- Shayah, A., Wickstone, L., Kershaw, E., and Agada, F. 2019. The role of cross-sectional imaging in suspected nasopharyngeal carcinoma. *Ann R Coll Surg Engl* 101(5):325–327. doi:10.1308/rcsann.2019.0025
- Shi, J., Yao, D., Liu, W., Wang, N., Lv, H., Zhang, G., Ji, M., Xu, L., He, N., Shi, B., and Hou, P. 2012. Highly frequent PIK3CA amplification is associated with poor prognosis in gastric cancer. *BMC Cancer* 12:50. doi:10.1186/1471-2407-12-50
- Sinha, S., Winters, R. dan Gajra, A. Nasopharyngeal Cancer. [Updated 2024 Feb 3]. In: StatPearls [online]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459256/>
- Smits, A., Jin, Z., Elsir, T., Pedder, H., Nistér, M., Alafuzoff, I., et al. 2012. GABA-A channel subunit expression in human glioma correlates with tumor histology and clinical outcome. *PLoS One* 7(5):e37041. doi:10.1371/journal.pone.0037041
- Su, Z.Y., Siak, P.Y., Leong, C.O., and Cheah, S.C. 2023. The role of Epstein–Barr virus in nasopharyngeal carcinoma. *Front Microbiol.* 14:1116143. doi:10.3389/fmicb.2023.1116143
- Sun, H., Liu, M., Wu, X., Yang, C., Zhang, Y., Xu, Z., et al. 2017. Overexpression of N-cadherin and β -catenin correlates with poor prognosis in patients with nasopharyngeal carcinoma. *Oncol Lett.* 13(3):1725–1730. doi:10.3892/ol.2017.5645
- Takano, K., Yatabe, M.S., Abe, A., Suzuki, Y., Sanada, H., Watanabe, T., et al. 2014. Characteristic expressions of GABA receptors and GABA producing/transporting molecules in rat kidney. *PLoS One* 9(9):e105835. doi:10.1371/journal.pone.0105835
- Takehara, A., Hosokawa, M., Eguchi, H., Ohigashi, H., Ishikawa, O., Nakamura, Y., and Nakagawa, H. 2007. Gamma-aminobutyric acid (GABA) stimulates pancreatic cancer growth through overexpressing GABAA receptor pi subunit. *Cancer Res* 67(20):9704–9712. doi:10.1158/0008-5472.CAN-07-2099
- Tam, S.Y., and Law, H.K. 2021. JNK in Tumor Microenvironment: Present Findings and Challenges in Clinical Translation. *Cancers* 13(9):2196. doi:10.3390/cancers13092196
- Tang, Z., Wei, G., Zhang, L., and Xu, Z. 2019. Signature microRNAs and long noncoding RNAs in laryngeal cancer recurrence identified using a competing endogenous RNA network. *Mol Med Rep* 19(6):4806–4818. doi:10.3892/mmr.2019.10143
- Tellez-Gabriel, M., Ory, B., Lamoureux, F., Heymann, M.F., and Heymann, D. 2016. Tumour Heterogeneity: The Key Advantages of Single-Cell Analysis. *Int J Mol Sci* 17(12):2142. doi:10.3390/ijms17122142

- Tian, J., Chau, C., Hales, T.G., and Kaufman, D.L. 1999. GABA(A) receptors mediate inhibition of T cell responses. *J Neuroimmunol* 96(1):21–28. doi:10.1016/s0165-5728(98)00264-1
- Tulalamba, W., and Janvilisri, T. 2012. Nasopharyngeal carcinoma signaling pathway: an update on molecular biomarkers. *Int J Cell Biol*. 2012:594681. doi:10.1155/2012/594681
- Temam, S., and Janot, F. 2006. Molecular markers of head and neck squamous cell carcinomas | Marqueurs biologiques dans les cancers des voies aérodigestives supérieures. *Rev Prat* 56(15):1658–1661.
- Tsao, S.W., Yip, Y.L., Tsang, C.M., Pang, P.S., Lau, V.M., Zhang, G., and Lo, K.W. 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncol* 50(5):330–338. doi:10.1016/j.oraloncology.2014.02.006
- Tsotetsi, T.N., Collins, N.E., Oosthuizen, M.C. and Sibeko-Matjila, K.P., 2018. Selection and evaluation of housekeeping genes as endogenous controls for quantification of mRNA transcripts in *Theileria parva* using quantitative real-time polymerase chain reaction (qPCR). *PLoS ONE* 13(5): e0196715. doi: 10.1371/journal.pone.0196715
- Vargas, R.A. 2018. The GABAergic System: An Overview of Physiology, Physiopathology and Therapeutics. *Int J Clin Pharmacol Pharmacother* 3:142. doi:10.15344/2456-3501/2018/142
- Varghese, J. E., Shanmugam, V., Rengarajan, R.L., Meyyazhagan, A., et al. 2020. Role of vitamin D3 on apoptosis and inflammatory-associated gene in colorectal cancer: an in vitro approach. *Journal of King Saud University* 32:2786-2789.
- Vitali, E., Peverelli, E., Giardino, E., Locatelli, M., Lasio, G.B., Beck-Peccoz, P., Spada, A., Lania, A.G. and Mantovani, G., 2014. Cyclic adenosine 3'-5'-monophosphate (cAMP) exerts proliferative and anti-proliferative effects in pituitary cells of different types by activating both cAMP-dependent protein kinase A (PKA) and exchange proteins directly activated by cAMP (Epac). *Molecular and Cellular Endocrinology* 383(1-2): 193-202. doi: 10.1016/j.mce.2013.12.006
- Waliyanti, E., Dewi, F.S.T., Supriyati, S., and Fles, R. 2018. Treatment-seeking behaviour of nasopharyngeal cancer patients in Yogyakarta, Indonesia. *Pan Afr Med J*: 29:98. doi:10.11604/pamj.2018.29.98.12817
- Walls, A.B., Eyjolfsson, E.M., Smeland, O.B., Nilsen, L.H., Schousboe, I., Schousboe, A., Sonnewald, U., and Waagepetersen, H.S. 2011. Knockout of GAD65 has major impact on synaptic GABA synthesized from astrocyte-derived glutamine. *J Cereb Blood Flow Metab* 31(2):494–503. doi:10.1038/jcbfm.2010.115
- Wang, H., Hu, J., Zhou, W. and Qian, A., 2024. Metabolic reprogramming in the pathogenesis and progression of nasopharyngeal carcinoma: molecular mechanisms and therapeutic implications. *American Journal of Cancer Research* 14(8): 4049-4064. doi: 10.62347/VYAT9271
- Wang, W., Wen, Q., Luo, J., Chu, S., Chen, L., Xu, L., et al. 2017. Suppression of β -catenin nuclear translocation by CGP57380 decelerates poor progression and potentiates radiation-induced apoptosis in nasopharyngeal carcinoma. *Theranostics* 7(7):2134–2149. doi:10.7150/thno.17665

- Wong, V.C., Chen, H., Ko, J.M., Chan, K.W., Chan, Y.P., Law, S., et al. 2012. Tumor suppressor dual-specificity phosphatase 6 (DUSP6) impairs cell invasion and epithelial-mesenchymal transition (EMT)-associated phenotype. *Int J Cancer* 130(1):83–95. doi:10.1002/ijc.25970
- Wu, L., Li, C., and Pan, L. 2018. Nasopharyngeal carcinoma: A review of current updates. *Exp Ther Med* 15:3687–3692. doi:10.3892/etm.2018.5878
- Xue, W.Q., Qin, H.D., Ruan, H.L., Shugart, Y.Y., Jia, W.H. 2013. Quantitative association of tobacco smoking with the risk of nasopharyngeal carcinoma: a comprehensive meta-analysis of studies conducted between 1979 and 2011. *Am J Epidemiol* 178(3):325–338. doi:10.1093/aje/kws479
- Yan, L., Gong, Y., Shao, M., Ruan, G., Xie, H., Liao, X., et al. 2020. Distinct diagnostic and prognostic values of γ -aminobutyric acid type A receptor family genes in patients with colon adenocarcinoma. *Oncol Lett* 20:275–291. doi:10.3892/ol.2020.11573
- Yang, M., and Brackenbury, W.J. 2013. Membrane potential and cancer progression. *Front Physiol* 4:185. doi:10.3389/fphys.2013.00185
- Yang, Y., Ren, L., Li, W., Zhang, Y., Zhang, S., Ge, B., Yang, H., Du, G., Tang, B., Wang, H., and Wang, J. 2023. GABAergic signaling as a potential therapeutic target in cancers. *Biomed Pharmacother* 161:114410. doi:10.1016/j.biopha.2023.114410
- Zamponi, G.W. 2019. Tuning the regulator: Phosphorylation of KCC2 at two specific sites is critical for neurodevelopment. *Sci Signal* 12(603):eaay8960. doi:10.1126/scisignal.aay8960
- Zeke, A., Misheva, M., Reményi, A., and Bogoyevitch, M.A. 2016. JNK Signaling: Regulation and Functions Based on Complex Protein-Protein Partnerships. *Microbiol Mol Biol Rev* 80(3):793–835. doi:10.1128/MMBR.00043-14
- Zhang, J., Zou, L., Tan, F., Wang, H., Wen, Z., Wang, H., and Li, L. 2024. Screening of co-expressed genes in hypopharyngeal carcinoma with esophageal carcinoma based on RNA sequencing and clinical research. *Sci Rep* 14(1). doi:10.1038/s41598-024-64162-w
- Zhang, Y., Rungay, H., Li, M., Cao, S., and Chen, W. 2023. Nasopharyngeal cancer incidence and mortality in 185 countries in 2020 and the projected burden in 2040: Population-based global epidemiological profiling. *JMIR Public Health Surveill* :e49968. doi:10.2196/49968
- Zhang, P.F., Zheng, X.H., Li, X.Z., Tian, T., Zhang, S.D., Hu, Y.Z., Jia, W.H. 2018. Nasopharyngeal brushing: a convenient and feasible sampling method for nucleic acid-based nasopharyngeal carcinoma research. *Cancer Commun (Lond)*. doi:10.1186/s40880-018-0278-z.