

DAFTAR PUSTAKA

- Aayush, K., McClements, D.J., Sharma, S., Sharma, R., Singh, G.P., Sharma, K., dan Oberoi, K., 2022, Innovations in the development and application of edible coatings for fresh and minimally processed apple, *Food Control*, 141.
- Afshari-Jouybari, H., dan Farahnaky, A., 2011, Evaluation of photoshop software potential for food colorimetry, *J. Food Eng.*, 106(2), 170–175.
- Ahn, E.Y., Shin, S.W., Kim, K., dan Park, Y., 2022, Facile green synthesis of titanium dioxide nanoparticles by upcycling mangosteen (*Garcinia mangostana*) pericarp extract, *Nanoscale Res. Lett.*, 17(1).
- Alizadeh Sani, M., Maleki, M., Eghbaljoo-Gharehgheshlaghi, H., Khezerlou, A., Mohammadian, E., Liu, Q., dan Jafari, S.M., 2022, Titanium dioxide nanoparticles as multifunctional surface-active materials for smart/active nanocomposite packaging films, *Adv. Colloid Interface Sci.*, 300.
- Allen, N.S., Mahdjoub, N., Vishnyakov, V., Kelly, P.J., dan Kriek, R.J., 2018, The effect of crystalline phase (anatase, brookite and rutile) and size on the photocatalytic activity of calcined polymorphic titanium dioxide (TiO₂), *Polym. Degrad. Stabil.*, 150, 31–36.
- Al-Taweel, S.S., Saud, H.R., Kadhum, A.A.H., dan Takriff, M.S., 2019, The influence of titanium dioxide nanofiller ratio on morphology and surface properties of TiO₂/chitosan nanocomposite, *Results Phys.*, 13, 10296–10303.
- Alzain, H., Hussein, K., dan Jabr, I., 2022, Antimicrobial edible materials via nanomodifications for food safety applications, *Green Process. Synth.*, 11(1), 1083–1097.
- Amils, R., 2020, Gram-positive bacteria, *Encyclopedia of Astrobiology*, Gargaud, M. (Ed.), Springer.
- Anaya-Esparza, L.M., Ruvalcaba-Gómez, J.M., Maytorena-Verdugo, C.I., González-Silva, N., Romero-Toledo, R., Aguilera-Aguirre, S., Pérez-Larios, A., dan Montalvo-González, E., 2020, Chitosan-TiO₂: A versatile hybrid composite, *Mater.*, 13, 811–838.
- Angasa, E., Putri, Y.E., Zulhadjri, Jamarun, N., dan Arief, S., 2020, Improving the morphological, optical, and photocatalytic properties of octahedral Zn₂SnO₄ using *Garcinia mangostana* fruit peel extract, *Vacuum*, 182.
- Baldini, E., Chiodo, L., Dominguez, A., Palummo, M., Moser, S., Yazdi-Rizi, M., Auböck, G., Mallett, B.P.P., Berger, H., Magrez, A., Bernhard, C., Grioni, M., Rubio, A., dan Chergui, M., 2017, Strongly bound excitons in anatase TiO₂ single crystals and nanoparticles, *Nat. Commun.*, 8, 1–11.
- Baschieri, A., dan Amorati, R., 2021, Methods to determine chain-breaking antioxidant activity of nanomaterials beyond DPPH: A review, *Antioxidants*, 10(10), 1551.

- Bavanilatha, M., Yoshitha, L., Nivedhitha, S., dan Sahithya, S., 2019, Bioactive studies of TiO₂ nanoparticles synthesized using *Glycyrrhiza glabra*, *Biocatal. Agric. Biotechnol.*, 19.
- Berg, G., Roskot, N., Steidle, A., Eberl, L., Zock, A., dan Smalla, K., 2002, Plant-dependent genotypic and phenotypic diversity of antagonistic rhizobacteria isolated from different *Verticillium* host plants, *Appl. Environ. Microbiol.*, 68(7), 3328–3338.
- Bulut, M., Bayer, Ö., Kırtıl, E., dan Bayındırlı, A., 2018, Incidence de la vitesse de congélation et de la durée d'entreposage sur les paramètres de texture et de qualité de fraises et de haricots verts congelés dans un congélateur domestique, *Int. J. Refrig.*, 88, 360–369.
- Burda, C., Chen, X., Narayanan, R., dan El-Sayed, M.A., 2005, Chemistry and properties of nanocrystals of different shapes, *Chem. Rev.*, 105(4), 1025–1102.
- Castillo-Hernández, D., Pérez-González, M., Tomás, S.A., Jiménez-Pérez, J.L., Sánchez Ramírez, J.F., dan Correa-Pacheco, Z.N., 2023, Synthesis of sol-gel TiO₂ nanoparticles and assessment of their antifungal activity for the eventual conservation of historical documents, *Appl. Mater. Today*, 35.
- Díez-Pascual, A.M., 2020, Antimicrobial polymer-based materials for food packaging applications, *Polymers*, 12(4).
- Du, J., Wu, Q., Zhong, S., Gu, X., Liu, J., Guo, H., Zhang, W., Peng, H., dan Zou, J., 2015, Effect of hydroxyl groups on hydrophilic and photocatalytic activities of rare earth doped titanium dioxide thin films, *J. Rare Earths*, 33(2), 148–153.
- Duan, C., Meng, X., Meng, J., Khan, M.I.H., Dai, L., Khan, A., An, X., Zhang, J., Huq, T., dan Ni, Y., 2019, Chitosan as a preservative for fruits and vegetables: A review on chemistry and antimicrobial properties, *J. Bioresour. Bioprod.*, 4(1), 11–21.
- El-Seedi, H.R., El-Shabasy, R.M., Khalifa, S.A.M., Saeed, A., Shah, A., Shah, R., Iftikhar, F.J., Abdel-Daim, M.M., Omri, A., Hajrahand, N.H., Sabir, J.S.M., Zou, X., Halabi, M.F., Sarhan, W., dan Guo, W., 2019, Metal nanoparticles fabricated by green chemistry using natural extracts: Biosynthesis, mechanisms, and applications, *RSC Adv.*, 9(42), 24539–24559.
- Fischer, K., Gawel, A., Rosen, D., Krause, M., Latif, A.A., Griebel, J., Prager, A., dan Schulze, A., 2017, Low-temperature synthesis of anatase/rutile/brookite TiO₂ nanoparticles on a polymer membrane for photocatalysis, *Catalysts*, 7(7).
- Fitch-Vargas, P.R., Aguilar-Palazuelos, E., Vega-García, M.O., Zazueta-Morales, J.J., Calderón-Castro, A., Montoya-Rodríguez, A., Delgado-Nieblas, C.I., & Camacho-Hernández, I.L., 2019, Effect of a corn starch coating obtained by the combination of extrusion process and casting technique on the postharvest quality of tomato, *Rev. Mex. Ing. Quim.*, 18, 789–801.

- Freyria, F.S., Blangetti, N., Esposito, S., Nasi, R., Armandi, M., Annelio, V., & Bonelli, B., 2020, Effects of the brookite phase on the properties of different nanostructured TiO₂ phases photocatalytically active towards the degradation of N-phenylurea, *ChemistryOpen*, 9, 903–912.
- Frick, J.M., Ambrosi, A., Pollo, L.D., & Tessaro, I.C., 2018, Influence of glutaraldehyde crosslinking and alkaline post-treatment on the properties of chitosan-based films, *J. Polym. Environ.*, 26, 2748–2757.
- Fujishima, A., & Zhang, X., 2006, Titanium dioxide photocatalysis: present situation and future approaches, *C. R. Chim.*, 9, 750–760.
- Gao, W., Thamphiwatana, S., Angsantikul, P., & Zhang, L., 2014, Nanoparticle approaches against bacterial infections, *WIREs Nanomed. Nanobiotechnol.*, 6, 532–547.
- Ghanbarzadeh, B., Almasi, H., & Entezami, A.A., 2010, Physical properties of edible modified starch/carboxymethyl cellulose films, *Innov. Food Sci. Emerg. Technol.*, 11, 697–702.
- Ghosh, M., Chowdhury, P., & Ray, A.K., 2020, Photocatalytic activity of aerioxide TiO₂ sensitized by natural dye extracted from mangosteen peel, *Catalysts*, 10, 917.
- Gordeeva, A., Thersleff, T., Hsu, Y.J., Liebske, C., Ulmer, P., Andersson, O., & Häussermann, U., 2023, Electronic structure characterization of TiO₂-II with the α -PbO₂ structure by electron-energy-loss-spectroscopy and comparison with anatase, brookite, and rutile, *J. Solid State Chem.*, 322, 1–7.
- Gupta, I., Cherwoo, L., Bhatia, R., & Setia, H., 2022, Biopolymers: implications and application in the food industry, *Biocatal. Agric. Biotechnol.*, 46, 102534.
- Haggerty, J.E.S., Schelhas, L.T., Kitchaev, D.A., Mangum, J.S., Garten, L.M., Sun, W., Stone, K.H., Perkins, J.D., Toney, M.F., Ceder, G., Ginley, D.S., Gorman, B.P., & Tate, J., 2017, High-fraction brookite films from amorphous precursors, *Sci. Rep.*, 7, 15364.
- Hanaor, D.A.H., & Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 46, 855–874.
- He, Z., Cai, Q., Fang, H., Situ, G., Qiu, J., Song, S., & Chen, J., 2013, Photocatalytic activity of TiO₂ containing anatase nanoparticles and rutile nanoflower structure consisting of nanorods, *J. Environ. Sci. (China)*, 25, 2460–2468.
- Huie, J., Suqiu, Z., Haiyan, J., Zhijian, L., Lijuan, C., Nihao, L., & Xinhua, L., 2023, Microporous chitosan/polyvinyl alcohol-based active packaging materials with integrated gas-transmission, radiation-cooling, anti-microbial, and ultraviolet shielding features, *Chem. Eng. J.*, 473, 145432.

- Huseynov, E.M., & Huseynova, E.A., 2023, Infrared spectroscopy of nanocrystalline anatase (TiO₂) particles under the neutron irradiation, *Opt. Mater.*, 144, 114351.
- Hussein, Z., Fawole, O.A., & Opara, U.L., 2020, Harvest and postharvest factors affecting bruise damage of fresh fruits, *Hortic. Plant J.*, 6, 1–13.
- Iñiguez-Moreno, M., Santiesteban-Romero, B., Flores-Contreras, E.A., Scott-Ayala, S., Araújo, R.G., Iqbal, H.M.N., Melchor-Martínez, E.M., & Parra-Saldívar, R., 2024, Sustainable solutions for postharvest berry protection: Natural edible coatings, *Food Bioproc. Technol.*, (in press).
- Ismail, A.M., Tiama, T.M., Farghaly, A., Elhaes, H., & Ibrahim, M.A., 2023, Assessment of the functionalization of chitosan/iron oxide nanoparticles, *Biointerface Res. Appl. Chem.*, 13, 1–13.
- Ismail, M., Ahmad Ludin, N., Hisham Hamid, N., Adib Ibrahim, M., & Sopian, K., 2018, The effect of chenodeoxycholic acid (CDCA) in mangosteen (*Garcinia mangostana*) pericarps sensitizer for dye-sensitized solar cell (DSSC), *J. Phys.: Conf. Ser.*, 1083, 012018.
- Jaeger, S.R., Antúnez, L., & Ares, G., 2023, An exploration of what freshness in fruit means to consumers, *Food Res. Int.*, 165, 112491.
- Jamdagni, P., Khatri, P., & Rana, J.S., 2018, Green synthesis of zinc oxide nanoparticles using flower extract of *Nyctanthes arbor-tristis* and their antifungal activity, *J. King Saud Univ. Sci.*, 30, 168–175.
- Jang, H.D., Kim, S.-K., & Kim, S.-J., 2001, Effect of particle size and phase composition of titanium dioxide nanoparticles on the photocatalytic properties, *J. Nanopart. Res.*, 3, (no page given).
- Jeevahan, J., & Chandrasekaran, M., 2019, Nanoedible films for food packaging: a review, *J. Mater. Sci.*, 54, 12290–12318.
- Jesus Filho, M. de, Scolforo, C.Z., Saraiva, S.H., Pinheiro, C.J.G., Silva, P.I., & della Lucia, S.M., 2018, Physicochemical, microbiological and sensory acceptance alterations of strawberries caused by gamma radiation and storage time, *Sci. Hortic.*, 238, 187–194.
- Kahramanoğlu, İ., 2019, Effects of lemongrass oil application and modified atmosphere packaging on the postharvest life and quality of strawberry fruits, *Sci. Hortic.*, 256.
- Kalaivani, T., Anilkumar, P., Jasmin, J., Deepak, S., and Ranjith Kumar, E., 2024, A study on microstructural, optical, vibrational, and morphological features of TiO₂ nanoparticles for ethanol sensor application, *Inorg. Chem. Commun.*, 161.
- Kalaycıoğlu, Z., Torlak, E., Akın-Evingür, G., Özen, İ., and Erim, F.B., 2017, Antimicrobial and physical properties of chitosan films incorporated with turmeric extract, *Int. J. Biol. Macromol.*, 101, 882–888.

- Karthiga, P., 2018, Preparation of silver nanoparticles by *Garcinia mangostana* stem extract and investigation of the antimicrobial properties, *Biotechnol. Res. Innov.*, 2(1), 30–36.
- Kaur, S.P., Rao, R., and Nanda, S., 2011, *Amoxicillin: A broad spectrum antibiotic*.
- Keskin, A.V., Gençten, M., Bozar, S., Arvas, M.B., Güneş, S., and Sahin, Y., 2020, Preparation of anatase form of TiO₂ thin film at room temperature by electrochemical method as an alternative electron transport layer for inverted type organic solar cells, *Thin Solid Films*, 706.
- Kızılkaya, P., and Kaya, M., 2025, Chitosan/TiO₂/rosmarinic acid bio-nanocomposite coatings: Characterization and preparation, *J. Compos. Sci.*, 9(1).
- Kocira, A., Kozłowicz, K., Panasiewicz, K., Staniak, M., Szpunar-Krok, E., and Hortyńska, P., 2021, Polysaccharides as edible films and coatings: Characteristics and influence on fruit and vegetable quality—a review, *Agronomy*, 11(5).
- Koraqi, H., Petkoska, A.T., Khalid, W., Sehrish, A., Ambreen, S., and Lorenzo, J.M., 2023, Optimization of the extraction conditions of antioxidant phenolic compounds from strawberry fruits (*Fragaria x ananassa* Duch.) using response surface methodology, *Food Anal. Methods*, 16(6), 1030–1042.
- Krishnan, S., Karim, A.V., and Shriwastav, A., 2022, Visible light responsive Cu-N/TiO₂ nanoparticles for the photocatalytic degradation of bisphenol A, *Water Sci. Technol.*, 86(6), 1527–1539.
- Kumar, N., and Neeraj, 2019, Polysaccharide-based component and their relevance in edible film/coating: A review, *Nutr. Food Sci.*, 49(5), 793–823.
- Kumar, P., Sethi, S., Sharma, R.R., and Verghese, E., 2018, Influence of edible coatings on physiological and biochemical attributes of Japanese plum (*Prunus salicina* Lindell) cv. Santa Rosa, *Fruits*, 73(1), 31–38.
- Kumari, P., Das, R.K., and Pal, B., 2021, Enhanced photocatalytic degradation of eco-toxic pharmaceutical waste diclofenac sodium by anion loaded Cu–Al LDH·Bi₂O₃ composites, *J. Taiwan Inst. Chem. Eng.*, 129, 227–236.
- Leemreize, H., Eltzholtz, J.R., and Birkedal, H., 2014, Lattice macro and microstrain fluctuations in the calcified byssus of *Anomia simplex*, *Eur. J. Mineral.*, 26(4), 517–522.
- Lestari, D., Sunarto, W., and Susatyo, E.B., 2012, Preparasi nanokomposit ZnO/TiO₂ dengan sonokimia serta uji aktivitasnya untuk fotodegradasi fenol, *Indones. J. Chem. Sci.*, 1(1).
- Li, J., Zhang, D., and Hou, C., 2025, Application of nano-titanium dioxide in food antibacterial packaging materials, *Bioeng.*, 12(1).

- Liu, Y., Yuan, Y., Duan, S., Li, C., Hu, B., Liu, A., Wu, D., Cui, H., Lin, L., He, J., and Wu, W., 2020, Preparation and characterization of chitosan films with three kinds of molecular weight for food packaging, *Int. J. Biol. Macromol.*, 155, 249–259.
- Lu, M., Zhou, Q., Yu, H., Chen, X., and Yuan, G., 2022, Colorimetric indicator based on chitosan/gelatin with nano-ZnO and black peanut seed coat anthocyanins for application in intelligent packaging, *Food Res. Int.*, 160.
- Luo, Z., Poyraz, A.S., Kuo, C.H., Miao, R., Meng, Y., Chen, S.Y., Jiang, T., Wenos, C., and Suib, S.L., 2015, Crystalline mixed phase (anatase/rutile) mesoporous titanium dioxides for visible light photocatalytic activity, *Chem. Mater.*, 27(1), 6–17.
- Manoli, K., Ghosh, M., Nakhla, G., and Ray, A.K., 2017, A review on Ferrate(VI) and photocatalysis as oxidation processes for the removal of organic pollutants in water and wastewater, in Shahid Ul-Islam (Ed.), *Adv. Mater. Wastewater Treat.*, Wiley Online Library.
- Maiaugree, W., Lowpa, S., Towannang, M., Rutphonsan, P., Tangtrakarn, A., Pimanpang, S., Maiaugree, P., Ratchapolthavisin, N., Sang-Aroon, W., Jarernboon, W., and Amornkitbamrung, V., 2015, A dye sensitized solar cell using natural counter electrode and natural dye derived from mangosteen peel waste, *Sci. Rep.*, 5.
- N. Thakur, Kumar Anu, K., and Kumar, A., 2021, Effect of (Ag, Zn) co-doping on structural, optical and bactericidal properties of CuO nanoparticles synthesized by a microwave-assisted method, *Dalton Trans.*, 50(18), 6188–6203.
- Nainggolan, I., Nasution, T.I., and Ahmad, K.R., 2018, Milk powder quality degradation detection using chitosan film based sensor, *J. Phys. Conf. Ser.*, 1116, 1–8.
- Nguyen, T.T., Nguyen, T.T.T., Van Tran, T., Van Tan, L., Danh, L.T., and Than, V.T., 2021, Development of antibacterial, antioxidant, and UV-barrier chitosan film incorporated with *Piper betle* Linn oil as active biodegradable packaging material, *Coatings*, 11, 1–17.
- Nithya, N., Bhoopathi, G., Magesh, G., and Kumar, C.D.N., 2018, Neodymium doped TiO₂ nanoparticles by sol-gel method for antibacterial and photocatalytic activity, *Mater. Sci. Semicond. Process.*, 83, 70–82.
- Nithyaa, N., and Victor Jaya, N., 2021, Effect of Nd on structural, optical and magnetic behaviour of TiO₂ nanoparticles, *Appl. Phys. A Mater. Sci. Process.*, 127(1).
- Nongthombam, S., and Swain, B.P., 2024, Hydrothermal synthesis of rGO-TiO₂ nanocomposites for electrochemical performance, *J. Appl. Electrochem.*, 54(4), 809–821.

- Oladzadabbasabadi, N., Mohammadi Nafchi, A., Ariffin, F., Wijekoon, M.M.J.O., Al-Hassan, A.A., Dheyab, M.A., and Ghasemlou, M., 2022, Recent advances in extraction, modification, and application of chitosan in packaging industry, *Carbohydr. Polym.*, 277.
- Othman, S.H., 2014, Bio-nanocomposite materials for food packaging applications: Types of biopolymer and nano-sized filler, *Agric. Agric. Sci. Procedia*, 2, 296–303.
- Ou, X., Liu, X., Liu, W., Rong, W., Li, J., and Lin, Z., 2018, Surface defects enhance the adsorption affinity and selectivity of Mg(OH)₂ towards As(V) and Cr(VI) oxyanions: a combined theoretical and experimental study, *Environ. Sci. Nano*, 5(11), 2570–2578.
- Ouerghi, O., Geesi, M.H., Ibnouf, E.O., Ansari, M.J., Alam, P., Elsanousi, A., Kaiba, A., and Riadi, Y., 2021, Sol-gel synthesized rutile TiO₂ nanoparticles loaded with cardamom essential oil: Enhanced antibacterial activity, *J. Drug Deliv. Sci. Technol.*, 64.
- Pagno, C.H., Castagna, A., Trivellini, A., Sodi, A., Ranieri, A., Ferreira, E.A., and Flôres, S.H., 2018, The nutraceutical quality of tomato fruit during domestic storage is affected by chitosan coating, *J. Food Process. Preserv.*, 42(1), 13326.
- Pasaribu, F., Ervina, I., and Suryanto, D., 2018, The Effectiveness Antimicrobial Activity Test of Citrus Peel Extract on Some Periodontal Pathogenic Bacteria (In vitro), *Int. J. Appl. Dent. Sci.*, 4, 146–150.
- Paul, S.K., Sarkar, S., Sethi, L.N., and Ghosh, S.K., 2018, Development of chitosan based optimized edible coating for tomato (*Solanum lycopersicum*) and its characterization, *J. Food Sci. Technol.*, 55(7), 2446–2456.
- Pelaez, M., Falaras, P., Kontos, A.G., de la Cruz, A.A., O’Shea, K., Dunlop, P.S.M., Byrne, J.A., and Dionysiou, D.D., 2012, A comparative study on the removal of cylindrospermopsin and microcystins from water with NF-TiO₂-P25 composite films with visible and UV-vis light photocatalytic activity, *Appl. Catal. B Environ.*, 121–122, 30–39.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., Dunlop, P.S.M., Hamilton, J.W.J., Byrne, J.A., O’Shea, K., Entezari, M.H., and Dionysiou, D.D., 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Priyadarshi, R., and Rhim, J.W., 2020, Chitosan-based biodegradable functional films for food packaging applications, *Innov. Food Sci. Emerg. Technol.*, 62.
- Rahaman, M.M., Hossain, R., Herrera-Bravo, J., Islam, M.T., Atolani, O., Adeyemi, O.S., Owolodun, O.A., Kambizi, L., Daştan, S.D., Calina, D., and Sharifi-Rad, J., 2023, Natural antioxidants from some fruits, seeds, foods, natural products, and associated health benefits: An update, *Food Sci. Nutr.*, 11(4), 1657–1670.

- Ribeiro, A.M., Estevinho, B.N., and Rocha, F., 1947, Preparation and incorporation of functional ingredients in edible films and coatings.
- Rodrigues, C., de Mello, J.M.M., Dalcanton, F., Macuvele, D.L.P., Padoin, N., Fiori, M.A., Soares, C., and Riella, H.G., 2020, Mechanical, thermal and antimicrobial properties of chitosan-based nanocomposite with potential applications for food packaging, *J. Polym. Environ.*, 28(4), 1216–1236.
- Rohman, A., Arifah, F.H., Irnawati, Alam, G., and Muchtaridi, M., 2020, The application of FTIR spectroscopy and chemometrics for classification of mangosteen extract and its correlation with alpha-mangostin, *J. Appl. Pharm. Sci.*, 10(4), 149–154.
- Saberi Riseh, R., Vatankhah, M., Hassanisaadi, M., and Kennedy, J.F., 2023, Chitosan-based nanocomposites as coatings and packaging materials for the postharvest improvement of agricultural product: A review, *Carbohydr. Polym.*, 309.
- Saberi Riseh, R., Vatankhah, M., Hassanisaadi, M., Shafiei-Hematabad, Z., and Kennedy, J.F., 2024, Advancements in coating technologies: Unveiling the potential of chitosan for the preservation of fruits and vegetables, *Int. J. Biol. Macromol.*, 254.
- Sadek, O., Touhtouh, S., Rkhis, M., Anoua, R., El Jouad, M., Belhora, F., and Hajjaji, A., 2022, Synthesis by sol-gel method and characterization of nano-TiO₂ powders, *Mater. Today Proc.*, 66, 456–458.
- Saeed, M., Azam, M., Saeed, F., Arshad, U., Afzaal, M., Ain, H.B.U., Ashraf, J., and Nasir, Z., 2021, Development of antifungal edible coating for strawberry using fruit waste, *J. Food Process. Preserv.*, 45(11).
- Safari, Z.S., Ding, P., Nakasha, J.J., and Yusoff, S.F., 2021, Controlling fusarium oxysporum tomato fruit rot under tropical condition using both chitosan and vanillin, *Coatings*, 11(3).
- Sahadat Hossain, M., and Ahmed, S., 2023, Easy and green synthesis of TiO₂ (anatase and rutile): Estimation of crystallite size using Scherrer equation, Williamson-Hall plot, Monshi-Scherrer model, size-strain plot, Halder-Wagner model, *Results Mater.*, 20.
- Salama, H.E., and Abdel Aziz, M.S., 2020, Optimized alginate and Aloe vera gel edible coating reinforced with nTiO₂ for the shelf-life extension of tomatoes, *Int. J. Biol. Macromol.*, 165, 2693–2701.
- Sangaiya, P., and Jayaprakash, R., 2018, A review on iron oxide nanoparticles and their biomedical applications, *J. Supercond. Nov. Magn.*, 31(11), 3397–3413.
- Satitmunnaithum, J., Kitazawa, H., Arofathullah, N.A., Widiastuti, A., Kharisma, A.D., Yamane, K., Tanabata, S., and Sato, T., 2022, Microbial population size and strawberry fruit firmness after drop shock-induced mechanical damage, *Postharvest Biol. Technol.*, 192.

- Shafey, A.M. El, 2020, Green synthesis of metal and metal oxide nanoparticles from plant leaf extracts and their applications: A review, *Green Process. Synth.*, 9(1), 304–339.
- Shankar, S., Khodaei, D., and Lacroix, M., 2021, Effect of chitosan/essential oils/silver nanoparticles composite films packaging and gamma irradiation on shelf life of strawberries, *Food Hydrocoll.*, 117.
- Shieh, K.J., Li, M., Lee, Y.H., Sheu, S.D., Liu, Y.T., and Wang, Y.C., 2006, Antibacterial performance of photocatalyst thin film fabricated by defection effect in visible light, *Nanomedicine*, 2(2), 121–126.
- Siripatrawan, U., and Kaewklin, P., 2018, Fabrication and characterization of chitosan-titanium dioxide nanocomposite film as ethylene scavenging and antimicrobial active food packaging, *Food Hydrocoll.*, 84, 125–134.
- Sofyan, N., Ridhova, A., Pramono, K.R., Yuwono, A.H., and Udhiarto, A., 2018, Visible light absorption and photo-sensitizing characteristics of natural dye extracted from mangosteen pericarps using different solvents, *J. Phys.: Conf. Ser.*, 8(5).
- Sowmyashree, A., Sharma, R.R., Rudra, S.G., Verma, M.K., and Grover, M., 2021, Influence of plant extract and edible coatings on quality of nectarine (*Prunus persica*) fruits, *Indian J. Agric. Sci.*, 91(1), 113–116.
- Suhag, R., Kumar, N., Petkoska, A.T., and Upadhyay, A., 2020, Film formation and deposition methods of edible coating on food products: A review, *Food Res. Int.*, 136.
- Taban, A., Haghighi, T.M., Mousavi, S.S., and Sadeghi, H., 2024, Are edible coatings (with or without essential oil/extract) game changers for maintaining the postharvest quality of strawberries? A meta-analysis, *Postharvest Biol. Technol.*, 216.
- Tariq, F., Hussain, R., Noreen, Z., Javed, A., Shah, A., Mahmood, A., Sajjad, M., Bokhari, H., and Rahman, S.U., 2022, Enhanced antibacterial activity of visible light activated sulfur-doped TiO₂ nanoparticles against *Vibrio cholerae*, *Mater. Sci. Semicond. Process.*, 147.
- Tavassoli-Kafrani, E., Shekarchizadeh, H., and Masoudpour-Behabadi, M., 2016, Development of edible films and coatings from alginates and carrageenans, *Carbohydr. Polym.*, 137, 360–374.
- Tekin, D., Birhan, D., and Kiziltas, H., 2020, Thermal, photocatalytic, and antibacterial properties of calcinated nano-TiO₂/polymer composites, *Mater. Chem. Phys.*, 251.
- Thakur, N., Anu, Kumar, K., and Kumar, A., 2021, Effect of (Ag, Zn) co-doping on structural, optical and bactericidal properties of CuO nanoparticles synthesized by a microwave-assisted method, *Dalton Trans.*, 50(18), 6188–6203.

- Thakur, N., Thakur, N., Kumar, A., Thakur, V.K., Kalia, S., Arya, V., Kumar, A., Kumar, S., and Kyzas, G.Z., 2024, A critical review on the recent trends of photocatalytic, antibacterial, antioxidant and nanohybrid applications of anatase and rutile TiO₂ nanoparticles, *Sci. Total Environ.*, 914.
- Thakur, R., Pristijono, P., Scarlett, C.J., Bowyer, M., Singh, S.P., and Vuong, Q.V., 2019, Starch-based films: Major factors affecting their properties, *Int. J. Biol. Macromol.*, 132, 1079–1089.
- Trajkovska Petkoska, A., Daniloski, D., D’Cunha, N.M., Naumovski, N., and Broach, A.T., 2021, Edible packaging: Sustainable solutions and novel trends in food packaging, *Food Res. Int.*, 140.
- Trinetta, V., McDaniel, A., Batziakas, K.G., Yucel, U., Nwadike, L., and Pliakoni, E., 2020, Antifungal packaging film to maintain quality and control postharvest diseases in strawberries, *Antibiotics*, 9(9), 1–12.
- Ül Kirci, M., Isaksson, O., and Seifert, R., 2022, Managing perishability in the fruit and vegetable supply chains, *Sustainability*, 14(9).
- Vaneechoutte, M., Dijkshoorn, L., Nemeč, A., Kämpfer, P., and Wauters, G., 2011, Acinetobacter, Chryseobacterium, Moraxella, and other nonfermentative gram-negative rods, *J. Bacteriol.*, 50, 714–738.
- Vanza, J.D., Patel, R.B., and Patel, M.R., 2020, Nanocarrier centered therapeutic approaches: Recent developments with insight towards the future in the management of lung cancer, *J. Drug Deliv. Sci. Technol.*, 60.
- Vischetti, C., Feliziani, E., Landi, L., de Bernardi, A., Marini, E., and Romanazzi, G., 2024, Effectiveness of four synthetic fungicides in the control of post-harvest gray mold of strawberry and analyses of residues on fruit, *Agronomy*, 14(1).
- Wang, S.Y., and Gao, H., 2013, Effect of chitosan-based edible coating on antioxidants, antioxidant enzyme system, and postharvest fruit quality of strawberries (*Fragaria x ananassa* Duch.), *LWT – Food Sci. Technol.*, 52(2), 71–79.
- Xiao, L., Kang, S., Lapu, M., Jiang, P., Wang, X., Liu, D., Li, J., and Liu, M., 2022, Preparation and characterization of chitosan/pullulan film loading carvacrol for targeted antibacterial packaging of chilled meat, *Int. J. Biol. Macromol.*, 211, 140–149.
- Xing, Y., Xu, Q., Li, X., Chen, C., Ma, L., Li, S., Che, Z., and Lin, H., 2016, Chitosan-based coating with antimicrobial agents: Preparation, property, mechanism, and application effectiveness on fruits and vegetables, *Int. J. Polym. Sci.*, 2016.
- Yang, J., Liu, F., Zhou, C., Li, H., Yang, G., Fang, S., Lee, I.S., Liu, Y., Bai, H., and Chen, C., 2023, 3D printed porous titanium filled with mineralized UV-responsive chitosan hydrogel promotes cell proliferation and osteogenesis in vitro, *J. Mater. Sci. Technol.*, 142, 34–44.

- Yıldırım-Yalçın, M., Şeker, M., and Sadıkoğlu, H., 2022, Effect of grape derivatives and cross-linked maize starch coatings on the storage life of strawberry fruit, *Prog. Org. Coat.*, 167.
- Yuliasari, M.M., Kawuri, R., and Proborini, M.W., 2015, Isolasi dan identifikasi bakteri penyebab penyakit busuk lunak pada buah stroberi (*Fragaria x ananassa*), *J. Metamorfosa*, 2(1), 23–28.
- Zhang, H., and Banfield, J.F., 2000, Understanding polymorphic phase transformation behavior during growth of nanocrystalline aggregates: Insights from TiO₂, *J. Phys. Chem. B*, 104(15), 3481–3487.
- Zhang, K.J., Gu, Q.L., Yang, K., Ming, X.J., and Wang, J.X., 2017, Anticarcinogenic effects of α -mangostin: A review, *Planta Med.*, 83(3–4), 188–202.
- Zhang, W., and Rhim, J.W., 2022, Titanium dioxide (TiO₂) for the manufacture of multifunctional active food packaging films, *Food Packag. Shelf Life*, 31.
- Zhang, Y., and Pan, C., 2011, TiO₂/graphene composite from thermal reaction of graphene oxide and its photocatalytic activity in visible light, *J. Mater. Sci.*, 46(8), 2622–2626.
- Zhou, C., Bai, J., Zhang, F., Zhang, R., Zhang, X., Zhong, K., and Yan, B., 2023, Development of Mussel-Inspired Chitosan-Derivative Edible Coating for Fruit Preservation. *Carbohydr. Polym.*, 321.
- Zyoud, A.H., Saleh, F., Helal, M.H., Shawahna, R., and Hilal, H.S., 2018, Anthocyanin-sensitized TiO₂ nanoparticles for phenazopyridine photodegradation under solar simulated light, *J. Nanomater.*, 2018.
- Zyoud, A., and Hilal, H., 2013, Curcumin-sensitized anatase TiO₂ nanoparticles for photodegradation of methyl orange with solar radiation, *Proc. Int. Conf. Appl. Inf. Technol. Renew. Energy Process. Syst.*, 31–36.