

DAFTAR PUSTAKA

- Aandstad, A., Holtberget, K., Hageberg, R., Holme, I. & Anderssen, S.A. (2014) Validity and reliability of bioelectrical impedance analysis and skinfold thickness in predicting body fat in military personnel. *Military Medicine*, 179(2), pp.208–217. <https://doi.org/10.7205/MILMED-D-12-00545>.
- Addison, O., Marcus, R., Lastayo, P. & Ryan, A. (2014). Intermuscular fat: a review of the consequences and causes. *International Journal of Endocrinology*, 309570, pp.1-11. <https://doi.org/10.1155/2014/309570>.
- Agustina, W., Lestari, R.M. & Prasida, D.W. (2023) Relationship of physical activity with obesity in productive age in the working area of the Marina Permai Puskesmas City Palangka Raya. *Jurnal Surya Medika (JSM)*, 9(1), pp.1–8.
- Aji, M. S. A., Mubarat, H. and Iswandi, H. (2023) Kampanye Sosial Mengatasi Bahaya sedentary lifestyle pada remaja di Kota Palembang, *VisArt: Jurnal Seni Rupa dan Design*, 1(1), pp. 234–249.
- Akhriani, M., Wati, D. Q. & Muharramah, A. (2023) Pengkajian Status Gizi Berdasarkan persen lemak tubuh dan pemberian konseling interpretasi hasil pengukuran pada pkm di milad Universitas Aisyah Pringsewu. *Jurnal Pengabdian Kepada Masyarakat Ungu*, 5(2), pp.112-116.
- Akınoğlu, B., Kocahan, T., Ünüvar, E., Eroğlu, İ., & Hasanoğlu, A. (2020) Sporcularda gövde kas kuvveti ile otur-uzan esnekliği arasındaki ilişkinin incelenmesi [Investigation of the relationship between trunk muscle strength and sit-reach flexibility in athletes]. *Türkiye Klinikleri Journal Sports Sciences*, 12(1), pp.9-15.
- Akınoğlu, B., Paköz, B., Hasanoğlu, A. & Kocahan, T. (2021) Investigation of The Relationship between sit-and-reach flexibility and the height, the leg length and the trunk length in adolescent athletes. *Baltic Journal of Health and Physical Activity*, 13, pp. 29-37. <http://dx.doi.org/10.29359/BJHPA.13.4.04>.
- Akmal, M. F., Kusnanik, N. W., Pramono, B. A., & Jatmiko, T. (2022) Hubungan Indeks massa tubuh dengan keseimbangan postural dan fleksibilitas. *Jurnal Prestasi Olahraga*, 5(5), pp.49–60.
- Alahmadi, M. A., Almasoud, K. H., Aljahani, A. H., Alzaman, N. S., Al-Nozha, O. M., Alahmadi, O. M., Jalloun, *et al.* (2024) The prevalence of sedentary behavior among university students in Saudi Arabia. *BMC Public Health*, 24(1), 605. <https://doi.org/10.1186/s12889-024-18107-7>
- American College of Sports Medicine. (2013) *ACSM's health-related physical fitness assessment manual. Fourth Edition*. Lippincott Williams & Wilkins.
- American College of Sports Medicine. (2013) *ACSM's Guidelines for Exercise Testing and Prescription. Ninth Edition*. Philadelphia, PA: Wolters Kluwer/Lippincott Williams & Wilkins.

- Amir, T. L. & Azi, Y. P. M. (2021) Pengaruh Indeks Massa Tubuh terhadap Keseimbangan postural dinamis pada mahasiswa Universitas Esa Unggul. *Jurnal Fisioterapi dan Rehabilitasi*, 5(2), pp.152–157.
- Amir, T. L., Sari, N., & Wibowo, E. (2021) Hubungan indeks massa tubuh dengan tingkat fleksibilitas otot *hamstring* pada pemain sepak bola. *Forum Ilmiah*, 18(2), pp.247-254.
- Anwar, R. S., Dieny, F. F., & Murbawani, E. A. & Fitranti, D. Y. (2023) The difference in physical activity and sedentary behavior during the covid-19 pandemic in medical and non-medical students at Diponegoro University. *Jurnal Gizi Klinik Indonesia*, 20(1), pp. 1-8.
- Apriantono, T., Herman, I., Syafriani, R., Juniarsyah, A.D., Hasan, M.F., Winata, B., Ihsani, S.I. & Safei, I. (2021) Analisis fleksibilitas pada atlet bulutangkis junior indonesia. *Sport Coaching and Education*, 5, pp. 74–79.
- Aprisuandani, S., Kurniawan, B., Harahap, S. & Chandra, A. (2021) Hubungan indeks massa tubuh (IMT) dengan ukuran telapak kaki pada anak usia 11–12 tahun. *Jurnal Kedokteran Ibnu Nafis*, 10(2), pp.116–121.
- Archilona, Z. Y., Heri-Nugroho, H., & Puruhita, N. (2016) Hubungan antara indeks massa tubuh (IMT) dengan kadar lemak total (studi kasus pada mahasiswa kedokteran Undip). *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 5(2), pp.122-131.
- Arisman MB. (2007) *Buku Ajar Ilmu Gizi dalam Daur Kehidupan* (2007). Jakarta: EGC Buku Kedokteran.
- Arora, A., D'Souza, S. & Yardi, S. (2016) Association between Body Mass Index and Hamstring/Back Flexibility in Adolescent Subjects. *International Journal of Science and Research (IJSR)*, 5(7), pp.96-99.
- Arwidya, N. E. & Wahjuni, E. S. (2021) Hubungan antara aktivitas sedentari dengan status gizi pada masa pandemi covid-19 di sma negeri 3 sidoarjo. *Jurnal Pendidikan Olahraga dan Kesehatan*, 9(2), pp.449–454.
- Asil, E., Surucuoglu, M. S., Cakiroglu, F. P., Ucar, A., Ozcelik, A. O., Yilmaz, M. V. & Akan, L.S. (2014) Factors that affect body mass index of adults. *Pakistan Journal of Nutrition*, 13(5), pp.255–260. 10.3923/pjn.2014.255.260
- Aubert, S., Barnes, J. D. & Tremblay, M. S. (2017) Sedentary behavior research network (sbrn) - terminology consensus project process and outcome. *International Journal of Behavioral Nutrition and Physical Activity*, 14(75), pp.1-17. <https://doi.org/10.1186/s12966-017-0525-8>
- Aziz, M.I.M. & Sentani, M.R. (2025) Effect of sedentary lifestyle on body mass index and cardiovascular endurance in adolescents. *Journal of Applied Food and Nutrition*, 6(1), pp.37–44.

- Bailey, D. P., Hewson, D. J., Champion, R. B. & Sayegh, S. M. (2019) Sitting time and risk of cardiovascular disease and diabetes: a systematic review and meta-analysis. *American Journal Preventive Medicine*, 57, pp.408-16. <https://doi.org/10.1016/j.amepre.2019.04.015>
- Barbieri, D. & Zaccagni, L. (2013) Strength training for children and adolescents: Benefits and risks. *Coll Antropol.* 37, pp.219-25. DOI: 10.11138/ca/2013.37.1.219
- Bauman, A., Ainsworth, B. E., Sallis, J. F., Hagstromer, M., Craig, C. L., Bull, F. C., Pratt, M., *et al.* (2011) The descriptive epidemiology of sitting. a 20-country comparison using the International Physical Activity Questionnaire (IPAQ). *American Journal Preventive Medicine*, 41: 228–235. <https://doi.org/10.1016/j.amepre.2011.05.003>
- Behera, D. K. & Gartia, R. (2023) Gender-specific variations in BMI status of students' social networking site usage: A comprehensive statistical analysis. *International Journal of Multidisciplinary Approach Research and Science*, 1(2), pp.287–298.
- Ben Mansour, G., Kacem, A., Ishak, M., Grélot, L. & Ftaiti, F. (2021) The effect of body composition on strength and power in male and female students. *BMC Sports Science, Medicine and Rehabilitation*, 13(1), p.150. <https://doi.org/10.1186/s13102-021-00376-z>.
- Bencke, J., Damsgaard, R., Saekmose, A., Jørgensen, P., Jørgensen, K. & Klausen, K. (2002) Anaerobic power and muscle strength characteristics of 11 years old elite and non-elite boys and girls from gymnastics, team handball, tennis and swimming. *Scand J Med Sci Sports*, 12(3), pp.171-178. <https://doi.org/10.1034/j.1600-0838.2002.01128.x>.
- Bennie, J. A., Chau, J. Y., van der Ploeg, H. P., Stamatakis, E, Do. A. & Bauman, A. (2013) The prevalence and correlates of sitting in european adults – A comparison of 32 eurobarometer-participating countries. *Int J Behav Nutr Phys Act* 10: 107. <https://doi.org/10.1186/1479-5868-10-107>.
- Biswas, A., Oh, P. I., Faulkner, G. E., Bajaj, R. R., Silver, M. A., Mitchell, M. S., *et al.* (2015) Sedentary time and its association with risk for disease incidence, mortality, and hospitalization in adults: A systematic review and meta-analysis. *Annals of Internal Medicine*, 162, pp.123-32. <https://doi.org/10.7326/M14-1651>.
- Beunza, J. J., Martinez-Gonzalez, M. A., Ebrahim, S., Bes-Rastrollo, M., Nunez, J., Martinez, J. A, *et al.* (2007) Sedentary behaviors and the risk of incident hypertension: the SUN Cohort. *American Journal of Hypertension*, 20, pp.1156-62. <https://doi.org/10.1016/j.amjhyper.2007.06.007>.
- Blouin, K., A. Boivin. & A. Tchernof. (2008) Androgens and body fat distribution. *Journal of Steroid Biochemistry and Molecular Biology*, 108, pp.272–280. <https://doi.org/10.1016/j.jsbmb.2007.09.001>.

- Blüher, M. (2019). Obesity: Global epidemiology and pathogenesis. *Nature Reviews Endocrinology*, 15(5), pp.288–298. <https://doi.org/10.1038/s41574-019-0176-8>.
- Bouguezzi, R., Sammoud, S., Markov, A., Negra, Y. & Chaabene, H. (2023) Why flexibility deserves to be further considered as a standard component of physical fitness: a narrative review of existing insights from static stretching study interventions. *Youth*, 3(1), pp.146–156. <https://doi.org/10.3390/youth3010010>.
- Boyanov, M. A., Z. Boneva, and V. G. Christov. (2003) Testosterone supplementation in men with type 2 diabetes, visceral obesity and partial androgen deficiency. *Aging Male*, 6, pp.1–7.
- Brusco, C. M., Blazeovich, A. J., Pinto, R. S. (2019) The effects of 6 weeks of constant-angle muscle stretching training on flexibility and muscle function in men with limited hamstrings' flexibility. *European Journal of Applied Physiology*, 119, pp.1691–1700. <https://doi.org/10.1007/s00421-019-04159-w>.
- Budiman, I. (2008) Validitas pengukuran lemak tubuh yang menggunakan skinfold caliper di 2, 3, 4, 7 tempat terhadap cara bod pod. *Maranatha Journal of Medicine and Health*, (7)2, pp.100-109.
- Budiman, K., Hamzah, P. N. & Musa, I.M. (2022). Karakteristik indeks massa tubuh berdasarkan jenis kelamin dan umur pada mahasiswa Program Profesi Dokter Fakultas Kedokteran Universitas Muslim Indonesia. *Indonesian Journal of Health*, 2(2), pp.100–109.
- Bull, F. C., Al-Ansari, S. S., Biddle, S., Borodulin, K., Buman, M. P., Cardon, G., Carty, C., et al. (2020) World Health Organization 2020 guidelines on physical activity and sedentary behaviour. *British Journal of Sports Medicine*, 54(24), pp.1451–1462. <https://doi.org/10.1136/bjsports-2020-102955>.
- Canadian Society for Exercise Physiology. (2003) *The Canadian Physical Activity, Fitness & Lifestyle Approach (CPAFLA): CSEP-Health & Fitness Program's Health-Related Appraisal and Counselling Strategy*. 3rd ed. Ottawa (Ontario): Canadian Society for Exercise Physiology.
- Castro, O., Bennie, J., Vergeer, I., Bosselut, G., & Biddle, S. J. H. (2020). How sedentary are university students? a systematic review and meta-analysis. prevention science. *The Official Journal of the Society for Prevention Research*, 21(3), pp.332–343. <https://doi.org/10.1007/s11121-020-01093-8>.
- Cenggana, J. L., Budi, A. & Delfian, T. (2025) Hubungan indeks massa tubuh dan jenis kelamin terhadap kelenturan tubuh pada mahasiswa Fakultas Kedokteran Universitas Prima Indonesia. *Jurnal Ners*, 9(1), pp.407–413.

- Chang, S. H., Beason, T. S., Hunleth, J. M., & Colditz, G. A. (2012) A systematic review of body fat distribution and mortality in older people. *Maturitas*, 72(3), pp.175–191. <https://doi.org/10.1016/j.maturitas.2012.04.004>.
- Chapman, E. A., de Vries, H. A. & Swezey, R. (1972) Joint stiffness: effects of exercise on young and old men. *The Journal of Gerontology*, 27 (2), pp.218-21. <https://doi.org/10.1093/geronj/27.2.218>.
- Chatterjee, S. & Chowdhuri, B.J. (1991) Comparison of grip strength and isometric endurance between the right and left hands of men and their relationship with age and other physical parameters. *Journal of Human Ergology (Tokyo)*, 20(1), pp.41–50.
- Chaudhary, K. (2019) Relationship between body composition and flexibility in middle-aged women. in: conceptualization of physical education and sports. *Ludhiana: Imperium Publishers*, 11, pp.513-516.
- Cruz-Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., et al. (2019) Sarcopenia: Revised European consensus on definition and diagnosis. *Age Ageing*, 48, pp.16–31. <https://doi.org/10.1093/ageing/afy169>.
- Cuberek, R., Machova, I. & Lipenska, M. (2013) Reliability of v sit-and-reach test used for flexibility self-assessment in females. *Acta Gymnica*, 43, pp. 35-39. DOI: 10.5507/ag.2013.004.
- Dahlan, M. S. (2017) *Multiaksial Statistik Diagnosis dan Multiaksial Substansi Diagnosis Pintu Gerbang Memahami Epidemiologi, Bostatistik dan Metode Penelitian*. Edisi 2. Jakarta. Epidemiologi Indonesia.
- De Castro-Maqueda, G., Rosety-Rodríguez, M. Á. & Fernández-Santos, J. R. (2025) Body mass index and sedentary behaviour affect hamstring extensibility in primary education students. *Sports*, 13, p. 109. <https://doi.org/10.3390/sports13040109>.
- De Maddalena, C., S. Vodo, A. Petroni, & A. M. Aloisi. (2012) Impact of testosterone on body fat composition. *Journal of Cellular Physiology*, 227, pp.3744–3748. <https://doi.org/10.1002/jcp.24096>.
- De Gouw, L., Klepp, K. I., Vignerová, J., Lien, N., Steenhuis, I. H. & Wind, M. (2010). Associations between diet and (in)activity behaviours with overweight and obesity among 10-18-year-old czech republic adolescents. *Public Health Nutrition*, 13(10A), pp.1701–1707. <https://doi.org/10.1017/S1368980010002259>.
- Dempsey, P. C., Larsen, R. N., Dunstan, D. W., Owen, N. & Kingwell, B. A. (2018) Sitting less and moving more: Implications for hypertension. *Hypertension*, 72, pp.1037-46. <https://doi.org/10.1161/HYPERTENSIONAHA.118.11190>.

- Desmawati, D. (2019) Gambaran gaya hidup kurang gerak (*sedentary lifestyle*) dan berat badan remaja zaman milenial di Tangerang, Banten. *JKM*, 11(4), pp. 297-301.
- Deurenberg, P., Pieters, J. J. L. & Hautvast, J. G. A. J. (1990) The assessment of the body fat percentage by skinfold thickness measurements in childhood and young adolescence. *British Journal of Nutrition*, 63(2), pp.293-303. <https://doi.org/10.1079/bjn19900116>.
- Dixon, J. B. (2010) The effect of obesity on health outcomes. *Molecular and Cellular Endocrinology*, 316(2), pp.104–108. <https://doi.org/10.1016/j.mce.2009.07.008>.
- Djalil, R.H., Kasim, Z. & Bawenti, S.H. (2024) Hubungan *sedentary lifestyle* dengan tekanan darah pada mahasiswa keperawatan di Fakultas Ilmu Kesehatan Universitas Muhammadiyah Manado. *Jurnal Kesehatan Amanah*, 8(2), pp.125–135.
- Douchi, T., N. Yoshimitsu, & Y. Nagata. (2001) Relationships among serum testosterone levels, body fat and muscle mass distribution in women with polycystic ovary syndrome. *Endocrine Journal*, 48, pp.685–689. <https://doi.org/10.1507/endocrj.48.685>.
- DT, S. S., Paramitha, I. A., Sabrina, M. E. (2024) Analisa fleksibilitas *hamstring* dan faktor resiko terhadap pemendekan otot *hamstring* pada remaja dewasa di Wilayah Ambokembang. *Majalah Ilmiah Fisioterapi Indonesia*, 12(1), pp. 57-63.
- Durnin, J.V.G.A. & Womersley, J. (1974) Body fat assessed from total body density and its estimation from skinfold thickness: Measurements on 481 men and women aged from 16 to 72 years. *British Journal of Nutrition*, 32(1), 77-97. <https://doi.org/10.1079/bjn19740060>.
- Eckel, R. H. (1989) Lipoprotein lipase: A multifunctional enzyme relevant to common metabolic diseases. *The New England Journal of Medicine*, 320, pp.1060–1068. <https://doi.org/10.1056/NEJM198904203201607>.
- Emmerich, S. D., Fryar, C. D., Stierman, B. & Ogden, C. L. (2024) *Obesity and Severe Obesity Prevalence in Adults: United States, August 2021–August 2023*. NCHS Data Brief, no. 508. Hyattsville, MD: National Center for Health Statistics.
- Ekelund, U., Tarp, J., Steene-Johannessen, J., Hansen, B.H., Jefferis, B., Fagerland, M. W., Whincup P, *et al.* (2019) Dose-response associations between accelerometry measured physical activity and sedentary time and all cause mortality: systematic review and harmonised meta-analysis. *BMJ* 366, p.14570. <https://doi.org/10.1136/bmj.l4570>.
- Eriksson, U., Asplund, K. & Sellstrom, E. (2010) Growing up in rural community--children's experiences of social capital from perspectives of wellbeing. *Rural Remote Health*, 10(3), p.1322. DOI: 10.22605/RRH1322.

- Etika, A. N., Agnes, Y. L. N., Yunalia, E. M., & Prayogi, I. S. (2023) Dampak akun media sosial terhadap perilaku sedentary pada mahasiswa kesehatan. *Holistic Nursing and Health Science*, 6(2), pp.76–85.
- Eston, Roger, & Thomas Reilly (ed). (1996) *Kinanthropometry*. 1st Ed. London. E & FN Spon, Chapman & Hall.
- Faiq, A. R., Zulhamidah, Y. & Widayanti, E. (2018) Gambaran *sedentary behaviour* dan indeks massa tubuh mahasiswa fakultas kedokteran universitas yarsi di masa pendidikan tahun pertama dan kedua Fakultas Kedokteran Universitas YARSI, Jakarta, 5(2), pp.066-073.
- Fajar, I., Yudasmar, D. S., Sari, Z. N. & Heynoek, F. P. (2023). Aktivitas *sedentary* dan tingkat aktivitas fisik: studi kasus pada siswa tingkat sekolah dasar dengan tingkat perbedaan status sosio-ekonomi di Kota Malang. *Sport Science and Health*, 5(12), pp.1290–1304.
- Faria, A., Gabriel, R., Abrantes, J., Brás, R. & Moreira, H. (2009) Triceps-surae musculotendinous stiffness: relative differences between obese and non-obese postmenopausal women. *Clinical Biomechanics*, 24(10), pp.866–871. <https://doi.org/10.1016/j.clinbiomech.2009.07.015>.
- Fatimah, S. N., Akbar, I. B., Purba, A., Tarawan, V. M., Nugraha, G. I., Radhiyanti, P. T. & Nurhayati, T. (2017) Hubungan pengukuran lemak subkutan dengan indeks massa tubuh pada laki-laki usia lanjut. *Penelitian Gizi dan Makanan*, 40(1), pp. 29-34.
- Ferdian, A., Lesmana, S. I. & Banjarnahor, L.A. (2016) Efektifitas antara *nordic hamstring exercise* dengan *prone hang exercise* terhadap ekstensibilitas *tightness hamstring*. *Jurnal Fisioterapi*, 16(1), pp.19–28.
- Fontaine, K. R. & Barofsky, I. (2001) Obesity and health-related quality of life. *Obesity Reviews*, 2(3), pp.173–182. <https://doi.org/10.1046/j.1467-789x.2001.00032.x>.
- Fox, C. S., Massaro, J. M., Hoffmann, U., Pou, K. M., Maurovich-Horvat, P., Liu, C. Y., Vasan, R. S., *et al.* (2007) Abdominal visceral and subcutaneous adipose tissue compartments: association with metabolic risk factors in the framingham heart study. *Circulation*, 116, pp.39–48. <https://doi.org/10.1161/CIRCULATIONAHA.106.675355>.
- Fradkin, C., Valentini, N. C., Nobre, G. C. & dos Santos, J. O. L. (2018). Obesity and overweight among Brazilian early adolescents: Variability across region, socioeconomic status, and gender. *Frontiers in Pediatrics*, 6, p.81. <https://doi.org/10.3389/fped.2018.00081>.
- Frank, A. P., de Souza Santos, R., Palmer, B. F. & Clegg, D. J. (2019) Determinants of body fat distribution in humans may provide insight about obesity-related health risks. *Journal of Lipid Research*, 60(10), 1710–1719. <https://doi.org/10.1194/jlr.R086975>.

- Frankl, D. (1999) *Anatomical Limitations of Flexibility : Physiological Basis of Flexibility*. Los Angeles: Department of Kinesiology and Physical Education.
- Freitas, S.R., Mendes, B., Le Sant, G., Andrade, R.J., Nordez, A. & Milanovic, Z. (2018) Can chronic stretching change the muscle-tendon mechanical properties? A review. *Scandinavian Journal of Medicine & Science in Sports*. 28(3), pp.794–806. <https://doi.org/10.1111/sms.12957>.
- Fuadah, D. Z., Siswoaribowo, A. & Daniaty, E. (2021) Sedentary lifestyle with social interaction in adolescent. *Journal of Applied Nursing and Health*, 3(2), pp.71-76.
- Garcia Meneguci, C. A., Meneguci, J., Sasaki, J. E., Tribess, S. & Júnior, J. S. V. (2021) Physical activity, sedentary behavior and functionality in older adults: A cross-sectional path analysis. *PloS one*, 16(1), p.e0246275. <https://doi.org/10.1371/journal.pone.0246275>.
- Garikapati, K., & Gayathri, K. B. & Lalitha, K. (2021) Chubby mothers-maternal and perinatal outcome in high body mass index. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 10(5), pp.1872-1876.
- Gibson, R. S. (2005) *Principle of Nutrition and Assessment Oxford*. 2nd ed. New York: Oxford University Press.
- Gite, A. A., Mukkamala, N. & Parmar, L. (2021). Relationship between body mass index and flexibility in young adults. *Journal of Pharmaceutical Research International*, 33(32A), pp. 119–126.
- Gustafson, B., Hedjazifar, S., Gogg, S., Hammarstedt A. & Smith, U. (2015) Insulin resistance and impaired adipogenesis. *Trends Endocrinol Metab*, 26, pp.193–200. <https://doi.org/10.1016/j.tem.2015.01.006>.
- Gutin, I. (2018) In BMI we trust: reframing the body mass index as a measure of health. *Social Theory and Health*, 16(3), pp.256–71. <https://doi.org/10.1057/s41285-017-0055-0>.
- Guyton, A., & Hall. (1997) *Buku Ajar Fisiologi Kedokteran*. Jakarta: EGC.
- Golden, D.W., Wojcicki, J.M., Jhee, J.T., Gilpin, S.L., Sawyer, J.R. & Heyman, M. B. (2008) Body mass index and elbow range of motion in a healthy pediatric population: a possible mechanism of overweight in children. *J Pediatr Gastroenterol Nutr*. 46(2), pp.196-201. <https://doi.org/10.1097/MPG.0b013e31812f568b>.
- Golding, L., C. Myers, & W. Sinning. (1989) *Y's way to physical fitness*. Champaign, IL: Human Kinetics.
- Graciosa, M. D., Coelho, J. J., Costa, L. M. R., Medeiros, D. L., Martinello, M. & Ries, L.G.K. (2013) Effect of sedentary lifestyle, nutritional status and sex

on the flexibility of school children. *Journal of Human Growth and Development*, 23(2), pp.144–150.

Hafshah, H., Fiani, D. N. & Sari, A. D. P. (2024) Hubungan aktivitas fisik terhadap fleksibilitas lumbal pada mahasiswa Fakultas Kedokteran Universitas Lampung. *Jurnal Ilmu Kedokteran dan Kesehatan*, 11(4), pp. 735-740.

Halim, R. & Suzan, R. (2020) Korelasi masa lemak dan lemak visceral dengan kadar leptin serum pada remaja *overweight* dan obesitas. *Jambi Medical Journal: Jurnal Kedokteran dan Kesehatan*, 8(1), pp.102-110.

Hallgren, M., Nguyen, T. T., Owen, N., Stubbs, B., Vancampfort, D., Lundin, A., Dunstan, D., Bellocco, R., & Lagerros, Y. T. (2020) Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. *The British Journal of Psychiatry : The Journal of Mental Science*, 217(2), pp.413–419. <https://doi.org/10.1192/bjp.2019.60>.

Hamilton, M. T., Hamilton, D. G. & Zderic, T. W. (2007) Role of low energy expenditure and sitting in obesity, metabolic syndrome, type 2 diabetes, and cardiovascular disease. *Diabetes*, 56(11), pp.2655–2667. <https://doi.org/10.2337/db07-0882>.

Hamisah, H., Mustari, Y., Chaerul P. I. S. (2022) Hubungan indeks massa tubuh dan aktivitas fisik dengan performa akademik mahasiswa selama pandemi Covid-19. *Jurnal Ilmiah Kesehatan Sandi Husada*, 1, pp.226–32.

Hanifah, L., Nasrullah, N. & Sufyan, D. L. (2023) Sedentary behavior and lack of physical activity among children in Indonesia. *Children (Basel, Switzerland)*, 10(8), 1283. <https://doi.org/10.3390/children10081283>.

Hardy, L. L., Booth, M. L. & Okely, A. D. (2007) The reliability of the adolescent sedentary activity questionnaire (ASAQ). *Preventive Medicine*, 45(1), pp.71–74. <https://doi.org/10.1016/j.ypmed.2007.03.014>

Haryadi, S., Nugraha, S. & Kawuryan, D. (2023) Hubungan antara konsumsi makanan cepat saji, jenis kelamin, dan aktivitas fisik dengan persentase lemak tubuh pada siswa SMP di Surakarta. *Ghidza: Jurnal Gizi dan Kesehatan*, 7(1), pp.53–63.

Hasibuan, M. U. Z. & A, P. (2021) Sosialisasi penerapan indeks massa tubuh (IMT) di Suta Club. *Cerdas Sifa Pendidikan*, 10(2), pp. 84–89.

Hayball, F. Z. & Pawlowski, C. S. (2018) Using participatory approaches with children to better understand their physical activity behaviour. *Health Educ J*, 77(5), pp.542–54. <https://doi.org/10.1177/0017896918759567>.

He, Z., T. Rankinen, A. S. Leon, J. S. Skinner, A. Tchernof, & C. Bouchard. (2018) Plasma steroids, body composition, and fat distribution: effects of age, sex, and exercise training. *Int. J. Obes. (Lond.)*, 42, pp.1366–1377. <https://doi.org/10.1038/s41366-018-0033-1>.

- Healy, G. N., Clark, B. K., Winkler, E. A., Gardiner, P. A., Brown, W. J., & Matthews, C. E. (2011) Measurement of adults' sedentary time in population-based studies. *American Journal of Preventive Medicine*, 41(2), 216–227. <https://doi.org/10.1016/j.amepre.2011.05.005>.
- Herzog, W., Powers, K., Johnston, K., Duvall, M. (2015) A new paradigm for muscle contraction. *Frontiers in Physiology*, 6, p.174. <https://doi.org/10.3389/fphys.2015.00174>.
- Hilton, T. N., Tuttle, L. J., Bohnert, K. L., Mueller, M. J. & Sinacore, D. R. (2008) Excessive adipose tissue infiltration in skeletal muscle in individuals with obesity, diabetes mellitus, and peripheral neuropathy: association with performance and function. *Physical Therapy*, 88, pp.1336-44. <https://doi.org/10.2522/ptj.20080079>.
- Huang, Y., Li, L., Gan, Y., Wang, C., Jiang, H., Cao, S., & Lu, Z. (2020). Sedentary behaviors and risk of depression: a meta-analysis of prospective studies. *Translational Psychiatry*, 10(1), p.26. <https://doi.org/10.1038/s41398-020-0715-z>.
- Huntington, J.F. (2019) Registered dietitian's knowledge, perceptions and practices regarding physical activity, sedentary behavior, and counselling in both. *University of Guelph*, pp. 48-78.
- Ibrahim R. C., Polii H., Wungouw H. (2015). Pengaruh latihan peregangan terhadap fleksibilitas lansia. *Jurnal e-Biomedik*, 3(1), pp. 328–33.
- Illahika, A. (2019) Analisis korelasi lipatan kulit (TLK) dengan indeks massa tubuh (imt) remaja perempuan Madura Di Sumenep. *Magna Medica: Berkala Ilmiah Kedokteran dan Kesehatan*, 6 (65), p.65.
- Indriyani, I., & Cahyadi, M. (2023) The relationship of obesity with range of motion (rom) on the ankle. *Biomedical Journal of Indonesia*, 9(3), pp.85–88.
- International Society for the Advancement of Kinanthropometry (ISAK). (2006) *International Standards for Anthropometric Assessment*. Potchefstroom, South Africa: ISAK.
- Iswari, N. W. A. D. K., Thanaya, S. A. P., Putra, I. P. Y. P. & Wibawa, A. (2024) Sedentary lifestyle berhubungan dengan massa lemak tubuh pada mahasiswa Universitas Udayana. *Majalah Ilmiah Fisioterapi Indonesia*. 12(2), pp.233-238.
- Jackson, A. S., Ellis, K. J., McFarlin, B. K., Sailors, M. H. & Bray, M. S. (2009) Body mass index bias in defining obesity of diverse young adults: The training intervention and genetics of exercise response (TIGER) Study. *British Journal of Nutrition*, 102, pp.1084-1090. <https://doi.org/10.1017/S0007114509325738>.
- Jackson, A. S., Stanforth, P. R., Gagnon, J., Rankinen, T., Leon, A. S., Rao, D. C., Skinner, J.S., Bouchard, C., Wilmore, J. H. (2002) The effect of sex, age

and race on estimating percentage body fat from body mass index: The Heritage Family Study. *International Journal of Obesity and Related Metabolic Disorders*, 26, pp.789–796. <https://doi.org/10.1038/sj.ijo.0802006>.

Jaya, I. P. P ., Mahardiananta, I. M. A ., Pratama, I. G. A. N. D. P. & Guna, I. N. S. I. (2025) Gambaran fleksibilitas *hamstring* mahasiswa Universitas Bali Internasional menggunakan alat rancang bangun *sit and reach* berbasis digital. *Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal*, 15(2), pp.427–436.

Jensen, S. M., Mølgaard, C., Ejlerskov, K. T., Christensen, L. B., Michaelsen, K. F., & Briend, A. (2015) Validity of anthropometric measurements to assess body composition, including muscle mass, in 3-year-old children from the SKOT Cohort. *Maternal & Child Nutrition*, 11(3), 398–408. <https://doi.org/10.1111/mcn.12013>.

Jayadilaga, Y., Handayani, M. & Roy Try Putra. (2023) Deskripsi *body mass index*, persentase lemak dan persentase otot pada wanita aktif jalan kaki. *Journal Physical Health Recreation (JPHR)*, 4(1), pp. 80-86.

Karastergiou, K., Smith, S. R., Greenberg, A. S. & Fried, S. K. (2012) sex differences in human adipose tissues – the biology of pear shape. *Biology of Sex Differences*, 3(1), p.13. <https://doi.org/10.1186/2042-6410-3-13>.

Katzmarzyk, P. T., Powell, K. E., Jakicic, J. M., Troiano, R. P., Piercy, K., Tennant, B. & Physical Activity Guidelines Advisory Committee. (2019) Sedentary Behavior and health: update from the 2018 physical activity guidelines advisory committee. *Med Sci Sports Exerc*, 51:1227–1241. <https://doi.org/10.1249/MSS.0000000000001935>.

Kell, R. T., Bell, G., & Quinney, A. (2001). Musculoskeletal fitness, health outcomes and quality of life. *Sports Medicine (Auckland, N.Z.)*, 31(12), pp.863–873. <https://doi.org/10.2165/00007256-200131120-00003>.

Kementerian Kesehatan Republik Indonesia. (2013) Riset Kesehatan Dasar (Riskesdas). Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.

Kementerian Kesehatan Republik Indonesia. (2018) *Riset Kesehatan Dasar (Riskesdas)*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.

Kementerian Pemuda dan Olahraga Republik Indonesia. (2022) *Pedoman Pelaksanaan Tes Kebugaran Pelajar Nusantara (TKPN)*. Jakarta.

Kementerian Pemuda dan Olahraga Republik Indonesia. (2023) *Laporan Indeks Pembangunan Olahraga Tahun 2023: Kebugaran Jasmani dan Generasi Emas 2045*. Jakarta: Deputi Bidang Pembudayaan Olahraga, Kementerian Pemuda dan Olahraga Republik Indonesia.

- Kerr, N. R. & Booth, F. W. (2022) Contributions of physical inactivity and sedentary behavior to metabolic and endocrine diseases. *Trends in Endocrinology & Metabolism*, 33(12), pp.817-827. <https://doi.org/10.1016/j.tem.2022.09.002>.
- Khoiriyah, W. (2019) Hubungan *smartphone addiction* dan *sedentary lifestyle* dengan kejadian status gizi lebih pada remaja. Surabaya: *Skripsi Universitas Airlangga*.
- Kikuchi, H., Inoue, S., Sugiyama, T., Owen, N., Oka, K., Nakaya, T., & Shimomitsu, T. (2014) Distinct associations of different sedentary behaviors with health-related attributes among older adults. *Preventive Medicine*, 67, pp.335–339. <https://doi.org/10.1016/j.ypmed.2014.08.011>.
- Kim, J. H., Choi, S. H., Lim, S., Lim, J. Y., Kim, K. W., Park, K. S., Shin, C. S., & Jang, H. C. (2013) Thigh muscle attenuation measured by computed tomography was associated with the risk of low bone density in community-dwelling elderly population. *Clinical Endocrinology*, 78(4), pp.512–517. <https://doi.org/10.1111/cen.12016>.
- Kirk, B., Zanker, J. & Duque, G. (2020) Osteosarcopenia: epidemiology, diagnosis, and treatment-facts and numbers. *Journal of Cachexia, Sarcopenia and Muscle*, 11(3), pp.609–618. <https://doi.org/10.1002/jcsm.12567>.
- Komite Etik Penelitian dan Pengembangan Kesehatan Nasional. (2021). *Pedoman dan standar etik penelitian dan pengembangan kesehatan nasional*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.
- Komite Penanggulangan Kanker Nasional (KPKN). (2019). *Pedoman strategi & langkah aksi peningkatan aktivitas fisik*. Edited by S.A. Gondhowiardjo, C.P. Arianie and A. Taher. Jakarta: Komite Penanggulangan Kanker Nasional (KPKN), Periode 2014–2019.
- Kurdaningsih, S. V., Sudargo, T. & Lusmilasari, L. (2016) Physical activity and sedentary lifestyle towards teenagers' overweight/obesity status. *International Journal of Community Medicine and Public Health*. 630-635, pp.630-635. <http://dx.doi.org/10.18203/2394-6040.ijcmph20160623>.
- Kumar, A. K. & Sherkhane, M. S. (2018) Assessment of gadgets addiction and its impact on health among undergraduates. *International Journal of Community Medicine and Public Health*, 5(8), pp.3624–3628. <https://doi.org/10.18203/2394-6040.ijcmph20183109>.
- Lamb, K. E., Ogilvie, D., Ferguson N. S., Murray, J., Wang, Y., Ellaway, A. (2012) Sociospatial distribution of access to facilities for moderate and vigorous intensity physical activity in Scotland by different modes of transport. *International Journal of Behavioral Nutrition and Physical Activity*, 9(55), p.55.

- Lang, T., Cauley, J. A., Tylavsky, F., Bauer, D., Cummings, S., Harris, T. B., & Health ABC Study. (2010) Computed tomographic measurements of thigh muscle cross-sectional area and attenuation coefficient predict hip fracture: The health, aging, and body composition study. *Journal of bone and mineral research. The Official Journal of The American Society for Bone and Mineral Research*, 25(3), pp.513–519. <https://doi.org/10.1359/jbmr.090807>.
- Latouche C, Jowett JB, Carey AL, *et al.* (2013) Effects of breaking up prolonged sitting on skeletal muscle gene expression. *Journal of Applied Physiology*, 114 (4), pp.453–460. <https://doi.org/10.1152/jappphysiol.00978.2012>.
- Lee, R. D & Nieman, D. C. (2010) *Nutrition Assessment 5th Edition*, McGraw – Hill, New York.
- Lee, S. H., Son, C., Yeo, S., Ha, I. H. (2019) Cross-sectional analysis of self-reported sedentary behaviors and chronic knee pain among south korean adults over 50 years of Age in KNHANES 2013-2015. *BMC Public Health*, 19, p.1375. <https://doi.org/10.1186/s12889-019-7653-9>.
- Lemeshow, S., Hosmer, D. W. Jr., Klar, J., & Lwanga, S. K. (1997) *Besar Sampel dalam Penelitian Kesehatan*. Gajah Mada University Press, Yogyakarta.
- Lessard, J., Laforest, S., Pelletier, M., Leboeuf, M., Blackburn, L. & Tchernof, A. (2014) Low abdominal subcutaneous preadipocyte adipogenesis is associated with visceral obesity, visceral adipocyte hypertrophy, and a dysmetabolic state. *Adipocyte*, 3, pp.197–205. <https://doi.org/10.4161/adip.29385>.
- Lestari, U. S., Angmalisang, E. C. & Jayanti, M. (2024) Hubungan ketebalan lemak dengan fleksibilitas trunkus remaja putri. *JlIP - Jurnal Ilmiah Ilmu Pendidikan*, 7(3), pp.2597-2602.
- Lestari, U. S., Angmalisang, E. C., Wijaya, N. A. K. & Wirawanti, I. W. (2024) Relationship between body mass index and postural balance and flexibility in adolescent girls. *Science Midwifery*, 12(3), pp. 1230-1237.
- Lewandowski, Z., Dychala, E., Pisula-Lewandowska, A., & Danel, D. P. (2022) Comparison of skinfold thickness measured by caliper and ultrasound scanner in normative weight women. *International journal of Environmental Research and Public Health*, 19(23), p.16230. <https://doi.org/10.3390/ijerph192316230>.
- Lima, T. R., Martins, P. C., Moraes, M. S., & Silva, D. A. S. (2019) Association of flexibility with sociodemographic factors, physical activity, muscle strength, and aerobic fitness in adolescent from Southern Brazil. *Revista paulista de pediatria : orgao oficial da Sociedade de Pediatria de Sao Paulo*, 37(2), pp.202–208. <https://doi.org/10.1590/1984-0462/2019;37;2;00005>.
- Lisnawati, N., Kusmiyati, F., Herwibawa, B., Kristanto, B. A. & Rizkika, A. (2023) Hubungan indeks massa tubuh, persen lemak tubuh, dan aktivitas fisik

- dengan kadar gula darah remaja. *Journal of Nutrition College*, 12(2), pp.168-178.
- Liu, J., Fox, C. S., Hickson, D. A., May, W. D., Hairston, K. G., Carr, J. J., & Taylor, H. A. (2010) Impact of abdominal visceral and subcutaneous adipose tissue on cardiometabolic risk factors: The Jackson Heart Study. *The Journal of Clinical Endocrinology and Metabolism*, 95(12), pp.5419–5426. <https://doi.org/10.1210/jc.2010-1378>.
- Lubis, D. R. (2011) *Beda efek antara static stretching dengan dynamic stretching terhadap pemanjangan otot iliopsoas pada kasus tightness iliopsoas pada mahasiswa*. Jakarta: Skripsi Universitas Esa Unggul.
- Ludyanti, L. N. (2019) Perilaku kurang gerak (*sedentary behavior*) dengan perkembangan psikososial anak pra sekolah. *Care: Jurnal Ilmiah Ilmu Kesehatan*, 7(2), pp. 23-30.
- Luis de Moraes Ferrari, G., Kovalskys, I., Fisberg, M., Gomez, G., Rigotti, A., Sanabria, L. Y., Garcia, M. C., *et al.* (2019) Original research socio-demographic patterning of self-reported physical activity and sitting time in Latin American countries: Findings from ELANS. *BMC Public Health*, 19, p.1723. <https://doi.org/10.1186/s12889-019-8048-7>.
- Lundholm, L., H. Zang, A. L. Hirschberg, J. A. Gustafsson, P. Arner, & K. Dahlman-Wright. (2008) Key lipogenic gene expression can be decreased by estrogen in human adipose tissue. *Fertil. Steril*, 90, pp.44–48. <https://doi.org/10.1016/j.fertnstert.2007.06.011>.
- Lurati, A. R. (2018) Health issues and injury risks associated with prolonged sitting and sedentary lifestyles. *Workplace Health & Safety*, 66(6), pp.285–290. <https://doi.org/10.1177/2165079917737558>.
- Lumish, H.S., O'Reilly, M. & Reilly, M.P. (2020) Sex differences in genomic drivers of adipose distribution and related cardiometabolic disorders: opportunities for precision medicine. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 40(1), pp.45–60. <https://doi.org/10.1161/ATVBAHA.119.313154>.
- Maden, C. & Bayramlar, K. (2022) Effects of sedentary lifestyle and physical activity in gaming disorder. *International Journal of Academic Medicine and Pharmacy*, 4(2), pp.68-69.
- Maes, H. H., Beunen, G. P., Vlietinck, R. F., Neale, M. C., Thomis, M., Vanden Eynde, B., Lysens, R., *et al.* (1996) Inheritance of physical fitness in 10-yr-old twins and their parents. *Medicine and Science in Sports and Exercise*, 28(12), pp.1479–149. <https://doi.org/10.1097/00005768-199612000-00007>.
- Magnusson, S. P., Simonsen, E. B., Aagaard, P., Sørensen, H., Kjaer, M. A. (1996) Mechanism for altered flexibility in human skeletal muscle. *The*

Journal of Physiology, 497 (Pt 1), 291–298.
<https://doi.org/10.1113/jphysiol.1996.sp021768>.

Mahfouz, A. A., Shatoor, A. S., Khan, M. Y., Daffalla, A. A., Mostafa, O. A. & Hassanein, M. A. (2011) Nutrition, physical activity, and gender risks for adolescent obesity in Southwestern Saudi Arabia. *Saudi Journal of Gastroenterology*, 17(5), pp.318–322.
<https://doi.org/10.4103/1319-3767.84486>.

Maidi, A. Z. M, Handari, H. K & Utomo, B. (2023) *Hold relax* dan *static stretching* meningkatkan fleksibilitas *hamstring*: Studi literatur. *Physiotherapy Health Science (PhysioHS)*, 5, pp.8-17.

Maidartati, M., Hayati, S., Anggraeni, D. E., Irawan, E., Damayanti, A. and Silviani, D. A. R. (2022) Gambaran *sedentary lifestyle* pada remaja di SMA Kota Bandung. *Jurnal Keperawatan BSI*, 10(2), pp. 250-265.

Mahardika, I. K., Alega, S., Vira, A. A. & Hilmi, N. C. (2024) Perkembangan Anak Usia Remaja dalam Aspek Perilaku dan Emosional. *Jurnal Ilmiah Wahana Pendidikan*, 10(12), pp.344–347.

Makmun, A. & Pratama, A. (2021) Gambaran indeks massa tubuh (IMT) pada mahasiswa. *Indonesian Journal of Health*, 2(1), pp.1–7.

Mandriyarini, R., Sulchan, M. & Nissa, C. (2017) *Sedentary lifestyle* sebagai risiko kejadian obesitas pada remaja SMA *stunted* di Kota Semarang. *Journal of Nutrition College*, 6(2), pp. 149-155.

Mambela, I. J. (2020) Pengaruh perkembangan zaman modern yang memunculkan perilaku gaya hidup konsumerisme, di kalangan mahasiswa teologi zaman ini.

Mare, A. C. B. & Prasetyani, A. G. (2022) The relationship between sedentary lifestyle and blood glucose levels in nursing students. *Jurnal Keperawatan Suaka Insan (JKSI)*, 7(2), pp.128-132.

Marijančič, V., Grubić Kezele, T., Peharec, S., Dragaš-Zubalj, N., Pavičić Žeželj, S. & Starčević-Klasan, G. (2023) Relationship between physical activity and sedentary behavior, spinal curvatures, endurance and balance of the trunk muscles-extended physical health analysis in young adults. *International Journal of Environmental Research and Public Health*, 20(20), 6938.
<https://doi.org/10.3390/ijerph20206938>.

Marin-Jimenez, N., Cruz-Leon, C., Sanchez-Oliva, D., Jimenez-Iglesias, J., Caraballo, I., Padilla-Moledo, C., Cadenas-Sanchez, C., *et al.* (2022) Criterion-related validity of field-based methods and equations for body composition estimation in adults: a systematic review. *Current obesity Reports*, 11(4), pp.336–349. <https://doi.org/10.1007/s13679-022-00488-8>.

Marques, A. P., Vasconcelos, A. A. P., Cabral, C. M. N., & Sacco, I. C. N. (2009). Effect of frequency of static stretching on flexibility, *hamstring* tightness and

electromyographic activity. *Brazilian Journal of Medical and Biological Research*, 42(10), pp.949–953.
<https://doi.org/10.1590/s0100-879x2009001000012>.

Matthews, H., Taylor, M., Sherwood, K., Tucker, F. & Melanie, L. (2000) Growing-up in the countryside: children and the rural idyll. *Journal of Rural Studies*. 16(2), pp.141–53. [https://doi.org/10.1016/S0743-0167\(99\)00059-5](https://doi.org/10.1016/S0743-0167(99)00059-5).

Mayes, J. S., & G. H. Watson. (2004) Direct effects of sex steroid hormones on adipose tissues and obesity. *Obesity Reviews*. 5 (4), pp.197–216.
<https://doi.org/10.1111/j.1467-789X.2004.00152.x>.

McCrorie, P., Mitchell, R., Macdonald, L., Jones, A., Coombes, E., Schipperijn, J. & Ellaway, A. (2020) The relationship between living in urban and rural areas of Scotland and children's physical activity and sedentary levels: a country-wide cross-sectional analysis. *BMC Public Health*, 20, pp. 2-9.
<https://doi.org/10.1186/s12889-020-8311-y>.

McLaughlin, T., Lamendola, C., Coghlan, N., Liu, T.C., Lerner, K., Sherman, A. & Cushman, S.W. (2014) Subcutaneous adipose cell size and distribution: relationship to insulin resistance and body fat. *Obesity (Silver Spring)*, 22, pp.673–680. <https://doi.org/10.1002/oby.20209>.

Metcalfe, A., Stewart, C., Postans, N., Barlow, D., Dodds, A., Holt, C., Whatling, G., & Roberts, A. (2013) Abnormal loading of the major joints in knee osteoarthritis and the response to knee replacement. *Gait & Posture*, 37(1), pp.32–36. <https://doi.org/10.1016/j.gaitpost.2012.04.018>.

Mielke, G.I., Brown, W.J., Nunes, B.P., Silva, I.C.M. & Hallal, P.C. (2017) Socioeconomic correlates of sedentary behavior in adolescents: Systematic review and meta-analysis. *Sports Medicine*, 47(1), pp.61–75.
<https://doi.org/10.1007/s40279-016-0555-4>.

Miucin, P., Dewi, A. A. T. N., Sundari, L. P. R. & Sugiritama, I. W. (2020) Hubungan antara durasi duduk dan posisi duduk dengan fleksibilitas otot *hamstring* pada pegawai kantor instansi Pemerintah Sewaka Dharma Kota Denpasar. *Majalah Ilmiah Fisioterapi Indonesia*, 6(3), pp.29-33.

Moment, A. (2022) Interrelation between physical activity and hamstring flexibility among university students. *BIO Web of Conferences*, 48, p.01008.
<https://doi.org/10.1051/bioconf/20224801008>.

Moriyama, H. (2017). The effects of exercise on joints. *Clinical Calcium*, 27, pp.87-94.

Morrow, J. R., Jackson, A. W., Disch, J. G. & Mood, D. P. (2000) *Measurement and Evaluation in Human Performance*. 2nd ed. Champaign, IL: Human Kinetics.

Muharramah, A., Khairani, M. D. & Sismian, T. (2024) Pengukuran *skinfold thickness* (trisep, bisep, subskapula, suprailiaka) pada mahasiswa S1 Gizi

Universitas Aisyah Pringsewu tahun 2024. *Jurnal Gizi Aisyah*, 7(1), pp.37-42.

- Mujtahidin, A. N., & Fatmaningrum, W. & Kinandita, H. (2023) Hubungan antara indeks massa tubuh (IMT) dengan fleksibilitas lumbal pada mahasiswa fakultas kedokteran. *Jurnal Ilmiah Mahasiswa Kedokteran Universitas Airlangga*, 4 (1). pp. 32-36.
- Mulia, L., Yonda, O. & Herliana, K. (2024) Perbandingan tes kelentukan *sit and reach* dan *thomas test* terhadap kemampuan tendangan *del'o chagi* pada antero taekwondo club. *Jurnal Ilmiah Sports Coaching and Education*, 8(1), pp.10-16.
- Murmu, J., Sinha, A., Agrawal, R., Rout, B., Kanungo, S. & Pati, S. (2025) Sex and gender differentials in the prevalence of obesity and its association with multimorbidity among reproductive-aged individuals in India. *Frontiers in Public Health*, 12, 1496522. <https://doi.org/10.3389/fpubh.2024.1496522>.
- Murti, O. S. (2016) *Perbedaan pengaruh peningkatan fleksibilitas back muscle dengan latihan pnf stretching dan pilates exercise pada wanita*. Jakarta: Skripsi, Universitas Esa Unggul.
- Muslihah, N., Winarsih, S., Soemardini, S., Zakaria, A. & Zainudiin, Z. (2013) Kualitas diet dan hubungannya dengan pengetahuan gizi, status sosial ekonomi, dan status gizi. *Jurnal Gizi Dan Pangan*, 8(1), pp.71-76.
- Nieman, D.C. (2003) *Exercise Testing and Prescription: A Health Related Approach*, 5th ed. Boston: McGraw-Hill Higher Education.
- Nishida, C. & Mucavele, P. (2005) Monitoring the rapidly emerging public health problem of overweight and obesity: *The WHO global database on body mass index*. *SCN News*, 29, pp.5-12.
- Nonaka, H., Mita, K., Watakabe, M., Akataki, K., Suzuki, N., Okuwa, T., *et al.* (2002) Age-related changes in the interactive mobility of the hip and knee joints: a geometrical analysis. *Gait & Posture*, 15, pp.236–243. [https://doi.org/10.1016/s0966-6362\(01\)00191-6](https://doi.org/10.1016/s0966-6362(01)00191-6).
- Notoatmodjo, S. (2010) *Metodologi Penelitian Kesehatan*. (Edisi Revisi Cetakan Pertama). Jakarta: Rineka Cipta.
- Nourbakhsh, M. R. & Massoud, A. A. (2002) Relationship between mechanical factors and incidence of low back pain. *Journal of Orthopaedic & Sports Physical Therapy*, 32(9), pp. 447–460. <https://doi.org/10.2519/jospt.2002.32.9.447>.
- Nugrawan, R. N., Solliu, T. S. & Amin, N. (2019) Rancang bangun alat ukur fleksibilitas tubuh menggunakan sensor jarak berbasis mikrokontroler. *Foristek*, 9(1).

- Nurmalasari, Y. & Hayatuddini, I. L. (2018) Hubungan antara indeks massa tubuh dengan lemak visceral pada pasien diabetes melitus tipe 2 di poliklinik penyakit dalam rumah sakit pertamina bintang amin tahun 2017. *Jurnal Ilmu Kedokteran dan Kesehatan*, 5(2), pp.99–106.
- Okuda, E., Horii, D. & Kano T. (2005) Genetic and environmental effects on physical fitness and motor performance. *International Journal Sport and Health Science*, 3, pp.1–9.
- Otsuki, A., Muraoka, Y., Fujita, E., Kubo, S., Yoshida, M., Komuro, Y., Kuno-Mizumura, M. (2016) Gender differences in muscle blood volume reduction in the tibialis anterior muscle during passive plantarflexion. *Clinical Physiology and Functional Imaging*, 36(5), pp.421–425. <https://doi.org/10.1111/cpf.12232>.
- Owen, N., Healy, G. N., Dempsey, P. C., Salmon, J., Timperio, A., Clark, B. K., Goode, A. D., *et al.* (2020) Sedentary behavior and public health: integrating the evidence and identifying potential solutions. *Annual review of Public Health*, 41, 265–287. <https://doi.org/10.1146/annurev-publhealth-040119-094201>.
- Paddon-Jones, D., Sheffield-Moore, M., Urban, R.J., Sanford, A. P., Aarsland, A., Wolfe, R. R. & Ferrando, A. A. (2004) Essential amino acid and carbohydrate supplementation ameliorates muscle protein loss in humans during 28 days bedrest. *The Journal of Clinical Endocrinology & Metabolism*. 89, pp.4351–4358. <https://doi.org/10.1210/jc.2003-032159>.
- Pahlevi, M. F. I., Fitrianto, E. J., Ihsani, S. I. & Yuliasih. (2025) The association between body fat percentage and physical activity and the physical fitness level of students at SMA IT Al-Madinah Cibinong. *Jurnal Segar*, 13(2), pp.46–53.
- Palmer, A. K. & Kirkland, J. L. (2016) Aging and adipose tissue: potential interventions for diabetes and regenerative medicine. *Experimental Gerontology*, 86, pp.97–105. <https://doi.org/10.1016/j.exger.2016.02.013>.
- Park, J. H., Moon, J. H., Kim, H. J., Kong, M. H. & Oh, Y. H. (2020) Sedentary lifestyle: overview of updated evidence of potential health risks. *Korean Journal of Family Medicine*, 41(6), 365–373. <https://doi.org/10.4082/kjfm.20.0165>.
- Parker, B. A., Smithmyer, S. L., Pelberg, J. A., Mishkin, A. D., Herr, M. D., & Proctor, D. N. (2007) Sex differences in leg vasodilation during graded knee extensor exercise in young adults. *Journal of Applied Physiology*, 103(5), pp.1583–1591. <https://doi.org/10.1152/japplphysiol.00662.2007>.
- Parwata, I. M. Y. (2021) Pembelajaran gerak dalam pendidikan jasmani dari perspektif merdeka belajar. *Indonesian Journal of Educational Development*, 2(2), pp. 219–222.

- Pate, R. R., O'Neill, J. R. & Lobelo, F. (2008) The evolving definition of "Sedentary". *Exercise and Sport Sciences Reviews*, 36(4), pp.173-178. <https://doi.org/10.1097/JES.0b013e3181877d1a>.
- Perdana, D. A., Cahya, W. D. & Usman, R. A. (2022) Pengaruh latihan fisik terhadap perubahan tingkat fleksibilitas tubuh pada Taruna Politeknik Ilmu Pelayaran Makassar. *Jurnal Physio Research Center*, 2(1), pp.26–32.
- Pinto, A. J., Bergouignan, A., Dempsey, P. C., Roschel, H., Owen, N., Gualano, B. & Dunstan, D. W. (2023) Physiology of sedentary behavior. *Physiological reviews*, 103(4), 2561–2622. <https://doi.org/10.1152/physrev.00022.2022>.
- pk, S & Shaikh, U. (2022) Hamstring flexibility and its correlation with body composition in children who were active indoor during pandemic - A pilot study. *International Journal of Physical Education Sports and Health*, 9, pp.98-102.
- Pramita, R. & Griadhi, I. (2016) Hubungan antara perilaku sedentari dengan indeks massa tubuh pada siswa kelas v di SD Cipta Dharma Denpasar. *E-Jurnal Med Udayana*, 5(2).
- Pramudita, S. & Nadhiroh, S. R. (2017) Gambaran aktivitas sedentari dan tingkat kecukupan gizi pada remaja gizi lebih dan gizi normal. *Media Gizi Indonesia*, 12(1), p.80.
- Preis, S. R., Massaro, J. M., Robins, S. J., Hoffmann, U., Vasan, R. S., Irlbeck, T., Meigs, J. B., *et al.*, (2010) Abdominal subcutaneous and visceral adipose tissue and insulin resistance in the framingham heart study. *Obesity*, 18, pp.2191–2198. <https://doi.org/10.1038/oby.2010.59>.
- Primasoni, N. (2022) Hubungan antara indeks massa tubuh (IMT) dengan fleksibilitas otot *hamstring* atlet sepak bola junior Daerah Istimewa Yogyakarta. *JORPRES (Jurnal Olahraga Prestasi)*, 18(2), pp. 67-70.
- Prior, B. M., Yang, H. T., Terjung, R. L. (2004) What makes vessels grow with exercise training? *Journal of Applied Physiology* 97, pp. 1119–1128. <https://doi.org/10.1152/jappphysiol.00035.2004>.
- Public Health England. (2015) *Statistics on Obesity, Physical Activity and Diet England 2015*.
- Putra, S., Risnita., Jailani, M. S. & Nasution, F. H. (2023). Penerapan prinsip dasar etika penelitian ilmiah. *Jurnal Pendidikan Tambusai*, 7(3), pp.27876–27881.
- Putri, D. (2018). The physiological effects of high body fat percentage on adolescent fitness. *Jurnal Biomedik dan Kesehatan*, 4(1), pp.14–21.

- Rahma, S. I., Lukman, M. & Witdiawati. (2025) Studi deskriptif: sedentary lifestyle pada remaja di era digital. *Manuju: Malhayati Nursing Journal*, 7(5), pp.1951–1963.
- Rahman, D. N., Hidayatullah, F. & Anwar, K. (2022) Pengukuran kelentukan siswa smp negeri 1 bangkalan menggunakan modifikasi instrumen tes v-sit and reach secara daring. *Journal of Sport Coaching and Physical Education*, 7(1), pp.54-64.
- Rai, R., Ghosh, T., Jangra, S., Sharma, S., Panda, S. & Kochhar, K. P. (2023) Relationship between body mass index and body fat percentage in a group of indian participants: a cross-sectional study from a tertiary care hospital. *Cureus*, 15(10), e47817. <https://doi.org/10.7759/cureus.47817>.
- Rask-Andersen, M., Karlsson, T., Ek, W.E. and Johansson, Å. (2019) Genome-wide association study of body fat distribution identifies adiposity loci and sex-specific genetic Effects. *Nature Communications*, 10(1), p.339. <https://doi.org/10.1038/s41467-018-08000-4>.
- Roche, A. F. (1996) *Anthropometry and Ultrasound*. In A.F. Roche, S.B. Heymsfield, T.G. Lohman (Eds). Human Body Composition Champaign, IL: Human Kinetics.
- Romero-Corral, A., Somers, V. K., Sierra-Johnson, J., Thomas, R. J., Collazo-Clavell, M. L., Korinek, J., *et al.* (2008) Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes*, 32, pp.959-966. <https://doi.org/10.1038/ijo.2008.11>.
- Ronitawati, P., Gifari, N., Sitoayu, L. & Nurhasanah, P. (2022) Persen lemak tubuh, aktivitas fisik, body image, asupan energi, asupan karbohidrat berkorelasi dengan keragaman makanan pada remaja di perkotaan. *AcTion: Aceh Nutrition Journal*, 7(2), pp. 114-126.
- Rutherford, W. J., Diemer, G. A. & Scott, E. D. (2011) Comparison of bioelectrical impedance and skinfolds with hydrostatic weighing for the assessment of body composition in healthy young adults. *Journal of Research in Health, Physical Education, Recreation, Sport, and Dance*, 6, pp.56-60.
- Safuwani. (2007) Gaya hidup konsumerisme dan modernitas. *Jurnal SUWA Universitas Malikusaleh*, 5(1), pp. 38-46.
- Sagita, N. M. I., Antari, N. K. A. J., Griadhi, I. P. A. & Wibawa, A. (2023) Tingkat *sedentary life* terhadap kebugaran kardiovaskuler remaja. *Majalah Ilmiah Fisioterapi Indonesia*, 11(2), pp.133-137.
- Şahin, T. & Borlu, A. (2022) Prevalence of obesity in women of reproductive age group and related factors. *A study from Southeastern Turkey*, *Nigerian Journal of Clinical Practice*, 25(6), pp.801–808. https://doi.org/10.4103/njcp.njcp_1587_21.

- Sandercock, G., Angus, C. & Barton, J. (2010) Physical activity levels of children living in different built environments. *Preventive Medicine*, 50(4), pp.193–198. <https://doi.org/10.1016/j.ypmed.2010.01.005>.
- Santika, I. G. P. N. A. (2015) Hubungan indeks massa tubuh (IMT) dan umur terhadap daya tahan umum (kardiovaskuler) mahasiswa putra semester II kelas a Fakultas Pendidikan Olahraga dan Kesehatan IKIP PGRI Bali Tahun 2014. *Jurnal Pendidikan Kesehatan Rekreasi*, 1, pp.42–47.
- Santos, R. R. D., Cunha, J. C., Menezes, M. P., Alves, A. G. P., Silva, M. H., Alves, R. R., Silva, N. P. & Marques, V. A. (2020) Flexibility is inversely correlated with body mass index in overweight recreational runners. *Journal of Physiotherapy & Physical Rehabilitation*, 5(3). DOI: 10.37421/jppr.2020.05.186.
- Saranga', J. L., Abdu, S., Dangeubun, D. J. & Sari, D. N. (2022) Faktor-faktor yang berhubungan dengan perilaku pencegahan Covid-19. *Jurnal Penelitian Kesehatan Suara Forikes*, 13(1), pp.186–189. doi:10.33846/sf13135.
- Saryati, A., Putri, I. N., Idris, N. & Amara, S. D. (2023) Analisis semiotika representasi kecantikan iklan *fair and lovely* versi Jessica Mila di media Youtube. *Jurnal Penelitian dan Pengabdian Sastra, Bahasa, dan Pendidikan*, 2(1), pp. 108-113.
- Schutte, N. M., Nederend, I., Hudziak, J. J., de Geus, E. J. C. & Bartels, M. (2016) Differences in adolescent physical fitness: a multivariate approach and meta-analysis. *Behavior Genetics*, 46(2), pp.217–227. <https://doi.org/10.1007/s10519-015-9754-2>.
- Senjaya, S., Sriati, A., Maulana, I. & Kurniawan. (2022). Dukungan keluarga pada ODHA yang sudah open status di Kabupaten Garut. *Jurnal Cakrawala Ilmiah*, 2(3), pp.1003–1010.
- Septadina, I. S., Adnindya, R. Wardiansyah. & Suciati, T. (2020) Manfaat gerakan salat untuk meningkatkan fleksibilitas punggung bawah pada pengrajin kain blongsong di Kota Palembang. *Jurnal Pengabdian Masyarakat: Humanity and Medicine*, 1(1), pp.11-17.
- Setyawan, D. A. (2022). Statistika kesehatan: *Analisis Bivariat pada Hipotesis Penelitian* (Cetakan 1). Surakarta: Tahta Media Group.
- Setyoadi., Rini, I. S. & Novitasari, T. (2015) Hubungan penggunaan waktu perilaku kurang gerak (*sedentary behaviour*) dengan obesitas pada anak usia 9-11 tahun Di SD Negeri Beji 02 Kabupaten Tulungagung. *Jurnal Ilmu Keperawatan Universitas Brawijaya*, 3(2), pp.155-167.
- Shalabi, K. M., AlSharif, Z. A., Alrowaishd, S. A. & Al Ali, R. E. (2023) Relationship between body mass index and health-related physical fitness: a cross-sectional study. *European Review for Medical and Pharmacological*

Sciences, 27, pp.9540–9549.
https://doi.org/10.26355/eurrev_202310_34127.

Shungin, D., Winkler, T. W., Croteau-Chonka, D. C., Ferreira, T., Locke, A. E., Mägi, R., et al., (2015) New genetic loci link adipose and insulin biology to body fat distribution. *Nature*, 518(7538), pp.187–196.
<https://doi.org/10.1038/nature14132>.

Singh, P. & Kumar, A. (2018) Effect of the percentage body fat on speed and flexibility of junior free style wrestlers. *International Journal of Physical Education, Sports and Health*, 5(1), pp.208-210.

Siri, W. E. (1956). *Body composition from fluid spaces and density: Analysis of methods*. University of California Radiation Laboratory, Publication No. 3349. Berkeley, California: University of California Press.

Suriawan, N. N. I. M., Pamita, I. & Parwata, I. M. Y. (2023) Pengaruh latihan modifikasi Hatha Yoga terhadap fleksibilitas lumbal pada Anak Usia 9-12 tahun di SD Negeri 2 Marga Tabanan. *Jurnal Pendidikan Kesehatan Rekreasi*, 9(1), pp. 140-147.

Suryani, A. I., Syahribulan, K. & Mursalam, M. (2019). Pengaruh penggunaan metode *mind mapping* terhadap hasil belajar Ilmu Pengetahuan Sosial murid kelas V SDN No. 166 Inpres Bontorita Kabupaten Takalar. *Jurnal Kajian Pendidikan Dasar (JKPD)*, 4(2), pp.741–753.

Susantini, P. (2021) Hubungan indeks massa tubuh (IMT) dengan persentase lemak tubuh, dan lemak visceral di Kota Semarang. *Jurnal Gizi Unimus*, 10(1), pp.52-57.

Tamimi, F. & Munawaroh, S. (2024) Teknologi sebagai kegiatan manusia dalam era modern kehidupan masyarakat. *Saturnus: Jurnal Teknologi dan Sistem Informasi*, 2(3), pp.66–74.

Tanjaya, W. & Setiadi, T. H. (2023) Hubungan durasi duduk dan *hamstring tightness* pada mahasiswa kedokteran. *Tarumanagara Medical Journal*, 5(1), pp.191–196.

Tchoukalova, Y. D., Votruba, S. B., Tchkonja, T., Giorgadze, N., Kirkland, J. L. & Jensen, M. D. (2010) Regional differences in cellular mechanisms of adipose tissue gain with overfeeding. *Proceedings of the National Academy of Sciences of the United States of America*, 107(42), pp.18226–18231.
<https://doi.org/10.1073/pnas.1005259107>.

Teasdale, N., Simoneau, M., Corbeil, P., Handrigan, G., Tremblay, A., & Hue, O. (2013) Obesity alters balance and movement control. *Current Obesity Reports*, 2(3), pp.235–240. <https://doi.org/10.1007/s13679-013-0057-8>.

Teresa, S., Widodo, S. & Winarni, T. I. (2018) Hubungan *body mass index* dan persentase lemak tubuh dengan volume oksigen maksimal pada dewasa

muda. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 7(2), pp.840-853.

Thakur, H. K., Pareek, P. A. & Sayyad, M. G. (2022) Comparison of bioelectrical impedance analysis and skinfold thickness to determine body fat percentage among young women. *Current Research in Nutrition and Food Science Journal*, 10, pp.295-301. <http://dx.doi.org/10.12944/CRNFSJ.10.1.24>.

Tremblay, M. S., Aubert, S., Barnes, J. D., Saunders, T. J., Carson, V., Latimer-Cheung, A. E., Chastin, S. F. M., Altenburg, T. M., Chinapaw, M. J. M. & SBRN Terminology Consensus Project Participants. (2017) Sedentary behavior research network (SBRN) - terminology consensus project process and outcome. *The International Journal of Behavioral Nutrition and Physical Activity*, 14(1), p.75. <https://doi.org/10.1186/s12966-017-0525-8>.

Trisnowiyanto, B. (2016). Hubungan ketebalan lemak dengan fleksibilitas trunkus remaja putri. *Interest: Jurnal Ilmu Kesehatan*. 5(1), pp.105–109.

Tronc, F., Wassef, M., Exposito, B., Henrion, D., Glagov, S. & Tedgui, A. (1996) Role of no in flow-induced remodeling of the rabbit common carotid artery. *Arterioscler Thromb Vasc Biol*, 16, pp.1256–1262. <https://doi.org/10.1161/01.atv.16.10.1256>.

Usgu, S., Ramazanoğlu, E. & Yakut, Y. (2021) The relation of body mass index to muscular viscoelastic properties in normal and overweight individuals. *Medicina*, 57(10), p.1022. <https://doi.org/10.3390/medicina57101022>.

Ufrida, K. & Harianto, S. (2022) Konsumerisme makanan siap saji sebagai gaya hidup remaja di kota surabaya: studi kasus siswi SMA Muhammadiyah 4 Kota Surabaya. *Jurnal Analisa Sosiologi*, 11(1), pp. 138-141.

Vihma, V., J. Naukkarinen, U. Turpeinen, E. Hamalainen, J. Kaprio, A. Rissanen, S. Heinonen, A. Hakkarainen, J. Lundbom, N. Lundbom., *et al.* (2017) Metabolism of sex steroids is influenced by acquired adiposity-a study of young adult male monozygotic twin pairs. *The Journal of Steroid Biochemistry and Molecular Biology* 172, pp.98–105. <https://doi.org/10.1016/j.jsbmb.2017.06.007>.

Vezér, M., Jósval, A., Bányai, B., Ács, N., Keszthelyi, M., Soltész-Katona, E., Szekeres, M., Oláh, A., *et al.* (2023) Impact of sex and exercise on femoral artery function: more favorable adaptation in male rats. *Life (Basel, Switzerland)*, 13(3), p.778. <https://doi.org/10.3390/life13030778>.

Vincent, H. K., Heywood, K., Connelly, J. & Hurley, R. W. (2012) Obesity and weight loss in the treatment and prevention of osteoarthritis. *PM & R : The Journal of Injury, Function, and Rehabilitation*, 4(5 Suppl), S59–S67. <https://doi.org/10.1016/j.pmrj.2012.01.005>.

Waluyo, I., Inswiasri, I., Adhi, W. P. & Arsyad, N. (2013) Perbedaan kemampuan fleksibilitas sit and reach test berdasarkan usia, jenis kelamin, penyakit

sendi dan rasio lingkaran pinggang panggul (RLPP) Pada Usia 15 – 59 Tahun di Kelurahan Duren Sawit Jakarta Timur Tahun 2012. *Jurnal Ilmiah Fisioterapi*, 3(2), pp.26-37.

Wang, M. G., Seale, P. & Furman, D. (2024) The infrapatellar fat pad in inflammaging, knee joint health, and osteoarthritis. *npj Aging*, 10(1), p.34. <https://doi.org/10.1038/s41514-024-00159-z>.

Watson, A. W. S. (1983) *Physical Fitness And Athletics Performance*. London. Longman House.

Wells, J. C. (2007) Sexual dimorphism of body composition. *Best Practice & Research: Clinical Endocrinology & Metabolism*, 21, pp.415–430. <https://doi.org/10.1016/j.beem.2007.04.007>.

Wenni, A. A., Nasruddin, H., Limoa, L.T., Makmun, A. & Hasan, H. (2023) Hubungan aktivitas fisik dan sedentary lifestyle dengan status gizi mahasiswa Program Profesi Dokter Angkatan 2017 Fakultas Kedokteran Universitas Muslim Indonesia. *Fakumi Medical Journal Jurnal Mahasiswa Kedokteran*, 3(6), pp.445-449.

Weppler, C.H. & Magnusson, S.P. (2010) Increasing muscle extensibility: a matter of increasing length or modifying sensation? *Physical Therapy*, 90(3), pp.438–449. <https://doi.org/10.2522/ptj.20090012>.

Wibowo, H., Rahmanto, S. & Lubis, Z. I. (2023) Hubungan durasi duduk dengan fleksibilitas otot *hamstring* pada pegawai di RSUD Ngimbang. *Jurnal Keperawatan dan Fisioterapi*, 6(1), pp.10–15.

Wibisono, I., Birawa, C., Wicaksana, A. & Priambodo, A. (2024) Correlation of sedentary lifestyle and interest in physical education learning among adolescents. *Physical Activity Journal (PAJU)*, 5(2), 197-206.

Widyastuti, T.N., Turner, R., Harcombe, H. & McLean, R. (2023) Trends in BMI of Indonesian adults: a longitudinal population-based study. *Public Health Nutrition*, 26(7), pp.1394–1402. <https://doi.org/10.1017/S1368980023000472>.

Wiguna, I. N. A. P. & Dewi, N. M. U. K. (2023) Hubungan antara indeks massa tubuh dan tingkat aktivitas fisik terhadap fleksibilitas otot punggung bawah dan *hamstring* pada siswa SMK Kesehatan Bali Khresna. *Jurnal Yoga dan Kesehatan*, 6(2), pp.189-200.

Wijayanti, D. N., Sukmaningtyas, H. & Fitranti, D. Y. (2018) Kesesuaian metode pengukuran persentase lemak tubuh skinfold caliper dengan metode bioelectrical impedance analysis. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 7(2), pp.1504-1510.

Wiranata, Y. & Inayah, I. (2020) Perbandingan penghitungan massa tubuh dengan menggunakan metode indeks massa tubuh (IMT) dan *bioelectrical*

impedance analysis (BIA). *Jurnal Manajemen Kesehatan Yayasan RS. Dr. Soetomo*, 6(1), pp. 44-50.

Wismanto. (2011) Pelatihan metode *active isolated stretching* lebih efektif daripada *contract relax stretching* dalam meningkatkan fleksibilitas otot *hamstring*. *Jurnal Fisioterapi*, 11(1), pp.77–92.

Wispayani, N., Kinandana, G., Widnyana, M., & Andayani, N. (2024). Indeks massa tubuh tidak mempengaruhi fleksibilitas otot *hamstring* pada mahasiswa. *Majalah Ilmiah Fisioterapi Indonesia*, 12(2), pp.211-215.

Woessner, M. N., Tacey, A., Levinger-Limor, A., Parker, A. G., Levinger, P. & Levinger, I. (2021) The evolution of technology and physical inactivity: the good, the bad, and the way forward. *Frontiers in Public Health*, 9, 655491. <https://doi.org/10.3389/fpubh.2021.655491>.

Womersley J. & Durnin J. V. G. A. (1977) A comparison of the skinfold method with extent of overweight and various weight–height relationships in the assessment of obesity. *British Journal of Nutrition*, 38(2), pp.271–284. <https://doi.org/10.1079/bjn19770088>.

Wong, J. E., Parnell, W. R., Howe, A. S., Lubransky, A. C., Black, K. E., & Skidmore, P. M. (2015) Diet quality is associated with measures of body fat in adolescents from Otago, New Zealand. *Public Health Nutrition*, 18(8), pp.1453–1460. <https://doi.org/10.1017/S1368980014001645>.

World Health Organization. 2010. *Global Recommendations on Physical Activity for Health*.

World Health Organization (2000) *Obesity: Preventing and Managing the Global Epidemic*. Report of a WHO Consultation. WHO Technical Report Series 894. Geneva: World Health Organization.

World Health Organization. (2020) *Physical activity* [online]. Diakses melalui <https://www.who.int/news-room/fact-sheets/detail/physical-activity> (Diakses pada 18 Juni 2025).

World Health Organization. (2020) *WHO Guidelines on Physical Activity and Sedentary Behavior*. In Routledge Handbook of Youth Sport, WHO: Geneva, Switzerland.

World Health Organization Western Pacific Region. (2000) *The Asia-Pacific Perspective: Redefining Obesity and its Treatment*. Sydney: Health Communications Australia Pty Limited.

World Health Organization. (2021). *6 facts on obesity* [online]. Diakses melalui <https://www.who.int/news-room/spotlight/6-facts-on-obesity> (Diakses pada 20 Juni 2025).

World Obesity Federation. (2023) *World Obesity Atlas 2023*. World Obesity Federation, London.

- Wu, Y., Li, D. & Vermund, S.H. (2024) Advantages and limitations of the body mass index (bmi) to assessment adult obesity. *International Journal of Environmental Research and Public Health*, 21 (6), 757. <https://doi.org/10.3390/ijerph21060757>.
- Wulandari, M.Z., Hamdi, A.F., Nurhalisa, F.Z., Hutabarat, D.F.P., Septiani, G.C., Nurazizah, D.A. & Puspawati, S. (2023) Penggunaan perhitungan indeks massa tubuh sebagai penanda status gizi pada mahasiswa Prodi Kesehatan Masyarakat Rombel 2D. *Jurnal Analis*, 2(2), pp.124–131.
- Xu, X. F., G. De Pergola, & P. Bjorntorp. (1991) Testosterone increases lipolysis and the number of beta-adrenoceptors in male rat adipocytes. *Endocrinology*, 128, pp.379–382. <https://doi.org/10.1210/endo-128-1-379>.
- YMCA of the USA, Golding LA. (2000) *YMCA Fitness Testing and Assessment Manual*. 4th ed. Champaign (IL): Human Kinetics.
- Zeng, Q., Dong, S. Y., Sun, X. N., Xie, J. & Cui, Y. (2012) Percent body fat is a better predictor of cardiovascular risk factors than body mass index. *Brazilian Journal of Medical and Biological Research = Revista Brasileira de Pesquisas Médicas e Biológicas*, 45(7), 591–600. <https://doi.org/10.1590/s0100-879x2012007500059>.
- Zoico, E., Rossi, A., Di Francesco, V., Sepe, A., Olivos, D., Pizzini, F., Fantin, F., *et al.* (2010) Adipose tissue infiltration in skeletal muscle of healthy elderly men: relationships with body composition, insulin resistance, and inflammation at the systemic and tissue level. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 65(3), pp.295–299. <https://doi.org/10.1093/gerona/glp155>.
- Zollner, A.M., Abilez, O.J., Böhl, M. & Kuhl, E. (2012) Stretching skeletal muscle: Chronic muscle lengthening through sarcomerogenesis. *PLoS ONE*, 7, e45661. <https://doi.org/10.1371/journal.pone.0045661>.
- Zulnalis & Rusli, D. (2024) Gambaran sedentary behavior mahasiswa Universitas Negeri Padang. *YASIN: Jurnal Pendidikan dan Sosial Budaya*, 4(6), pp.1302–1311.